Item No.	Item Desc	Long Descr	Stock QTY
1	DIFFUSER,SCS14,P/N: 09-DJ09LS37DB2V47SP(09M-D04- LS37DB2V47SP),POS. NO.13 (G2201)	ITEM NAME : DIFFUSER MATERIAL : SCS14 PART NO. : 09-DJ09LS37DB2V47SP(09M-D04-LS37DB2V47SP) POSITION NO. : 13 ASSEMBLY : SUNDYNE PUMP EQUIPMENT : G2201 MODEL : LMV 331-280 132S2D,S/N: E53-0022A-1,2,3,4	2
2	UPGRADE AGITATOR SEAL,LJERAUU 180 FXKKS,WET PARTS IS DUPLEX SS. (P1403)	ITEM NAME : UPGRADE AGITATOR SEAL TYPE : LJERAUU 180 FXKKS MATERIAL : WET PARTS IS DUPLEX SS. DRAWING NO. : BFB-12718 REV.00 EQUIPMENT : P1403 MAKE : EBTH ADDITIONAL INFORMATION:- FLUID: GLYCERINE/DM WATER	1
3	VALVE BAR (6 PCS/SET),TEFLON,P/N: 2-5,6-10 & 15 (F1441A/B/C)	ITEM NAME : VALVE BAR MATERIAL : TEFLON PART NO. : 2-5,6-10 & 15 DRAWING NO.: 206976 ASSEMBLY : BLOW BACK VALVE ASSEMBLY EQUIPMENT : F1441A/B/C ROTARY VACUUM FILTER MAKE : MITSUBISHI KAKOKI KAISHA.,LTD MODEL : YF61/2X8S ADDITIONAL INFORMATION: PACKING: 6 PCS = 1 SET	6
4	BLOWER COMPLETE SET,MODEL: IRS-400B (P2411A/B)	ITEM NAME : BLOWER COMPLETE SET DRAWING NO.: 40BSHE EQUIPMENT : P2411A/B MAKE : ITO ENGINEERING MODEL : IRS-400B,S/N: IRS-6300	1
5	FISHER PROVOX DCS IFC COMPLETED SET(DCS)	MATERIAL DESCRIPTION : FISHER PROVOX DCS IFC COMPLETED SET, MODEL : FSCL 6635 P.5.4, TYPE : PROVOX SR 90, BRAND : FISHER, TAG/WHERE USE : UC DCS, ==========, 1) 1 SET CONSISTING FOR 2 SET IFC - - CL6620X1-A14-WIDE CARDFILE ASSY = 1 SET, CONTROLLER TYPE:PROVOX SR 90, BRAND:FISHER, MODEL:FSCL 6635 P 5.4, TAG:UC DCS	2

6	BALL VALVE COMPLETED WITH PNEUMATIC ACTUATOR , SIZE 10"x 8" ANSI900, VF-2400B	Description : Trunning mounted ball design, bore 200 mm Brand : Perrin Model : 14-C Fire safe design Flange Connect Size : "Inlet Flange (tank side) 10"" ANSI900 LM/SF Outlet flange 8"" ANSI900 LF/SF" Material : "Body/Ball : Stainless steel A182 F321 Seat : SS321 with Carbon Graphite inlay ring Stem : Inconel 718 Seal/Glandpacking : Graphite Bolting : ASTM A193 GrB8M Gr.2" Actuator : Pneumatic Actuator Brand : Rotork Model : GP-130S-585A/C5D HPA Function : 90 degree, Single action,Fail close Accessories : "- Solenoid Valve 110 VAC Explosion proof Eex-d,Brand : Bifold,Model : FP06P - Pneumatic valve 3/2 spring return Brand : Bifold,Model : SPR-08-08-P1-32-NU-00-AL - Lockup Valve, SMC, EIL220-F02 - Limt sw, Bartec, model 07-1511-1030-Eex-d" Tag : VF-2400B Other : Including 2 Years Spare Part	1
7	DISTANCE PIECE,P/N: C00147-001-400,POS.NO.2-D208- 101-300 (P3602)	ITEM NAME : DISTANCE PIECE DRAWING NO.: D00208 ASSEMBLY : D080 CRANKCASE EQUIPMENT : 3602 MAKE : BURTON CORBLIN MODEL : D080LC2.5,S/N: 02778C93 ADDITIONAL INFORMATION: H2 BOOSTER COMPRESSOR	1
8	GEAR BOX SHELL ASSEMBLY,SCM435,P/N: P-D07836B- 005#-EPE00,POS.NO.36 (P2409)	ITEM NAME : GEAR BOX SHELL ASSEMBLY MATERIAL : SCM435 PART NO. : P-D07836B-005#-EPE00 DRAWING NO.: P-U1997A-2 POSITION NO. : 36 ASSEMBLY : GEAR BOX ASSEMBLY EQUIPMENT : P2409 MAKE : TOMOE	1
9	RUPTURE DISC,BT-KUB 12,SS316L/TANTULUM,SIZE: 12" (PSE1308C)	ITEM NAME : PSE1308C NEW RUPTURE DISC TYPE : BT-KUB 12 MATERIAL : SS316L/TANTULUM SIZE : 12" BURSTING PRESSURE : BP 21 kgf/cm2 At 248 DEG C OPERATING CONDITION : OPERATION RATIO 90 %, MAWP. 17.95 kg/cm2 ADDITIONAL INFORMATION: BURST TOT. +5% / -5%	2
10	BLOWER ASSEMBLY,SCS13,MODEL: IRS-300D (P2410)	ITEM NAME : BLOWER MATERIAL : SCS13 EQUIPMENT : P2410 MAKE : ITO ENGINEERING MODEL : IRS-300D,S/N: IRS-5400-BLOWER	1
11	BEVEL GEAR P/N: 40 WITH BEVEL PINION P/N: 32,SCH420 (P1203,P1205)	ITEM NAME : BEVEL GEAR P/N: 40 WITH BEVEL PINION P/N: 32 MATERIAL : SCH420 PART NO. : 40 & 32 DRAWING NO.: 3123-718243 EQUIPMENT : P1203,P1205 MAKE : HITACHI MODEL : #LT34-BGGMR-30,S/N: 72T-OH-12,13 ADDITIONAL INFORMATION: INCLUDE BRG NUT & BRG WASHER	1

12	MOTOR,340KW.74.9A,3300V,6P,FOOT,TECO, (G-3260G)	Description : MOTOR 3 PHASE INDUCTION-MOTORS Supply,Power : 340 KW,6 POLE,3300V.74.9A Frame size : 355C Speed,Freq : 980 RPM, 50 HZ Bearing DE/NDE : 6320/6322 Model : TEJH-WAA01 Type : FOOT MOUNT Brand : TECO Tag/Where use : MG-3260G Ordering data : IP55 Insul.Class F	1
13	MECHANICAL SEAL CARTRIDGE COMPLETE SET,MODIFICATION (P2401)	ITEM NAME : MECHANICAL SEAL CARTRIDGE COMPLETE SET,MODIFICATION ASSEMBLY : MECHANICAL SEAL ASSEMBLY EQUIPMENT : P2401 MAKE : EBTH MODEL : HSHLV-D/180-ED	1
14	PORT PLATE(COUPLING SIDE),SCS14,P/N: 5 (G1445A/B/C)	ITEM NAME : PORT PLATE(COUPLING SIDE) MATERIAL : SCS14 PART NO. : 5 EQUIPMENT : G1445A/B/C MAKE : TSURUMI VACCUM PUMPS MODEL : EVLT350,CY-58382	1
15	PORT PLATE(END SIDE),SCS14,P/N: 6 (G1445A/B/C)	ITEM NAME : PORT PLATE(END SIDE) MATERIAL : SCS14 PART NO. : 6 EQUIPMENT : G1445A/B/C MAKE : TSURUMI VACCUM PUMPS MODEL : EVLT350,CY-58382	1
16	VALVE SEAT FOR PV2309,TYPE:ANGLE VALVE, PV-2309	DESCRIPTION : VALVE SEAT PV-2309 SIZE : INNER=75/OUTER=230, CV=120 TYPE : ANGLE VALVE BRAND : SCHUF MATERIAL : TI,GR5 P/N : 20 DWG : 49628-11 TAG : PV-2309 TERM OF WARRANTEE PERFORMANCE GUARANTEE BASE ON ATTACHED CV CALCULATION SHEET OF SCHUF	1
17	SHAFT SLEEVE,TB35,ID.215xOD.245xL.419 MM.,POS.NO.2 (P1301A/B)	ITEM NAME : SHAFT SLEEVE MATERIAL : TB35 SIZE : ID.215xOD.245xL.419 MM. DRAWING NO.: 3121-714064 POSITION NO. : 2 ASSEMBLY : DRIVER ARRANGEMENT EQUIPMENT : P1301A/B MAKE : HITACHI	4

18	MOTOR,RESIDUE,75KW,380V,10P,HITACHI (ME1507)	DESCRIPTION : MOTOR, SUPPLY, POWER : 75 KW, 380 VAC, 10P, FRAME, SPEED : 50 HZ, TYPE : INDUCTION MOTOR, BRAND : HITACHI, MODEL : VTFOXXA, TAG/WHERE USE : ME 1507, -MOTOR, SUPPLYPOWERCURRENTVOL TAGE:75 KW, 380 VAC, FRAME SPEEDFREQUENCY:50 HZ, TYPE:INDUCTION MOTOR, BRAND:HITACHI, MODEL:VTFOXXA, TAG:ME 1507, OLD CODE:E45120440601, RISK:D2	1
19	IMPELLER SEAL FOR 1ST.STAGE,X60081158,P/N: 26- 1066/1-13-101-01-001 (P1101)	ITEM NAME : IMPELLER SEAL FOR 1ST. STAGE MATERIAL : X60081158 PART NO. : 26-1066/1-13-101-01-001 DRAWING NO.: 0-2557195.8 EQUIPMENT : P1101 MAKE : GHH BORSIG MODEL : GK 900/6/RG NO.26-1066/1	1
20	SUNDYNE PUMP COMPLETED SET (UP GRADE) (G2201A-D)	ITEM NAME : SUNDYNE PUMP COMPLETED SET (UP GRADE)	1
21	SET OF GUIDE VANES COMPLETE SET,000 011 227 835,POS.NO.4176-004	ITEM NAME : SET OF GUIDE VANES COMPLETE SET	1
22	STATIONARY SEAT,TUNGSTEN CARBINE&TITANIUM,POS.NO.1B (P1401)	ITEM NAME : STATIONARY SEAT	2
23	SCREW CONVEYOR ROTOR(REPAIR),SUS316 (T2401A)	ITEM NAME : SCREW CONVETOR ROTOR(REPAIR)	1
24	SHAFT ROTOR FEEDER ASSEMBLY,SUS304N2,POS.NO.2,3,4 (RV1402)	ITEM NAME : SHAFT ROTOR FEEDER	1
25	MATING RING,NT-23/TB35,POS.NO.4-0 (P2402,P2403,P2404,P2405)	ITEM NAME : MATING RING	3
26	SCREW CONVEYOR ROTOR(REPAIR),SUS316 (T2401B)	ITEM NAME : SCREW CONVEYOR ROTOR(REPAIR)	1
27	CRANKSHAFT,ASTM A48 CI35,P/N: 1.1201.0800.0.0,POS.NO.3-D208-101-300	ITEM NAME : CRANKSHAFT	1
28	EXPANSION JOINT,NON METALLIC+SHORT PIPE 350L.,DIA.2800xL.350 MM.	ITEM NAME : EXPANSION JOINT	1
29	CONTROL DISC WITH SPINDLES,TI, PV-2309	CONTROL DISC WITH SPINDELS	1
30	CONTROL VALVE COMPLETED SET,20",PV-1520	CONTROL VALVE COMPLETED SET,	1
31	OUTLET GUIDE VANE INSERT STAGE 2,000 200 366 839,POS.NO.31 (P1101B)	ITEM NAME : OUTLET GUIDE VANE INSERT STAGE 2	1
32	IMPELLER,A890 GR 1B,IMPELLER TO BE TRIMMED TO 23.88" (G1503A)	ITEM NAME : IMPELLER	1
33	JOURNAL AND THRUST SEGMENT,000 200 102 857,SIZE: 227.24x58.95x35,POS.	ITEM NAME : JOURNAL AND THRUST SEGMENT	5
34	STUFFING BOX GLAND,1.4571,P/N: 400005903,POS.NO.33 (F2408 RPF)	ITEM NAME : STUFFING BOX GLAND	2
35	THUST BEARING PAD,HP SHAFT,P/N:GR B53.12	DESCRIPTION : THUST BEARING PAD,	2
36	SEPARATING PLATE COMPLETED CON.ON AUX CARRIER,4583/PEEK,270x1720,	Description : SEPARATING PLATE COMPLETED CON.ON AUX CARRIER	3
37	FILTER ELEMENT,P/N: C-23-38-6-PE (F2201A/B)	ITEM NAME : FILTER ELEMENT	22
38	SIMATIC S5 PLC COMMUNICATION CARD (FGD)	MATERIAL DESCRIPTION : SIMATIC S5 PLC COMMUNICATION -, CA	1
39	RUPTURE DISC,4" P1226-4D24TL200,TANTALUM,SIZE: 4" (PSE1412)	ITEM NAME : RUPTURE DISC, 4" P1226-4D24TL200	4
40	EPICYCLIC GEAR GG P2KB11LAGE524 WITHOUT COOLING UNIT (F2408 RPF)	ITEM NAME : EPICYCLIC GEAR GG P2KB11LAGE524 WITHOUT COOLING UNIT	1
41	MOTOR,220KW,3.3KV,4P,TIKK-FCKW11X,TOSHIB (MB-2402 NEW SPEC.)	MOTOR, CAPACITY 220KW, 4P	1
42	FILTER ELEMENT FOR TA RECOVERY (F1801)	ITEM NAME : FILTER ELEMENT	20
43	DOUBLE ACTING PNEUMATIC ACTUATOR,PKD400x80 STROKE,SCHUF (PV2309)	DESCRIPTION : DOUBLE ACTING PNEUMATIC ACTUATOR	1
44	ROTARY VALVE COMPLETED WITH SPROCKET (RV2904A/B)	Description : ROTARY VALVE COMPLETED SET WITH SPROCKET	1
45	MOTOR,330/240KW,3300V,4/6P,1487 RPM,TECO (MP1301)	DESCRIPTION : MOTOR,	1

46	GEAR OIL PUMP PINION,X60148608,P/N: 26-1066/1-34- 100-001.04,4-00.10.1.0329-	ITEM NAME : GEAR OIL PUMP PINION	1
47	BUSH,OILESS#300,SIZE: 884/850-596 (B2402)	ITEM NAME : BUSH	1
48	AXIAL TILTING SEGMENG BEARING LP	DESCRIPTION : AXIAL TILTING SEGMENG BEARING-AXIAL TILTING SEGMENG BEARIN	1
49	CAGE, MOTOYAMA, PV2-2402	DESCRIPTION : CAGE	1
50	SEAL RING,CARBON&316SS,POS.NO.3 (P1401)	ITEM NAME : SEAL RING	2
51	MATING RING ASSEMBLY,NT-23/TB-35,POS.NO.21-0 (P2401,P2402,P2403,P2404,	ITEM NAME : MATING RING ASSEMBLY	3
52	SET OF GUIDE VANES COMPLETE SET,000 011 227 829,POS.NO.4176-004	ITEM NAME : SET OF GUIDE VANES COMPLETE SET	1
53	BEARING NO.68/560 "NTN",POS.NO.15 (F1441A/B/C RVF)	ITEM NAME : BEARING NO.68/560	4
54	RUPTURE DISC,TANTALUM,SIZE: 10" (PSE1308A)	ITEM NAME : RUPTURE DISC,10" P 1160-4D24IC250	4
55	PACKING RING "BHS" HOUSING (DRUM) PTFE (REPLACEMENT OF	ITEM NAME : PACKING RING HOUSING (DRUM) PTFE (REPLACEMENT OF 940002657,9400	16
56	CROSSHEAD,ASTM 48 C135,P/N: C00148-001- 400,POS.NO.4 (P3602)	ITEM NAME : CROSSHEAD	1
57	CONTROL DISC WITH SPINDLE P/N:30, 4"	DESCRIPTION : CONTROL DISC WITH SPINDLE,	1
58	Toshiba 3300V Drawout Vacuum Contator,P-3861 A,B (IAPA-ISBL)	Description : Toshiba 3300V Drawout Vacuum Contator	1
59	THRUST SEGMENT,000 200 102 856,SIZE: 245.88x30.67x10,POS.NO.4176-016	ITEM NAME : THRUST SEGMENT	5
60	TILTING PAD SET,F.BEARING NO.2 (1 SET=5 PCS),X60064079,P/N: 26-1066/1-32-	ITEM NAME : TILTING PAD SET,F.BEARING NO.2 (1 SET=5 PCS)	4
61	BEARING F.GEAR,TYPE: GX-135 (P1101)	ITEM NAME : BEARING	1
62	DRIVING SHAFT,SUS317L,POS.NO.34 (P1502)	ITEM NAME : DRIVING SHAFT	1
63	EX MOTOR,75 KW.130A,380V,4P,FOOT,HITACHI,(MP- 2405)	Description : EX MOTOR 3 PHASE INDUCTION-MOTORS	1
64	EWS WORKSTATION,DIGITAL,ALPHA 600 A	DESCRIPTION : ALPHA 600 A WORKSTATION,	1
65	SLEEVE,SUS316L,POS.NO.11 (P1203)	ITEM NAME : SLEEVE	2
66	Pipe 14", SCH 6.0 mm, BE A358-316L CLASS 2 EFW	Pipe 14", SCH 6.0 mm, BE A358-316L CLASS 2 EFW	6
67	SEAL RING,CARBON+SUS316,322x416x50 MM.,POS.NO.16 (P1301C)	ITEM NAME : SEAL RING	1
68	RUPTURE DISC,10" P1330-5C14(TL)200,HAST C-TAN- 316L,SIZE: 6" (PSE1536)	ITEM NAME : RUPTURE DISC,10" P1330-5C14(TL)200	9
69	CARTRIDGE SIEBKORPER,OTE-V-2513-API-PF010- V,ST.TIN.PT/POLYFIBRE,DIA.	ITEM NAME : CARTRIDGE SIEBKORPER	4
70	CONTROL DISC WITH SPINDLE,HAS-C, 6" * 6"	CONTROL DISC WITH SPINDLE,	1
71	LEVEL MEASUREMENT OF LIQUIDS AND BULK SOLIDS, R- RAY DETECTOR,	DESCRIPTION : LEVEL MEASUREMENT OF LIQUIDS AND BULK SOLIDS	1
72	FILTER ELEMENT,P/N: P19-1619 (CYLINDRICAL),POS.NO.20 "DONALSON"	ITEM NAME : FILTER ELEMENT	56
73	INTERMEDIATE BEARING,GRAPHITE,ID.280xOD.310xL.291 MM.,P/N: M400	ITEM NAME : INTERMEDIATE BEARING	2
74	VCB,12 KV,1250A, 50KA, BRAND GELPAG,(H8,H9)	VACUUM CIRCUIT BREAKER, RATED VOL	1
75	MATTING RING,NT-23/TB35,P/N: 4-0 (P1503)	ITEM NAME : MATTING RING	2
76	GEAR WHEEL RP 270,0/4,83 1.6587,P/N: 0302 (P-2401 A)	MATERIAL DESCRIPTION : GEAR WHEEL RP270,0/4,83 1.6587,	1
77	TILTING PAD SET,F.BEARING NO.1 (1 SET = 5 PCS),MAT'L: X60064084,P/N: 26-	ITEM NAME : TILTING PAD SET,F.BEARING NO.1 (1 SET = 5 PCS)	1
78	MEMBRAN/DISC DIFFUSER TYPE: A,F42A,A4-BRAND GH (1ETMSEP1EA42)	ITEM NAME : MEMBRAN/DISC DIFFUSER	500
79	GASKET EPDM CLIP-ON,M20-MFG,P/N: 108E1205 (E1205A/B)	ITEM NAME : GASKET EPDM CLIP-ON	352
80	FILTER CLOTHS,PVDF,W.1400 MM.xL.8100 MM. (F1441A/B/C)	ITEM NAME : FILTER CLOTHS	2
81	SEAL RING,CARBON,POS.NO.3 (P1301A/B)	ITEM NAME : SEAL RING	2
82	DRIVE SHAFT,SNCM439,P/N: P-T474-1,POS.NO.1 (P2409)	ITEM NAME : DRIVE SHAFT	1
83	THRUST BEARING PAD HP MODIFIED NON ACTIVE SIDE (J1101)	ITEM NAME : THRUST BEARING PAD HP MODIFIED NON ACTIVE SIDE	1
84	ACD CRYOGENIC DUPLEX RECIPROCATIING PUMP,P/N: 38691-12 (G3601A/B)	ITEM NAME : ACD CRYOGENIC DUPLEX RECIPROCATIING PUMP	1
85	MATTING RING,NT-23/TB35,POS.NO.4-0 (P1403,P2102,P2406,P2407)	ITEM NAME : MATTING RING	3
86	STATIONARY SEAT,TUNGSTEN CARBINE&TITANIUM,POS.NO.1A (P1401)	ITEM NAME : STATIONARY SEAT	2
87	FILTER ELEMENT,P/N: P19-1701(CONICAL),POS.NO.21 "DONALSON" (P1101B	ITEM NAME : FILTER ELEMENT	56

88	Trim Complete, Consisting of 1 Step Perforated- Plug With Balancing/VSEAL With Low	Description : Trim Complete, Consisting of 1 Step Perforated-Plug With Balancing/VSEAL	1
89	ROUND BAR Ti Gr-2(JIS TB-340) DIAMETER 4" x L 6M	DESCRIPTION : ROUND BAR Ti Gr-2(JIS TB-340) DIAMETER 4" x L 6M	1
90	FIBRE FILTER OF FILTRATION MEDIA,GX250,PP150,TWO ENDS(TOP/BOTTOM)	ITEM NAME : FIBRE FILTER OF FILT RATION MEDIA	1600
91	LEVEL MEASUREMENT OF LIQUIDS AND BULK SOLIDS,R- RAY DETECTOR,	DESCRIPTION: LEVEL MEASUREMENT OF LIQUIDS AND BULK SOLIDS	1
92	O-RING KIT (MODIFICATION),KARLEZ,VITON,FKM,P/N: 2A,2B,4A,4B,32A,32B,32C,	ITEM NAME : O-RING KIT (MODIFICATION)	2
93	SEAL RING,CARBON+SUS316,307x406x50 MM.,POS.NO.2 (P1301C)	ITEM NAME : SEAL RING	1
94	RADIAL BEARING F.GEAR,GX-135/R4 (P1101)	ITEM NAME : RADIAL BEARING	1
95	IGV PISTON ACTUATOR,PV-1101,STAGE 1	IGV PISTON ACTUATOR,	1
96	EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE,SIZE: ID.870x265 L	ITEM NAME : EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE	1
97	SEAL HOUSING,P/N: 09-H008AD01DBAP,POS.NO.30 (G2201)	ITEM NAME : SEAL HOUSING	1
98	GEAR PUMP COMPLETE SET,GEAR,GLYCERINE,1-1/2"x1- 1/2" (GZ1301CA,	ITEM NAME : GEAR PUMP COMPLETE SET	1
99	SPARE PART KIT OF MECHANICAL SEAL FOR SCREW CONVEYOR,TYPE: SP1	ITEM NAME : SPARE PART KIT OF MECHANICAL SEAL FOR SCREW CONVEYOR	2
100	VALVE SEAT RING, S/N 657083	DESCRIPTION : ANGLE VALVE SEAT RING,	1
101	SLEEVE,TB35,ID.215xOD.245xL.539 MM.,P/N: 2,20 (P1301A/B)	ITEM NAME : SLEEVE	1
102	BOLT WITH 2 NUTS AND WIRE (TI),SANDVIK,SIZE: M20,POS.NO.56 (P1202A/B)	ITEM NAME : BOLT WITH 2 NUTS AND WIRE (TI)	10
103	PISTON D:20.65,P/N: D00330-501-326,POS.NO.8- D00330-102-001 (P3602)	ITEM NAME : PISTIO RODS	1
104	AIR SEAL DRUM,SUS304,POS.NO.A (B2402)	ITEM NAME : AIR SEAL DRUM	1
105	BOLT WITH NUT,SANDVIK 2RK65,M16x25 MM.,POS.NO.62 (P1202B)	ITEM NAME : BOLT WITH NUT	23
106	TEMPLATE FOR PACKING AT DRUM,P/N: 400012869 (F2408 RPF)	ITEM NAME : TEMPLATE FOR PACKING AT DRUM	16
107	SPHERICAL ROLLER BEARING NO.22076EMD1 ,POS.NO.38 (P1301C)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22076EMD1	2
108	SEAL RING,CARBON,SPEC.NON IMPREGNATED,POS.NO.3,22 (P2401,P2402,	ITEM NAME : SEAL RING	4
109	LEVER FOR STATOR BLADE,Z452-4-020688,SIZE: 140x80x30,P/N: 28,POS.NO.	ITEM NAME : LEVER FOR STATOR BLADE	11
110	EXPANSION JOINT,SUS316L,DIA.460xL.300 MM. (T1402)	ITEM NAME : EXPANSION JOINT	2
111	ANALOG OUTPUT IOP(16) MC-PAOY22,HONEYWEL	ANALOG OUTPUT IOP (16),	1
112	SLEEVE,SUS316L,POS.NO.22 (F1441A/B/C)	ITEM NAME : SLEEVE	2
113	LV AC Ex Motor 75kW,380/660V,139/80A ,50 Hz,1485 1/min,1MD5280-0BD94-4BA1-	Description : LV AC Ex Motor 75kW	1
114	INDUCER,SCS14,P/N: JN12AB03DB0,POS.NO.9 (G2201A- E)	ITEM NAME : INDUCER	2
115	JOURNAL AND THRUST SEGMENT,Z454-3-004010,SIZE: 131.74x43.93x35,POS.	ITEM NAME : JOURNAL AND THRUST SEGMENT	5
116	IDLER SHAFT ASSEMBLY,P/N: SH01AD06K,POS.NO.A140 (G2201A-E)	ITEM NAME : IDLER SHAFT	1
117	PUMP ASSEMBLY,SUS316/SUS630 (GEAR),MODEL: HPR-6M- 32 (GZ1402,GZ1503)	ITEM NAME : PUMP ASSEMBLY	1
118	GATE VALVE,A216 GR.WCB,CS,LF,900#,10"	Design spec : ANSI B16.34	1
119	VALVE BAR (6 PCS/SET),TEFLON,P/N: 2-5,6-10 & 15 (F1441A/B/C)	ITEM NAME : VALVE BAR	1
120	BEARING NO.32234 ,POS.NO.26 (P2401)	ITEM NAME : BEARING NO.32234	2
121	CAGE+GUIDE, MATERIAL : SCS14A ST-F, MOTOYAMA, 2883-BLCV-S, PV2-2401A	DESCRIPTION : CAGE+GUIDE	1
122	SPRING RETAINER,316L,POS.NO.7 (P1401)	ITEM NAME : SPRING RETAINER	4
123	REHEATER ISOLATION DEVIEC,BUT WELD,ASTM A217 WC9,ASTM A156 GR70,	ITEM NAME : REHEATER ISOLATION DEVIEC	2
124	SHAFT SLEEVE FOR MECHANICAL SEAL,P/N: 005 (P1404)	ITEM NAME : SHAFT SLEEVE FOR MECHANICAL SEAL	1
125	EXPANSION BOLT STAGE: 3+4,CRNI134V,M39/42x324 MM. (P1101)	ITEM NAME : EXPANSION BOLT STAGE: 3+4	4
126	VALVE REPAIR SPARE PART KIT,HATANAKA	DESCRIPTION : BALL VALVE REPAIR SPARE PART KIT	5
127	PIPE,SUS304,BW,SL,SCH40,14*6 M(12EA=12M)	DESCRIPTION : PIPE,	12
128	BEARING NO.7240 DF,POS.NO.44 "NTN" (P1401,P1402)	ITEM NAME : BEARING NO.7240 DF	2
129	MOTOR,241 HP,1486 RPM,38.9A,3300V,23EB5010Y,RELIANCE,(MP-2408A- E,MP-	Description : MOTOR	2

130	IGV PISTON ACTUATOR,PV-1102,STAGE 3	IGV PISTON ACTUATOR,	1
131	GASKET-SET F COOLER STAGE.2,EKE 170.530.2.1.13 (P1101)	ITEM NAME : GASKET SET F COOLER STAGE.2	1
132	LUBRICANT OIL DTE 846 ,MOBIL, 208 LT. (P1101)	ITEM NAME : LUBRICANT OIL DTE 846	18
133	COUPLING GEARBOX,AGITATOR,POS.NO.27 (P1401,P1402)	ITEM NAME : COUPLING GEARBOX	1
134	SEAT,BUKA20+1.4462,P/N: SR01-HSHV- D/1402M_00077BA0,POS.NO.11,12	ITEM NAME : SEAT	2
135	BEARING F.GEAR,TYPE: GX-41/R2 (P-1101)	Description : BEARING	1
136	MATING RING,T-CARBIDE NT-23/TB35,POS.NO.4-0 (P2401)	ITEM NAME : MATING RING	1
137	DESUPERHEATER S-1111,WCB,300#,6"	DESCRIPTION : DESUPERHEATER S-1111,	1
138	BEARING CASE,SUS304L,DWG: 3122-713940,POS.NO.49 (P2401,P2402,P2405)	ITEM NAME : BEARING CASE	1
139	IMPELLER WITH IMPELLER WEAR RING,SC16A+SUS316,SIZE: IMPELLER DIA.	ITEM NAME : IMPELLER WITH IMPELLER WEAR RING	1
140	IGV PISTON ACTUATOR,PV-1103,STAGE 5	IGV PISTON ACTUATOR,	1
141	GUIDE BUSH,TI,SIZE:DIA.33 MM,POS.42	DESCRIPTION : GUIDE BUSH, INNER,OUTER : 33 MM,	3
142	GASKET,TI/TI PTFE/NIL,SIZE: 1520x1550x1580x4.5 MM.THK (E1603)	ITEM NAME : GASKET	5
143	SCREW FEEDER,SUS304,4820x165.2-300 (T2101)	ITEM NAME : SCREW FEEDER	1
144	LUBE OIL PUMP,P/N: PU04AK01,POS.NO.160 (G2201A/B/C/D/E)	ITEM NAME : LUBE OIL PUMP	2
145	STATIONARY SEAT,TUNGSTEN&TI,POS.NO.1B (P1301A/B)	ITEM NAME : STATIONARY SEAT	1
146	STATIONARY SEAT,TUNGSTEN&TI,POS.NO.1A (P1301A/B)	ITEM NAME : STATIONARY SEAT	1
147	VCB, 3AH1116-2, 12KV, 1250A, 40KA,SIEMENS,(MP- 1101)	VACUUM CIRCUIT BREAKER	1
148	ACB AE4000-SWA,400V,4000A,85 KAIC,MITSUBISHI (L7 PRI)	Description : AIC CIRCUIT BREAKER	1
149	O-RING FOR MECHANICAL SEAL,KALREZ SPECTRUM 7075 K33079,P/N: G430,	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
150	VCB 10-VPR-40C- ID12530A00,12KV,1250A,40KA,MITSUBISHI (H12)	Description : Vacuum Circuit Breaker	1
151	BUSH RULON(2 PC=1 BUSH RULON),RULON,ID.100xOD.120xL.90 MM. (T1441A)	ITEM NAME : BUSH RULON	4
152	CARBON RING SET STAGE.6,X51180752,ID.95.40 MM.(5 PCS/SET) (P1101)	ITEM NAME : CARBON RING SET STAGE: 6	1
153	CARBON RING SET STAGE.5,X51180740,ID.95.40 MM.(5 PCS/SET) (P1101)	ITEM NAME : CARBON RING SET STAGE: 5	1
154	SEAL ROTATING FACE,SIC,P/N: 09M-R03- AA01,POS.NO.51C (G2201E)	ITEM NAME : SEAL ROTATING FACE	2
155	IGV PISTON ACTUATOR,PV-1127, LP EXPANDER	IGV PISTON ACTUATOR,	1
156	EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE,SUS316L AND WITH	ITEM NAME : EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE	1
157	PUMP ASSEMBLY,MODEL: HPE-6M-30 (GZ2402)	ITEM NAME : PUMP ASSEMBLY	1
158	BUFFLE SUPPORT,317L,POS.NO.5 (P1403)	ITEM NAME : BAFFLE SUPPORT	28
159	REAMER BOLT AND LOCK NUTS,TB-35,M27x105 MM. (P1301)	ITEM NAME : REAMER BOLT AND LOCK NUT	81
160	SEAL FACE,BUKO03+1.4122,P/N: SR01-HSHV-D/140-BE- 1M_00041BA0,POS.NO.	ITEM NAME : SEAL FACE	2
161	Elbow 14", SCH 6.0 mm, 90 deg LR, BE A403-WP316L WP-W	Elbow 14", SCH 6.0 mm, 90 deg LR, BE A403-WP316L WP-W	10
162	INTER COOLER BUNDLE&BAFFLE ASSEMBLY,P/N: A3408524-01820 (P3861A/B)	ITEM NAME : INTER COOLER BUNDLE&BAFFLE ASSEMBLY	2
163	SCREW CONVEYOR (REPAIR),SUS316L (T1445)	ITEM NAME : SCREW CONVEYOR (REPAIR)	1
164	PIPE BEND, 90, 8 INCH, STAINLESS STEEL, ASTM A312 TP321, S-80S, BE, SMLS	DESCRIPTION : PIPE BEND 90	3
165	IMPELLER,HASTELLOY C,OD.131 MM.,POS.NO.41 (G1202A/B)	ITEM NAME : IMPELLER	1
166	BOWL BOTTOM BEARING HOUSING,MS#539D,P/N: P-V5318- 4,POS.NO.145	ITEM NAME : BOWL BOTTOM BEARING HOUSING	1
167	PLUNGER DOSING PUMP,SIZE: CAPACITY 174 L/hr AT 63 BAR (G2402C)	ITEM NAME : PLUNGER DOSING PUMP	1
168	BEARING NO.7038ADF (1 SET OF 2 BEARING),POS.NO.13 "NSK" (P1503)	ITEM NAME : BEARING NO.7038 ADF (1 SET OF 2 BEARING)	1
169	IMPELLER,SCS14,P/N: 09-JM01AG22DB1435 (JM01AG22DB05650),POS.NO.2	ITEM NAME : IMPELLER	1
170	BEARING NO.32328DB+7.5CS320 ,POS.NO.35,1 SET=BEARING 2 PCS+SPACER 1	ITEM NAME : BEARING NO.32328DB+7.5CS320	1
171	BEARING NO.32064 XUDB "NTN",POS.NO.36 (P1301C)	ITEM NAME : BEARING NO.32064 XUDB	1

172	ROTOR COMPLETE WITH SHAFT SLEEVE AND PARALLEL KEY (RV2411D/E/F)	ITEM NAME : ROTOR COMPLETE WITH SHAFT SLEEVE AND PARALLEL KEY	1
173	COLLAR BUSH,Z454-0-005393/005,SIZE: 35/25x12.5,POS.NO.4176-005 (J1101B	ITEM NAME : COLLAR BUSH	34
174	RUPTURE DISC PSE-1308C,TYPE: RBF (NEW),SIZE: 12" (PSE1308C)	ITEM NAME : RUPTURE DISC PSE-1308C	2
175	BUTTERFLY VALVE COMPLETED WITH ACTUATOR, SIZE 12 INCH, ANSI 150	DESCRIPTION : BUTTERFLY VALVE COMPLETED WITH ACTUATOR	1
176	SHAFT CUP STAGE:1+2	DESCRIPTION : SHAFT CUP,	1
177	EXPANSION JOINT,SUS316+TEFLON SPONGE,20"xL.350 MM. (B2402,T1442)	ITEM NAME : EXPANSION JOINT	1
178	BUTTERFLY VALVE WITH GEAR,BODY 13CR DISC,PTFE SEAT,150#,20"	BUTTERFLY VALVE WITH GEAR,BODY 13CR DISC,PTFE SEAT,150#,20"	3
179	BEARING SHAFT(SHAFT SEAL),1.4462,P/N: 20039020,POS.NO.3700 (P1441)	ITEM NAME : BEARING SHAFT(SHAFT SEAL)	1
180	O-RING,PERFLUOROELASTOMER FFKM.CODE: ORBP- 215F2,POS.NO.4A (P1401,	ITEM NAME : O-RING	3
181	SEAL RING FOR MECHANICAL SEAL,MAT'L: 10028755,POS.NO.52,54 (P1404 PRI	ITEM NAME : SEAL RING FOR MECHANICAL SEAL	2
182	SEPARATING PLATE COV. ON AUX CARRIER ST/PEEK,1.4571/PEEK,190x1720	ITEM NAME : SEPARATING PLATE COV. ON AUX CARRIER ST/PEEK	2
183	COVER DIFFUSER,SCS14,P/N: 09-CV01AA05DB3 (09M- C21-AC02DB3A),POS.NO.	ITEM NAME : COVER DIFFUSER	1
184	RUPTURE DISC,TANTALUM,SIZE: 6" (PSE1418)	ITEM NAME : RUPTURE DISC, 6" -PA1405-5C14IC200	4
185	RUPTURE DISC,TANTALUM/SUS 316,SIZE: 6" (PSE1414)	ITEM NAME : RUPTURE DISC, 6" P1244-16C24(IC)200	4
186	PUMP CASING,316LSS,SIZE: 3"x1-1/2",P/N: 001 (G1613A/B)	ITEM NAME : PUMP CASING	1
187	RUPTURE DISC,10" P1193-4D24IC250,TANTALUM,SIZE: 10" (PSE1308B)	ITEM NAME : RUPTURE DISC,10" P1193-4D24IC250	2
188	SEAT,X6 CR NI MO 17-12-2,POS.NO.5 (PSV1309)	ITEM NAME : SEAT	1
189	MATING RING ASSEMBLY,NT-23/TB35,POS.NO.4-0 (P1203,P1205)	ITEM NAME : MATING RING ASSEMBLY	2
190	Surge Capacitor, Model: 4001A1185FEP001,(Revised model 18L0009WH),SIEMENS	Description : Surge Capacitor, Model: 4001A1185FEP001,(Revised model 18L0009WH)	2
191	METAL CERAMIC(4 PCS/SET),CERAMIC,POS.NO.10 (GZ1301A/B)	ITEM NAME : METAL CERAMIC	6
192	STEADY BEARING HOUSING,P/N: 20114868,POS.NO.6705 (P1404 PRI PROJECT)	ITEM NAME : STEADY BEARING HOUSING	1
193	CHAMBER F.CARBON RING SEAL STAGE.5 (4 PCS/SET) (P1101)	ITEM NAME : CHAMBER F CARBON RING SEAL STAGE: 5	4
194	CHAMBER F.CARBON RING SEAL STAGE.6 (4 PCS/SET) (P1101)	ITEM NAME : CHAMBER F CARBON RING SEAL STAGE: 6	4
195	BEARING SHELL DE,TYPE: SCZLB 32-315 "RENK" (MP1101)	DESCRIPTION : BEARING SHELL DE	2
196	CONTROL VALVE MOTOYAMA 6" MODEL 3805	DESCRIPTION : CONTROL VALVE,	1
197	SLEEVE,SUS316/TB480,POS.NO.35-0 (P1301C)	ITEM NAME : SLEEVE	1
198	BEARING F.GEAR,TYPE: GX-41/R2 (P-1101)	Description : BEARING F.GEAR	1
199	THRUST BEARING,CHROME COPPER,LP SHAFT (J1101)	DESCRIPTION : THRUST BEARING,CHROME COPPER, OFFSET PIVOT SHOES	12
200	GLAND PACKING,TOMBO#9034(PTFE FIBER AND TREATED WITH PTFE),25.4	ITEM NAME : GLAND PACKING	4
201	GASKET,TI/TI GRAPHITE/SUS304,2023x2063x2093x2120xTHK.4.5 MM. (E1302C)	ITEM NAME : GASKET	4
202	HIGHWAY DATA LINK (HDL)	DESCRIPTION : HIGHWAY DATA LINK,SOFTWARE P 1.3, W/10-BASE-2 & HIG	1
203	VCB,3.6KV,1250A,3-VPR-32C(PW),MITSUBISHI (M24)	VACUUM CIRCUIT BREAKER, POWER	1
204	SHAFT(P/N:CV252052092445) WITH ACCESSORY,DUPLEX STAINLESS STEEL,	ITEM NAME : SHAFT (WITH ACCESSORY)	1
205	TURBOLOG MCAD MODEL 1 CARD, TURBOLOG DSP TMR,MAPTERKO	DESCRIPTION : TURBOLOG MCAD MODEL 1 CARD,TURBOLOG DSP TMR,MAPTERKO	2
206	PIPE,A-106 B,SMLS,SCH.80,6"	MATERIAL DESCRIPTION : PIPE,	44
207	GLAND PACKING TAIWAN(DRUM),PTFE,31x31x5400 MM.,POS.NO.31 (F2408X)	ITEM NAME : GLAND PACKING TAIWAN (DRUM)	8
208	SLEEVE,SUS304,DIA.128x120 MM.,POS.NO.10 (T2101A/B)	ITEM NAME : SLEEVE	5
209	BEARING SHELL NDE,TYPE: SCZLQ 32-315 "RENK" (MP1101)	DESCRIPTION : BEARING SHELL NDE	2
210	THRUST SEGMENT,Z454-3-004010,SIZE: 144.42x32.51x10,POS.NO.4176-016	ITEM NAME : THRUST SEGMENT	5
211	MOTOR,150KW,3300V,4P,3168,KZ,TATUNG (MB1402,MB2402 OIL SPEC.)	DESCRIPTION : MOTOR	1
212	COLLAR BUSH,000 200 009 997,POS.NO.4176-005 (J1101B EXPANDER)	ITEM NAME : COLLAR BUSH	34
213	BEARING NO.30222 DB,POS.NO.57 (P1403,P2102)	ITEM NAME : BEARING NO.30222 DB	5

214	VCB,3.6KV,2000A,3-VPR-32C(PW),MITSUBISHI (M25)	VACUUM CIRCUIT BREAKER, POWER	1
215	Pneumatic Indicating Controller, Scale Range 0 - 2 Kg/cm2, Input/Output Range 3 - 15	Description : Pneumatic Indicating Controller	3
216	STUFFING BOX COVER/SEAL CHAMBER,SUS316L,POS.NO.184 (G1403C/D)	ITEM NAME : STUFFING BOX COVER/SEAL CHAMBER	1
217	BALL HOLDER,SUS316,P/N: CY-58382,POS.NO.13 (G1445A/B/C)	ITEM NAME : BALL HOLDER	2
218	MODIFIED SEP.ELEMENT ON AUX.CARRIER BETWEEN FEED AND CLOTH WASH	Description : MODIFIED SEP.ELEMENT ON AUX.CARRIER BETWEEN FEED AND CLOTH W	1
219	IGV PISTON ACTUATOR,PV-1123, HP EXPANDER	IGV PISTON ACTUATOR,	1
220	BALL VALVE WITH GEAR,TI,RF,300#,6"	DESCRIPTION : BALL VALVE WITH GEAR OPERATE	2
221	Display Rev 2 plus (Not TIIS) Only use with 02210902 Rev 2 plus, Servomex 2200	Description : Display Rev 2 plus (Not TIIS) Only use with	3
222	VC RING (O-RING),PTFE,POS.NO.4A (P1301A/B)	ITEM NAME : VC RING (O-RING)	2
223	AFTERCOOLER BUNDLE,MODEL: TA18M30 (P3861A/B)	ITEM NAME : AFTERCOOLER BUNDLE	1
224	COLD END ASSEMBLY,SIZE: 1.625,P/N: 19520- 4,POS.NO.9 (G3601A/B)	ITEM NAME : COLD END ASSEMBLY	1
225	SPIRAL BEVEL GEAR SET,P/N: 100 (E3264F/G/H PRI PROJECT)	ITEM NAME : SPIRAL BEVEL GEAR SET	2
226	VALVE STEM,SUS317,10",900#, VF-2201A	DESCRIPTION : VALVE STEM	1
227	IMPELLER,NICKLE ALUMINIUM BRONZE,SIZE: 490 MM.,P/N: 021 (G3260G/H/I/J)	ITEM NAME : IMPELLER	1
228	LOWER COVER,S45C,P/N: P-E5888A-1(E5888A-2- DKE),POS.NO.36-4 (P2409)	ITEM NAME : LOWER COVER,GEAR BOX ASSEMBLY	1
229	POWER MDULE 1/2 24-300VDC,920A,GUTOR UPS	POWER MODULE, POWER	1
230	IMPELLER,P/N: 1129 (G1203)	ITEM NAME : IMPELLER	1
231	SEAT WITH SEAT RETAINER, RTFE-H/SS316L, KITAMURA, XV-1310A	DESCRIPTION : SEAT WITH SEAT RETAINER	1
232	Control vavle completed set, Globe valve, Size 3" ASME 150, Brand NELES, Tag : LV-	Description : Control valve completed set	1
233	INDUCER,DUPLEX SS 1.4462,POS.NO.236 (G2701)	ITEM NAME : INDUCER	1
234	BEARING SHAFT(SHAFT SEAL),1.4571,P/N: 20090340,POS.NO.3700 (P2406B)	ITEM NAME : BEARING SHAFT(SHAFT SEAL)	1
235	SLEEVE,SUS304,POS.NO.11 (P2503)	ITEM NAME : SLEEVE	1
236	COMPRESSION UNIT ASSEMBLY,MAT'L: SUS 316,POS.NO.6,7,8,9,10 (P1203,	ITEM NAME : COMPRESSION UNIT ASSEMBLY	4
237	Safety Relief Valve Closed Bonnet, Size 1" x 2",LESER model 5264.0292 , PSV-1341	Description : Safety Relief Valve Closed Bonnet	3
238	BUSH,TOMBO#9020-G20,SIZE: ID.601.8xOD.650.8x45 MM.,POS.NO.BB (B2402)	ITEM NAME : BUSH	2
239	MECHANICAL SEAL,SUS304,P/N: 111 (G3260G/H/I/J)	ITEM NAME : MECHANICAL SEAL	2
240	PRESSURE BOOSTER,P/N: 1 (P2401)	ITEM NAME : PRESSURE BOOSTER	1
241	IMPELLER,SUS316L,POS.NO.101 (G1403C/D)	ITEM NAME : IMPELLER	1
242	PLUG FOR BORE BLADESHAFT IGV. STAGE 3	ITEM NAME : PLUG FOR BORE BLADESHAFT IGV. STAGE 3	11
243	MATING RING,NT-23/TB35,POS.NO.4-0 (P1202B)	ITEM NAME : MATING RING	2
244	ELBOW 90, 44 INCH, ALLOY STEEL, ASTM A234 GR.WP11, S-XS, WELDED, BE,	DESCRIPTION : ELBOW 90	1
245	Baisd differencetial relay CAC1-A01D2 561PMB, Aux.Volt AC/DC 100-220 V,	Description : Baisd differencetial relay CAC1-A01D2 561PMB, Aux.Volt AC/DC 100-220 V	1
246	SHAFT SLEEVE (MODIFICATION),SUS316,P/N: 31D (P1301)	ITEM NAME : SHAFT SLEEVE (MODIFICATION)	1
247	IMPELLER SEMI-OPEN,DUPLEX 2205 A890 3A DUPLEX STEEL,(S0400) EN 1.4460,	ITEM NAME : IMPELLER SEMI-OPEN	1
248	SHAFT SLEEVE FOR SPLIT SEAL SS316L WITH HARD CHROME COATING	ITEM NAME : SHAFT SLEEVE	3
249	DIAPHRAGM COUPLING,P/N: 66E306-319-CD (66I306- 319-CD),POS.NO.117	ITEM NAME : DIAPHRAGM COUPLING	2
250	HIGH SPEED SHAFT ASSEMBLY,P/N: SH01BA01TM,POS.NO.A130 (G2201A-E)	ITEM NAME : HIGH SPEED SHAFT ASSEMBLY	1
251	UNDERLAY PLATE 400,DSL 3670 380x84x5,P/N: 400020614 (F2408X RPF)	ITEM NAME : UNDERLAY PLATE 400	485
252	BOLT WITH NUT,ASTM904L,M16x60 MM.,POS.NO.99 (P1203)	ITEM NAME : BOLT WITH NUT	8
253	IMPELLER,NICKLE ALUMINIUM BRONZE,SIZE: 615 MM.,P/N: 201	ITEM NAME : IMPELLER	1
254	GEAR,SCH420,POS.NO.29 (P1205)	ITEM NAME : GEAR	2
255	KIT,OUTPUT SEAL,GB,LOW-RPM,P/N: KT01SE98A0,POS.NO.60C+51D (G2201E)	ITEM NAME : KIT,OUTPUT SEAL,GB,LOW-RPM	2

256	SEAL RING,CARBON,POS.NO.3,22 (P2405)	ITEM NAME : SEAL RING	2
257	DRIVE COLLAR,316L,POS.NO.5 (P1401)	ITEM NAME : DRIVE COLLAR	4
258	POSITIONER MASONELIAN, 4-20 mA / LINEAR, 1/4" NPT, SVI-II	DESCRIPTION : POSITIONER MASONELIAN	2
259	Pneumatic Gauge Medium Pressure Transmitter, Calibrate Range 0 - 2 Kg/cm2, Model	Description : Pneumatic Gauge Medium Pressure Transmitter	3
260	OIL SEAL,NBR,ID.1550xOD.1610xTHK.30 MM.,POS.NO.S (B2402)	ITEM NAME : OIL SEAL	3
261	GEAR SHAFT ASSEMBLY,SUS316,SUS630(GEAR),POS.NO.4,5,6 (GZ1401A/B)	ITEM NAME : GEAR SHAFT ASSEMBLY	1
262	MAIN DRIVE COUPLING,MODEL: TA-18 (P3861A/B)	ITEM NAME : MAIN DRIVE COUPLING	1
263	MECHANICAL SEAL,26-H75VP6/70-E19-A1,AQ1EMG "EBTH" (G2203A)	ITEM NAME : MECHANICAL SEAL	1
264	SEAT RETAINER,REINFORCE TFE/SS316, 12"	DESCRIPTION : SEAT RETAINER,	1
265	BUTTERFLY VALVE WITH GEAR,A216 GR.WCB,13CR,PTFE SEAT,150#,24"	BUTTERFLY VALVE WITH GEAR,A216 GR.WCB,13CR,PTFE SEAT,150#,24"	1
266	SET OF TILTING PAD TBS.101014404 FOR HP STAGE (PADS MADE OUT OF	ITEM NAME : SET OF TILTING PAD TBS.101014404 FOR HP STAGE (PADS MADE OUT OF C	1
267	SEAL LINER,SUS316,POS.NO.16,DWG.NO.TY9-05722 (G1445A/B/C)	ITEM NAME : SEAL LINER	2
268	MANWAY WASHER,HC276,M10x39xTHK.2 MM. (C1601)	ITEM NAME : MANWAY WASHER	262
269	Disc and Spindle,Pos 20/40,Schuf, VF-2400B	Description : Disc and Spindle assembled	1
270	SHAFT,A276 T.316L (NEW UNS31603),POS.NO.59 (G2203A/B)	ITEM NAME : SHAFT	1
271	SHAFT SLEEVE,20114859,POS.NO.6605 (P1404 PRI PROJECT)	ITEM NAME : SHAFT SLEEVE	1
272	SLEEVE (f),SUS304,OD.600xID.550xL.443.95 MM. (B2402 PTA DRYER)	ITEM NAME : SLEEVE (f)	1
273	IMPELLER NUT STAGE:1+2	DESCRIPTION : IMPELLER NUT,	2
274	GLAND PACKING,VALQUA#6137-O,SIZE: 25 MM. (B2402)	ITEM NAME : GLAND PACKING	11
275	BUSHING,20067085,POS.NO.6710 (P1404 PRI PROJECT)	ITEM NAME : BUSHING	1
276	SLEEVE FOR PINION SHAFT STAGE:3+4	DESCRIPTION : SLEEVE	2
277	PUMP ASSEMBLY MODEL: CPG 125-100-250 (G1606 A/B)	DESCRIPTION : PUMP, PUMP	1
278	MANWAY FOR VALVE TRAY,316SL (C1601)	ITEM NAME : MANWAY FOR VALVE TRAY	20
279	HOUSING BEARING COMPLETED SET,SIZE 1 "	DESCRIPTION : HOUSING BEARING COMPLETED SET	5
280	SHAFT SLEEVE,SUS316,POS.NO.15,DWG.NO.TY9-05722 (G1445A/B/C)	ITEM NAME : SHAFT SLEEVE	1
281	EXPANSION BOLT,STAGE: 1,X5CRNIL34V,M52/M56x578.3 MM. (P1101)	DESCRIPTION : EXPANSION BOLT,	1
282	EXPANSION BOLT STAGE: 2,X5CRNIL34V,M52/M56x421.6 MM. (P1101)	DESCRIPTION : EXPANSION BOLT,	1
283	SPRAY NOZZLE,SUS316,1/8" EX620,POS.NO.25 (F1441A/B/C)	ITEM NAME : SPRAY NOZZLE	46
284	PIPE, 14 INCH, S-40S, SS, ASTM A358 304L CLASS 2, EFW, BE, ASME B36.10, L =	DESCRIPTION : PIPE	1
285	RUPTURE DISC,JRS,SUS316,SIZE: 6" (PSE1525)	ITEM NAME : RUPTURE DISC	4
286	CIRCULATION PUMP WITH MOTOR,FLORATE: 25 L/MIN,PRESS: 100 BARG.1/2"	ITEM NAME : CIRCULATION PUMP WITH MOTOR	1
287	SPEED MONITOR, BRAUN (MAPTERKO)	DESCRIPTION : MONITOR SPEED MONITORING	2
288	SEAL RING,CARBON,NON IMPREGNATED,POS.NO.3 (P1503)	ITEM NAME : SEAL RING	2
289	GEAR SHAFT ASSEMBLY,SUS304/SUS630(GEAR),P/N: 4,5,6,23 (GZ2403A/B)	ITEM NAME : GEAR SHAFT ASSEMBLY	1
290	SEALING PROFILE PTFE 36/27x15 FOR 270 SEP. ELEMENT,P/N: 540022600,POS.	ITEM NAME : SEALING PROFILE	40
291	ELBOW 90,SUS 316L,BW,SEAM,THK 5.5 MM,10"	DESCRIPTION : ELBOW 90,	10
292	IMPELLER,TYPE: CLOSE,SS304,SIZE: 267 MM.,POS.NO.2200 (G2502A/B)	ITEM NAME : IMPELLER	1
293	SLEEVE,316 ST.STL&CR,POS.NO.31 (P1401)	ITEM NAME : SLEEVE	1
294	CARTRIDGE FILTER KAREI-DHM-5-1016,NON WOVEN PP,5 UM,1016 MM.	ITEM NAME : CARTRIDGE FILTER KAREI-DHM-5-1016 "KAREI"	800
295	MANWAY D-303,DWG.NO.37299-E-92 (C1301)	ITEM NAME : MANWAY D-303	4
296	IMPELLER,SUS316L,POS.NO.101 (G2405 A/B PRI)	ITEM NAME : IMPELLER	1
297	BUTTERFLY VALVE WAFER FLANGELESS TYPE,CARBON STEEL/ASTM A216	ITEM NAME : BUTTERFLY VALVE	2

298	LV AC Ex Motor 22kW,380/660V,43.7/25.2A ,50 Hz,1465 1/min,1MD5186-0BD94-	Description : LV AC Ex Motor 22kW	1
299	PLATE,SUS317L,4 FTx8 FTxTHK.10 MM.	DESCRIPTION : PLATE	2
300	SPACER,316 ST.STL&CR,POS.NO.29 (P1401)	ITEM NAME : SPACER	1
301	VALVE SEAT,3" ANSI150#,SS317L,STELLITED	DESCRIPTION : VALVE SEAT,	3
302	Completed set heater and shell 24 kW NEMA 4 380/3/50,Part ID 410-247-430 Heater,	Description : Completed set heater and shell 24 kW NEMA 4 380/3/50	1
303	JOURNAL BEARING,P/N: BE09AG15,POS.NO.151A (G2201)	ITEM NAME : JOURNAL BEARING	6
304	MECHANICAL SEAL SIZE: 90 MM. COMPLETE SET (G3261XA,XB,XC)	ITEM NAME : MECHANICAL SEAL SIZE: 90 MM. COMPLETE SET	5
305	SIMATIC S5 PLC POWER SUPPLY UNIT (FGD)	MATERIAL DESCRIPTION : SIMATIC S5 PLC POWER	1
306	MATING RING,NT-23/TB-35,POS.NO.4-0 (P2503)	ITEM NAME : MATING RING	2
307	IMPELLER,AISI 316,SIZE: IMPELLER DIAMETER 380 MM.,P/N: 138674-34,POS.NO.	ITEM NAME : IMPELLER	1
308	SUPPORTING FABRIC,PEEK,390x88,P/N: 400023696 (F2408X NEW RPF)	ITEM NAME : SUPPORTING FABRIC	133
309	COLLAR(1 PCS/SET),SUS316,POS.NO.11 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : COLLAR(1 PCS/SET)	2
310	BEARING NO.23026B ,POS.NO.61 (P1203,P1205)	ITEM NAME : BEARING NO.23026B	3
311	DRIVE PULLEY,S45C,SIZE: 14 GROOVE,P/N: P-E75855A- 1 (P2409)	ITEM NAME : DRIVE PULLEY	2
312	PNEUMATIC ACTUATOR CONTROL VALVE,2853	DESCRIPTION : PNEUMATIC ACTUATOR COMPLETED SET	1
313	IMPELLER,SUS304,POS.NO.9 (P2502A/B)	ITEM NAME : IMPELLER	1
314	IMPELLER STAGE 4,CRNI134V,MODEL: 26-1066/1-15- 104-04-804 602 (P1101)	ITEM NAME : IMPELLER STAGE 4	1
315	PM357 O2 MEASURING CELL,SERVOMEX	DESCRIPTION : PM357 O2 MEASURING CELL	1
316	BALL,SUS316,SIZE: DIA.50 MM.,P/N: CY- 58382,POS.NO.24 (G1445A/B/C)	ITEM NAME : BALL	40
317	OIL COOLER,P/N: P1401429-00658 (P3861A/B)	ITEM NAME : OIL COOLER	1
318	BEARING NO.EP7232ADTP6 (2 PCS/SET),P/N: W- V03718#-655#-Z9A00 (V3718-	ITEM NAME : BEARING NO.EP7232ADTP6 (2 PCS/SET)	1
319	STATIC SWITCH PEW LAC=<1100A AC, GUTOR	STATIC SWITCH, POWER	1
320	GEAR REDUCER COMPLETE SET,MODEL: S-22 (E3515)	#N/A	1
321	SEPARATING PLATE COV.ON AUX CARRIER,ST/PEEK 270x1720,P/N: 400023518,	ITEM NAME : SEPARATING PLATE COV. ON AUX CARRIER	1
322	SHAFT SLEEVE,STAGE :5+6	DESCRIPTION : SHAFT SLEEVE, S	2
323	METAL,CERAMIC,POS.NO.8 (GZ1401A/B)	ITEM NAME : METAL	4
324	GEAR WHEEL,P/N: 0102 (P2401A)	ITEM NAME : GEAR WHEEL	1
325	SLEEVE,SUS317L,POS.NO.11 (P1202B)	ITEM NAME : SLEEVE	1
326	NEO RING,R3,EPDM,P/N: 2515 400A (P3861)	DESCRIPTION : NEO RING,	8
327	BALL VALVE,RF,125-250 RA-FN,ASTM A351 GR.CF8M,SS 316L,300#,3"	#N/A	1
328	CORIOLIS FLOWMETER, SIZE 1/2", BRAND : E & H, MODEL : PROMASS I500	DESCRIPTION : PROMASS I500, CORIOLIS FLOWMWTER	1
329	GEAR,SCM 420,SIZE: M=3.5,Z=99,P/N: 29 (P2102)	ITEM NAME : GEAR	1
330	BALL VALVE GEAR UNSS31803,RF,300#,6"	DESCRIPTION : BALL VALVE WITH GEAR OPERATE,	1
331	RTD Pt100 Sensor for MAPTERKO EXPANDER, P/N 512385958, Tag : J-1101B	Description : RTD Pt100 Sensor	5
332	VRCIA II BOARD 1,FSDH7731X1-BA1,FISHER	DESCRIPTION : VRCIA BOARD,	1
333	ROUND BAR,SUS 316L,6" * 3 M.	DESCRIPTION : ROUND BAR	2
334	ZCT CZCY-1511 : 3.3/7.2KV.50/5A.50Hz.,Class 5P10,Burden 10VA,ID-Diameter: 110	Description : ZCT , ID-Diameter:110mm	11
335	RUPTURE DISC,TAN-TAN-316L,SIZE: 2" (PSE1523)	ITEM NAME : RUPTURE DISC,2" PS1314-5C14(TL)200	2
336	VSD,ABB,ACS580-01-293A-4,160KW,293A	Description : Inverter with Assistant control panel J400,132KW	1
337	JOURNAL BEARING,P/N: BE09AG13,POS.NO.151B (G2201)	ITEM NAME : JOURNAL BEARING	5
338	COUNTER SHAFT(WITH ACCESSORY),SCM 435,P/N: 16,23,26,28,28C (P2102,	ITEM NAME : COUNTER SHAFT (WITH ACCESSORY)	1
339	Firing unit for Exiter, SIEMENS, (MP- 1101,TUNTHAI)	Description : Firing unit for Exiter	1

340	JOURNAL BEARING,P/N: BE09AG09,POS.NO.151C (G2201)	ITEM NAME : JOURNAL BEARING	3
341	HOLDER,INLET: SB265-Gr2,SA479-316L+1/4 NPT,P/N: H-RBF21723 12" ANSI 300	ITEM NAME : HOLDER	1
342	Air water cooler element	Description : Air water cooler element	1
343	BOLT,TB35 OR EQUAL,SIZE: M24x100 MM.,POS.NO.20(25) (P1401,P1402)	ITEM NAME : BOLT	46
344	GATE VALVE,CF8M/SUS 316,RF,600#,4"	GATE VALVE RAISE FACE 125-250 RA-FN SS A351 GR.CF8M BODY SS316, TRIM FLEXIBLE W	1
345	CASING COVER,P/N: 140,MODEL: SVHA 25-20 (G1611,G1612,G1614,G1615,	ITEM NAME : CASING COVER	1
346	BOLT,TB35,M36x125 MM.,POS.NO.13 (P1301)	ITEM NAME : BOLT	30
347	HEAT EXCHAGER,WED3110/A101-V0,SIZE: CONNETION: 1" NPT. DESIGN	ITEM NAME : HEAT EXCHAGER	1
348	FLANGE,SUS304,POS.NO.24 (P1403,P2102,P2406)	ITEM NAME : FLANGE	1
349	EXPANSION JOINT,TEFLON LAMINATED GLASS COATED,DIA.1314xL.250 MM.	ITEM NAME : EXPANSION JOINT	1
350	PIPE,ALLOY STEEL,ASTM A335 GR.P11,WELDED,BE ANSI B36.10M,SCH: S-XS,	DESCRIPTION : PIPE	1
351	GASKET,TI/TI PTFE/NIL,SIZE: 900x930x995x4.5 MM.THK (E1303A/B TOP)	ITEM NAME : GASKET	8
352	EXPANSIOIN JOINT,NYLON CLOTH+SUS304,DIA.700xL.400 MM. (EXJ2409)	ITEM NAME : EXPANSION JOINT	2
353	V-PACKING (2 PCS/SET),PTFE F.F.W,POS.NO.2 (P2401,P2402,P2403,P2404,	ITEM NAME : V-PACKING (2 PCS/SET)	4
354	HOUSING GEAR BOX OUT PUT,P/N: 09- HO05AD13Y,POS.NO.101A (G2201)	ITEM NAME : HOUSING GEAR BOX OUT PUT	1
355	PIPE,EFW,BE,SS ASTM A358 GR.316L CLASS 1,ANSI B36.19M,L.6 M.xTHK.12.0	DESCRIPTION : PIPE	1
356	CYLINDRIC PIN,Z454-4-004018,SIZE: 18x69,POS.NO.4176-008 (J1101B	ITEM NAME : CYLINDRIC PIN	17
357	Inpro/Seal" Bearing Isolator for Reliance Motor, P/N 1001-A-81803-0,Shaft 4.173	Description : Inpro/Seal" Bearing Isolator for Reliance Motor	5
358	STEADY BEARING HOUSING,P/N: 20017067,POS.NO.6705 (P1441 PRI PROJECT)	ITEM NAME : STEADY BEARING HOUSING	1
359	BEARING BUSH #152,2.1090.01,SIZE: 140,POS.NO.152 (P1101 TUNTHAI MOP.	ITEM NAME : BEARING BUSH #152	4
360	EXPANSION JOINT,SUS304,8"xL.350 MM. (B2402)	ITEM NAME : EXPANSION JOINT	1
361	WELD NECK FLANGE,RF 125-250 RA-FN ANSI-B16.5,S- 20S SS ASTM A182 GR.	WELD NECK FLANGE 14", CL150 RF 125-250 RA-FN S-20S SS ASTM A182 GR.F316L ANSI-B1	4
362	BEARING TEMP,RTD PT 100(JOURNAL BEARING), TAG : TE-1173	DESCRIPTION : BEARING TEMPERATURE (JOURNAL BEARING)	4
363	EXPANSION JOINT,BELLOW/SLEEVE SS316L,150#,16"xL.400 MM. (F1441A/B/C	ITEM NAME : EXPANSION JOINT	1
364	DISC,000 200 009 915,SIZE: 24/14.5x2,POS.NO.4176- 006 (J1101B EXPANDER)	ITEM NAME : DISC	17
365	DISC L1DMA12 ASTM A351 gr.CF8M , P/N 003 , ID 647630 , HV-1111C	Description : DISC L1DMA12 ASTM A351 gr.CF8M	1
366	PIPE, 8 INCH, S-80S, STAINLESS STEEL, ASTM A312 TP321, SMLS, BE, ANSI B36.	DESCRIPTION : PIPE	1
367	CASING RING,CAC 402,P/N: 107 (G3260G/H/I/J)	ITEM NAME : CASING RING	4
368	PCB Display Adaptor, Servomex 2200 Control Unit, O2 Analyzer AT-1301-1C/2C	Description : PCB Display Adaptor, Servomex 2200 Control Unit	3
369	PINION SHAFT,HELICAL,CYLINDRICAL,P/N: 0100 (P2401A)	ITEM NAME : PINION SHAFT,HELICAL,CYLINDRICAL	1
370	MECHANICAL SEAL,SIZE: 4.75" COF=COF,AB4-KES9-AB4- KES9 "NIPPON PILLAR"	ITEM NAME : MECHANICAL SEAL SIZE: 4.75" COF = COF	1
371	EXPANSION JOINT,SINGLE SPHERE,EPDM.FLANGE CS.,36"(DN900)xL.270 MM.	ITEM NAME : EXPANSION JOINT	2
372	SUB-ASSEMBLY,CONNECTING ROD,ALLOY STEEL,P/N: A00134-003-000,POS.NO.	ITEM NAME : SUB-ASSEMBLY,CONNECTING ROD	1
373	GLOBE VALVE,SUS317,RF,300#,1-1/2"	DESCRIPTION : GATE VALVE,	2
374	THUST BEARING CENTER PIVOT SHOES (J1101)	DESCRIPTION : THUST BEARING CENTER PIVOT SHOES, REMARK : 6J-J/B-B BEARING,	12
375	COLLAR ASSEMBLY,SS400,POS.NO.14,15,16,17,18,19,20 (P1203,P1205)	ITEM NAME : COLLAR ASSEMBLY	2
376	MOTOR GEAR,2HP,380V,50HZ,MITSUBISHI	DESCRIPTION : MOTOR GEAR	1
377	BEARING NO.32332 ,POS.NO.37 "NTN" (P1301C)	ITEM NAME : BEARING NO.32332	2
378	IMPELLER,SUS316,POS.NO.21,MODEL: 150VPSM (G1404A/B)	ITEM NAME : IMPELLER	1
379	LOWER MATING RING,JMS #539D,P/N: P-X5826- 5,POS.NO.149 (P1404)	ITEM NAME : LOWER MATING RING	6
380	COMPRESSION UNIT ASSEMBLY,SUS316,POS.NO.6,7,8,9,10 (P1403,P2102,	ITEM NAME : COMPRESSION UNIT ASSEMBLY	2
381	FIXING ROPE ARAMID W.,P/N: 540029800,POS.NO.4 (F2408X NEW RPF.)	ITEM NAME : FIXING ROPE	500

382	MECHANICAL SEAL SIZE: 45 MM.,26-H75VN/55-E7- A2,AQ1K2MG "EBTH"	ITEM NAME : MECHANICAL SEAL SIZE: 45 MM.	1
383	Magnetic flowmeter completed set, size DN150,6" ANSI 300RF, Power supply 24VDC,	Description : Complete set Magnetic Flowmeter sensor with	1
384	IMPELLER,SS304,SIZE: 50-125/55,P/N: 452300304 (G3521A-F)	ITEM NAME : IMPELLER	3
385	COUNTER SHAFT (INCLUDE ACCESSORIES),SCM435,POS.NO.16,23,26,28,28C	ITEM NAME : COUNTER SHAFT (INCLUDE ACCESSORIES)	2
386	SPEED DETECTOR,A5S15-97002017,BRAUN, MAPTERKO	SPEED DECTECTOR	3
387	DRIVING SHAFT,Z454-3-004000,SIZE: 40x147,POS.NO.4176-011 (J1101B	ITEM NAME : DRIVING SHAFT	1
388	CASING,316LSS,SIZE: 40/25,P/N: 001 (G1611,G1612,G1614,G1615,G1616,G1617)	ITEM NAME : CASING	1
389	GASKET,TI/TI PTFE/CS,SIZE: 1595x1625x1651x1674x4.5 MM.THK (E1303C)	ITEM NAME : GASKET	3
390	MACHANICAL SEAL REPAIR KIT,P/N: RK01SE18A2AO.POS.NO.60A.60B (G2201)	ITEM NAME : MACHANICAL SEAL REPAIR KIT	2
391	GLOBE VALVE,SUS 304,R.F,300#,6"	MATERIAL DESCRIPTION : GLOBE VALVE,	2
392	ACTUATOR SEALING SET, SCHUF, MODEL : PKE400, TAG : LV-2401,LV-2402,LV-	DESCRIPTION : ACTUATOR SEALING SET (E-0120-3400-2)	2
393	CASING WEARING IN CASING COVER,SUS304,P/N: 1521 (G2502A/B)	ITEM NAME : CASING WEARING IN CASING COVER	1
394	GATE VALVE,A216,CS,LARGE FEMALE,900#,2"	DESCRIPTION : GATE VALVE	4
395	SMARTPRO CONSOLE,P-1100,110V,OHMART	DESCRIPTION : SMARTPRO CONSOLE,	1
396	FILTER CLOTH PEEK 200x500,P/N: 300014400,POS.NO.3 (F2408X NEW RPF.)	ITEM NAME : FILTER CLOTH	269
397	VALVE SEAT,SAF2205, 8"* 8" ANSI 900LM/L	DESCRIPTION : VALVE SEAT,	1
398	Plain Ring, MOTOYAMA, TV-2201	Description : Plain Ring	1
399	MECHANICAL SEAL ASSEMBLY,P/N: 11,12,13,14,17,18,19,23 (GZ2401,GZ2402,	ITEM NAME : MECHANICAL SEAL ASSEMBLY	3
400	VALVE POSITIONER,I/P: 4-20 MA, MODEL: EA91-C, MOTOYAMA	DESCRIPTION : VALVE POSITIONER	2
401	HIGH SPEED SHAFT ASSEMBLY,POS.NO.P2-9 (G1302C/D)	ITEM NAME : HIGH SPPED SHAFT ASSEMBLY	1
402	FILTER ELEMENT,P/N: 002S200H13,MODEL: C23-30-L-3 100H (F1102)	ITEM NAME : FILTER ELEMENT	2
403	FILTER BAG,PTFE-PI/PTFE 634 MPS CS30,DIA.117xL.3005 MM. (BF1404)	ITEM NAME : FILTER BAG	142
404	HEXAGON BOLT,1.4438 S.S.317L,SIZE: M36x160 MM.,P/N: 20098388,POS.NO.6110	ITEM NAME : HEXAGON BOLT	13
405	QUAD BOARD,QCB/EPROM,R/N:17-01-06,JOY, TAG : P- 3861A	DESCRIPTION : QUAD BOARD	1
406	IMPELLER,SUS304,SIZE: DIA.317 MM.(MAX: 320 MM.),P/N: H261CD106A,POS.NO.	ITEM NAME : IMPELLER	1
407	AXIS SLEEVE,INCOLOY 825,ID.100xOD.120xL.130 MM. (T1441A/B/C)	ITEM NAME : AXIS SLEEVE	1
408	PINION SHAFT,D76,22x248 17CRNIM06,P/N: 0400 (P2401A)	ITEM NAME : PINION SHAFT,D76,22X248 17CRNIM06	1
409	ADJUSTING SCREW SET WITH NUTS(1 SET/20 PCS),000 010 858 853,SIZE:	ITEM NAME : ADJUSTING SCREW SET WITH NUTS	2
410	SHAFT SLEEVE LOWER,SUS316,P/N: 09M-S01- AA01DB,POS.NO.50A (G2201A-E)	ITEM NAME : SHAFT SLEEVE LOWER	2
411	LAP JOINT FLANGE,SUS 304,FF,150# 36"	DESCRIPTION : LAP JOINT FLANGE,SUS 304,FF,150# 36"	2
412	EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE,SUS316L AND WITH	ITEM NAME : EXPANSION BELLOWS,BOTH FLANGE AND BACK UP PLATE	1
413	SEAL,AIR 1ST&2ND STAGE,P/N: A3408534-00011,MODEL: TA18M30 (P3861A/B)	ITEM NAME : SEAL,AIR 1ST&2ND STAGE	2
414	SET OF CASING WEAR RING	Description : SET OF CASING WEAR RING	1
415	PUMP INCLUDE MECHANICAL SEAL COMPLETE SET (G1441A/B RVF. FEED	ITEM NAME : PUMP INCLUDE MECHANICAL SEAL COMPLETE SET	1
416	BEARING BOX,S25C,P/N: ZZ01804445,POS.NO.42 (P2402)	ITEM NAME : BEARING BOX	1
417	SHAFT INSULATOR FRP,520*70(69.2)(65.5)mm,(EP D- 3161)	Description : SHAFT INSULATOR FRP,520*70(69.2)(65.5)mm	37
418	PIPE,EFW BE,ASTM A790 UNS S31803,SCH 10,6",ANSI- B36.19M	Description : PIPE	30
419	VALVE SEAT, MATERIAL SUS317L, P/N 1b, TAG : VF- 1441A/B	DESCRIPTION : VALVE SEAT	1
420	BEARING NO.EP160BH02C3P6,P/N: W-V03718#-656#- Z9A00 (V3718-656-Z9A),	ITEM NAME : BEARING NO.EP160BH02C3P6	2
421	SIGHT GLASS,PYREX,ID.190xTHK.15 MM.,POS.NO.614 (F1441A/B/C)	ITEM NAME : SIGHT GLASS	20
422	DISC L1CMA14 ASTM A351 gr.CF8M , P/N 003 , ID 647560 ,PV-1323C,XV-1321C	Description : DISC L1DMA12 ASTM A351 gr.CF8M	1
423	RUPTURE DISC,KBA(FS) CONTINENTAL RUPTURE DISC 316 SS DISC,SIZE: 3"(80	ITEM NAME : RUPTURE DISC 3" (80 mm) KBA (FS) CONTINENTAL RUPTUR	4

424	BALL VALVE COMPLETED WITH ACTUATOR, SIZE 6" (150A), HISAKA, TA RECOVERY	DESCRIPTION : BALL VALVE COMPLETED WITH ACTUATOR SIZE : 6 INCH	1
425	BUSH,PTFE FFW,POS.NO.59 (P2401,P2402,P2403)	ITEM NAME : BUSH MATERIAL : PTFE FFW	3
426	HELICAL GEAR,P/N: 200G-1712 (E3264F/G/H PRI PROJECT)	ITEM NAME : HELICAL GEAR PART NO : 200G-1712	1
427	IMPELLER NUT STAGE 5+6,I/N:4	DESCRIPTION : IMPELLER NUT, TYPE : S	2
428	GASKET,TI/TI PTFE/CS,2023x2063x2093x2120xTHK.4.5 MM. (E1302C)	ITEM NAME : GASKET MATERIAL : TI/TI PTFE/CARBON STEEL	3
429	IMPELLER,SUS304L,P/N: H259CD027,POS.NO.3 (G2501A/B)	ITEM NAME : IMPELLER MATERIAL : SUS304L	1
430	BURN UP IGNITER OF SPARK ROD (1 AA,3 AA)	MATERIAL DESCRIPTION : BURN UP IGNITER, MODEL : READBY IGNITION SYSTEM	1
431	SLEEVE,SUS304,POS.NO.AN (B2402)	ITEM NAME : SLEEVE MATERIAL : SUS304	1
432	EXPANSIOIN JOINT,SUS316L,RF FLANGE,150#, 3"xL.400 MM. (F1441A/B/C)	ITEM NAME : EXPANSION JOINT TYPE : SINGLE BELLOW TYPE	2
433	SERVER HW DELL R340XL PERF RAID5 RACK (ISBL HONEYWELL DCS)	DESCRIPTION : SERVER HW DELL R340XL PERF RAID5 RACK PART NO : M7 R00V07	1
434	MECHANICAL SEAL SIZE: 1.875",9T/QF(31)10(58)1 "JOHN CRANE" (G1601,G1610)	ITEM NAME : MECHANICAL SEAL SIZE: 1.875" TYPE : 9T/QF(31)10(58)1	3
435	Sensor CPU PCB , ABB , LimasII,CO/CO2 analyzer , patr no.745745	Description : Sensor CPU PCB Part no : ABB	1
436	VCS,3.3/6.6KV,VZ2-DE-D,200A,40KA,MITSUBISHI,(VCS FOR PRI)	DESCRIPTION : VCS,3.3/6.6KV,VZ2-DE-D,200A,40KA,MITSUBISHI,(VCS FOR PRI) SUPPLY : 3P200-A,3.3/6.6KV,40KA,REM 100A	1
437	LOCKING ROD(B),SUS316,DIA.5 MM.xL.1245 MM.,POS.NO.603 (F1441A/B/C RVF)	ITEM NAME : LOCKING ROD (B) MATERIAL : SUS316	73
438	SHAFT WITH BEARING LOCK NUT AND WASHER,SUS316,P/N: 122+136+382 (G1444A/B)	ITEM NAME : SHAFT WITH BEARING LOCK NUT AND WASHER MATERIAL : SUS316	1
439	SHAFT SEALING RING,P/N: 940003627,POS.NO.24 (F2408)	ITEM NAME : SHAFT SEALING RING MATERIAL : NITRIL(A-4574)	8
440	COMPENSATOR PUMP,P/N: C00124-001-000.POS.NO.71 (P3602)	ITEM NAME : COMPENSATOR PUMP PART NO : C00124-001-000	1
441	SPEED MONITOR WITH SWITCH,BENTLY NEVADA	SPEED MONITOR WITH SWITCH	2
442	FLANGE,TB340,P/N: ZZ03857589,POS.NO.61 (P1301C)	ITEM NAME : FLANGE MATERIAL : TB340	1
443	SEAL,AIR 3RD STAGE,P/N: A3408534-00011,MODEL: TA18M30 (P3861A/B)	ITEM NAME : SEAL,AIR 3RD STAGE MATERIAL : ALUMINIUM	1
444	Current Transformer with base , JCS-0C Ratio 100:5,600V.10kV BIL,Class C10, Catalog no.:750X110000-CF(SIEMENS) (MR 1101)	Description : Current Transformer with base Model JCS-0S Ratio 100:5,600V.10kV BIL Size : Window Diameter 2.56" 4.69"L 5.25"	2
445	(ABSOLETE PART) HIGH FLOW LUBE PUMP,P/N: PU04AG03,POS.NO.160 (G2201)	ITEM NAME : HIGH FLOW LUBE PUMP TYPE : G/N EF3-0303A-1-0-0-1	2
446	VICTAULIC COUPLING COMPLETE SET TYPE: 77,200037306, 28" DN700 (P1101 THUNTA)	ITEM NAME : VICTALIC COUPLING COMPLETE SET TYPE: 77 MATERIAL : 200037306	2
447	POWER CONTROL PCB ASSEMBLY, P/N S2501911A, SERVOMEX, AT-1302A CO/CO2	DESCRIPTION : POWER CONTROL PCB ASSEMBLY BRAND : SERVOMEX	1
448	GASKET,TI/TI PTFE/NIL,SIZE: 1795x1825x1855x4.5 MM.THK (E1601)	ITEM NAME : GASKET MATERIAL : TI/TI FILLED PTFE/NIL	3
449	SHAFT ADDAX,FULL FLOATING,MODEL: LRR650.425SS,(E3264F/G/H PRI COOLING)	ITEM NAME : SHAFT TYPE : FULL FLOATING	1
450	Pipe,BE A358-316L CLASS 2 EFW, SCH 6.5 mm,18"	Pipe 18", SCH 6.5 mm, BE A358-316L CLASS 2 EFW	1
451	ANGLE VALVE PLUG+STEM ASSEMBLY,2853SP	DESCRIPTION : PLUG + STEM ASSEMBLY, CLASS AND NUMBER : ANSI 900 LEE	1
452	LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER),SUS316,DIA.4 MM.xL.1245 MM.,(F1441A/B/C RVF)	ITEM NAME : LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER) MATERIAL : SUS316	79
453	GLAND PACKING,VALQUA#7262(TEFLON),SQ.12.5 MM.,(1/2"),POS.NO.43,44 (F1441A/B/C RVF)	ITEM NAME : GLAND PACKING MATERIAL : VALQUA#7262 (TEFLON)	50
454	SEAL RING(2-DIVIDE),SUS304,P/N: M (B2402)	ITEM NAME : SEAL RING(2-DIVIDE) MATERIAL : SUS304	1
455	MANWAY STUD BOLT,904L(1.4539),SIZE: M10x40 MM.(C1501,C1502,C1504, C1600)	ITEM NAME : MANWAY STUD BOLT MATERIAL : 904L(1.4539)	499
456	SPINDLE BEARING SPACER,MAT'L: BRONZE,P/N: C10790A 1 Z9D,POS.NO.39 (B2402)	ITEM NAME : SPINDLE BEARING SPACER MATERIAL : BRONZE	2
457	MOTOR GEAR,T:SF-JRV,220V,1HP	DESCRIPTION : MOTOR GEAR TYPE : SF-JRV	1
458	VICTAULIC COUPLING COMPLETE SET TYPE: 77,200037301, 14" DN350 (P1101 THUNTA)	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 77 MATERIAL : 200037301	1
459	BOLT&NUT,SUS304,POS.NO.45,DWG: 3122-713941 (P2401)	ITEM NAME : BOLT&NUT MATERIAL : SUS304	12
460	SEAT RING L1C16A, METSO, MODEL LW7LBA400PAJAT,TAG NO. FV-1310C	DESCRIPTION : SEAT RING-L1C16A BRAND : METSO	2
461	RETAINER RING,SUS317L,P/N: P-W7623-1-A,POS.NO.192 (P1404)	ITEM NAME : RETAINER RING MATERIAL : SUS317L	2
462	WEAR DISC,STAINLESS STELL-DUPLEX 2205,P/N: 6 (G1403A/B)	ITEM NAME : WEAR DISC MATERIAL : STAINLESS STELL-DUPLEX 2205	1
463	SHAFT,AISI 4140 (A434-4140),P/N: 4G83012567,POS.NO.10 (G1607A/B,G1806AB)	ITEM NAME : SHAFT MATERIAL : AISI 4140 (A434-4140)	1
464	PLUG, MASONEILAN, FV-1102	DESCRIPTION : PLUG BRAND : MASONEILAN	1
465	DUAL PALTE CHECK VALVE,RETAINERLESS DESIGN,SUS304,METAL SEAT,LF, 900#,4"	DESCRIPTION : DUAL PALTE CHECK VALVE METAL SEAT TYPE : WAFER/FLANGE LARGE FEMALE	1

466	RUPTURE DISC,TANTALUM,SIZE: 6" (PSE1416)	ITEM NAME : RUPTURE DISC, 6" P-1253-5C14IC200	4
467	Diaphragm valve with Pneumatic Actuator, Double Acting, Size 4", Brand GF, Model	Description : Diaphragm valve with Double acting Pneumatic Actuator	2
468	FILTER ELEMENT,SUS304/POLYESTER FELT,HEIGHT.24- 3/4"xOD.30-1/2"xID.23-	ITEM NAME : FILTER ELEMENT	4
469	Radiator Valves+STUD BW 80,(TR3,TR7)	Description : Radiator Valves+STUD BW 80	24
470	EXPANSION JOINT,FLEXIBLE CLOTH+SUS304,DIA.800xL.400 MM. (EXJ2410)	ITEM NAME : EXPANSION JOINT	1
471	EXPANSION JOINT,18"xL.400 MM. (FOR SILO)	DESCRIPTION : EXPANSION JOINT,	4
472	SEGMENT FOR IGV ADJUSTMENT LP (J1101B EXPANDER)	ITEM NAME : SEGMENT FOR IGV ADJUSTMENT HP	1
473	GASKET,TI/TI PTFE/NIL,SIZE: 918x950x990x4.5 MM.THK (E1304)	ITEM NAME : GASKET	6
474	GASKET,TI/TI PTFE/304,300#,12"	DESCRIPTION : GASKET	35
475	GASKET F.VICTAULIC COUPLING TYPE: 31,NITRIL, 36" DN900 (P1101 TUNTHAI)	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 31	3
476	SHAFT SEALING RING,P/N 940003976,POS.NO.91 (F2408)	ITEM NAME : SHAFT SEALING RING	4
477	PUMP CASING COVER,STAINLESS STELL-DUPLEX 2205,P/N: 15 (G1403A/B)	ITEM NAME : PUMP CASING COVER	1
478	RETAINER,TB340,P/N: ZZ03857392,POS.NO.7 (P1301C)	ITEM NAME : RETAINER	1
479	BUSHING LV TRANSFORMER OTR 11	DESCRIPTION : BUSHING LV TRANSFORMER OTR11	3
480	MECHANICAL SEAL SIZE: 55 MM.,SINGLE METAL BELLOW SEAL,Y13 055,	ITEM NAME : MECHANICAL SEAL SIZE: 55 MM.	2
481	EXPANSION JOINT,SINGLE SPHERE,EPDM.FLANGE CS.,48"(DN1200)xL.350 MM.	ITEM NAME : EXPANSION JOINT	1
482	CERAMIC BUSHING FOR LUBE OIL PUMP,POS.NO.8 (GZ2401A/B)	ITEM NAME : CERAMIC BUSHING LUBE OIL PUMP	27
483	MECHANICAL SEAL ASSEMBLY,HPR-6M-32,P/N: 10- 17,28,30 (GZ1402,GZ1503)	ITEM NAME : MECHANICAL SEAL ASSEMBLY	2
484	EXPANSION JOINT,IIR COATED NYLON CLOTH/SS304,DIA.1374xL.350 MM.	ITEM NAME : EXPANSION JOINT	1
485	GASKET,TI/TI PTFE/CS,SIZE: 1543x1573x1599x1622x4.5 MM.THK (E1303 BIS C)	ITEM NAME : GASKET	3
486	ROTARY VALVE COMPLETE SET (RV2411D/E/F,RV2402C/D)	ITEM NAME : ROTARY VALVE COMPLETE SET	1
487	RING WEAR STUFFING BOX COVER,SUS316L,P/N: C00358A01,POS.NO.230	ITEM NAME : RING WEAR STUFFING BOX COVER	2
488	PIPE 20", THCK = 7.0 MM, SS, ASTM A358 GR.316L CLASS 1, EFW, BE, ANSI B36.	DESCRIPTION : PIPE	1
489	BELLEVILL WASHER,SUS316,SPEC.ASTM A240,TYPE: 316L,SIZE: M16x39 MM.	ITEM NAME : BELLEVILL WASHER	572
490	INLET STAGE 2,P/N: P1408514-02032,POS.NO.8 (P3861A/B)	ITEM NAME : INLET STAGE 2	1
491	GATE VALVE,A216 WCB,CS,RF,900#,2"	DESCRIPTION : GATE VALVE	2
492	BALL SEAT(2 PCS/SET),PTFE,SIZE 10" "HISAKA"	ITEM NAME : BALL SEAT	7
493	GASKET,TI/TI PTFE/304,150#,12"	DESCRIPTION : GASKET	32
494	SHAFT SLEEVE,DWG:722.6610/731022	DESCRIPTION : SHAFT SLEEVE,	2
495	REPAIR KIT FOR VALE BODY, MODEL: E0807M-32BY, TAG : FV-2202	DESCRIPTION : REPAIR KIT FOR VALVE, VALVE BODY	1
496	MECHANICAL SEAL COMPLETE SET,P/N: LJX 060 FKKKC_LJ-0033975 00001,	ITEM NAME : MECHANICAL SEAL COMPLETE SET	1
497	PIPE, 10 INCH, SS 304L, SCH 5.0 MM., ASTM A312 GR.TP304L, EFW, BE, ANSI	DESCRIPTION : PIPE	2
498	GASKET,TI/TI PTFE/NIL,SIZE: 2050x2100x2150x4.5 MM.THK (E1301)	ITEM NAME : GASKET	4
499	MECHANICAL SEAL,CARTRIDGE DOUBLE SEAL TYPE,SIZE: 65 MM.(2.500")	ITEM NAME : MECHANICAL SEAL	1
500	MECHANICAL SEAL SIZE: 43 MM.,26HRS2/43-EX1,BQ1VMG "EBTH" (G1803A/B,	ITEM NAME : MECHANICAL SEAL SIZE: 43 MM.	3
501	Electric solenoid air shut of valve ,size : 8",4261M08A472-AA (DG1,2)	Description : Electric solenoid air shut of valve ,size : 8",4261M08A472-AA (DG1,2)	1
502	ACB,AE3200-SW 3P,3200A,85kAiC,DRAWOUT TYPE,MITSUBISHI,(WWTU) ADD	Description : ACB,DRAWOUT TYPE	1
503	PLATE,SUS304,4 FTx8 FTxTHK.16 MM.	Description : PLATE	4
504	PIPE,SMLS,ASTM A312 TP316/316L,SCH.40S,3/4"xL.6 M.	DESCRIPTION : PIPE	28
505	Tension Ring, PV-2427	Description : Tension Ring	1
506	SEALING SET FOR ACTUATOR PKE550 TANDEM, SCHUF, VF-2400B	DESCRIPTION : SEALING SET FOR ACTUATOR PKE550 TANDEM	1
507	PLEATED BASKET OF LP.FILTER,SUS316L,SIZE: 8"x532 MM. (PTA LP.FILTER)	ITEM NAME : PLEATED BASKET OF LP.FILTER	1

508	Transducer NTG-3000 Rev. 5.1 DRIVES, 2ea/set,A1AP0023695,SIEMENS,(TUNTHAI EXCITER)	Description : Transducer NTG-3000 Rev. 5.1 DRIVES, 2ea/set	1
509	MECHANICAL SEAL COMPLETED SET,P/N: B0220640,SEAL TYPE: RO,SIZE: 1.750	ITEM NAME : MECHANICAL SEAL COMPLETED SET	2
510	BENTLY NEVADA 3500/42M, PROX / SEISMIC MONITOR WITH I/O MODULE, P-	DESCRIPTION : 176449-02 PROXIMITOR / SEISMIC MONITOR MODULE	1
511	COLLAR,SUS316,POS.NO.17 (P2401)	ITEM NAME : COLLAR	2
512	GASKET,TI/TI PTFE/TI,SIZE: 989x1014x1065x1085x4.5 MM.THK (E1403A)	ITEM NAME : GASKET	4
513	ROTATING SEAL RING FOR MECHANICAL SEAL,10008178,POS.NO.53,55,SIZE:	ITEM NAME : ROTARING SEAL RING FOR MECHANICAL SEAL	2
514	FILTER ELEMENT(2 PCS/SET),RYTON WITH PTFE COATING,SIZE: ID.220*OD.	ITEM NAME : FILTER ELEMENT	2
515	MAGNETIC FLOWMETER COMPLETE SET,RF,150#, 6"	DESCRIPTION : SENSOR MAGNETIC FLOWMETER	1
516	GEAR WHEEL L160,0/3,64 1.6587,P/N: 0402 (P2401A)	ITEM NAME : GEAR WHEEL L160,0/3,64 1.6587	1
517	BALL VALVE COMPLETED WITH ACTUATOR, SIZE 3 INCH, 150# RF (80 A),	DESCRIPTION : BALL VALVE COMPLETED WITH ACTUATOR	2
518	MECHANICAL SEAL REPAIR KIT,26S-H75VP6/70-E19- A,AQ1EMG (1.4571),POS.	ITEM NAME : MECHANICAL SEAL REPAIR KIT	1
519	TURBOLOG MCMIO MODEL 2 CARD	DESCRIPTION : TURBOLOG MCMIO	1
520	BOLT,TB49,M36x125 MM.,POS.NO.21 (P1301)	ITEM NAME : BOLT	16
521	GASKET,TI/TI PTFE/TI,SIZE: 2005x2055x2105x2150x4.5 MM.THK (E1301)	ITEM NAME : GASKET	3
522	FIXING ROPE,ARAMIND W,1070000(6 MM.),P/N: 540029800 (F2408 RPF)	ITEM NAME : FIXING ROPE	450
523	BEARING NO.23076B "NTN" ,POS.NO.38 (P1301C)	DESCRIPTION : BEARING,	2
524	ROTA FLOW METER, 10 - 100 NM3/H, 3/4", 150#, RF, SS316L, TAG : FI-1321, FI-	DESCRIPTION : ROTA FLOW METER	2
525	Variable Area Flowmeter,Range 10-100 Nm3/h, Size 3/4", Tokyo Keiso, Model	Description : Variable Area Flowmete	2
526	SHAFT SLEEVE ASSEMBLY(SLEEVE AND SEAL DRIVE POS.NO.1.1/2),DUPLEX	ITEM NAME : SHAFT SLEEVE ASSEMBLY (SLEEVE AND SEAL DRIVE POS.NO.1.1 / 2)	1
527	PNEUMATIC CONTROL,4152K,FISHER	DESCRIPTION : PNEUMETIC CONTROL, PRESSURE, : 20 PSI,	2
528	GEAR PUMP(BARE SHAFT PUMP),MODEL: SEIRES H7R (G3561,G3562)	ITEM NAME : GEAR PUMP H7R (BARE SHAFT PUMP)	1
529	MECHANICAL SEAL COMPLETE SET,SINGLE CARTRIDGE SEAL TYPE: E13-	ITEM NAME : SINGLE CARTRIDGE SEAL TYPE: E13-DO50	1
530	SENSOR INTERFACE BOARD PCB 2000 SMT, P/N 02000934, SERVOMEX, AT-	DESCRIPTION : SENSOR INTERFACE BOARD PCB 2000 SMT	1
531	SIDE PLATE,SUS304 (GZ2403A/B)	ITEM NAME : SIDE PLATE	4
532	RECTIFIER MODULE PXWIDE =<365ADC ,GUTOR	RECTIFIER MODULE, POWER	1
533	SEAT(2 PCS/SET),A276 (TP) 316 STELLITED,CLASS 900/1500#,SIZE: 4"	ITEM NAME : SEAT	5
534	RELAY CONTROL MODULE 16 CHANNEL (BENTLY NEVADA) 33500/33	DESCRIPTION : 149986-01 16-CHANNEL RELAY CONTROL MODULE	1
535	TORQUE ARM SPLINE BUSHING,SCM435,P/N: P-D07717A- 001#-E1D00,POS.NO.	ITEM NAME : TORQUE ARM SPLINE BUSHING	2
536	MECHANICAL SEAL COVER,316SS,POS.NO.114,SVHA 25-20 (G1617A/B)	ITEM NAME : MECHANICAL SEAL COVER	2
537	PULSE REGULATOR,P/N 0802 (G-3180)	MATERIAL DESCRITION : PULSE REGULATOR, ,	7
538	TURBOLOG REDUNDANCY POWER SUPPLY	DESCRIPTION : TURBOLOG REDUNDANCY POWER	1
539	GREASE,AEROSHELL,2.27 KG,SHELL	DESCRIPTION : GREASE,	36
540	ROOTS,FRG0500BNA-OX,6",JIS10K,TOKICO	DESCRIPTION : ROOTS,	2
541	O-RING FOR MECHANICAL SEAL,POS.NO.4A,CODE: ORBP- 280F2 (P1301)	ITEM NAME : O-RING	1
542	GEAR BOX FOR PRI COOLING M212 (E3264F/G/H)	ITEM NAME : GEAR BOX FOR PRI COOLING M212	1
543	O-RING,PTFE FFW,POS.NO.2 (P1403,P2102,P2406,P2407)	ITEM NAME : O-RING	12
544	SEAL OIL,STAGE.3,ALUMINUM,P/N: 13.14.26(A3408535- 01030),POS.NO.26	ITEM NAME : SEAL OIL,STAGE.3	1
545	BLIND FLANGE, 32 INCH, 150#, FORGED, SS, ASTM A182 GR.F304L, RF, 125-250	DESCRIPTION : BLIND FLANGE	1
546	BALL VALVE SEAT,P/N:4,E0807,KTM	BALL VALVE SEAT,	1
547	TURBOLOG DIGIO TRIPLE TIELD ASSEMBLY	DESCRIPTION : TURBOLOG DIGIO TRIPLE FIELD ASSEMBLY MODULE,	1
548	GENERATOR FOR SPEED, BRAUN (MAPTERKO)	DESCRIPTION : GENERATOR FOR SPEED	1
549	LOAD CELL,MODEL : LCN-A-10KN,I/P425 OHM,O/P350OHM, TAG : P-1404, P-2408	DESCRIPTION : LOAD CELL	5

550	Dissolved Oxygen probe sensor, HACH, Type LDO, Range 20 ppm., Tag : WWTU, AT-	Description : Dissolved Oxygen probe	2
551	ROUND BAR,SUS316L,SIZE: 5"x3 METERS	DESCRIPTION : ROUND BAR	2
552	PLATE,SUS317L,1250 MM.x2500 MM.xTHK.6 MM.	DESCRIPTION: PLATE	1
553	MECHANICAL SEAL ASSEMBLY,HP-4M-34,P/N: 10-17 AND 20 (GZ1401)	ITEM NAME : MECHANICAL SEAL ASSEMBLY	2
554	THRUST WASHER,P/N: WA05AA13B,POS.NO.155B,155C (G2201A-E)	ITEM NAME : THRUST WASHER	8
555	EXPANSION BOLT STAGE: 5+6,CRNI134V,M33/M36x282 MM. (P1101)	ITEM NAME : EXPANSION BOLT STAGE 5+6	1
556	TENSION RING NDE (MODIFICATION),P/N: 400033325 (F2408X)	ITEM NAME : TENSION RING NDE (MODIFICATION)	1
557	TENSION RING DE (MODIFICATION),P/N: 400032893 (F2408X)	ITEM NAME : TENSION RING DE (MODIFICATION)	1
558	PACKING RING "BHS" (CONTROL HEAD) PTFE 720 (REPLACEMENT OF	ITEM NAME : PACKING RING (CONTROL HEAD) PTFE 720 (REPLACEMENT OF 940004563,	8
559	SEGMENT FOR IGV ADJUSTMENT HP (J1101B EXPANDER)	ITEM NAME : SEGMENT FOR IGV ADJUSTMENT HP	1
560	SEAL HOUSING,DUPLEX STELL 2205,DY.139xDI.104xL.138 MM. (G1403,G1502)	ITEM NAME : SEAL HOUSING	1
561	MAIN OIL PUMP,TYPE: GEAR PUMP (INTERNAL),P/N: A0540324-00246 (P3861A/B)	ITEM NAME : MAIN OIL PUMP	1
562	SLEEVE,SUS304,DIA.105x85xL.225 MM.,POS.NO.AY (B2402)	ITEM NAME : SLEEVE	1
563	PX FILTER ELEMENT,SS316L,SIZE: DIA.62 MM.xLENGTH 760 MM.,10 MICRONS	ITEM NAME : PX FILTER ELEMENT	5
564	O-RING FOR FILTER ELEMENT OF TA RECOVERY,DIA.60xTHK.3.20 MM. (F1801)	ITEM NAME : O-RING FOR FILTER ELEMENT OF TA RECOVERY	930
565	MICRO 3 CARD PIO CHIP (CEMS)	MATERIAL DESCRIPTION : MICRO 3 CARD PIO CHIP,	3
566	16-CHANNEL RELAY,3500/33,BENTLY NEVADA	16-CHANNEL RELAY,	1
567	DUAL THRUST POSITION MONITOR,BENTLY	DESCRIPTION : DUAL THRUST POSITION MONITOR,	2
568	VALVE POSITIONER DOUBLE ACTING ACTUATOR ECKARDT VALVE (SRD960)	VALVE POSITIONER	2
569	OIL RING (For DE/NDE),LAGERTEIL_DW02,SIEMENS (MP- 1101)	Description : OIL RING (For DE/NDE),LAGERTEIL_DW02	2
570	BOLT,TB 35,M27x90 MM.,POS.NO.28 (P1301)	ITEM NAME : BOLT	48
571	KEY,TP49,POS.NO.23 (P1301)	ITEM NAME : KEY	5
572	SHAFT,SUS316L,P/N: RC03351A 2256,POS.NO.122 (G2405A/B PRI)	ITEM NAME : SHAFT	1
573	GEAR REDUCER,CVVM8-4190,5.5 KW,4 POLE,3P (P1504)	DESCRIPTION : GEAR REDUCER,	1
574	DIGITAL INPUT IOP(32),MC-PDIY22,HONEYWEL	DIGITAL INPUT IOP 24 VDC (32),	1
575	BOLT,TB35,SIZE: M30,POS.NO.15 (P1401A/B)	ITEM NAME : BOLT	8
576	PLUG AND STEM ASSEMBLY, MOTOYAMA, PV2-2402	DESCRIPTION : PLUG AND STEM ASSEMBLY	1
577	WATER/AIR COOLING OF SOLITRAC 31,LENGTH 2500 MM. (LT-2303)	DESCRIPTION: WATER/AIR COOLING OF SOLITRAC 31 FOR USE WITH INCREASED AMBIEN	1
578	TRAY CLAMP,ULC,SUS 316L (C1301,C1501,C1502,C1603)	ITEM NAME : TRAY CLAMP	280
579	14" PIPE EFW-BE 5.5MM THCK SS ASTM A358 GR.304 CLASS 2 ANSI-B36.19M	14" PIPE EFW-BE 5.5MM THCK SS ASTM A358 GR.304 CLASS 2 ANSI-B36.19M	1
580	PLATE,SUS304,4 FTx8 FTxTHK.3 MM.	DESCRIPTION : PLATE	22
581	OPEN IMPELLER,316LSS,SIZE: 40/25,P/N: 21 (G1611,G1612,G1614,G1615,G1616,	ITEM NAME : OPEN IMPELLER	1
582	BUSH RULON,RULON,ID.140xOD.160xL.110 MM. (T1442,T1443)	ITEM NAME : BUSH RULON	1
583	SHAFT SLEEVE,STAGE:5+6	DESCRIPTION : SHAFT SLEEVE, S	1
584	SHAFT,SAF2205,MODEL: 14FRBH244 (G1503A)	ITEM NAME : SHAFT	1
585	GASKET,TI/TI PTFE/NIL,SIZE: 936x966x996x4.5 MM.THK (E1303)	ITEM NAME : GASKET	6
586	DISC,Z454-4-004019,SIZE: 35/25.5x2,POS.NO.4176- 006 (J1101B EXPANDER)	ITEM NAME : DISC	17
587	BEARING END COVER,P/N: 0573A311AVSB001,POS.NO.0573 (G1506A/B)	ITEM NAME : BEARING END COVER	1
588	SEAT RING L1C14A, METSO, MODEL : S- LW7LBA350PAJAT, SIZE 14", TAG : PV-	DESCRIPTION : SEAT RING-L1C14A	2
589	PNEUMATIC INDI CONTROL,15-35 KG/CM2,FOX	DESCRIPTION : PNEUMATIC INDICATING CONTROL,	1
590	VICTAULIC COUPLING COMPLETE SET TYPE: 77,200037303, 20" DN500 (P1101	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 77	2
591	GASKET F.VICTAULIC COUPLING TYPE: 77,SILIKON (RED),000 200 037 372, 20"	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 77	4

592	BEARING COVER INBOARD,FC200,POS.NO.206 (G1615A/B)	ITEM NAME : BEARING COVER INBOARD	2
593	FILTER ELEMENT,P/N: MBS1001S200H13 "PALL" MODEL: 5HD4886-2187 (FK001,	ITEM NAME : FILTER ELEMENT	8
594	SOURCE LONG WAVE CaF2(CO/CO2),SERVOMEX	DESCRIPTION : SOURCE LONG WAVE,	1
595	SHAFT,SS316,P/N: 24105751,POS.NO.122 (G1803A/B)	ITEM NAME : SHAFT	1
596	ACTUATOR GOVERNOR,S+G 16-01,16NO.680/102,(DG1,2)	ACTUATOR GOVERNOR, POWER	1
597	INDUCER WEAR RING,A276 T.316L (UNS31603),POS.NO.67A (G2203A/B)	ITEM NAME : INDUCER WEAR RING	1
598	PURGE GAS RING 115x140x18,P/N: 050347 (RV2402C/D,RV2411D/E/F)	ITEM NAME : PURGE GAS RING 115x140x18	3
599	VERTEX FLOW METER,0-3540 KG/H,O/P 4-20MA	DESCRIPTION : VERTEX FLOW METER,	1
600	GASKET(TOP COVER),PTFE,SIZE: OD.1630.4xID.1535.2x3 MM.THK,60" API605	ITEM NAME : GASKET TOP COVER	5
601	BUSH RULON SPLIT TYPE(2 PCS/1 SET),RULON,ID.120xOD.140xL.90 MM.xTHK.10	ITEM NAME : BUSH RULON SPLIT TYPE	1
602	DRIFT ELIMINATOR DBX UPSTNEAM,P/N: AG6582501 (P1101B MAPTERKO)	ITEM NAME : DRIFT ELIMINATOR DBX UPSTNEAM	27
603	PLATE,SUS317L-2B,4 FTx8 FTxTHK.2 MM.	DESCRIPTION : PLATE	2
604	MECHANICAL SEAL SIZE: 35 MM.,T59UQS1S1/BP "JOHN CRANE" (G1611,G1612,	ITEM NAME : MECHANICAL SEAL SIZE: 35 MM.	2
605	SERIAL INTERFACE CARD,X1-AA3P3.0 (DCS)	MATERIAL DESCRIPTION : SERIAL INTERFACE CARD,	1
606	PNEUMATIC INDI CONTROL,0.2-1 KG/CM2,FOX	DESCRIPTION : PNEUMATIC INDICATING CONTROL,	1
607	ACB,AE2500-SW 3P,2500A,85kAIC,DRAWOUT TYPE,MITSUBISHI,(L5) ADD	Description : ACB	1
608	FEED PUMP,WWRF-RO-1(SULZER,Z80-160) (G4601)	DESCRIPTION : FEED PUMP	1
609	BIG END BEARING D080,P/N: C00282-001-555 (P3602)	ITEM NAME : BIG END BEARING D080	1
610	IMPELLER,P/N: 230 (G3261XA,XB,XC)	ITEM NAME : IMPELLER	1
611	WASHER,TP28,POS.NO.7(=10),26(=27) (P1301A/B)	ITEM NAME : WASHER	24
612	LOCKING ROD(A),SS316,DIA.5 MM.xL.1220 MM.,POS.NO.602 (F1441A/B/C RVF)	ITEM NAME : LOCKING ROD(A)	70
613	EXPANSION JOINT,SUS316&FABRIC,18" FLANGE: 635x475,PCD.577.8xL.320 MM.	ITEM NAME : EXPANSION JOINT	1
614	Radar Level Transmitter, VEGA, 3", Tag : LT- 2401PX	Description : Radar Level Transmitter	1
615	BEARING HOUSING OUTBOARD,CAST IRON FC20,P/N: 051- 02 (G3260G/H/I/J)	ITEM NAME : BEARING HOUSING OUTBOARD	1
616	BEARING HOUSING INBOARD,CAST IRON FC20,P/N: 051- 01 (G3260G/H/I/J)	ITEM NAME : BEARING HOUSING INBOARD	1
617	GLAND PACKING TAIWAN(CONTROL HEAD),PTFE,25x25x2600 MM.,POS.NO.62	ITEM NAME : GLAND PACKING(CONTROL HEAD)	8
618	JOURNAL BEARING,P/N: BE09AA11,POS.NO.151D "KIKKISO-SUNDSTRAN" (UP	ITEM NAME : JOURNAL BEARING	3
619	MECHANICAL SEAL,P/N: H4A06011,POS.NO.401 "NSO" (G3531)	ITEM NAME : MECHANICAL SEAL	9
620	TURBOLOG ICU MODEL 1 CARD	DESCRIPTION : TURBOLOG ICU	1
621	NEW SINGLE CARTRIDGE MECHANICAL SEAL SET SPC 1.875",SIC/CARBON,	ITEM NAME : NEW SINGLE CARTRIDGE MECHANICAL SEAL SET SPC 1.875"	2
622	RTD 1xPt100/3-Wire-connection, Radial & Thurst Bearing, TUNTHAI Expander, Tag :	Description : RTD 1xPt100/3-Wire-connection	2
623	COMPRESSION UNIT ASSEMBLY,SUS316,POS.NO.6,7,8,9,10 (P2503)	ITEM NAME : COMPRESSION UNIT ASSEMBLY	2
624	CYLINDRICAL BEARING,ST:1,I/N:32#39	DESCRIPTION : CYLINDRICAL ROLLER BEARING(CURVE ROLL),	13
625	GASKET F.VICTAULIC COUPLING TYPE: 31,NITRIL, 30" DN800 (P1101 THUNTHAI)	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 31	3
626	WELD NECK FLANGE,FORGE,8",S-80S,900#,STAINLESS STEEL,ASTM A182 F321,	DESCRIPTION : WELD NECK FLANGE, FORGE	3
627	FGD DCS HARD DISK,RZ 28 M-VA	DESCRIPTION : 2.1 GB FGD DCS EXTERNAL HD,	2
628	"ABB" AWT210, 2-WIRE CONDUCTIVITY, pH/ORP PION TRANSMITTER	DESCRIPTION : "ABB" AWT210, 2-WIRE CONDUCTIVITY, pH/ORP PION TRANSMITTER	2
629	BOLT WITH NUTS,SANDVIK,M20,POS.NO.84 (P1203,P1205)	ITEM NAME : BOLT WITH NUTS	7
630	SIMATIC S5 PLC CPU CARD (FGD PLC)	MATERIAL DESCRIPTION : SIMATIC S5 PLC CPU CARD,	1
631	BELLOW EXPANSION JOINT,SUS316L,8"xL.643.5 MM. (P1404)	ITEM NAME : BELLOW EXPANSION JOINT	1
632	STATIONARY SEAL RING,P/N: 10002320,POS.NO.0052,0054 (P2406B)	ITEM NAME : STATIONARY SEAL RING	2
633	MAGNETIC FLOW METER,ANSI 150#RF/L, 8"	MAGNETIC FLOW METER COMPLETED SET	1

634	BALL VALVE,DUPLEX STAINLESS STEEL 2205 (UNS S31803),150#,1-1/2"	ITEM NAME : BALL VALVE	1
635	SHAFT SLEEVE,P/N: 10085785,POS.NO.0005 (P2406B)	ITEM NAME : SHAFT SLEEVE	1
636	GASKET(M1),TI/TI PTFE/SUS304,972x1008x1064x1108xTHK.4.5 MM. (R1301C)	ITEM NAME : GASKET(M1)	3
637	Bearing, P/N 19A5190X012, Fisher control valve, FV-1304-1B	Description : Bearing	4
638	STOP RING,SUS304,P/N: K (B2402)	ITEM NAME : STOP RING	1
639	BEARING OIL PUMP,P/N: 13.11.01 (P3861)	DESCRIPTION : BEARING OIL PUMP,	1
640	SHAFT SLEEVE,P/N: 524.01 (G3261XA,XB,XC)	ITEM NAME : SHAFT SLEEVE	2
641	RTD Pt100 Sensor for MAPTERKO EXPANDER, P/N 955631300, Tag : J-1101B	Description : RTD Pt100 Sensor	3
642	BEARING NO.30222DB ,POS.NO.57 (P1403,P2102,P2406)	ITEM NAME : BEARING NO.30222 UDB+8DOPX3	2
643	DISC SPRING SET 1/2,M14/A35,5 AISI304, P/N 044 ,(2 PCS/SET) ID H148585, HV-	Description : DISC SPRING SET 1/2,M14/A35,5 AISI304	5
644	SOLENOID VELVE,4F640E,SUPPLY:24 VDC, CKD	DESCRIPTION : SOLENOID VALVE,	8
645	DIFFERENTIAL PRESSURE TRANSMITTER, -5417...320 mmH2O (URL 250 IN	DESCRIPTION : DIFFERENTIAL PRESSURE TRANSMITTER	1
646	SLEEVE(UPPER),316 Ststi & Croat,POS.NO.31B (P1301A/B)	ITEM NAME : SLEEVE(UPPER)	1
647	SLEEVE(LOWER),316 Ststi & Croat,POS.NO.31A (P1301A/B)	ITEM NAME : SLEEVE(LOWER)	1
648	SLEEVE,MAT'L: 316L S.S,POS.NO.AA-11 (T1401BB)	ITEM NAME : SLEEVE	1
649	DIFFUSER VANED DOUBLE ROW STAGE: 1,P/N: P1408519- 01932 (P3861A/B)	ITEM NAME : DIFFUSER VANED DOUBLE ROW STAGE: 1	1
650	DRIVE PIN,M6,SUS316L,POS.NO.1 (P1203,P1205)	ITEM NAME : DRIVE PIN,M6	8
651	GSA REACTOR FLANGE.P/N: 190.021.353 (FGD NOZZLE)	ITEM NAME : GSA REACTOR FLANGE	1
652	STUD BOLT WITH NUTS,ALLOY C276,ASTM B574,M16x2.0x90 MM. (D4801)	ITEM NAME : STUD BOLT WITH NUTS	32
653	PIPE,SUS 304,SL,SCH 40,6"*6 M	DESCRIPTION : PIPE,	4
654	MULTI DISK COUPLING FOR AUXILIARY OIL PUMP MAPTERKO (GZ1102C)	ITEM NAME : MULTI DISK COUPLING FOR AUXILIARY OIL PUMP MAPTERKO	1
655	VALVE PLUG, STEM ASSEMBLY,S/N 657084	DESCRIPTION : ANGLE VALVE PLUG/STEM ASSEMBLY,	1
656	SIDE PLATE (1 SET=4 PCS),SUS304,P/N: 7 (GZ2401)	ITEM NAME : SIDE PLATE (1 SET = 4 PCS)	1
657	PUMP ASSEMBLY (G1505A/B)	ITEM NAME : PUMP ASSEMBLY	1
658	OIL FILTER INTERNORMEN,ALTLUSSHIEM,200x200x515 MM.,P/N: 310882 01.E	ITEM NAME : OIL FILTER INTERNORMEN	3
659	Squirrel Cage induction NEMA Motor 50HP/37KW,4P,380Volt,3 Phase,50HZ,(MG	Description : Squirrel Cage induction NEMA Motor 50HP/37KW,4P,380Volt,3 Phase,50HZ	1
660	BOLT,TB 35,SIZE: M30,POS.NO.16 (P1401,P1402)	ITEM NAME : BOLT	19
661	PLATE,SUS317L,4 FTx10 FTxTHK.1.5 MM.	DESCRIPTION : PLATE	2
662	COLLAR SLIDING BEARING,K88916,SIZE: 60/65x40,P/N: 27,POS.NO.2181-009	ITEM NAME : COLLAR SLIDING BEARING	23
663	DIGITAL POSITIONER FOR ECKARDT (SRD960) VALVE	DIGITAL POSITIONER SRD960 TO OPERATE PNEUMATIC VALVE ACTUATORS, ECKARDT	2
664	GASKET,TOMBO #9010B,SIZE: ID.1400xOD.1572x3 MM.THK,POS.NO.M (T1401)	ITEM NAME : GASKET	4
665	BUSHING,AGITATOR(OLD DESIGN HOUSING),OPM,SS316L+STELLITE#6,ID.	ITEM NAME : BUSHING,AGITATOR(OLD DESIGN HOUSING)	1
666	VIBRATION MOUNT,NBR,30HA54,P/N: W-X7175- 1,POS.NO.8 (P2409A-E)	ITEM NAME : VIBRATION MOUNT	48
667	PINION FOR IGV ADJUSTMENT HP (J1101B EXPANDER)	ITEM NAME : PINION FOR IGV ADJUSTMENT HP	1
668	PINION FOR IGV ADJUSTMENT LP (J1101B EXPANDER)	ITEM NAME : PINION FOR IGV ADJUSTMENT LP	1
669	DISCRETE IP/OP CARD,FSCL6721X1-A3 (DCS)	MATERIAL DESCRIPTION : DISCRETE INPUT/OUTPUT CARD,	4
670	MACHINE(REAMER) BOLT WITH NUT AND LOCK NUT,SANVICK,M16x75 MM.,	ITEM NAME : MACHINE (REAMER) BOLT WITH NUT AND LOCK NUT	24
671	BOWL BUMPER,TEFLON,P/N: P-X2908-2,POS.NO.124 (P1404,P2409)	ITEM NAME : BOWL BUMPER	5
672	MECHANICAL SEAL,TYPE: SECTIONAL INTERNAL,MAT'L: 369-A,POS.NO.11	ITEM NAME : MECHANICAL SEAL	3
673	Trim assembly (Plug+Stem+Seat Ring), Motoyama, SUS317L ST, PV-1339C	Description : Trim assembly (Plug+Stem+Seat Ring)	1
674	BALL VALVE WITH GEAR OPERATED,RF,A351CF8M/SS316/MPTFE,150#,6"	DESCRIPTION : BALL VALVE SUS316,SIZE :6"150#,WITH GEAR OPERATED	1
675	SEAL RING,CARBON,SPEC.RESIN IMPREGNATED,POS.NO.3 (P1202B)	ITEM NAME : SEAL RING	2

676	SOFT SPARE PART OF METSO BJ20,ACTUATOR	DESCRIPTION : SOFT SPARE PART OF METSO BJ20 ATUATOR, SPARE PART OF ACTUAT	4
677	Conductivity, Two-Wire Transmitters, Rosemount 5081, Explosion proof, CT-1601	#N/A	1
678	HUB,P/N: 10,POS.NO.51634500 (P1101B MAPTERKO)	ITEM NAME : HUB	1
679	PCA UPS CONTROLLER 3PH/1PH RTC,GUTOR UPS	PCA UPS CNTROLLER,	1
680	ECCENTRIC RED,316L,SCH 40,SL,BW,16"*10"	DESCRIPTION : ECCENTRIC REDUCER	2
681	OIL SEAL,TYPE: SC,NBR,ID.330xOD.370xTHK.20 MM.,POS.NO.46 (P1301C)	ITEM NAME : OIL SEAL	3
682	O-RING SEAL,VITON/FEP,D 40/28x6,P/N: 940000590,POS.NO.9 (F2408X NEW	ITEM NAME : O-RING SEAL	271
683	BALL AND SOCKET JOINT F.INLET GUIDE STAGE.1,X52034413,POS.NO.56	ITEM NAME : BALL AND SOCKET JOINT F.INLET GUIDE STAGE.1	22
684	SEAL RING,CARBON,SPEC.RESIN IMPREGNATED,POS.NO.3 (P2102,P2406,	ITEM NAME : SEAL RING	2
685	MECHANICAL SEAL CARTRIDGE SIZE: 2.375",CAR V/S SIC.,ELASTOMER: VITON	ITEM NAME : MECHANICAL SEAL CARTRIDGE SIZE: 2.375"	2
686	HOLDER,SS400,POS.NO.17 (P1403,P2102,P2406)	ITEM NAME : HOLDER	3
687	RTD 1xPt100/3-Wire-connection, Radial & Thurst Bearing, TUNTHAI Expander, Tag :	Description : RTD 1xPt100/3-Wire-connection	3
688	GEAR WHEEL SEGMENT,Z454-4-003128,POS.NO.4176-051 (J1101B EXPANDER)	ITEM NAME : GEAR WHEEL SEGMENT	1
689	RTD 1xPt100/3-Wire-connection, Radial & Thurst Bearing, TUNTHAI Expander, Tag :	Description : RTD 1xPt100/3-Wire-connection	2
690	PROXIMITOR MONITOR,3500/40M,BENTLY NEVAD	PROXIMITOR MONITOR,	1
691	Spiral Wound Gasket for Valve seat,Graphite/Ti,Pos 70,Schuf,VF-2400B	Description : Spiral Wound Gasket For Valve Seat,Pos 70,Drawing No. 0019-37-LRO	2
692	SLEEVE,SS400-HCRP,POS.NO.30 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : SLEEVE	2
693	IMPELLER,SUS316L,P/N: 09- JM01AA02DH0965,POS.NO.P2-33 (G1302A/B)	ITEM NAME : IMPELLER	1
694	REF.VALVE GENERATOR,P/N 0800 (G-3180)	MATERIAL DESCRIPTION : REFERENCE VALVE GENERATOR (VOLT), ,	2
695	MECHANICAL SEAL SIZE: 45 MM.,26-H75VN/55-E7- A2,AQ1K2MG "EBTH"	ITEM NAME : MECHANICAL SEAL SIZE: 45 MM.	1
696	COUNTER SHAFT,DWG: 3122-713936,I/N: 16 (P-1403)	Description : COUNTER SHAFT	1
697	OIL SEAL,STAGE.1,ALUMINUM,P/N: 13.14.24(A3408535- 01030),POS.NO.24	ITEM NAME : OIL SEAL,STAGE.1	1
698	OIL SEAL,STAGE.2,ALUMINUM,P/N: 13.14.25(A3408535- 01031),POS.NO.25	ITEM NAME : OIL SEAL,STAGE.2	1
699	LOCK NUT,TB35,M30,POS.NO.14 (P1301,P1401,P1402)	ITEM NAME : LOCK NUT	81
700	PLATE PACK WITH GASKET EPDM CLIP-ON (E1205A/B)	ITEM NAME : PLATE PACK WITH GASKET EPDM CLIP-ON	10
701	SPRING,BS 4659-BH12 TUNG,P/N: C1546-306,POS.NO.22 (PSV1309/B1/B2/B3)	ITEM NAME : SPRING	1
702	SNAP-LOCK LIMIT SWITCH,BRAND NAMCO,MODEL: EA-170- 31100,480 VAC,10 A	DESCRIPTION : SNAP-LOCK LIMIT SWITCH	8
703	MECHHANICAL SEAL,I/N:62	DESCRIPTION : MECHANICAL SEAL,	2
704	IMPELLER,BC,POS.NO.201 (G3535)	ITEM NAME : IMPELLER	1
705	SMART PRO CPU CARD,OHMART, (LT-1301B)	Description : SMART PRO CPU CARD	1
706	IMPELLER 4X3-10/ESP3 RV,SUS316,RATED IMPELLER DIA -9.125,P/N:	ITEM NAME : IMPELLER 4X3-10/ESP3 RV	1
707	DIGITAL INPUT,P/N 0801Q (G-3180)	MATERIAL DESCRIPTION : DIGITAL INPUT, ,	5
708	BEARING CASE,FC200,SIZE: 40/25,P/N: 200 (G1611,G1612,G1614,G1615,G1616,	ITEM NAME : BEARING CASE	1
709	WELD NECK FLANGE,A182F51,MALE,900#,8"	DESCRIPTION : WELD NECK FLANGE	2
710	NOZZLE,SA 351-CF8M ST ST,P/N: 016552-116,POS.NO.4 (PSV1309)	ITEM NAME : NOZZLE	1
711	BALL VALVE COMPLETED WITH ACTUATOR, SIZE 2 INCH, 150# RF (50 A),	DESCRIPTION : BALL VALVE COMPLETED WITH ACTUATOR	2
712	GOULDS PUMP COMPLETE SETS,SIZE: 1X1.5-8,MODEL: 3196 STi (G1931)	Description : GOULDS PUMP(COMPLETE SETS)	1
713	PIPE, 8 INCH, S-40S, SS, ASTM A312 TP304L, SMLS, BE, ASME B36.19, L = 6 M.	DESCRIPTION : PIPE	2
714	CASING FOR SAFETY VALVE,P/N: 016385-112 (PSV- 2413)	DESCRIPTION : CASING,	1
715	MECHANICAL SEAL SIZE: 1.375,P11 D022 "EBTH" (G1911A/B,G1921A/B,G1931A)	ITEM NAME : MECHANICAL SEAL SIZE: 1.375	2
716	FLEXIBLE COUPLING COMPLETE SET,RUPEX TYPE: RWN360,POS.NO.35	ITEM NAME : FLEXIBLE COUPLING COMPLETE SET	1
717	TURBOLOG DSPDA TRIPLE / DUPLEX FIELD ASS,Y MODULE	DESCRIPTION : TURBOLOG DSPDA TRIPLE / DUPLEX FIELD ASSEMBLY MODULE	1

718	Frequency current converter,KFD2-UFC-1.D,1- channel, input 0.001-12 kHz,output 0/4-	Description : Frequency current converter,KFD2-UFC-1.D,1-channel, input 0.001 Hz -12 kHz outp	2
719	CONTROL HEAD PACKING(BSH),PTFE,26x26x2600,P/N: 940004563,POS.NO.62	ITEM NAME : CONTROL HEAD PACKING(BSH)	6
720	BENTLY NEVADA 3500/92, 136188-01, ETHEMET/RS485 MODBUS I/O MODULE, P-	DESCRIPTION : BENTLY NEVADA 3500/92, 136188-01, ETHEMET/RS485	1
721	AIR MOTOR,RHC-35,S/N:04869,KOHAN KOGYO	DESCRIPTION : AIR MOTOR	1
722	SHAFT,SUS304L,P/N: M734GJ036 (G2501A/B)	ITEM NAME : SHAFT	1
723	TRANSFORMER 3CV110/50T4151,3CV110/50T4151,ERSKINE,DC CHARGER	DESCRIPTION : TRANSFORMER 3CV110/50T4151	2
724	BALL VALVE,SUS 304,RF,SEAT:RPTFE,150#,4"	BALL VALVE,	3
725	GASKET(M1),TI/TI PTFE/SUS304,750x785x825x886xTHK.4.5 MM. (R1301)	ITEM NAME : GASKET(M1)	5
726	BUTTERFLY VALVE BODY COMPLETED SET, SIZE 8", EBRO (EBR9.1 SYD), TAG :	DESCRIPTION : BUTTERFLY VALVE BODY COMPLETED SET	2
727	NUT FOR CELL INSERT,A4-70,M12x1.75 MM. (F2408)	ITEM NAME : NUT FOR CELL INSERT	268
728	EXPANSION JOINT,SINGLE-BELLOW,SUS316L,6BxL.350 MM. (F1441A/B/C)	ITEM NAME : EXPANSION JOINT	1
729	MULTIFUNCTION PROTECTION RELAY,SIEMENS	MULTIFUNCTION PROTECTION RELAY,	1
730	MOTOR BOOSTER FAN,400/690V,110KW(P-3302)	DESCRIPTION : MOTOR BOOSTER FAN	1
731	MAGNETIC FLOWMETER COMPLETED SET, SIZE DN15, 1/2" ANSI 150RF,	DESCRIPTION : COMPLETED SET MAGNETIC FLOWMETER SENSOR WITH	1
732	MAGNETIC FLOWMETER COMPLETED SET, SIZE DN25, 1" ANSI 150RF, REMOTE	DESCRIPTION : COMPLETED SET MAGNETIC FLOWMETER SENSOR WITH	1
733	COMMUNICA.INTERFACE,FSCL7701X1 (DCS)	MATERIAL DESCRIPTION : COMMUNICATION INTERFACE -, ASSEMBLY,	2
734	BOLT HEX HEAD,HAS C-276,M20xPITCH 2.5x325 MM.(THREAD ONLY END SIDE	ITEM NAME : BOLT HEX HEAD	21
735	DIFF.PRESS TRANSMITTER,COPLANAR TYPE,SS316L, Diaphargm:SS316L,HART,	DESCRIPTION : DIFF.PRESS TRANSMITTER,COPLANAR TYPE,SS316L, Diaphargm:	2
736	POTENTIAL TRANSFORMER,3300/R3/110V/R3/110/3,200VA,(M3,M4)	Description : POTENTIAL TRANSFORMER (3 PHASE/SET)	1
737	Bearing, P/N 19A3647X132, Fisher control valve, FV-1304-1C	Description : Bearing	4
738	BRUSH ROTOR POLY-PROPYLENE FIBRE (P1410)	ITEM NAME : BRUSH ROTOR POLY-PROPYLENE FIBRE	1
739	CPU Board L1, STIP,PX-1010,P/N 71014624, COD Analyzer	Description : CPU Board L1	1
740	FLUSHING ATTACHMENT MECHANICAL SEAL ASSEMBLY P/N: 5040 (P2701)	ITEM NAME : FLUSHING ATTACHMENT MECHANICAL SEAL ASSEMBLY POS.5040	1
741	Micro Motion Coriolis MVD multivariable flow and density transmitter,Brand Emerson,	Description : Micro Motion Coriolis MVD multivariable flow and density transmitter	1
742	PINION SHAFT,LP225,0/3,83 1.6587,P/N: 0300 (P2401A)	ITEM NAME : PINION SHAFT,LP 225,0/3,83 1.6587	1
743	VSD FRN90G1S-4A FUJI (MF-2408 A,B)	DESCRIPTION : VSD FRN90G1S-4A FUJI (MF-2408 A,B)	1
744	MOTOR,45KW,400V,4P,M2AA225M4,IP55, ABB (MGZ2407A/B)	MOTOR, CAPACITY 45 KW, 4P, POWER	1
745	O-RING,EPDM,SIZE: G290,P/N: 37 (G1445A/B/C)	ITEM NAME : O-RING	8
746	FIXING RING FOR PLUMER BLOCK BEARING NO.SV248V1Y1182G2ZZ (T2401C)	ITEM NAME : FIXING RING FOR PLUMER BLOCK BEARING NO.SV248V1Y1182G2ZZ	2
747	CHECK VALVE ASSEMBLY SUCTION,P/N: B00571-001- 090,POS.NO.2 (P3602)	ITEM NAME : CHECK VALVE ASSEMBLY SUCTION	1
748	DIFF PRESSURE SWITCH, R 60 PSI, 125 VDC, 1/4", ASHCROFT	DESCRIPTION : DIFFERENTIAL PRESSURE SWITCH	5
749	CANVAS OF CHUTE SILO,TYPE: DOUBLE LOADING FLEXIBLE (Y2901A/B/C/D/E)	ITEM NAME : CANVAS OF CHUTE SILO	3
750	AIR KNOCKER COMPLETE SET,PKL 5000/6, NETTER	DESCRIPTION : AIR KNOCKER COMPLETE SET	2
751	RTD 1xPt100/3-Wire-connection, Radial & Thurst Bearing, TUNTHAI Expander, Tag :	Description : RTD 1xPt100/3-Wire-connection	2
752	MECHANICAL SEAL,P/N: 09A-S19-AA18A2A0 (SE04AA48Y),POS.NO.60B (G2201A-	ITEM NAME : MECHANICAL SEAL	2
753	MECHANICAL SEAL,P/N: 09A-S19- AA18A2AO(SE04AA48Y),POS.NO.60A (G2201A-	ITEM NAME : MECHANICAL SEAL	2
754	PISTON,9E CU,SIZE: 1.625 DIA.-GAPD 02,POS.NO.20 (G3601A/B)	ITEM NAME : PISTON	2
755	THYRISTOR,T720N16TOF 2B8,INFINEON (SIEMENS)	DESCRIPTION : THYRISTOR	3
756	CONTACT O/P MODULE 32BIT,1771-OWN,ALLEN	DESCRIPTION : CONTACT OUTPUT MODULE,	1
757	BALL VALVE COMPLETED WITH ACTUATOR, SIZE 4 INCH, 150# RF (100 A),	DESCRIPTION : BALL VALVE COMPLETED WITH ACTUATOR	1
758	MECHANICAL SEAL,TYPE: T59U DOUBLE QS1S1/QR1C1 OMS SEATS,"	ITEM NAME : MECHANICAL SEAL	1
759	NOZZLE,BS 970-316S11 ST ST,P/N: 019044- 263,POS.NO.4 (PSV2226)	ITEM NAME : NOZZLE	1

760	PLC CPU MODULE,OMRON,SYSMAC CJIH-CPU 67H, RO PLC	DESCRIPTION : PLC CPU MODULE,	1
761	(NOT USE) LOW FILTER BELT GKD 1003,POLYSESTER BELT,SIZE: 1500x9940	ITEM NAME : LOW FILTER BELT	2
762	CHECK VALVE ASSEMBLY DISCHARGE,P/N: B00572-001- 090,POS.NO.3 (P3602)	ITEM NAME : CHECK VALVE ASSEMBLY DISCHARGE	1
763	BALL VALVE,CF8,LARGE FEMALE,900#,2"	BALL VALVE,	1
764	GASKET,EPDM HT SONDER LOCK (S) "SONDEX" (E1205C)	ITEM NAME : GASKET	146
765	MECHANICAL SEAL(SINGLE CARTRIDGE) SIZE: 1.750",TYPE: SPC-SP-BB-FQT-	ITEM NAME : MECHANICAL SEAL(SINGLE CARTRIDGE) SIZE: 1.750"	2
766	Ball valve repair kit, KTM, E0802G-33CC, 6" ANSI 300, XV-1303-06A/B	Description : Valve repair kit	2
767	SELECTOR SW,N2SW 12221,2 POSITION,CROUSE	DESCRIPTION : SELECTOR SWITCH,	19
768	PUMP SEAL KIT,P/N: 13.07.07(P3404090- 00106),POS.NO.25 (P3861)	ITEM NAME : PUMP SEAL KIT	2
769	UPS CONTROL CARD 201020090 (CO-GEN)	MATERIAL DESCRIPTION : UPS CONTROL CARD 201020090, ,	1
770	Circuit board,syscon 3 complete , ABB , LimasII,CO/CO2 analyzer , patr no.758108	Description : Circuit board, syscon 3 complete	1
771	RUPTURE DISC,JRS,316 DISK,1.8 KG/CM2@131 DEG C,0%,SIZE: 2" BS&B	ITEM NAME : RUPTURE DISC 2" BS&B	2
772	ROUND BAR,SUS 316L,4" * 3 M.	DESCRIPTION : ROUND BAR	2
773	D/P GAUGE WITH SWITCH,0-0.6 BAR,ASHCORFT	DIFFERENTIAL PRESSURE GAUGE WITH SWITCH POINTER CONTACT POINT, CONN.	1
774	PLATE,A/SA240 S31803/32205,SIZE: 2000 * 6000 MM * THK 5 MM.,DUPLEX	DESCRIPTION : PLATE	1
775	INDUCER,P/N: JN12AC09DB10,POS.NO.P2-57 (G1302C/D)	ITEM NAME : INDUCER	1
776	VICTAULIC COUPLING COMPLETE SET TYPE: 31,200037309, 36" DN900 (P1101	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 31	1
777	SLEEVE,SS400-HCRP,POS.NO.24 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : SLEEVE	2
778	SEAT STELLITE #5,A276(TP)316L,SIZE: 300#, 8"	ITEM NAME : SEAT STELLITE#5	4
779	SPHERICAL ROLLER BEARING NO.22052EMD1 ,POS.NO.39 (P1301C)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22052EMD1	1
780	MOTOR GEAR CYCLO DRIVE, MOTOR:7.5 KW (MT1403)	DESCRIPTION : MOTOR GEAR	2
781	GASKET,TI/TI PTFE/304,300#,22"	DESCRIPTION : GASKET	8
782	IMPELLER,SUS304,POS.NO.230 (G2701A/B)	ITEM NAME : IMPELLER	1
783	FLANGE,SUS304,POS.NO.24 (P1203,P1205)	ITEM NAME : FLANGE	1
784	ADAPTER,SUS304,POS.NO.34 (P2401)	ITEM NAME : ADAPTER	2
785	MECHANICAL SEAL,H4A 04511 (CB77) "BURGMANN" (H2A 045 CB55: SAN THAI)	ITEM NAME : MECHANICAL SEAL	5
786	VC RING,PTFE,POS.NO.2C (P1401,P1402)	ITEM NAME : VC RING	4
787	IR source , ABB , LimasII,CO/CO2 analyzer , patr no.746933	Description : IR source	1
788	TURBOLOG TMR GA MDIN-S MOD.1 TYPE2 FS	DESCRIPTION : TURBOLOG TMR GA MDIN-S MOD.1 TYPE2 FS	1
789	BEARING NO.29348 E "FAG" (P1301A/B)	ITEM NAME : BEARING NO.29348 E	2
790	SLEEVE COLLAR,SS400,POS.NO.15 (P1403,P2102,P2406)	ITEM NAME : SLEEVE COLOR	2
791	SIMATIC MODBUS/TCP CP for CP343-1 and CP443-1, Single license, on CD-ROM	Description : SIMATIC MODBUS/TCP CP for CP343-1 and CP443-1, Single license, on CD-ROM	1
792	PC BOARD MAIN CONTROL,M:DAVC-01 (EP)	MATERIAL DESCRIPTION : PC BOARD MAIN CONTROL,	3
793	MECHANICAL SEAL SIZE: 75 MM.,26S- HJ977GN/Q12Q12M2GG "EBTH" (G2102)	ITEM NAME : MECHANICAL SEAL SIZE: 75 MM.	1
794	CAPACITOR & RESISTOR EXCITER,0.47UF/630V	CAPACITOR & RESISTOR	6
795	Remote diaphragm seal pressure transmitter, size 3", ANSI 300 RF/L, Material : Ti	Description : Remote diaphragm seal pressure transmitter	1
796	SEAT RING,EPDM,ITEM 15,VALVE 16",OKUMURA, XV- 2902,XV-2903,XV-2910, XV-	DESCRIPTION : SEAT RING	1
797	ROTOR WITH SHAFT ASSEMBLY,SUS304,MODEL: RV-300SD- S (L) (RV2904A/B)	ITEM NAME : ROTOR WITH SHAFT ASSEMBLY	1
798	3500/60 Temp Monitor, Model: 3500/60 163179-01, Brand:Bently Nevada	Description: Bently Nevada 3500/60 Temp Monitor Card (No Rec)	1
799	ROLLING CONTACT BEARING NO.81230 DIN 722 MET (P2401A)	ITEM NAME : ROLLING CONTACT BEARING NO.81230 DIN 722 MET	2
800	10" PAD FLANGE CL150 RF 125-250 RA-FN SS ASTM A182 GR.F316L ANSI-B16.5	DESCRIPTION : PAD FLANGE	1
801	MOTOR,30 KW,4P,3PH,380V,50HZ,SIEMENS	MOTOR, INSULATION	1

802	LV AC Ex Motor, 30kW,380 VD/660 VY,59/33.9A, 50 Hz,1465 1/min,1LG4207-4AA91-	Description : LV AC Ex Motor, 30kW	1
803	HELICAL GEAR UNIT WITHOUT MOTOR,Z89-K4(132) "SIEMENS" (T1441)	ITEM NAME : HELICAL GEAR UNIT WITHOUT MOTOR	1
804	Mainboard for HP ProLiant ML350 Gen9, System1 Server	Description : Mainboard	1
805	HIGH PRESS.SHAFT SEAL RING WLM D115/140 COMPL. IDN 050343 (RV2402C/D,	ITEM NAME : HIGH PRESS.SHAFT SEAL RING WLM D115/140 COMPL.	3
806	GASKET,304/304 PTFE/NIL,1796*1825*1855MM	DESCRIPTION : GASKET,	3
807	BUTTERFLY VALVE, WAFER, 14 INCH, 150#, BODY : WCB, DISC : 13CR, SHAFT :	DESCRIPTION : BUTTERFLY VALVE	2
808	NUT,TB35,M30,POS.NO.18 (P1301,P1401,P1402)	ITEM NAME : NUT	61
809	TURBOLOG FTR MODEL 2(FPR-203-216)	DESCRIPTION : TURBOLOG FPR	1
810	SHAFT SLEEVE,1.4571,D106/86x150,P/N: 10088841,POS.NO.0005 (P2701)	ITEM NAME : SHAFT SLEEVE	1
811	SOLENOID VALVE,3-WAY,110/50 Hz, 1/4",ASCO	DESCRIPTION : SOLENOID VALVE,	2
812	SEAL (RING RESIN IMPREGANTED),MAT'L: CARBON,POS.NO.3 (P1203,P1205)	ITEM NAME : SEAL (RING RESIN IMPREGANTED)	2
813	PRESS TRANS REMOTE DIAP SEAL,1",900#	DESCRIPTION : PRESSURE TRANSMITTER	1
814	NUT THRUST BEARING,ASCM435,P/N: P-D7728A- 1,POSNO.23 (P2409)	ITEM NAME : NUT THRUST BEARING	3
815	CARBON RING SET (1 SET=4 PCS) STAGE 4,MAT'L: X60162332,P/N: TO 8 (P1101)	ITEM NAME : CARBON RING SET (1 SET=4 PCS) STAGE 4	1
816	LAP JOINT FLANGE,SUS 304,FF,300#,18"	DESCRIPTION : LAP JOINT FLANGE	2
817	TURBOLOG DSPDA MODEL 4 CARD	DESCRIPTION : TURBOLOG DSPDA	1
818	NOZZLE,BS 970-316S11 ST ST,P/N: 019037- 263,POS.NO.4 (PSV1535)	ITEM NAME : NOZZLE	1
819	RUPTURE DISC,TANTALUM,SIZE: 1" (PSE1526	ITEM NAME : RUPTURE DISC, 1" PA1500-5C14(TL)200	3
820	DRIVE PIN,M6,SUS317L,POS.NO.1 (P1202,P1403,P1503)	ITEM NAME : DRIVE PIN,M6	8
821	COMPRESS RING,SUS316,POS.NO.6 (P1202B)	ITEM NAME : COMPRESS RING	4
822	MANWAY STUD BOLT,904L(1.4539),SIZE: M10x50 MM.,P/N: 904 904G 01,POS.NO.	ITEM NAME : MANWAY STUD BOLT	150
823	CONTROL VALVE,ANSI 150#RF,1/2",TV-1111	CONTROL VALVE,	1
824	MICRO FLOW METER,5-50 KG/H,FLANGE 1/2",RF,SS316,ANSI 150#,M901-V	DESCRIPTION : MICRO FLOW METER,	2
825	GASKET,TI/TI,PTFE/304,300#24" (E1301A/B)	Description : GASKET,TI/TI,PTFE/304,300#24"	5
826	SEALING PROFILE: DICHTPROFIL F.TRENNELEMENT,PTFE- A19 (540022600),	ITEM NAME : SEALING PROFILE: DICHTPROFIL F.TRENNELEMENT	12.6
827	SLEEVE,SUS304,POS.NO.11 (P2406)	ITEM NAME : SLEEVE	1
828	GASKET,TI/TI PTFE/NIL,SIZE: 796x836x876x4.5 MM.THK (E1504)	ITEM NAME : GASKET	4
829	Surge Arrester, Model: 0291A6800AJP013,(Revised model 9L11ZGB012S),SIEMENS	Description : Surge Arrester, Model: 0291A6800AJP013,(Revised model 9L11ZGB012S)	3
830	HIGH LEVEL ANALOG I/P,MC-PAIH03,HONEYWEL	HIGH LEVEL ANALOG INPUT PROCESSOR,	1
831	XE2 DC-RELAY,10A,MEASURING RANGE: 0,2-15A,35-275V AC, 19-390V DC,DIN	DESCRIPTION : XE2 DC-RELAY,10A,MEASURING RANGE: 0,2-15A,35-275V AC, 19-390V DC	1
832	RUPTURE DISC,SUS316,SIZE: 4" (PSE2421)	ITEM NAME : RUPTURE DISC,SUS316,SIZE: 4" (PSE2421)	2
833	DIODE, D950N18TB01 7J3 (Replacment part),SIEMENS,(MP-1101,TUNTHAI)	DESCRIPTION : DIODE,	6
834	GASKET,TI/TI PTFE/SUS304,SIZE: 480x525x575x654x4.5 MM.THK (D1301)	ITEM NAME : GASKET	6
835	LANTERN,CAST IRON,POS.NO.39 (G1403A/B,G1502A/B)	ITEM NAME : LANTERN	1
836	BUSH,PTFE,DIA.340x320x20 MM.,POS.NO.59 (P1301C)	ITEM NAME : BUSH	1
837	METAL,P/N: 8 (GZ1402A/B,GZ1503A/B)	ITEM NAME : METAL	4
838	RUPTURE DISC,SUS316/PTFE,SIZE: CLASS 150#,10" (PSE2451)	ITEM NAME : RUPTURE DISC, 10"-P2562	2
839	METERING PUMP,EH-E56VC-20JE5 "IWAKI" (G4804A/B,G4806A/B,G4807A/B)	ITEM NAME : METERING PUMP	2
840	RETAINING RING,SK5 #S560,POS.NO.16 (F1441A/B/C)	ITEM NAME : RETAINING RING	4
841	CYCLO BEIER VARIATOR GEAR eG3.MOTOR,MOTOR POWER 5.5 KW,4P,3PH,	ITEM NAME : CYCLO BEIER VARIATOR GEAR eG3 MOTOR	1
842	FLOWTUBE OF MAGNETIC FLOWMETER,6",150#	DESCRIPTION : FLOWTUBE OF MAGNETIC FLOWMETER,	1
843	Temperature gauge (Air inlet/outlet) Tunthai motor,TSCh160-rmFr (Warm/Cold air dial	Description : Temperature gauge (Air inlet/outlet) Tunthai motor,TSCh160-rmFr (Cold Air Dial)	1

844	VC RING,PTFE,POS.NO.2C (P1301A/B)	ITEM NAME : VC RING	2
845	VIBRATION PROXIMITOR SENSOR (BENTLY NEVADA), 330180-91-00, P-1101B	DESCRIPTION : VIBRATION PROXIMITY SENSOR	5
846	MECHANICAL SEAL,AAAZ-30 JXB/30JXB-0555003 "PILLAR" (P3528)	ITEM NAME : MECHANICAL SEAL	1
847	SHAFT,SUS316L,P/N: 310.03637-4,POS.NO.51 (G1505C)	ITEM NAME : SHAFT	1
848	NFB,NF400SS,3P,660V,400A,50KA,MITSUBISHI	DESCRIPTION : NO FUSE BREAKER,	9
849	EXPANSIOIN JOINT,SUS316L,RF FLANG,150#, 10"xL.400 MM. (F1441A/B/C)	ITEM NAME : EXPANSION JOINT	2
850	FILTER ELEMENT,P/N: MBS1002S200H13 (F1101)	ITEM NAME : FILTER ELEMENT	25
851	PTFE WHITE SHEET,SHOE PAD,PTFE GUARNIFLON G- 400,360 MM.x460 MM.	ITEM NAME : PTFE WHITE SHEET	6
852	GLOBE VALVE,WHEEL HANDLE,PPH,FLANGED ANSI B16.5,FLAT FACE,SIZE: 2-	ITEM NAME : GLOBE VALVE	4
853	BEARING,NO.NU 2224 FY "KOYO" (NU 2224 ECJ "SKF")	DESCRIPTION : BEARING	11
854	OVERCURRENT RELAY,COC1-A02D1 507PMB,0.1-0.8A, (0.05A STEP),110V,	Description : OVERCURRENT RELAY	2
855	TEMP MONITOR (BENTLY NEVADA) 33500/61, P-1101, P- 1101B	DESCRIPTION : 163179-02 3500/61 TEMP MONITOR (W rec)	1
856	CHAMBER WITH O-RING GROOVE STAGE.5,X60061514,P/N: TO 8 (P1101)	ITEM NAME : CHAMBER WITH O-RING GROOVE STAGE: 5	1
857	CHAMBER WITH O-RING GROOVE STAGE.6,X60061514,P/N: TO 8 (P1101)	ITEM NAME : CHAMBER WITH O-RING GROOVE STAGE: 6	1
858	COMPRESSION UNIT ASSEMBLY,SUS316,P/N: 6,7,8,9,10 (P1503)	ITEM NAME : COMPRESSION UNIT ASSEMBLY	2
859	MOTOR GEAR,TK-FX,15 KW,380V,4P,3PH (MT2404)	DESCRIPTION : MOTOR	1
860	SHAFT SET,SUS316L(A276 TY.316L),P/N: 051372/01- 06,POS.NO.210 (G1301A/B	ITEM NAME : SHAFT SET	1
861	SHAFT,P/N: 2807B (2807A305AVSC002) (G1501)	ITEM NAME : SHAFT	1
862	PIPE,EFW-DB,A790 UNS S31803,THK4.5 MM,6"	PIPE EFW-DB,BE,4.5 MM SS A790 UNS S31803	2
863	RUPTURE DISC,TANTALUM,SIZE: 12" (PSE1308C)	ITEM NAME : RUPTURE DISC, 12" PA1315-4D24IC200	1
864	SLEEVE FOR MECHANICAL SEAL UNIT TYPE ESD 34 NZ 100,1.4571,D100x155	ITEM NAME : SLEEVE FOR MECHANICAL SEAL TYPE ESD 34 NZ 100	1
865	VOLTAGE TRANSFORMER,RPG-41T,PRI 11,000/ROOT:3V,SEC 110V/ROOT:3V,	Description : VOLTAGE TRANSFORMER,INSULATION 12/28/75KV,FUSE PL-J 12 KV	3
866	ELBOW 90, 14 INCH, LR, SS, ASTM A403 WP304L, S- 40S, WELDED, BW, ANSI	DESCRIPTION : ELBOW 90	2
867	PINION,Z454-3-003994,SIZE: 38.5/22x24,POS.NO.4176-010 (J1101B EXPANDER)	ITEM NAME : PINION	1
868	GASKET(P1),TI/TI PTFE/CS,ID.452x474x514x538xTHK.4.5 MM. (D1401,D1402)	ITEM NAME : GASKET(P1)	8
869	GASKET F.VICTAULIC COUPLING TYPE: 77,SILIKON (RED), 32" DN800 (P1101	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 77	3
870	VALVE POSITIONER,I/P: 4-20 MA,MASONEILAN	DESCRIPTION : VALVE POSITIONER	1
871	OIL SEAL,NBR,ID.280xOD.320xTHK.22 MM.,P/N: F (B2402)	ITEM NAME : OIL SEAL	8
872	BEVEL GEAR,SS400,SIZE: M=11.5,Z=52,POS.NO.40 (P1403)	ITEM NAME : BEVEL GEAR	1
873	HARD DISK 48 MBYTES,270STB27S011(CO-GEN)	MATERIAL DESCRIPTION : HARD DISK 48 MBYTES,	1
874	PIPE, 8",SS, ASTM A312 GR.TP304L, SMLS, BE, ANSI- B36.19M, LENGTH 6 M.	DESCRIPTION : PIPE	1
875	RUPTURE DISC,BT-KUB4,SS316/SS316,SIZE: 4" "REMBE" (PSE2412)	ITEM NAME : RUPTURE DISC	2
876	SEAT SPRING+HOLDER,DRAWING:HE0807-0354	SEAT+SPRING+HOLDER, VALVE	1
877	ACTUATOR SPRING, MOTOYAMA, PV2-2402	DESCRIPTION : ACTUATOR SPRING	1
878	MECHANICAL SEAL SIZE: 1.875",SINGLE CARTRIDGE,SPC-SP-0476,C/SIC/EPR.,	ITEM NAME : MECHANICAL SEAL SIZE: 1.875"	2
879	BEARING SLEEVE FOR GEAR PUMP,P/N: 26-1066/1-34- 100-001.04.3,POS.NO.2-1	ITEM NAME : BEARING SLEEVE FOR GEAR PUMP	6
880	INPRO SEAL VBX,EN1982:CUSN12,POS.NO.TS1 (G2203A/B)	ITEM NAME : INPRO SEAL VBX	1
881	MECHANICAL SEAL,H4A 06011(CB77),POS.NO.401 "EBTH" (G3522)	ITEM NAME : MECHANICAL SEAL	2
882	SLEEVE BEARING,TEFLON+GRAPHITE,P/N: P-C14334- 9,POS.NO.177 (P1404)	ITEM NAME : SLEEVE BEARING	1
883	PRESS SW(NORMAL),2-25 PSI,SOR	DESCRIPTION : PRESSURE SWITCH,	2
884	Switch Socket 32A,(zones) 1, 2, 21, 22,4 P (3 P + PE),600 - 690 VAC,(ISBL)	Description : Switch Socket 32A,(zones) 1, 2, 21, 22,4 P (3 P + PE),600 - 690 VAC	4
885	BELLOW,P/N017333-404,I/N: 23	DESCRIPTION : BELLOWS,	1

886	PIPE COUPLING,SUS304/VITON,MJH 200A,8"	DESCRIPTION : PIPE COUPLING	3
887	GAUGE PRESS TRANS, 800 PSI, HASTELLOY C, HART, ROSEMOUNT, P1101	DESCRIPTION : GAUGE PRESSURE TRANSMITTER	2
888	COMMUNICATION GATEWAY,3500/92, BENTLY	COMMUNICATION GATEWAY,	1
889	MECHANICAL SEAL ASSEMBLY,POS.NO.74,75,76,77,78,81,82,86,89 (GZ1301CA,	ITEM NAME : MECHANICAL SEAL ASSEMBLY	1
890	SPRING,BS 4659-BH12 TUNG,P/N: C1113-306,POS.NO.22 (PSV1116)	ITEM NAME : NOZZLE	1
891	(NOT USE) INTERNAL LUBE PUMP,P/N: PU04AG02,POS.NO.160 (G2201)	ITEM NAME : INTERNAL LUBE PUMP	1
892	DISC,MT 440/1.4122 GERHARLET/HARDENED,POS.NO.7 (PSV1310)	ITEM NAME : DISC	1
893	S.L.C,SUS316L,SIZE: W=14*D=10.5*T=2 MM. (C1301)	ITEM NAME : S.L.C	121
894	SHAFT,SUS316L,P/N: 2807A311AVSH006 (G1203,G1505,G1506,G1601,G1605,	ITEM NAME : SHAFT	4
895	GASKET (SERIES B),TI/TI PTFE/SUS 304,300#,28"	DESCRIPTION : GASKET	4
896	GASKET(P1),317L/317L PTFE/NIL,SIZE: 410x435x469x4.5 MM.THK (D1403,D2102,	ITEM NAME : GASKET (P1)	10
897	PIPE, 10 INCH, S-40S, SS, ASTM A358 304L CLASS 2, EFW, BE, ASME B36.10, L =	DESCRIPTION : PIPE	1
898	BEARING NO.30219DB "NTN" (P1205)	ITEM NAME : BEARING NO.30219DB	2
899	BOLT WITH NUT (INCLUDE WIRE),ASTM904L,M12x40 MM..POS.NO.94 (P1203)	ITEM NAME : BOLT WITH NUT	4
900	STUD BOLT & NUTS,UNC,B8 CLASS 2,1-1/2"*300 MM.	DESCRIPTION : STUD BOLT & NUTS	24
901	HEXAGON NUT,1.4438 S.S.317L,SIZE: M36,P/N: 20048583,POS.NO.6120 (P1404)	ITEM NAME : HEXAGON NUT	14
902	RTD Pt100 Sensor for TUNTHAI Expander, P/N 955624000, Machine serial No :	Description : RTD Pt100 Sensor	2
903	BEARING BRACKET,TYPE: 100CPH250,MAT'L: CAST IRON,SIZE: 125-100-250,	ITEM NAME : BEARING BRACKET	1
904	SOLENOID VALVE,2-WAY,24 VDC, 1",KANEKO	DESCRIPTION : SOLENOID VALVE	1
905	Differental Pressure Transmitter Remote Diaphragm Seal, 3" ANSI 150 RF, Ext 1", Tag	Description : Differential Pressure Transmitter Remote Diaphragm Seal	1
906	MOTOR,20HP,380V,4P,FRAMR 160L,TECO (MGM3521BB)	DESCRIPTION : MOTOR	1
907	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS316,VITON SEAT,150#,	DUAL PLATE CHECK VALVE,WAFER	2
908	CASING,1000,POS.NO.100,MODEL: 3171 MT 1x1.5-6 (G4012)	ITEM NAME : CASING	1
909	PLATE,SUS316L,ASME SA 240 GR.316L,4 FTx8 FTxTHK.15 MM.	DESCRIPTION : PLATE SA 240 GR.316L,4FT X 8FT X 15MM	1
910	MAGNETIC FLOWMETER COMPLETED SET,SIZE: 4" ANSI 150RF,REMOTE TYPE,	DESCRIPTION : MAGNETIC FLOWMETER COMPLETED SET SENSOR WITH HART TR	1
911	SET SCREW,MATERIAL 904L (1.4539),SIZE M10 * 65 MM LONG	DESCRIPTION : SET SCREW	478
912	EXPANSION JOINT(18"x300L),SS A240- Gr.316L,NOM.BORExPIPE THICKNESS:	ITEM NAME : EXPANSION JOINT(18"x300L)	1
913	Remote Seal Differential Pressure Transmitter,Flange Mounted Diaphgram Seal,	Description : Remote Seal Differential Pressure Transmitter	1
914	GOVERNOR CARD, E16, KG16-04+SFBG03, 24V,(DG1,2)	GOVERNOR CARD, POWER	1
915	SEAL RING,CARBON,SPEC.RESIN IMPREGNATED,POS.NO.3 (P2503)	ITEM NAME : SEAL RING	2
916	GEAR ACTUATOR,CS,CAST IRON,150#,20"	DESCRIPTION : GEAR ACTUATOR,	2
917	KEYPHASOR MODUL,3500/25,BENTLY NEVADA, P-1101B- 3500	DESCRIPTION : KEYPHASOR MODUL	1
918	METAL BUSH(4 PCS/SET),CERAMICS,POS.NO.20 (GZ1301CA,GZ1301CB)	ITEM NAME : METAL BUSH	1
919	HELICAL GEAR,P/N: E270754901,POS.NO.36.01 (P2401)	ITEM NAME : HELICAL GEAR	1
920	VALVE DISC, MATERIAL SUS317L, P/N 3, TAG : VF- 1441A/B	DESCRIPTION : VALVE DISC	1
921	DIFF.PRESS TRANSMITTER,COPLANAR TYPE,SS316L,Diaphargm:HastelloyC,	DESCRIPTION : DIFF.PRESSURE TRANSMITTER,COPLANAR TYPE -62.5-63.5mmH2	2
922	Power supply unit AO2000 W/O AMC , ABB , LimasII,CO/CO2 analyzer , patr no.	Description : Power supply unit AO2000 W/O AMC	2
923	AFM CALCULATION GMU COS PHI/H	DESCRIPTION : AFM CALCULATION, COS PHI/H, : 220 VAC, 45-65 HZ	1
924	OIL MIST FILTER(9 PCS/SET),GLASS FIBRES WITH BINDER,OD.63xL.540 MM.	ITEM NAME : OIL MIST FILTER(9 PCS/SET)	9
925	1PH Transformer 2000VA, Input: 2 x 110V, 50-60Hz, Output 2: 400V/2.5A (Tunthai	Description : 1PH Transformer 2000VA, Input: 2 x 110V, 50-60Hz, Output 2: 400V/2.5A (Tunthai E	1
926	WEDGE RING,PTFE FFW,POS.NO.9 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : WEDGE RING	4
927	SPLIT RING,SUS304,POS.NO.32 (P1301C)	ITEM NAME : SPLIT RING	1

928	STUD BOLT & NUT,B8 CLASS2,UNC,1-3/8"*225 MM.	DESCRIPTION : STUD BOLT & NUT	41
929	STAND,MATERIAL SS400,DWG.NO.553404-I	DESCRIPTION : STAND	2
930	STRAINER,JOHNSON SCREEN,VEE- WIRE,BOTTOM,SUS316L,0.23 MM.SLOTxOD.	ITEM NAME : STRAINER	4
931	SHAFT INCLUDING BEARING LOCK NUT AND WASHER,ASTM 276ty316,P/N: IS	ITEM NAME : SHAFT INCLUDING BEARING LOCK NUT AND WASHER	1
932	GASKET F.VICTAULIC COUPLING TYPE: 77,SILIKON (RED), 28" DN700L (P1101	ITEM NAME : GASKET,F.VICTAULIC COUPLING TYPE: 77	2
933	SIMOREG K.CONVERTER,6RAZZ11-8DDZ1-1	DESCRIPTION : SIMOREG K.CONVERTER,	1
934	Flameproof Control Boxes,Explosion Category,ECT 202410,II 2G Ex d IIB T6/T5 Gb,II	Description : Flameproof Control Boxes,Explosion Category,Cable Gland size 3" NPT (O.D. 66.1	1
935	V-PACKING,PTFE F.F.W,POS.NO.5 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : V-PACKING	4
936	POWER SUPPLY,115/230V,FISHER	DESCRIPTION : POWER	1
937	COUPLING BOLTS WITH NUT,TYPE: DISK COUPLING,MAT'L: 10.9 10,SIZE: M20 x	ITEM NAME : COUPLING BOLTS WITH NUT	20
938	Aluminum Electronics Housing with Electronics and Terminal Block for 8800D Analog/	DESCRIPTION : Aluminum Electronics Housing with Electronics and Terminal Block	2
939	MECHANICAL SEAL E45- TT,ROTT,CARBON/SiC/CREVY/PTFE/INCONEL-625	ITEM NAME : MECHANICAL SEAL E45-TT,	1
940	GAUGE PRESSURE TRANSMITTER WITH DIAP, SEAL 2", 300 RF, EXT.50 M.M., 40	DESCRIPTION : GAUGE PRESSURE TRANSMITTER WITH DIAP SEAL	1
941	BEARING NO.NU 2222 ECML/C3 "SKF"	DESCRIPTION : BEARING NO.NU 2222 ECML/C3	8
942	FLOWTUBE OF MAGNETIC FLOWMETER,4",150#	DESCRIPTION : FLOWTUBE OF MAGNETIC FLOWMETER,	1
943	GEAR OF VIBRATION SCREEN,2 PCS.SET	MATERIAL DESCRIPTION : GEAR OF VOB	1
944	SAFETY BARRIER,BB-2,TURBO MESSTECHNIK	DESCRIPTION : SAFETY BARRIER,	3
945	SPRING,P/N C1210-306,I/N 22	MATERIAL DESCRIPTION : SPRING,	1
946	V-PACKING,PTFE.F.F.W,POS.NO.5 (P1503)	ITEM NAME : V-PACKING	3
947	SHAFT SEALING RING,P/N 940003976,POS.NO.92 (F2408)	ITEM NAME : SHAFT SEALING RING	2
948	FILTER BAG HIGH DURABILITY,POLYESTER FELT MEMBRANE(543G/M2,	ITEM NAME : BAG FILTER HIGH DURABILITY	43
949	SVI2AP REMOTE POSION SENSOR AND CABLE 3 METER, MASONEILAN , FV-	Description : REMOTE POSITION SENSOR WITH CABLE 3 METER	1
950	NOZZLE,316 L/1.4404,I/N 5	MATERIAL DESCRIPTION : NOZZLE,	1
951	O-RING REPAIR KIT,VITON,POS.NO.2A,2B,4B,32A,32B,33,52A,52B,52C, 52D,52E	ITEM NAME : O-RING REPAIR KIT	1
952	Drive cover plate, Pos 4.2 (1 pc per valve)	Description : Drive cover plate	1
953	Poppet valve 3/2 Pilot Operated, Size port 1/2", Pilot 1/8" RT, Mod.4325M21-VC2B,	#N/A	3
954	BEARING HOUSING POS.6705 (MODIFICATION) (P2406B)	ITEM NAME : BEARING HOUSING POS. 6705 (MODIFICATION)	1
955	PIPE BEND, SIZE 6 INCH, ANGLE 90 DEG, 762 MM., SS ASTM A312 TP304L, S-80S,	DESCRIPTION : PIPE BEND	1
956	VALVE POSITIONER,I/P 4-20, ND9106HXT/I09-DS04, METSO	VALVE POSITIONER, POWER	1
957	AIR FILTER,P/N: SEV551A,FIGTURE PAGE.67,POS.NO.1 (GENERATOR)	MATERIAL DESCRIPTION : AIR FILTER,	14
958	Graphite packing, Pos No 110, Tag : PV-2309 (1 set = 4 rings)	Description : Packing ring set, Pos No 110, 1 set = 4 rings	3
959	SEAT RING, MASONEILAN, FV-1102	DESCRIPTION : SEAT RING	1
960	SHAFT SLEEVE M/S 1.375",316 SS,P/N: 76772X2256,POS.NO.126 (G1911A/B,	ITEM NAME : SHAFT SLEEVE M/S 1.375"	2
961	STEM CONN NUT,SS304, 29 * 55 * 70 MM.	DESCRIPTION : STEM CONNECTOR,	2
962	PNEUMATIC INDICATING CONTROLLER,0-300PSI	PNEUMATIC INDICATING CONTROLLER, I/P : 0-300 PSI, O/P : 3-15 PSI,	1
963	PNEUMATIC INDICATING CONTROL,0-1500 PSI	PNEUMATIC INDICATING CONTROLLER, I/P : 0-1500 PSI, O/P : 3-15 PSI,	1
964	Elbow 8", SCH 5.0 mm, 90 deg LR, BE A403-WP316L WP-W	Elbow 8", SCH 5.0 mm, 90 deg LR, BE A403-WP316L WP-W	4
965	SHAFT,316LSS,SIZE: 40/25,P/N: 160 (G1611,G1612,G1614,G1615,G1616,G1617)	ITEM NAME : SHAFT	4
966	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS316,METAL SEAT,	Description : DUAL PLATE CHECK VALVE	1
967	RESISTANCE THERMOMETER,MODEL:9107-20	RESISTANCE THERMOMETER, P-1101B SHAFT 3 OUTBOARD SIDE, THRUST BEARING THE	1
968	PROXIMITOR TRANSMITTER,5M SYSTEM, 33180-50-00, BENTLY NEVADA	DESCRIPTION : PROXIMITOR TRANSMITTER	4
969	V-PACKING,PTFE.F.FW,CODE: ZZ01830863,POS.NO.5 (P1205)	ITEM NAME : V-PACKING	8

970	PIPE BEND 90, 6", 5D, DUPLEX, ASTM A790 UNS S31803, S-10S, BE, EFW	DESCRIPTION : PIPE BEND	4
971	Analog Input Card, VE4003S2B3, UT DeltaV DCS	Description : Analog Input Card	2
972	FLEXIBLE COUPLING,TUBAKIMOTO,SPEC.CR8022- J,POS.NO.22 (P1202B)	MATERIAL DESCRIPTION : FLEXIBLE COUPLING,	1
973	DIAPHRAGM ACTUATOR,811UV-100,ARCA	DESCRIPTION : DIAPHRAGM ACTUATOR,	2
974	VALVE POSITIONER,RANGE:0-0.21KG,MODEL : PA92-LS, MOTOYAMA	DESCRIPTION : VALVE POSITIONER	1
975	MECHANICAL SEAL SIZE: 2.125 (55 MM.),TYPE: 670BP "JOHNCRANE" (G1602)	ITEM NAME : MECHANICAL SEAL SIZE: 2.125 (55 MM.)	1
976	PLUG VALVE,SCS13A ST-S,4"150#RF,SERIAL NO : G13591, MOTOYAMA	PLUG VALVE	1
977	BEARING NO.89315 ,POS.NO.35 (P1203,P1205)	ITEM NAME : BEARING NO.89315	1
978	TACHOMETER MODULE (BENTLY NEVADA) 33500/50M, P- 1101, P-1101B	DESCRIPTION : 288062-02 3500/50M TACHOMETER MODULE	1
979	ROTATING SLEEVE,POS.NO.0005 (P2701)	ITEM NAME : ROTATING SLEEVE	1
980	PIPE, 16 INCH, SS 304L, SCH 6.0 MM., ASTM A312 GR.TP304L, EFW, BE, ANSI	DESCRIPTION : PIPE	1
981	MECHANICAL SEAL,P/N: H4A03211,POS.NO.401 "NSO" (G3532C/D,G3535AA,AB,	ITEM NAME : MECHANICAL SEAL	6
982	SHAFT SLEEVE,316SS,P/N: N101GJ189,POS.NO.27 (G1602,G1606,G2503)	ITEM NAME : SHAFT SLEEVE	3
983	WELDING ELECTRODE,CW-8000 ,2.5*350 MM	DESCRIPTION : WELDING ELECTRODE,	20
984	VALVE POSITIONER,I/P: 4-20 MA,MASONEILAN (SVI-II)	DESCRIPTION : VALVE POSITIONER	1
985	BALL VALVE,SUS316,600#,3" FNPT "VOCESTER" (HAC TANK)	ITEM NAME : BALL VALVE	2
986	SLEEVE,MAT'L: SS41-HCRP,P/N: 17 (P1503)	ITEM NAME : SLEEVE	1
987	DRIVE GEAR,P/N: GE03AA02128,POS.NO.P2-3 (G1302C/D)	ITEM NAME : DRIVE GEAR	1
988	LOWER FILTER BELT,GKD 1003,POLYESTER BELT,W.2000 MM.xL.8850 MM.	ITEM NAME : LOW FILTER BELT	1
989	POSITIONER SVI2-21123121 , P/N 055202773-999- 0000, MASONEILAN, FV-1102	Description : Smart Positioner	1
990	WATER TRAP FLOAT TYPE,DUCTILE IRON WITH STAINLESS STEEL INTERNAL,	ITEM NAME : WATER TRAP FLOAT TYPE	1
991	KEYPHASOR MODULE (BENTLY NEVADA) 33500/25	DESCRIPTION : 149369-01 ENHANCED KEYPHASOR MODULE	1
992	INSERT FOR ALTRAFLEX COUPLING,MO,POLYURETHANE "ALTRA-FLEX"	ITEM NAME : INSERT FOR ALTRAFLEX COUPLING	24
993	BEARING NO.23060EMD1 ,POS.NO.32 (P1301)	ITEM NAME : BEARING NO.23060B	2
994	Diaphragm valve "DONALDSON", Tag : P-1101B	Description : Diaphragm valve	13
995	SEAL HOLDER CLAMP,SS400,P/N: P-X07304P-001#- DAD00,POS.NO.46 (P2409)	ITEM NAME : SEAL HOLDER CLAMP	2
996	VSD ACS580-01-106A-4ABB (MP-3528),55kW	DESCRIPTION : VSD ACS580-01-106A-4ABB (MP-3528),55kW	1
997	GASKET(Z BAR TL9),TI/TI PTFE/NIL,641.8x661.8x691.7xTHK.4.5 MM. (E1602B)	ITEM NAME : GASKET	3
998	MOTOR,EX, 25HP,2P,284-6TS, M7063T,BALDOR ,(MG- 1901A,B)	MOTOR, EXPLOSION PROOF	1
999	STUD BOLT,TYPE: PERIF,MAT'L: 1.4539,SIZE: M.10 * 65 MM.LONG (C-1501,C-	ITEM NAME : STUD BOLT	200
1000	Limit Switch C/W Enclosure NAMUR,EBRO,Model Ex- SBU-I223-X211-P03, Off Gas	Description : Limit Switch C/W Enclosure NAMUR	4
1001	BEARING NO.23030B (P2102,P2406)	ITEM NAME : BEARING NO.23030 E1A.M	1
1002	PRESS TRANS REMOTE DIAP SEAL,4",YAMATAKE	DESCRIPTION : PRESSURE TRANSMITTER DIGITAL	1
1003	STRAINER,JOHNSON SCREEN,VEE- WIRE,BOTTOM,SUS316L,0.23 MM.SLOTxOD.	ITEM NAME : STRAINER	4
1004	SEAT BUTTERFLY VALVE,PTFE+METAL,300#, 8"	DESCRIPTION : SEAT BUTTERFLY VALVE,	1
1005	MECHANICAL SEAL SIZE: 38 MM.,26S-HJ977GN/38- 00,Q1Q1M2GG "EBTH"	ITEM NAME : MECHAICAL SEAL: 38 MM.	2
1006	GASKET,316/PTFE/CS,480*525*575*606*4.5mm	MATERIAL DESCRIPTION : GASKET,	19
1007	FORNT WEAR PLATE,SUS304,POS.NO.1530 (G2502A/B)	ITEM NAME : FORNT WEAR PLATE	1
1008	MAGNETIC FLOW METER,4", 150#RF, FT-1203	MAGNETIC FLOW METER/TRANSMITTER, COMPLETED SET,	1
1009	GREASE CHEMICAL,GPL 227 "KRYTOX" (P2408,P2409)	ITEM NAME : GREASE CHEMICAL,GPL 227	6
1010	SEAT VALVE,EPDM,SIZE:150A (6"), JIS 10K	DESCRIPTION : SEAT,	2
1011	MECHANICAL SEAL,TYPE 33 SECTIONAL INTERNAL,MATERIAL 369-A "DURA	Description : MECHANICAL SEAL	2

1012	BEARING NO.23048B,POS.NO.32 "NTN" (P1401)	ITEM NAME : BEARING NO.23048B	4
1013	PC BOARD TRIGGER,M:DAVC-03 (D-3161)	MATERIAL DESCRIPTION : PC BOARD TRIGGER,	2
1014	BEARING SHAFT(PILOT SHAFT),P/N: 3700 (P2401A)	ITEM NAME : BEARING SHAFT(PILOT SHAFT)	1
1015	VALVE POSITIONER, 4-20 MA,ECKARDT,MODEL SRI986,IGV TUNTHAI	Description : Electro-Pneumatic Valve Positioner	2
1016	PINION SHAFT,P/N: SH01UT04C,POS.NO.P2-38 (G1302C/D)	ITEM NAME : PINION SHAFT	1
1017	PCB MA OUTPUT MODULE,SERVOMEX,02210906	DESCRIPTION : PCB MA OUTPUT MODULE,	1
1018	BOOTER RELAY PORT 3/4", VALTEK 76407-999, P-1101B	DESCRIPTION : BOOTER RELAY	1
1019	RTD PT100, COMPLETED WITH THERMOWELL, SIZE 1" ANSI 900 RF, MODEL :	DESCRIPTION : RTD PT100, COMPLETED WITH THERMOWELL	1
1020	SHINPO RINGCONE RXTRACTION DRIVE,MODEL: ERMKV- 30503NACF-400	DESCRIPTION : SHINPO RINGCONE,	1
1021	O-RING FOR END CAP,TYPE: RO#1.POS.NO.4 (RO4601A/B)	ITEM NAME : O-RING FOR END CAP	59
1022	THRUST WASHER,P/N:P-C14333-15,I/N 150	DESCRIPTION : THRUST WASHER,	6
1023	OIL RETAINER(1 SET/2 PCS.),000 010 841 522,P/N: 2:26-10066/1-32-100-001.37,	ITEM NAME : OIL RETAINER	2
1024	Vortex Flowmeter Conversion Kit,Foxboro,Model 83CV84W-T03S1SCTJG, FT-1301B	Description : 83W to 84W Vortex Flowmeter Conversion Kit Style A	1
1025	FEED PUMP,MODEL: CR90-6 "GRUNDFOS" (G4603 RO PLANT)	DESCRIPTION : FEED PUMP	1
1026	SQUARE GASKET,SILICLONE RUBBER,1180x1240x1360x1420xTHK.2 MM.	ITEM NAME : SQUARE GASKET	6
1027	DRIVER,1.4571,POS.NO.3 (P2401A)	ITEM NAME : DRIVER	1
1028	VORTEX FLOW METER,84W-T04H1SRTJK-N	DESCRIPTION : VORTEX FLOW METER,	1
1029	GASKET(DOUBLE BAR TL2),TI/TI PTFE/NIL,641.8x661.8x691.7xTHK.4.5 MM.	ITEM NAME : GASKET	3
1030	PIPE,SUS 316L,SEAM,BW,SCH.10,10" * 6M	DESCRIPTION : PIPE	2
1031	SLEEVE,SUS304-HCRP,POS.NO.33 (P1301C)	ITEM NAME : SLEEVE	1
1032	IMPELLER,P/N JM01UT08DBC4600,I/N P2-33	DESCRIPTION : IMPELLER	1
1033	CHECK VALVE,MODEL RSK,WAFER TYPE,DISC.ANSI 316,SEAL EPDM,	DESCRIPTION : CHECK VALVE	2
1034	BALL VALVE WITH GEAR,SUS 304,RF,SEAT:RPTFE,300#,6"	DESCRIPTION : BALL VALVE WITH GEAR OPERATE	1
1035	SPROCKET DRIVE SIZE,MAT'L: C.S/S35C,SIZE: JIS- 160-30T,POS.NO.AA-6 "TSK"	ITEM NAME : SPROCKET DRIVE SIZE	1
1036	AIR CURCUIT BREAKER AE1250-SW,3P,400V,1250A 65 KAIC,MITSUBISHI (RO	Description : AIR CURCUIT BREAKER	1
1037	CASING,MATERIAL 316 L SS,I/N 100	DESCRIPTION : CASING	1
1038	MOTOR,55KW,4P,380V,50HZ,TFOA, KK,HITACHI (MP2102)	MOTOR, CAPACITY : 55 KW, POWER	1
1039	VALVE PLUG 6BX6B, TAG : FV-1802A, FV-1802B	DESCRIPTION : VALVE PLUG 6BX6B	1
1040	REACTIVE/ACTIVE CURRENT,P/N 0821(G-3180)	MATERIAL DESCRIPTION : REACTIVE AND ACTIVE CURRENT -, MEASURIN	3
1041	MECHANICAL SEAL SIZE: 65 MM.,GL1B-0650-CDBY-0000 "JOHN CRANE"	ITEM NAME : MECHANICAL SEAL SIZE: 65 MM.	1
1042	WELD NECK FLANGE,ASTM A182 GR.F51,RF,SCH 10,6"	WELD NECK FLANGE CL150 RF 125-250 RA-FN S-10S SS ASTM	12
1043	VALVE POSITIONER,I/P 4-20, 827A, ARCA	VALVE POSITIONER	1
1044	BALL VALVE,CF8,RF,METAL SEAT,LF,900#,1"	BALL VALVE,	1
1045	MECHANICAL SEAL,H4A 032 CB 77 "EBTH" (G3532)	ITEM NAME : MECHANICAL SEAL	2
1046	POWER SUPPLY PACK, COD ANALYZER, STIP	DESCRIPTION : POWER SUPPLY PACK	1
1047	MECHANICAL SEAL,H4A 032114 (CB77),POS.NO.401 "EBTH" (G3535)	ITEM NAME : MECHANICAL SEAL	3
1048	GASKET,TI/PTFE/CS,600*620*670*691*4.5	DESCRIPTION : GASKET,	3
1049	TRANSDUCER,OIL PRESS AFTER FILTER,JOY	DESCRIPTION : TRANSDUCER,	2
1050	PIPE BEND 45, 6", 5D, DUPLEX, ASTM A790 UNS S31803, S-10S, BE, EFW	DESCRIPTION : PIPE BEND	5
1051	EXPANSION JOINT,SUS304/SS400,10K,FF,DIA.300xL.200 MM. (P2410A/B)	DESCRIPTION : EXPANSION JOINT,	2
1052	ANALOG OUTPUT (8),FSCL6885X1-A1 (DCS)	MATERIAL DESCRIPTION : ANALOG OUTPUT (8) TERMINATION -, PA	7
1053	BELLOW,P/N:017245-404,I/N: 23	DESCRIPTION : BELLOWS,	1

1054	Analogue I/O PCB , ABB , LimasII,CO/CO2 analyzer , part no.745883	Description : Analogue I/O PCB	1
1055	PRESS SW(NORMAL),25-240 PSI,SOR	DESCRIPTION : PRESSURE SWITCH,	2
1056	ELBOW 90,SUS 316L,BW,SEAM,SCH 80,8"	Description : ELBOW 90	2
1057	SET SCREW M12,SUS316,POS.NO.13 (P2402,P2403,P2404,P2405)	ITEM NAME : SET SCREW M12	24
1058	GASKET,TYPE: B,TI/TI GRAP/CS,SIZE: 720x760x800x834x4.5 MM.THK (E2201E	ITEM NAME : GASKET	3
1059	(NOT USE) UP FILTER BELT,SIZE: 1500 * 5954 MM.,I/N: 2 (F3544B)	Description : UPPER FILTER BELT	2
1060	COIL SOLENOID VALVE,110V,M30D-20-A44-SF12,KANEKO	DESCRIPTION : COIL SOLENOID VALVE,	1
1061	OVER VOLTAGE RELAY, 7RW600, SIEMENS	DESCRIPTION : OVER VOLTAGE RELAY, 7RW600, SIEMENS	1
1062	SLEEVE,MAT'L: SS400+HARD CHROME SURFACE,SIZE: ID.190*OD.210*L.30 MM.,	ITEM NAME : SLEEVE	1
1063	STUD BOLT & NUTS,SA193-B7/SA194-2H,3"x480 MM. (D2401A)	DESCRIPTION : STUD BOLT & NUTS	17
1064	MECHANICAL SEAL REPAIR KIT SIZE 1.750,TYPE: ISC1BX,P/N:	ITEM NAME : MECHANICAL SEAL REPAIR KIT SIZE: 1.750	1
1065	SEAL RING,NT-23/TB-23,35 CARBIDE/TB-35,POS.NO.2-0 (P1502)	ITEM NAME : SEAL RING	1
1066	BEVEL PINION SHAFT WITH BEVEL GEAR COMPLETE SET (P2401,P2402,P2405)	ITEM NAME : BEVEL PINION SHAFT WITH BEVEL GEAR COMPLETE SET	1
1067	LOCK NUT,TB35,M36,POS.NO.15 (P1301)	ITEM NAME : LOCK NUT	41
1068	O-RING REPAIR KIT,VITON,POS.NO.2A,2B,4B,32A,32B,48,52A,52B,52C, 52D,52E	ITEM NAME : O-RING REPAIR KIT	1
1069	MAGNETIC FLOW SENSOR,SC100AS-EX,KROHNE	DESCRIPTION : MAGNETIC FLOW SENSOR,	1
1070	BALL VALVE,TI,RF,300#,1"	DESCRIPTION : BALL VALVE	1
1071	PIPE,EFW,SUS 316L,SEAM,SCH 40,10"	DESCRIPTION : PIPE,	1
1072	VSD,ABB,ACS580-01-33A-4,15KW,33A	Description : INVERTER FOR AC MOTOR,ABB, BUILT-IN DC. CHOKE,BUILT-IN EMC. FILTER-A	2
1073	MECHANICAL SEAL SIZE: 55 MM.,TYPE: T59UQRISI "JOHN CRANE" (G1606)	ITEM NAME : MECHANICAL SEAL SIZE: 55 MM.	1
1074	KIT INTERCOOLER U-TUBE,P/N: MB409950-08003 (P3861A/B)	ITEM NAME : KIT INTERCOOLER U-TUBE	3
1075	GLAND PACKING,GRAP,16 MM *16 MM (G-3141)	MATERIAL DESCRIPTION : GLAND PACKING,	9
1076	EXPANSION JOINT,JF 400,SG NO.1409 (T1402)	DESCRIPTION : EXPANSION JOINT,	1
1077	CAGE EQ%, P/N 2U741348932, FISHER, MODEL EAT, SIZE 6", LV-2701	DESCRIPTION : CAGE EQ%	1
1078	SLEEVE,SS400-HCRP,P/N: ZZ02386016,POS.NO.17 (P2407)	ITEM NAME : SLEEVE	1
1079	COUPLING JOINT,NBR (90 SHORE A),SIZE: 130x60x28 MM. (G4503A/B/C,	ITEM NAME : COUPLING JOPINT	15
1080	RTD PT 100, COMPLETED WITH THERMOWELL, SIZE 1 INCH, ANSI 150 RF,	DESCRIPTION : RTD PT 100 COMPLETED WITH THERMOWELL	7
1081	PTFE WHITE SHEET,SHOE PAD,PTFE GUARNIFLON G- 400,340 MM.x360 MM.	ITEM NAME : PTFE WHITE SHEET	6
1082	ROTAMETER, 20 M.M.M (3/4"), YOKOGAWA, MODEL : RAMC23-A1SS-62L1-	DESCRIPTION : ROTAMETER FOR DI WATER MOTHER LIQUOR/LIQUID	3
1083	DISC,MATERIAL 316 L/1.4404 GEPANSERT/STEELITE,I/N 7	DESCRIPTION : DISC	1
1084	MOTOR GEAR CYCLO DRIVE COMPLETE SET,MOTOR POWER 22	ITEM NAME : MOTOR GEAR CYCLO DRIVE COMPLETE SET	1
1085	SEAT,GRAP/SUS (2PC/SET), BRAND:KITAMURA	DESCRIPTION : SEAT	2
1086	D/P TRANS DIAP SEAL,4",EX50MM,150#,S316	DESCRIPTION : D/P TRANSMITTER	2
1087	(NOT USE) V-RING,NBR,POS.NO.115B (G2201)	DESCRIPTION : V-RING (NOT USE)	6
1088	JOHNSON SCREEN OD.75 MM.xLENGTH 313 MM. (RT1611 MAH UNIT)	ITEM NAME : JOHNSON SCREEN OD.75 MM.xLENGTH 313 MM.	1
1089	CONTROL VALVE TRIM PART FV-2302	CONTROL VALVE TRIM PART (PLUG & SEAT), VALVE BODY	1
1090	LV AC Ex Motor, 22kW,380 VD/660 VY,44.2/25.4A, 50 Hz,1465 1/min,1LG4186-	Description : LV AC Ex Motor, 22kW	1
1091	BEARING NO.430224U (2 PCS/SET),POS.NO.29 "NTN" (P1301A/B)	ITEM NAME : BEARING NO.430224U	2
1092	SENSOR ASSY VORTEX, STD TEMP, GAIN1, ROSEMOUNT, P/N 0880-025-0002,	DESCRIPTION : SENSOR ASSEMBLY VORTEX, STANDARD TEMPERATURE	1
1093	GATE VALVE,SUS 304,RF,150#,6"	DESCRIPTION : GATE VALVE	2
1094	RTD Pt100 Sensor for MAPTERKO EXPANDER, P/N 955624000, Tag : J-1101B	Description : RTD Pt100 Sensor	2
1095	LABYRINT SEALING NDE,SCZLQ 32-315,RENK	LABYRINT SEALING NDE,	7

1096	6" Ball valve CL 150 RF 125-250 RA-FN, SS ASTM A351, GR.CF8, Body SS 304, Trim reinforced PTFE seats & seal full port, end OD 6.3 Gate, fully PTFE seat OD WP	6" Ball valve CL 150 RF 125-250 RA-FN, SS ASTM A351, GR.CF8, Body SS 304, Trim reinforced	1
1097	DEFLECTOR RADIAL BEARING,BRONZE,P/N: 123 (G1205A/B PRI)	ITEM NAME : DEFLECTOR RADIAL BEARING MATERIAL : BRONZE	1
1098	MOTOR,55KW,400V,4P,M2QA250M4,IP55, ABB (MGZ1102C)	MOTOR, CAPACITY 55 KW, 4P, POWER SUPPLY : 400V, 60A, 50HZ, FRAME : 250 M4	1
1099	ROTARY VALVE COMPLETE SET (RV2101A/B)	ITEM NAME : ROTARY VALVE COMPLETE SET TYPE : IPN 200400 ZPP 550 1	1
1100	V-PACKING,PTFE-EFW,POS.NO.5 (P1403,P2102,P2406,P2407)	ITEM NAME : V-PACKING MATERIAL : PTFE-EFW	4
1101	RTD INPUT MODULE,FSCL6853X1-A10 (DCS)	MATERIAL DESCRIPTION : RTD INPUT MODULE, MODEL : FSCN 3853X1-A10	5
1102	LDO MODEL 2 SENSOR CAP REPLACEMENT KIT, CAT NO : HAC90211-00, HACH, TAG : AE-2L2, AE-2L3, AE-2L4, AE-2L5	DESCRIPTION : LDO MODEL 2 SENSOR CAP REPLACEMENT KIT SENSOR TYPE : DO ANALYZER	4
1103	FRAME END COVER,RADIAL,CARBON STEEL A216 GR.WCB,P/N: 119A (G1205A/B)	ITEM NAME : FRAME END COVER,RADIAL MATERIAL : CARBON STEEL A216 GR.WCB	1
1104	BALL VALVE,SUS316,125-250 RA-FN,150#,1/2"	BALL VALVE, BODY MATERIAL:CF8M, SUS 316,150# RF, SIZE 1/2", 125-250 RA-FN, ASTM A351 GR.CF8 TRIM REIN	16
1105	Elbow 14", SCH 6.0 mm, 45 deg LR ,BE A403-WP316L WP-W	Elbow 14", SCH 6.0 mm, 45 deg LR ,BE A403-WP316L WP-W	1
1106	PLUG AND STEM, P/N 11A5344X022, FISHER, MODEL EAT, SIAE 6", LV-2701	DESCRIPTION : PLUG AND STEM SIZE : 6 INCH	1
1107	SCHNEIDER TSX CPU MODULES, TSX H57 24M, MODICON PREMIUM, WWTU PLC	DESCRIPTION : SCHNEIDER TSX CPU MODULES, TSX H57 24M, MODICON PREMIUM PROTECTION : NONE	1
1108	EXCITATION CURRENT LIMIT,P/N 0820(G-3180	MATERIAL DESCRIPTION : EXCITATION CURRENT LIMIT, , DETAILS OF	2
1109	PIPE BEND, ANGLE 60 DEG, SIZE 6 INCH, 762 MM., SS ASTM A312 TP304L, S-80S, BE, SML S Rev 5D	DESCRIPTION : PIPE BEND ANGLE : 60 DEG	1
1110	CASING SEAL OUTER RETAINER,P/N E7987A-1-FPD,I/N 156	DESCRIPTION : CASING SEAL OUTER RETAINER MATERIAL : SUS317L	1
1111	SET SCREW M12,SUS316,POS.NO.10 (P1202,P1403,P2102,P2406,P2407)	ITEM NAME : SET SCREW M12 MATERIAL : SUS316	10
1112	Face Seal, P/N 19A3649X022, Fisher control valve, FV-1304-1C	Description : Face Seal Valve Size : 6" ANSI 600 RF	4
1113	GASKET,TI/TI PTFE/304,300#,10"	DESCRIPTION : GASKET TYPE : SPIRAL WOUND GASKET	18
1114	MANWAY FOR VALVE TRAY,904L (C1601)	ITEM NAME : MANWAY FOR VALVE TRAY MATERIAL : 904L	5
1115	BEARING,NO.2222 KM/C3 "SKF",I/N 18	DESCRIPTION : BEARING NUMBER : 2222 KM/C3	10
1116	BUSHING(OLD DESIGN),CARBON GRADE M400,P/N: 20067085,POS.NO.6710 (B2401A)	ITEM NAME : BUSHING MATERIAL : CARBON GRADE M400	2
1117	MECHANICAL SEAL "NSO",P/N H4A06011	DESCRIPTION : MECHANICAL SEAL BRAND : NSO	4
1118	O-RING COMPLETED SET,POS.NO.T1+T11 (G2203A/B)	DESCRIPTION : O-RING COMPLETED SET DETAILS OF EQUIPMENT	1
1119	O-RING,GRAPHITE,POS.NO.T2 (G2203A/B)	MATERIAL DESCRIPTION : O-RING, MATERIAL : GRAPHITE	1
1120	SLEEVE,SS400-HCRP,P/N: ZZ02386000,POS.NO.12 (P2407)	ITEM NAME : SLEEVE MATERIAL : SS400 HCRP	1
1121	SAMPLE GAS COOLER(CO/CO2),250X250X150 MM	DESCRIPTION : SAMPLE GAS COOLER, SIZE, DIMENSION : 250 * 250 * 150 MM	1
1122	SLEEVE,SUS304,SIZE: DIA.85x105x225 MM.LONG,P/N: AY (B2402 PTA DRYER)	ITEM NAME : SLEEVE MATERIAL : SUS304	1
1123	SLEEVE,SUS304,SIZE: DIA.75x90x180 MM.,POS.NO.M (B2402)	ITEM NAME : SLEEVE MATERIAL : SUS304	1
1124	GLAND PACKING,TOMBO#9034(PTFE FIBER AND TREATED WITH PTFE),11.1 MM (1 PACK=2 M) (T1405-T1425)	ITEM NAME : GLAND APCKING MATERIAL : TOMBO#9034(PTFE FIBER AND TREATED WITH PTFE)	2
1125	LANTERN,CAST IRON,P/N: 137817-03,POS.NO.39 (G1202A/B)	ITEM NAME : LANTERN MATERIAL : CAST IRON	1
1126	PIPE BEND 45,SUS 304L,SL,SCH 80,6"(R=5D)	DESCRIPTION : PIPE BEND 45, SIZE, DIMENSION : 6	1
1127	ROUND BAR,SOLID CYLINDRICAL,DUPLEX SS2205,SIZE: OD.5"xL.1000 MM.	ITEM NAME : ROUND BAR TYPE : SOLID CYLINDRICAL	1
1128	CASING,MATERIAL 316 SS,I/N 100	DESCRIPTION : CASING MATERIAL : 316 SS	1
1129	NUT,MATERIAL 904L (1.4539),SIZE M10,DWG.NO.37299- E-02	DESCRIPTION : NUT MATERIAL : 904L (1.4539)	1387
1130	CONTROL VALVE GUIDE BUSHS, S/N 656952	DESCRIPTION :CONTROL VALVE GUIDE BUSH (UPPER & LOWER), TYPE : CONTROL VALVE	1
1131	RUPTURE DISC,CDCV(LL),316-TEF-316,SIZE: 1-1/2" (PSE3047)	ITEM NAME : RUPTURE DISC TYPE : CDCV(LL)	4
1132	UPS CONTROL CARD"B"52-02392-00 (CO-GEN)	MATERIAL DESCRIPTION : UPS CONTROL CARD B 52-02392-00, , DETAILS OF	1
1133	Dew Point Sensor, GE PANAMETRICS, M2LR-00-010-00, Tag : AT-3801, AT-2827	Description : Dew Point Sensor Brand : GE PANAMETRICS	1
1134	Variable Area Flowmeter,Range 10-100 Nm3/h, Size 1", Tokyo Keiso, Model AM73LW-04AGR-0/PL/FP, Tag : FI-1201C	Description : Variable Area Flowmete Flange Size : 1" ANSI 150 RF	1
1135	GASKET,TI/TI GRAP/CS,150#,14"	DESCRIPTION : GASKET TYPE : SPIRAL WOUND GASKET	8
1136	VALVE POSITIONER,I/P: 4-20 MA, MODEL : IP 8100 031 CH, BRAND : SMC	DESCRIPTION : VALVE POSITIONER SUPPLY POWER : 7 KG/CM2	3
1137	GASKET F.VICTAULIC COUPLING TYPE: 77,SILIKON (RED), 14" DN350L (P1101 THUNTAL)	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 77 MATERIAL : SILIKON (RED)	3

1138	O-RING CORD,WHITE SILICONE,OD.8 MM. (T1442B,T1443B,T1444,T1445)	ITEM NAME : O-RING CORD	250
1139	COUPLING COMPLETE SET,MODEL: HUB SR71-350 DBSE: 5" "THOMAS"	ITEM NAME : COUPLING COMPLETE SET	1
1140	VALVE POSITIONER,I/P 4-20 MA,NELES AUTO	VALVE POSITIONER	1
1141	PLATE,SUS316L,4 FTx8 FTxTHK.12 MM.	DESCRIPTION : PLATE	1
1142	ELBOW 90,A182-GR.F51,SL,BW,S-40,6"	DESCRIPTION : 6"	6
1143	POWER SUPPLY,3500/15, BENTLY NAVADA, P-1101B-3500	DESCRIPTION : POWER SUPPLY	1
1144	SEGMENT,PEEK,P/N: 400008119,POS.NO.34 (F2408X)	ITEM NAME : SEGMENT	32
1145	COMPLETE SET OF TWO BEARINGS WITH SPACERS IN PRELOADED	ITEM NAME : COMPLETE SET OF TWO BEARINGS WITH SPACERS IN PRELOADED COND	1
1146	GEAR INNER,S45C,P/N: 14 (P3551,P3552)	Description : GEAR INNER	2
1147	Motor protection relay CMP1-A02D1 605PMB , Aux.Volt AC/DC 100-220 V,	Description : Motor protection relay, Aux.Volt AC/DC 100-220 V	1
1148	SHAFT COMPLETE SET WITH IMPELLER WASHER&SCREW,P/N: 310.03637-4,	ITEM NAME : SHAFT COMPLETE SET WITH IMPELLER WASHER&SCREW	1
1149	COLLAR ASSEMBLY,SS400,POS.NO.14,15,16,17,18,19 (P2503)	ITEM NAME : COLLAR ASSEMBLY	1
1150	PTFE WHITE SHEET,SHOE PAD,PTFE GUARNIFLON G- 400,330 MM.x360 MM.	ITEM NAME : PTFE WHITE SHEET	6
1151	6 Month Service Kit for BIO Tector B7000i TOC Analyzer "HACH", COD Analyzer	Description : 6 Month Service Kit for BIO Tector B7000i	1
1152	SOFT SPARE PART OF METSO LW7LBA400, FV-1310C, XV- 1311C	DESCRIPTION : SOFT SPARE PART OF METSO LW1LBA400 CONTROL VALVE S	3
1153	Ball valve repair kit, KTM, E0106G-45CC, 6" ANSI 300, XV-1301A/B	Description : Valve repair kit	1
1154	RUBBER BUSH FOR COUPLING BOLT(10 PCS/SET),NBR,P/N: 624 (G3260G/H/I/J)	ITEM NAME : RUBBER BUSH FOR COUPLING BOLT	7
1155	O-RING COOLING CAP INNER OF SHAFT,I/N 14	DESCRIPTION : O-RING COOLING CAP INNER OF SHAFT	1
1156	FRONT PANEL DISPLAY FOR PROTECTION RELAY SEPAM 1000+SERIES 20,	Description : FRONT PANEL DISPLAY FOR PROTECTION RELAY SEPAM 1000+SERIES 20	3
1157	STUD BOLT,TB35,SIZE: M12,POS.NO.17 (P1301A/B)	ITEM NAME : STUD BOLT	16
1158	SUCTION VALVE ASSEMBLY,P/N: 26303-1,POS.NO.21 (G3601A/B)	ITEM NAME : SUCTION VALVE ASSEMBLY	2
1159	Gland Packing, PV1-2401A	Description : GLAND pACKING	2
1160	GASKET,TI/TI PTFE/TI,300#,20"	DESCRIPTION : GASKET	2
1161	GASKET,TI/TI PTFE/CS,SIZE: 908.1x927.1x968.5x1047.8x4.5 MM.THK (E1601)	ITEM NAME : GASKET	2
1162	SELEX VALVE (AIR VALVE),DC24V,CKD	DESCRIPTION : SELEX VALVE,	2
1163	LEVEL SWITCH,FLOAT,LS-1616,LS-1405A/B	LEVEL SWITCH,	2
1164	HELICAL GEAR WHEEL,P/N: 305 (P1441)	ITEM NAME : HELICAL GEAR WHEEL	1
1165	STUB END,SUS316L,SL,BW,THK12.0 MM,20"	DESCRIPTION : STUB END,SUS 316L,SL,BW,THK12.0 MM,20"	1
1166	Excitre : Sealing A4X40 MVQ-MZ*6M(MP-1101)	DESCRIPTION : Excitre : Sealing A4X40 MVQ-MZ*6M(MP-1101)	1
1167	STANDARD CALIBRAT. GAS,METHANE 550 PPM	DESCRIPTION : STANDARD CALIBR	1
1168	PUCK Core processor assembly for Micro motion coriolis, Brand : Emerson, FT-0102B	DESCRIPTION : PUCK Core processor assembly	1
1169	PINION,SCM 420,SIZE: M=3.5,Z=20,P/N: 27 (P2102)	ITEM NAME : PINION	1
1170	DRY BREAK COUPLING VALVE WITH VITON SEAL,SUS316,VITON SEAL,SIZE: 2"	ITEM NAME : DRY BREAK COUPLING VALVE WITH VITON SEAL	1
1171	ECCENTRIC,1.300 STROKE,P/N 10746-1,I/N44	MATERIAL DESCRIPTION : ECCENTRIC 1.300 STROKE	3
1172	BUSH,PTFE,POS.NO.45 (P1401,P1402)	ITEM NAME : BUSH	5
1173	DIFFERENTIAL PRESS SW,0-0.05 KG/CM2,1/4"	DESCRIPTION : DIFFERENTIAL PRESSURE SWITCH,	2
1174	SINAMICS,DC CONVERTER FOR FOUR-QUADRANT DRIVES,CONNECTION (B6)	Description : SINAMICS,DC CONVERTER FOR FOUR-QUADRANT DRIVES CONNECTION (B	1
1175	FILTER ELEMENT,SPEC.VA-DRAHTGEWEBE 60 UM,940008309 (F2408 RPF)	ITEM NAME : FILTER ELEMENT	6
1176	SHAFT SLEEVE,SS2321,P/N: 183185-35 (G1507A/B,G1504A/B)	ITEM NAME : SHAFT SLEEVE	2
1177	MECHANICAL SEAL COMPLETE SET,SEAL CARTRIDGE,P/N: 998,POS.NO.23000	ITEM NAME : MECHANICAL SEAL COMPLETE SET	1
1178	PIPE,SUS304L,SL,SCH 80,6"*6 M	DESCRIPTION : PIPE,	1
1179	MECH-SEAL,MATERIAL CARBON & CERAMIC "LOWARA"	DESCRIPTION : MECHANICAL SEAL	5

1180	PLUG,SUS317L,OD.17.1 MM.xOD.12.8 MM.xL.20 MM. (HEAT EXCHANGER)	ITEM NAME : PLUG	80
1181	(NOT USE) SHAFT SLEEVE,P/N 1895A200X23E001	DESCRIPTION : SHAFT SLEEVE	1
1182	LANTERN,NR-125-100-20,P/N: 344301023 (G3202,G3213,G3215)	ITEM NAME : LANTERN	1
1183	TRANSMITTER DISSOLVED OXYGEN, HACH Sc 200, AT34-4 (DO)	DESCRIPTION : TRANSMITTER DISSOLVED OXYGEN, HACH Sc 200 CONTROL UNIT	1
1184	BATCH CONTROL,FLOW TOTALIZER,KESSIER-ELLIS MODEL MS-716-L2A0V	DESCRIPTION : BATCH CONTROL	1
1185	MECHANICAL SEAL,SINGLE CARTRIDGE SEAL SPC-BB 1.875" (G1802C/D)	ITEM NAME : MECHANICAL SEAL	1
1186	ACTUATOR REPAIR KIT SCHUF CONTROL VALVE, MOD.PM1, POS NO 70, TAG :	DESCRIPTION : ACTUATOR REPAIR KIT SCHUF CONTROL VALVE, MOD.PM1, POS NO 7	3
1187	STATIONARY SEAL RING,SISIC,DIA.100,P/N: 10081886POS.NO.0052E,0054E	ITEM NAME : STATIONARY SEAL RING	2
1188	CHECK VALVE,WAFER TYPE,SINGLE DISC,FF,CF8M,300#, 8" (V2809 OFF GAS)	ITEM NAME : CHECK VALVE	1
1189	GASKET,TI/TI PTFE/SUS304,704.85x723.9x755.65x785xTHK.4.5 MM.(NON	ITEM NAME : GASKET	3
1190	PUMP SHAFT,P/N: 211 (G3261XA,XB,XC)	ITEM NAME : PUMP SHAFT	1
1191	TRAY CLAMP,TYPE PLC,MATERIAL 904L (1.4539)	DESCRIPTION : TRAY CLAMP	100
1192	PIPE, 10", S-10S, STAILLESS, ASTM A790 UNS S31803, EFW, BEVELED END,	DESCRIPTION : PIPE	1
1193	ROTARY JOINT,SUS304/TEFLON,SIZE: 3/4",P/N: AL (B2402)	ITEM NAME : ROTARY JOINTS	1
1194	ELBOW 90,SUS 316,BW,SEAM,SCH 40,14"	DESCRIPTION : ELBOW 90,	2
1195	IA/PA DISCHARGE CHECK VALVE,150#,3"	IA/PA DISCHARGE CHECK VALVE,	1
1196	BOLT WITH NUT,SUS304,M20x120 MM.,POS.NO.39 (P2403,P2407)	ITEM NAME : BOLT WITH NUT	2
1197	GASKET REPAIR KITS,T1890-MT+T1806, TAG : TV-2201	DESCRIPTION : GASKET REPAIR KITS OF TRIM/BONNET	1
1198	SEGMENT,PEEK,D1856/1823x10,P/N: 40000591,POS.NO.29 (F2408 RPF)	ITEM NAME : SEGMENT	1
1199	PC BOARD DISPLAY,M:DAVC-02 (D-3161)	MATERIAL DESCRIPTION : PC BOARD DISPLAY,	3
1200	SHAFT SLEEVE,SUS304,P/N: 041 (G3260G/H/I/J)	ITEM NAME : SHAFT SLEEVE	2
1201	THERMOWELL,TI,ANSI 1500# ,1" ,OKAZAKI	THERMOWELL,	1
1202	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE,	4
1203	ELECTRONIC MODULE FOR VEGAPULS68	DESCRIPTION : ELECTRONIC MODULE,	1
1204	HAND REFILL PUMP,SS316/ACRYLIC GLASS/NBR,P/N: 2 (P2401,P2401A)	ITEM NAME : HAND REFILL PUMP	1
1205	VICTAULIC COUPLING COMPLETE SET TYPE: 31,200037308, 30" DN800 (P1101)	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 31	1
1206	PIPE,SEAMLESS,A312 TP316/316L,SCH 80 (THK.12.70 MM.),10"	DESCRIPTION : PIPE,	1
1207	BOX CONTROL PUMP 1 & 2, STIP, COD ANALYZER	DESCRIPTION : BOX CONTROL PUMP 1 & 2	1
1208	ROUND BAR,HASTELLOY-C4,N06455,1-1/2"*1M	DESCRIPTION : ROUND BAR	1
1209	BEARING NO.30210 DB (1 SET=2 BEARINGS INCLUDE 2 SPACER RINGS),POS.	ITEM NAME : BEARING NO.30210 DB	2
1210	MAGNETIC FLOW METER COMPLETE SET,3",150#, TAG : FT-2423 A~G	DESCRIPTION : MAGNETIC FLOW METER COMPLETED SET	1
1211	OIL FILTER ELEMENT FOR OIL COOLER,DUPLEX,P/N: P1401435-01233	ITEM NAME : OIL FILTER ELEMENT FOR OIL COOLER	4
1212	WELDING TIG,TITANIUM-2,2.4x1000 MM.,9.2 KG/BOX	DESCRIPTION : WELDING TIG ROD	9.6
1213	VIBRATION PROXIMITOR SENSOR (BENTLY NEVADA), 330180-91-05, P-1101B	DESCRIPTION : VIBRATION PROXIMITY SENSOR	3
1214	GLAND PACKING SHAFT SLEEVE,SUS304 (LUMP CRUSHER)	ITEM NAME : GLAND PACKING SHAFT SLEEVE	2
1215	ROTATING SEAL RING,P/N: 10008174,POS.NO.0053,0055 (P2406B)	ITEM NAME : ROTATING SEAL RING	2
1216	ROTA FLOW METER,50-500 KG/H,3/4",150#	DESCRIPTION : ROTA FLOW METER,	3
1217	Cooling fan blade of " WEG " motor all screw of motor CTA section,ID : 55 mm , OD :	Description Cooling fan blade of " WEG " motor all screw of motor CTA section,ID : 55 mm , OD :	4
1218	WASHER,TP 28,POS.NO.7(=10) (P1301)	ITEM NAME : WASHER	12
1219	MOTOR PROTECTION RELAY SEPAM1000,24-250 VDC,MERLINGERIN,(P-2411A)	DESCRIPTION : MOTOR PROTECTION RELAY SEPAM1000	1
1220	Level Transducer, FINTEK, Model: FG-CG80-3000	DESCRIPTION: LEVEL TRANSDUCER	1
1221	PULLEY GEAR SIDE WITH TAPER BUSH,PHP 6- 5V1030TB/3535,PHF TB3535x50	ITEM NAME : PULLEY GEAR SIDE WITH TAPER BUSH	2

1222	BEARING NO.24134 C3 (BRG.24134),POS.NO.21/6 (P1503)	ITEM NAME : BEARING NO.24134 C3 (BRG.24134)	2
1223	WELDING TIG,NA43,ERNICRMO-3,2.4*1000 MM.	DESCRIPTION : SANDVIIK TIG ROD	25
1224	BEARING NO.22308BC3 ,POS.NO.33 (P1203,P1205)	ITEM NAME : BEARING NO.22308BC3	3
1225	MECHANICAL SEAL SIZE: 1.125,TYPE: E45-TT "FLOWSERVE" (G1510A/B)	ITEM NAME : MECHANICAL SEAL SIZE: 1.125	1
1226	FLEXIBLE COUPLING N-EUPEX COMPLETE SET,SIZE: A250A (G3261XA,	ITEM NAME : FLEXIBLE COUPLING N-EUPEX COMPLETE SET	2
1227	CONTACT WARM-AIR TEMPERATURE DETECTOR,MONITORING_DW03,TYPE: M-	Description : CONTACT WARM-AIR TEMPERATURE DETECTOR,MONITORING_DW0	1
1228	NEW RUPTURE DISC,BT-KUB3,SS316/SS316,3" "REMBE" (PSE2412A)	ITEM NAME : NEW RUPTURE DISC	1
1229	GASKET,SEALING ELEMENT W/INNER/OUTER RING,TI GR.2/PTFE/SUS304,300#,	ITEM NAME : GASKET	3
1230	HELICAL PINION,P/N: 200P-1712 (E3264 F/G/H PRI PROJECT)	ITEM NAME : HELICAL PINION	1
1231	Valve Positioner Smart Type HART Protocol with Position Transmitter,Double Acting,	DESCRIPTION : Valve Positioner Smart Type,HART Protocol Feedback Position 4-20	2
1232	BEARING,NO.NU1028 "FAG",I/N 65	DESCRIPTION : BEARING	6
1233	DIGITAL ALPHA WORKSTATION 255 (FGD PLC)	MATERIAL DESCRIPTION : DIGITAL ALPHA WORKSTATION 255	1
1234	BELT TIMING,SIZE: 14 MM.PITCHx85 MM.WIDE,P/N: 02040-619,POS.NO.9	ITEM NAME : BELT TIMING	5
1235	WELD NECK FLANGE,FORGED,RF 125-250 ANSI- B16.5,SCH-STD,S-40S SS ASTM	DESCRIPTION : WELD NECK FLANGE	1
1236	SOLENOID VALVE,2-WAY,110V,1/2",SUS304,MODEL: 8210G030,NORMALLY	DESCRIPTION : SOLENOID VALVE	3
1237	SIDE PLATE(DRIVE SIDE) COVER FOR GEAR PUMP (GZ1102A/B)	ITEM NAME : SIDE PLATE(DRIVE SIDE) COVER FOR GEAR PUMP	1
1238	SPINDLE BUSH FOR GLAND FOLLOWER(NEW DESIGN),SUS304,SIZE: D35x260,	ITEM NAME : SPINDLE BUSH FOR GLAND FOLLOWER (NEW DESIGN)	33
1239	PLUG 10K, 0.5 INCH, DISK FOR VALVE MASONEILAN, P/N 200714503-163H0000,	DESCRIPTION : PLUG 10K, DISK	1
1240	GASKET,TI/TI PTFE/SUS304,ID.700x730x768x828xTHK.4.5 MM. (M1.D1401,D1402)	ITEM NAME : GASKET	3
1241	WELDING ELECTRODE,CW-8200 ,3.25*350 MM	DESCRIPTION : WELDING ELECTRODE,	25
1242	BUFFLE SUPPORT,I/N:9,MAT,L:317L	DESCRIPTION : BAFFLE SUPPORT,	4
1243	PRESS SW DIAP,1-40 BAR,SET 24.2 KG/CM2	DESCRIPTION : PRESSURE SWITCH,DIAPHRAGM	2
1244	LABYRINT SEALING DE,SCZLB 32-315,RENK	LABYRINT SEALING DE,	2
1245	RETAINER,SUS316,POS.NO.20 (P1301C)	ITEM NAME : RETAINER	1
1246	PAD FLANGE,TI,RF,SCH 10,150#,2"*2"	PAD FLANGE,150#,RF 125-250 RA,SCH 10,TI ASTM B363 ASNI-B16.5,,	2
1247	D/P TRANS,100-10000 MMH2O,HASTELLOY C	DESCRIPTION : D/P TRANSMITTER	2
1248	BOLT,1.4539,M10x50 MM.,P/N: 896 904G 1308,POS.NO.9 (C1301,C1501,C1502,	ITEM NAME : BOLT	559
1249	SPRING,ALLOY,POS.NO.6 (P1402)	ITEM NAME : SPRING	144
1250	MECHANICAL SEAL SIZE: 22 MM.,26-MG920/22,BVEFF "EBTH" (G3512AA/AB,	ITEM NAME : MECHANICAL SEAL SIZE: 22 MM.	4
1251	SHAFT,SS316,P/N: 2807A23X313B002 (G2407A/B)	ITEM NAME : SHAFT	1
1252	SHAFT SLEEVE,SUS316,P/N: 1895A162X18W001,POS.NO.1895A (G1102)	ITEM NAME : SHAFT SLEEVE	1
1253	RTD Pt100 Sensor for TUNTHAI Expander, P/N 513201800, Machine serial No :	Description : RTD Pt100 Sensor	2
1254	GASKET,TI/TI FILLER PTFE/NIL,SIZE: 600x640x680x4.5 MM.THK (E1401)	ITEM NAME : GASKET	5
1255	D/P TRANS DIAP SEAL,4",EX100MM,150#,S316	DESCRIPTION : D/P TRANSMITTER,	1
1256	RUPTURE DISC HOLDER ASSEMBLY COMPLETE SET,TYPE REVERSE	DESCRIPTION : RUPTURE DISC HOLDER ASSEMBLY COMPLETE SET	1
1257	PIPE,EFW,BE,S-40S,SS ASTM A312 GR.TP316L,ANSI B36.19M,L.6 M.x8"	Description : Pipe BE A312-TP316L EFW	1
1258	VOLTAGE TRANSFORMER ,4MQ12XC,11000/V3,100/V3,100/3V,SIEMENS,	DESCRIPTION : VOLTAGE TRANSFORMER,	3
1259	GASKET,TI/TI/ PTFE/SUS304,ASME 300# RF, 32" (E1301C)	ITEM NAME : GASKET	4
1260	HOUSING DRIVE,P/N 10273-1,I/N 6	MATERIAL DESCRIPTION : HOUSING DRIVE, ,	1
1261	PLATE,SUS316L,4 FTx8 FTxTHK.8 MM.	DESCRIPTION : PLATE	2
1262	SPACER,TP35,POS.NO.24 (P1301)	DESCRIPTION : SPACER,	36
1263	Display and control unit,EX-P , ABB , LimasII,CO/CO2 analyzer , patr no.768964	Description : Display and control unnit, EX-P	1

1264	CAP SCREW:STAGE 3+4,DWG:0-2557195.8	DESCRIPTION : CAP SCREW S	3
1265	PLATE,SUS304,4 FTx8 FTxTHK.10 MM.	DESCRIPTION : PLATE	2
1266	SEAT,GRAPHITE/SUS (2PC/SET) KITAMURA	DESCRIPTION : SEAT,	1
1267	DIAPHRAGM,VITON/PTFE,1820x278x3.5 FOR 190 SEP. ELEMENT,P/N: 400004002,	ITEM NAME : DIAPHRAGM	4
1268	SET SCREW M14,SUS316,POS.NO.15 (P2402,P2403,P2404,P2405)	ITEM NAME : SET SCREW M14	15
1269	PRESSURE TRANSMITTER,SS304,PT-2102A	PRESSURE TRANSMITTER,	1
1270	COOLING COIL H3 08KOMP CW352H,P/N 0800	DESCRIPTION : COOLING COIL H3 08KOMP CW352H	1
1271	SET BOLTS OF FLEXIBLE COUPLING COMPLETE SET,M16x50 MM.,POS.NO.62	ITEM NAME : SET BOLTS OF FLEXIBLE COUPLING COMPLETE SET	2
1272	V-ADAPTOR,V7631 2H, 60 * 36 * 30 MM	DESCRIPTION : V-ADAPTOR,	2
1273	GASKET,TI/TI PTFE/SUS304,699x729x755x778xTHK.4.5 MM. (D1404,E1102B,	ITEM NAME : GASKET	5
1274	Ball valve repair kit, KTM, E0802S-32*H, 14"*12"ANSI 300, XV-1310B	Description : Valve repair kitConsist of : - O-RING RETAINER SEAL : VITON = 2 PC/SET - GAS	1
1275	GASKET (SERIES: A),TI/TI PTFE/SUS 304,300#,28"	DESCRIPTION : GASKET (SERIES: A)	3
1276	DEFLECTOR RADIAL BEARING,BRONZE,P/N: 123A (G1205A/B PRI)	ITEM NAME : DEFLECTOR RADIAL BEARING	1
1277	TEFLON BUSH(STEM),HY 4,32.6*47.5*26.8 MM	DESCRIPTION : TEFLON BUSH,	4
1278	THRUST BEARING NUT,P/N P-D7728B-1,I/N 23	DESCRIPTION : THRUST BEARING NUT	2
1279	PRESSURE RELIFE VALVE,MATERIAL ALUMINIUM,SIZE 2",P/N 31-2400-01,I/N 1	DESCRIPTION : PRESSURE RELIFE VALVE	7
1280	Vortex flow sensor, OVAL, Model:VXW1080-C91G-1102	Description : Vortex flow sensor	2
1281	Multi gas detector, Brand : SCOTT, Model : Protege	Description : Multi gas detector	2
1282	SWITCHED MODE POWER CONVERTER,SERVOMEX	SWITCHED MODE POWER CONVERTER,	1
1283	PIPE BEND 20,SUS304L,SL,SCH 80,6"(R=5D)	DESCRIPTION : PIPE BEND 20,	1
1284	VALVE RELIEF,REGULATOR VALVE 550 PSIG,P/N: P1401581-01318 (P3861A/B)	ITEM NAME : VALVE RELIEF	1
1285	Set laminated carbon,Customer No-74669000,Drawing No Part No-1000027493146,	Description : Set laminated carbon	2
1286	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS316,METAL SEAT,	DESCRIPTION : DUAL PLATE CHECK VALVE WAFER TYPE	1
1287	LIGHT GLASS,PYREX,ID.190xTHK.15 MM.,POS.NO.615 (F1441A/B/C)	ITEM NAME : LIGHT GLASS	5
1288	COLLAR,SS400,POS.NO.19 (P1403,P2102,P2406)	ITEM NAME : COLLAR	3
1289	TIMER, 8 HOUR,6 CAM,A690-450-101,SAHARA	DESCRIPTION : TIMER SOCKET	1
1290	NOZZLE,MATERIAL SA 351-CF8M ST ST,P/N 016369- 104,I/N 4	DESCRIPTION : NOZZLE	1
1291	Process PCB Assy 2500C, AT-1302A-CO	Description : Process PCB	1
1292	MOTOR CONTROLLER WITH OVERLOAD SENSOR	MATERIAL DESCRIPTION : MOTOR CONTROLLER WITH -, OVERLOAD SENS	2
1293	VALVE SUCTION,I/N 16,P/N 065002215	DESCRIPTION : VALVE SUCTION,	4
1294	MECHANICAL SEAL SIZE: 2.125" (55 MM.),SINGLE SEAL PUSHER,Q12Q12KGG1	ITEM NAME : MECHANICAL SEAL SIZE: 2.125" (55 MM.)	1
1295	RTD Pt 100 4-wire c/w extension cable,U-Length 400 mm, Sheath Length 450 mm, TE-	Description : RTD Pt 100 4-Wire c/w extension cable	2
1296	GEAR BOX SEAL RETAINER,P/N: P-C13071-1A,POS.NO.12 (P1404)	DESCRIPTION : GEAR BOX SEAL RETAINER	2
1297	GASKET(P1),TI/TI PTFE/SUS304,ID.452x474x514x538xTHK.4.5 MM. (D1401)	ITEM NAME : GASKET(P1)	6
1298	MECHANICAL SEAL,H4A05011"NSO" (G-3143)	MATERIAL DESCRIPTION : MACHANICAL SEAL,	2
1299	O-RING,PTFE.F.F,POS.NO.2 (P1203,P1205)	ITEM NAME : O-RING	12
1300	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS304,METAL SEAT,	DESCRIPTION : DUAL PALTE CHECK VALVE	3
1301	UNDERVOLTAGE RELAY,7RG-3501-0A,SIEMENS	DESCRIPTION : UNDERVOL	1
1302	CABLE CONNECTOR VIBRATION PROBE (WILCOXON), COOLING TOWER	DESCRIPTON : CONNECTOR VIBRATION PROBE WITH STAINLESS STEEL BRAID CABLE	6
1303	PIPE,SL,SUS316L,SCH 40, 4"xL.6 M.	DESCRIPTION : PIPE	2
1304	RELAY PCB,P/N 0503 (G-3180)	MATERIAL DESCRIPTION : RELAY PCB, ,	6
1305	STUB END,SUS 317L,BW,SCH 40,8"	DESCRIPTION : STUB END,	1

1306	PRESSURE SWITCH, RANGE 42 BAR, CONNECTION 1/2" (ASHCROFT)	DESCRIPTION : PRESSURE SWITCH	6
1307	REDUNDANCY STI / HIGHT LEVEL ANALOG INPUT, FTA HLAI RED CC,	DESCRIPTION : REDUNDANCY STI / HIGHT LEVEL ANALOG INPUT, FTA HLAI RED CC	1
1308	BALL VALVE,CF8,RF,600#,2"	BALL VALVE,	1
1309	RELAY UNIT,P/N:ZUS-F2108,02.752222,HIMA	DESCRIPTION : RELAY UNIT,	2
1310	Seat Ring, P/N 29A3635X082, Fisher control valve, FV-1304-1C	Description : Seat Ring	1
1311	PINION SHAFT,P/N: SH01UT04C,POS.NO.P2-38 (G1302C/D)	ITEM NAME : PINION SHAFT	1
1312	GASKET,TI/TI PTFE/304,300#,14"	DESCRIPTION : GASKET	7
1313	ECCENTRIC,P/N: A00157-003-176,POS.NO.37 (P3602)	ITEM NAME : ECCENTRIC	1
1314	Gasket Repair Kit, PV1-2401A	Description : Gasket Repair Kit	1
1315	Gasket Repair Kit, PV1-2401	Description : Gasket Repair Kit	1
1316	Spares Kit Heater/Supply Board, Servomex 2200 Control Unit, O2 Analyzer AT-1301-	Description : Spares Kit Heater/Supply Board,	1
1317	BEARING BRACKET ABS SCAN PUMP,NR-125-100-20,P/N: 330301036 (G3202,	ITEM NAME : BEARING BRACKET ABS SCAN PUMP	1
1318	PH CONVERTOR C/SET,0-14 PH (PH ANALYZER)	MATERIAL DESCRIPTION : PH CONVERTOR,	1
1319	GLAND PACKING STYLE: 5022 AFP,7/16"(11 MM.), 1 BOX=10 LB. (G2402C)	ITEM NAME : GLAND PACKING STYLE: 5022 AFP	1
1320	GLAND PACKING STYLE: 5022 AFP,SIZE: 1/4"(6 MM.), 1 BOX=10 LB. (G2402A/B)	ITEM NAME : GLAND PACKING STYLE: 5022 AFP	1
1321	(NOT USE) TEE REDUCE,UPVC,SW,JIS,16"*10"	TEE REDUCE,UPVC,SW,JIS,	1
1322	BEARING UNIT,POS.NO.TT (B-1402 B)	ITEM NAME : BEARING UNIT	2
1323	LANTERN,CAST IRON,P/N: 186761-03,POS.NO.39 (G1504A/B)	ITEM NAME : LANTERN	1
1324	SIGNAL PROCESSING PCB ASSEMBLY,SERVOMEX	DESCRIPTION : SIGNAL PROCESSING PCB ASSEMBLY,	1
1325	WELD NECK FLANGE,SUS 304L,LM,900#,8"	WELD NECK FLANGE CL900 LARGE MALE 125-250 RA-FN, S-80S SS ASTM A182 GR.F304L A	1
1326	SHAFT SLEEVE UPPER,SUS316,P/N: SL01AA03DB1,POS.NO.50B (G2201A-E)	ITEM NAME : SHAFT SLEEVE UPPER	2
1327	O-RING,K1,P/N: SE01_177.17x6.99_00338A0,POS.NO.4,5 (P2401A)	ITEM NAME : O-RING	4
1328	GASKET F.VICTAULIC COUPLING TYPE: 77,NITRIL, 28" DN700T (P1101 THUNTAI)	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE:77	2
1329	ELEMENT FINAL FOR INLET AIR FILTER,P/N: P0540009- 00090,POS.NO.2	ITEM NAME : ELEMANT FINAL FOR INLET AIR FILTER	3
1330	Fan blade motor Centrifuge ID = 62mm,OD=440mm	Description : Fan blade motor Centrifuge ID = 62mm,OD=440mm	3
1331	VALVE COMPLETE SET SST DN20 FOR SUCTION & DISCHARGE VALVE,TYPE:	ITEM NAME : VALVE COMPLETE SET SST DN20 FOR SUCTION & DISCHARGE VALVE	2
1332	SUPERVISOR CONTROL,686B619U03,FISHER	DESCRIPTION : SUPERVISOR CONTROL,	1
1333	Pipe nozzle DN2" with flange ANSI B16.5 150lbs, Material: 1.4404, Type: Zoll	Pipe nozzle DN2" with flange ANSI B16.5 150lbs, Material: 1.4404, Type: Zoll	4
1334	PUMP CASING P/N:100,GOULDS PUMP	DESCRIPTION : PUMP CASHING,	2
1335	SLEEVE,SUS304,SIZE: DIA.95x110x150 MM.,P/N: L (B2402)	ITEM NAME : SLEEVE	1
1336	DISC PACK,TYPE 350 SERIES 71 "THOMAS",P/N 007208	DESCRIPTION : DISC PACK	8
1337	MECHANICAL SEAL,2.000" RO,EM5"DM"(G-3143	MATERIAL DESCRIPTION : MACHANICAL SEAL,	2
1338	(NOT USE) MECHANICAL SEAL SIZE: 65 MM.,26S- M7N/65-00 "EBTH" (G1502)	Description : MECHANICAL SEAL SIZE: 65 MM.	2
1339	METAL,CERAMIC,POS.NO.8 (GZ2402)	ITEM NAME : METAL	4
1340	VALVE POSITIONER SMART TYPE, SMC, MODEL : 52- IP8001-034-FW-3, TAG : PV-	DESCRIPTION : VALVE POSITIONER SMART TYPE, HART	1
1341	MODBUS COMMUNICATION MODULE (SLC 500)	MATERIAL DESCRIPTION : MODBUS COMMUNICATION -, DODULE PROSOF	1
1342	RUPTURE DISC,SUS316,SIZE: 4" -P2135-2F21 (PSE2412)	ITEM NAME : RUPTURE DISC,4" -P2135-2F21	2
1343	VIBRATION PROXIMITY PROBE SIZE 8 MM BENTLY NEVADA PART NO. 330101-	Description : VIBRATION PROXIMITY PROBE	4
1344	RELIEF VALVE SIZE: 300#,P/N: 48888-225,POS.NO.24 (G3601A/B)	ITEM NAME : RELIFE VALVE SIZE: 300#	1
1345	BEARING ISOLATOR,P/N: SE03AA01,POS.NO.115 (G2201)	ITEM NAME : BEARING ISOLATOR	4
1346	WELD NECK FLANGE,SS ASTM A182 F316L,FORGED,RF,125-250,ANSI-B16.5,	DESCRIPTION : WELD NECK FLANGE	1
1347	SOLENOID VALVE,2 WAY NORMAL CLOSE,110 VAC,M30C- 15-A44SF12,1/2" ANSI	DESCRIPTION : SOLENOID VALVE	1

1348	MACHINE BOLT WITH NUT,SUS316,M16x115 MM. (F1441)	ITEM NAME : MACHINE BOLT WITH NUT	56
1349	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*240 MM.	DESCRIPTION : STUD BOLT & NUT	40
1350	GASKET,MATERIAL TEFLON,P/N 66	DESCRIPTION : GASKET	1
1351	VSD,15KW,3PH,HF4304-015,SUMITOMO(MT-2101A,B)	INVERTER	1
1352	MECHANICAL SEAL SIZE: 50 MM.,H4A05011,POS.NO.401 (G3532A/B,GM3521	ITEM NAME : MECHANICAL SEAL SIZE 50 MM.	3
1353	EXTENSION CABLE 8.5 M. (BENTLY NEVADA), P-1101B	DESCRIPTION : EXTENSION CABLE 8.5 M.	4
1354	WASHER,Ti Gr.2,M10 (ID.11xOD.25xTHK.3 MM.) (C1601)	ITEM NAME : WASHER	300
1355	EXTENSION CABLE 4.5 M. (BENTLY NEVADA), VT- 1197A/B, VT-1198A/B	DESCRIPTION : EXTENSION CABLE 4.5 M.	6
1356	GASKET,TI/TI PTFE/SUS304,150#,20"	DESCRIPTION : GASKET	6
1357	SEAT RING, P/N 1U222939102, FISHER, MODEL EAT, SIZE 6", LV-2701	DESCRIPTION : SEAT RING	1
1358	SHAFT WITH IMPELLER BOLT AND KEY,SUS.316 A276,POS.NO.122 (G2805A/B)	ITEM NAME : SHAFT WITH IMPELLER BOLT AND KEY	1
1359	TURBOLOG DIGI0 MODEL 5 CARD	DESCRIPTION : TURBOLOG DIGIO	1
1360	SLEEVE,SUS304,POS.NO.8 (T2102)	ITEM NAME : SLEEVE	2
1361	OIL MIST FILTER,MICROFIBER,ID.52xOD.65xL.477 MM. (FZ1101A)	ITEM NAME : OIL MIST FILTER	10
1362	SEAL FOR PISTON VALVE,MATERIAL SUS 317L,CLASS 150#,SIZE 1-1/2" "ASUKA"	DESCRIPTION : SEAL FOR PISTON VALVE	2
1363	HEXAGON BOLT FOR IMPELLER,20054278,M24x60 MM.,POS.NO.7830 (P2401A)	ITEM NAME : HEXAGON BOLT FOR IMPELLER	8
1364	IMPELLER,SCS 14,P/N: 09-JM01AA02DB0915,POS.NO.P2- 33 (G2202)	ITEM NAME : IMPELLER	1
1365	(NOT USE) RUPTURE DISC,TAG NO.PSE-1414,MATERIAL TITANIUM,SIZE 6"	DESCRIPTION : RUPTURE DISK (NOT USE)	1
1366	OVER CURRENT RELAY, 7SJ600, SIEMENS	OVER CURRENT PROTECTION RELAY,, WITH 7XP20, FLUSH-MOUNTING, POWER	1
1367	DATA PRINT UNIT C/SET (SIO2 ANALYZER)	MATERIAL DESCRIPTION : DATA PRINT UNIT C/SET, ,	1
1368	MECHANICAL SEAL(SINGLE CARTRIDGE) SIZE: 1.750",TYPE: SPC-SP-BB-FQT(C)	ITEM NAME : MECHANICAL SEAL(SINGLE CARTRIDGE) SIZE: 1.750"	1
1369	DVR 2000E, Digital Voltage Regulator (DG1,2)	Description : DVR 2000E, Digital Voltage Regulator (DG2)	1
1370	SPRAY NOZZLE,SUS316,1/4" EX432SQ,POS.NO.3 (F1441A/B/C)	ITEM NAME : SPRAY NOZZLE	7
1371	SPRAY NOZZLE,SUS316,1/4" EX23W,POS.NO.2 (F1441A/B/C)	ITEM NAME : SPRAY NOZZLE	7
1372	WELDING TIG,C276,2.4*2000 MM, (5KG/BOX)	DESCRIPTION : WELDING TIG ROD	10
1373	INDUCER STUD,SUS316L,P/N: ST06AA01DH2 (G1302A/B/C,G2202A/B)	ITEM NAME : INDUCER STUD	1
1374	V-PACKING,PTFE FFW,POS.NO.5 (P2503)	ITEM NAME : V-PACKING	8
1375	V-ADAPTOR,V7631 2H, 42 * 30 * 15 MM	DESCRIPTION : V-ADAPTOR,	2
1376	STRAINER,JOHNSON SCREEN,VEE- WIRE,BOTTOM,SUS316L,0.23 MM.SLOTxOD.	ITEM NAME : STRAINER	4
1377	SOFT SPARE PART OF METSO LW8MBA	DESCRIPTION : SOFT SPARE PART OF METSO LW8MBA CONTROL VALVE, SPARE PART C	2
1378	GASKET,TI/TI PTFE/304,300#,18"	DESCRIPTION : GASKET	4
1379	SEAL SHAFT,P/N: SBX2-557812,POS.NO.P2-4 (G1302)	ITEM NAME : SEAL SHAFT	4
1380	RTD Pt 100, completed with Thermowell, size 1" ANSI 150 RF, Model: R407N/TW20A,	Description : RTD Pt 100 C/W Thermowell	1
1381	DIAPHRAGM MEMBRANE,VITON/PTFE,358x1820xTHK.3 MM.,POS.NO.51 (F2408)	ITEM NAME : DIAPHRAGM MEMBRANE	4
1382	Diaphragm valve with Pneumatic Actuator, Fail Close, Size 2", Brand : GF, Model :	Description : Diaphragm valve with Pneumatic Actuator, Air Fail Close	2
1383	WELD NECK FLANGE,RF 125-250 RA-FN,S-40S SS ASTM A182 GR.F316L,300#, 8"	WELD NECK FLANGE CL300 RF 125-250 RA-FN S-40S SS, ASTM A182 GR.F316L ANSI-B16.5,	4
1384	COOLER BUFFLE PLATE FOR INTER COOLER(U- TUBE),SS304 (P3861A/B)	ITEM NAME : COOLER BUFFLE PLATE FOR INTER COOLER(U-TUBE)	3
1385	KIT INLET INSPECTION WITH SHIM,P/N: MB409950- 00003WS (P3861A/B)	ITEM NAME : KIT INLET INSPECTION WITH SHIM	1
1386	EEPROM 8KX8 28C64 200NS,357-0064,GUTOR UPS	DESCRIPTION : EEPROM 8KX8 28C64 200NS	3
1387	PC BOARD SAMPL.SIGNAL,M:DAVC-04 (D-3161)	MATERIAL DESCRIPTION : PC BOARD SAMPLING SIGNAL M,	3
1388	RTD 1xPt100/3-Wire-connection, Thurst Bearing, TUNTHAI Expander, Tag : Pinion	Description : RTD 1xPt100/3-Wire-connection	2
1389	TRANSDUCER UNIT,VIBRATION,T-5001C,NISSEI	DESCRIPTION : TRANSDUCER UNIT,	1

1390	SHAFT SLEEVE,SUS316,SIZE: 4x6-17,POS.NO.126 (G2405A/B)	ITEM NAME : SHAFT SLEEVE	1
1391	UPS CONTROL CARD"A"52-02397-00 (CO-GEN)	MATERIAL DESCRIPTION : UPS CONTROL CARD A 52-02397-00, ,	1
1392	SEMI OPEN IMPELLER,N.A.B(ASTM-B148 ,NIKEL/ALUMINIUM/BRONZE),OD.	ITEM NAME : SEMI OPEN IMPELLER	1
1393	DIFFERENTIAL PRESS GAUGE,0-500/1000 MMH20	DESCRIPTION : DIFFERENTIAL PRESSURE	3
1394	MECHANICAL SEAL ASSEMBLY,P/N: 13,14,15,16,18,19,20,21,23 (GZ1301A/B)	ITEM NAME : MECHANICAL SEAL ASSEMBLY	1
1395	CYLINDRICAL BEARING F.IGV STAGE 5,MAT'L: X60162365,P/N: 32#39 (P1101)	ITEM NAME : CYLINDRICAL BEARING F.IGV STAGE 5	6
1396	TRANSDUCER,DRIVE MOTOR CURRENT,JOY	DESCRIPTION : TRANSDUCER,	2
1397	GASKET FOR CHUTE MANHOLE,TOMBO #1050- SI,510x600xTHK.3 MM.,P/N: AF	ITEM NAME : GASKET FOR CHUTE MANHOLE	4
1398	SHAFT SLEEVE,SUS316L,POS.NO.1.1 (G2405A/B PRI)	ITEM NAME : SHAFT SLEEVE	1
1399	GEAR BOX,MODEL: R107 AM132S/M/II2GD "SEW- EURODRIVE" (RV1402E)	ITEM NAME : GEAR BOX	1
1400	GAS DETECTOR, ELECTRO CHEMICAL SENSOR, CROWCON, MODEL XGUARD	DESCRIPTION : FLAME PROOF GAS DETECTOR WITH OLED DISPLAY	1
1401	WELDING ELECTRODE,CW-5000, 3.25*350 MM	DESCRIPTION : WELDING ELECTRODE,	50
1402	WELD NECK FLANGE,SUS304L,LF,900#,6"	WELD NECK FLANGE CL900 LARGE FEMALE 125-250 RA-FN, S-80S SS ASTM A182 GR.F304	1
1403	WEDGE WIRE STRAINER 250 UM,SUS316,SIZE: FLANGE 10",FILTER 250 UM,8"	ITEM NAME : WEDGE WIRE STRAAINER 250 UM	1
1404	SET OF BEARING FOR GEAR BOX (P2406B)	ITEM NAME : SET OF BEARING FOR GEAR BOX	1
1405	DIAL THERMOMETER (For DE/NDE),64501283,SIEMENS (MP-1101)	Description : DIAL THERMOMETER (For DE/NDE)	1
1406	Temperature switch, Mol. TD50,Dia=10mm,L =165,I =2 M,0-100 Degree C,TSH-2413	Description: TEMPERATURE SWITCH, REMOTE INDICATING THERMO METER BULB	1
1407	VICTAULIC COUPLING COMPLETE SET TYPE: 77, 16" DN400 (P1101)	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 77	1
1408	MINI COOLANT(CO/CO2)M-77,SY-S-742,YASHIM	DESCRIPTION : MINI COOLANT,	2
1409	MICRO PROCESSOR BOARD,S1100918C,SERVOMEX	DESCRIPTION : MICRO PROCESSOR BOARD,	2
1410	BACK UP RING,(TEFLON) T/#9020-G20,SIZE: 15.9 MM.,POS.NO.AN (B2402)	ITEM NAME : BACK UP RING	2
1411	WELDING TIG,ER 317L,2.4*1000 MM,WEL	DESCRIPTION : WELDING TIG ROD	20
1412	SHAFT,316SS A276,POS.NO.122 (G2805A/B)	ITEM NAME : SHAFT	1
1413	ELBOW 90, 10 INCH, LONG RADIUS, SS, ASTM A403 GR.WP 304L, SCH 5.0 MM,	DESCRIPTION : ELBOW 90 LONG RADIUS	5
1414	PRESSURE TRANSMITTER WITH GOLD-PLATE	PRESSURE TRANSMITTER,	1
1415	FLEXIBLE COUPLING COMPLETED SET,HUB MILD STEEL,INSERT MATERIAL	ITEM NAME : FLEXIBLE COUPLING COMPLETED SET	9
1416	V-PACKING,PTFE.F.F.W (CODE.ZZ01670856),SIZE: DIA.139*150*3.5 MM.THK,POS.	ITEM NAME : V-PACKING	4
1417	REF.VALVE GENERATOR,P/N 0800 (G-3180)	MATERIAL DESCRIPTION : REFERENCE VALVE GENERATOR (VOLT), ,	1
1418	PRESSURE REGULATOR,FMD500-14ME V1/4M,BOC	PRESSURE REGULATOR,	5
1419	BUTTERFLY VALVE WITH ACTUATOR,12",OKM	BUTTERFLY VALVE WITH ACTUATOR,	1
1420	TORQUE SUPPORT FOR GLAND FOLLOWER (NEW DESIGN),1.4301/1.4307,119	ITEM NAME : TORQUE SUPPORT FOR GLAND FOLLOWER (NEW DESIGN)	12
1421	RTD Pt100 Sensor for TUNTHAI Expander, P/N 955623900, Machine serial No :	Description : RTD Pt100 Sensor	1
1422	ROTA FLOW METER,0.5-5SL/MIN, CONN: 1/4 FEMALE, TOKYO KIESO	DESCRIPTION : ROTA FLOW METER	4
1423	HSH CAP SCREW M10x31,A4-70 G,P/N: SW01_WN48- M10x31-7x4.5,POS.NO.9	ITEM NAME : HSH CAP SCREW M10x31	12
1424	OIL WIPER F.GEAR,MAT'L: X60162367 (P1101)	ITEM NAME : OIL WINPER F.GEAR	2
1425	SHAFT SLEEVE SIZE: 45 MM.,SUS316L,P/N: N101GJ184,POS.NO.27 (G2501)	ITEM NAME : SHAFT SLEEVE SIZE: 45 MM.	1
1426	DIAPHRAGM,VITON/PTFE,1820x358x3.5 FOR 270 SEP. ELEMENT,P/N: 400004001,	ITEM NAME : DIAPHRAGM	3
1427	PACKING FOR PACKING ASS'Y,P/N 045600202	DESCRIPTION : PACKING,	56
1428	O-RING,PTFE,POS.NO.2 "EAGLEBURGMANN" (P2503)	ITEM NAME : O-RING	6
1429	Seat Ring, P/N 29A4230X092, Fisher control valve, FV-1304-1B	Description : Seat Ring	1
1430	O-RING KALREZ 4079 FOR LP.SHAFT SEAL,ID.247.24xTHK.3.53 MM. (J1101B)	ITEM NAME : O-RING KALREZ 4079 FOR LP.SHAFT SEAL	4
1431	IMPELLER OF CONDENSATE PUMP (G-3170)	MATERIAL DESCRIPTION : IMPELLER,	2

1432	SUPPORT HEAD,MATERIAL CAST IRON,I/N 1063 A	DESCRIPTION : SUPPORT HEAD	1
1433	MECHANICAL SEAL,H4A 060 CB55,POS.NO.401 "NSO" (G3531A/B,G3534A/B,	ITEM NAME : MECHANICAL SEAL	2
1434	Trim part Plug and Seat, Motoyama, SUS304ST-F, PV-1117	Description : Trim Part (Plug and Seat)	1
1435	ROTATING SEAL RING,FH42Z5,DIA.100,P/N: 10070371,POS.NO.0053E,0055E	ITEM NAME : ROTATING SEAL RING	2
1436	SOLENOID VALVE 4 WAY,1/4" SINGLE COIL (P-3861A)	DESCRIPTION : SOLENOID VALVE	4
1437	LOCK NUT,TB35,M12,POS.NO.19 (P1301A/B)	ITEM NAME : LOCK NUT	16
1438	NUT,TB35,M12,POS.NO.18 (P1301A/B)	ITEM NAME : NUT	16
1439	GASKET,TI/TI PTFE/SUS304,ID.660x680x720x744xTHK.4.5 MM. (E1102A)	ITEM NAME : GASKET	3
1440	BUSH,000 200 041 507,SIZE: 33/25x30,POS.NO.4176- 013 (J1101B EXPANDER)	ITEM NAME : BUSH	1
1441	BUSH,000 200 041 508,SIZE: 41/25x7.5,POS.NO.4176- 015 (J1101B EXPANDER)	ITEM NAME : BUSH	1
1442	BUSH,000 200 041 507,SIZE: 33/25x30,POS.NO.4176- 013 (J1101B EXPANDER)	ITEM NAME : BUSH	1
1443	BUSH,000 200 041 508,SIZE: 41/25x7.5,POS.NO.4176- 015 (J1101B EXPANDER)	ITEM NAME : BUSH	1
1444	FRP PRESSURE VASSEL "ROPV",FRP,8"x6 M.,300 PSI.,POS.NO.1 (RO4601A/B)	ITEM NAME : FRP PRESSURE VESSEL "ROPV"	1
1445	MECHANICAL SEAL COMPLETE SET,37 SECTIONAL INTERNAL(SINGLE) (G3562)	ITEM NAME : MECHANICAL SEAL	1
1446	GASKET,TI/TI PTFE/CS,SIZE: 2003x2033x2063x2090x4.5 MM.THK (E1601)	ITEM NAME : GASKET	3
1447	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS304,300#,4"	ITEM NAME : DUAL PLATE SWING CHECK VALVE,RETAINERLESS	1
1448	SPRING (48 PCS/SET),20 ALLOY,POS.NO.6 (P1301A/B)	ITEM NAME : SPRING (48 PCS/SET)	3
1449	Rota Flow Meter, Range 100 - 1000 m3/h, Size 3" ANSI 150 RF, Tag : RO (FI-4801B)	Description : Rota Flow Meter	1
1450	BEARING NO.NU 316 ECM/C3 "SKF" (P3551,P3552)	ITEM NAME : BEARING NO.NU 316 ECM/C3	8
1451	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*200 MM.	DESCRIPTION : STUD BOLT & NUT	40
1452	PLATE,SUS317L,4 FTx8 FTxTHK.3 MM.	DESCRIPTION : PLATE	2
1453	GASKET(TYPE: C WITH BAR),TI/TI PTFE/NIL,ID.705x725x765xTHK.4.5 MM. (E1203)	ITEM NAME : GASKET	2
1454	SEGMENT COMPLETE SET A.,F.GAP REDUCER,PEEK,P/N: 400023473,POS.NO.	ITEM NAME : SEGMENT COMPLETE SET A.,F.GAP REDUCER	1
1455	SINAMICS DCM DC converter for 4-quadrant drives Circuit (B6)A (B6) C Input: 400V	DESCRIPTION : SINAMICS DCM DC converter for 4-quadrant drives Circuit (B6)A (B6) C Input:	1
1456	STUD BOLT,M24 (12 PCS/SET),SCM435,P/N: 38 (P2404,P2405)	ITEM NAME : STUD BOLT,M24	12
1457	PNEUMATIC CYLINDER DNG160-215PPV,FESTO, Pos 5.1	Description : PNEUMATIC CYLINDER	2
1458	LUBRICANT OIL,ENERGOL HLP-HM 100,200 L	DESCRIPTION : LUBRICANT OIL,	10
1459	(NOT USE) RUPTURE DISC,SUS 316,SIZE 3" (PSE2412A) (NOT USE-CONFIRMED	ITEM NAME : RUPTURE DISC, 3"-PA2300	1
1460	TEE,SW,SUS317L,SEAM,3000#,1-1/2"	DESCRIPTION : TEE,	12
1461	TEMP RTD,STAGE.2&3 INLET AIR TEMP(B),P/N: P3403629 ,JOY (P-3861A)	DESCRIPTION : TEMP RTD,	3
1462	VIBRATION PROXIMITY PROBE (BENTLY NEVADA), 330101-00-30-10-02-00, P-	DESCRIPTION : VIBRATION PROXIMITY PROBE	2
1463	Hard Disk for System1, HDD SAS 300GB 12G 15K 2.5", HP, ProLiat ML350 Gen9,	Description : Hard Disk for System1, HDD SAS 300GB 12G 15K 2.5"	2
1464	Pump, Sample, WMM60, B5C for Bio Tector B7000i TOC Analyzer "HACH", COD	Description : Pump, Sample, WMM60, B5C for Bio Tector B7000i	1
1465	Filter cell 4 mm , ABB , LimasII,CO/CO2 analyzer , patr no.768834	Description : Filter cell 4 m.m.	1
1466	Filter cell 15 mm , ABB , LimasII,CO/CO2 analyzer , patr no.768862	Description : Filter cell 15 m.m.	1
1467	ORP SENSOR, Pt4805-DPAS-SC-K8S REDOX/ORP PROBE, METTLER TOLEDO	DESCRIPTION : ORP SENSOR, Pt4805-DPAS-SC-K8S REDOX/ORP PROBE, METTLER TOLE	2
1468	GASKET,TI/TI PTFE/304,150#,10"	DESCRIPTION : GASKET	13
1469	GASKET,TI/TI PTFE/304,150#,22"	DESCRIPTION : GASKET	4
1470	BEARING NO.6048M "FAG" (P1301A/B)	ITEM NAME : BEARING NO.6048M	2
1471	NOZZLE,316L/1.4404,POS.NO.5 (PSV1415)	ITEM NAME : NOZZLE	1
1472	WELDING ELECTRODE,CW-6000 ,3.25*350 MM	DESCRIPTION : WELDING ELECTRODE,	15
1473	IMPELLER-BC6,SIZE OD.250 * 90 MM	DESCRIPTION : IMPELLER-BC6	2

1474	KAMMPROFILE GASKET STYLE HEG-C1,SS321 GRAPHITE,ID.512xOD.582xTHK.5 MM (0.5/16.0/0.5), (P2001)	ITEM NAME : KAMMPROFILE GASKET STYLE HEG C1	7
1475	ROUND BAR,SUS 316L,3" * 3 M.	DESCRIPTION : ROUND BAR	2
1476	Pressure Transmitter, Range 0-6 kg/cm2, Tag : P- 1101B, MAPTERKO	Description : Pressure Transmitter Gauge (3051CG)	1
1477	NOZZLE,MATERIAL BS 970-316S11 ST ST,P/N 018999- 263	DESCRIPTION : NOZZLE	2
1478	THRUST WASHER,P/N: WA05AA13C,POS.NO.155D (G2201A- E)	ITEM NAME : THRUST WASHER	2
1479	MECHANICAL SEAL #062,BQ1VGG,POS.NO.062 (P1101 TUNTHAI MOP.PUMP)	ITEM NAME : MECHANICAL SEAL#062	1
1480	BALL VALVE,SUS 316,RF,SEAT: RPTFE,150#,3/4"	DESCRIPTION : BALL VALVE	6
1481	O-RING CORD,VITON,DIA.7 MM. (E1105-E1108)	ITEM NAME : O-RING CORD	89
1482	SOLENOID VALVE , MODEL EFHT8320G203-120VAC, MASONEILAN P/N	Description : Soleniod Valve	1
1483	SHAFT,STAINLESS STELL-DUPLEX 2205,POS.NO.51 (G1502A/B)	ITEM NAME : SHAFT	1
1484	O-RING,MAT'L: PTFE,POS.NO.2 (P1503)	ITEM NAME : O-RING	4
1485	NOZZLE,P/N019034-104,I/N: 4	DESCRIPTION : NOZZLE,	1
1486	TEMP TRANS,TEU7,I/P:4-20MA,PT100IED,H&B	DESCRIPTION : TEMP TRANSMITTER,	2
1487	SEAT RING, WHITE PTFE,448 * 477 * 18.5MM	DESCRIPTION : SEAT,	1
1488	IR-RADIATOR, ABB, Limasll, CO/CO2 Analyzer, Part No 746803	Description : IR-RADIATOR	1
1489	RING CORN MOTOR,I/N302,RXN-750-G8-AC380 (YP2601 CHUTE PRODUCT SILO)	DESCRIPTION : RING CORN MOTOR,	1
1490	SEGMENT DE (GAP REDUCING MODIFICATION),P/N: 400032844 (F2408X)	ITEM NAME : SEGMENT DE (GAP REDUCING MODIFICATION)	1
1491	CONVEYOR HUB CAP,MAT'L: SUS317L,P/N: P-X5135A-1- F,POS.NO.175 (P-1404)	ITEM NAME : CONVEYOR HUB CAP	2
1492	THERMOCOUPLE,M:FSCL6854X1-A7 (DCS)	MATERIAL DESCRIPTION : THERMOCOUPLE,	5
1493	Barrier PCB Assembly, Servomex 2200 Control Unit, O2 Analyzer AT-1301-1C/2C	Description : Barrier PCB Assembly, Servomex 2200 Control unit	1
1494	GASKET(TYPE: F WITH BAR),TI/TI PTFE/NIL,ID.705x725x765xTHK.4.5 MM.	ITEM NAME : GASKET	2
1495	BEARING NO.22313 B "NTN",POS.NO.40230 (P1402)	DESCRIPTION : BEARING	2
1496	3500/60 TEMPERATURE MONITOR RTD IO MODULE,BENTLY NEVADA	TEMPERATURE MONITOR RTD/TC IO MODULE	1
1497	BALL SEAT RING,TYPE HR3-W,MATERIAL PTFE,2PCS/SET,SIZE 8" "KTM",P/N 4	DESCRIPTION : BALL SEAT RING	3
1498	GASKET,TI/TI PTFE/304,300#,16"	DESCRIPTION : GASKET	6
1499	TRANSDUCER,DISCHARGE AIR PRES(D),JOY	DESCRIPTION : TRANSDUCER,	2
1500	SLEEVE,SS 400-HCRP,POS.NO.45 (P1301C)	ITEM NAME : SLEEVE	1
1501	CHECK VALVE,MODEL RSK,WAFER TYPE,DISC.ANSI 316,SEAL EPDM,	ITEM NAME : CHECK VALVE	1
1502	Power supply for CO, CO2 Analyzer, ABB, Part No : 0746751F	Description : Power supply for CO, CO2 Analyzer	1
1503	LCS- MP-1301 A,B (Ex-control unit and control station),include Ammeter	Description : LCS- MP-1301 A,B (Ex-control unit and control station),include Ammeter	1
1504	SHAFT SLEEVE,ASTM A276 GR.316L,POS.NO.2 (T1442B,T1443B,T1444,T1445)	ITEM NAME : SHAFT SLEEVE	1
1505	Pressure Transmitter, Range 0-2.5 kg/cm2, Tag : P-1101B, MAPTERKO	Description : Pressure Transmitter Absolute (3051CA)	1
1506	SEAT AND SEAL OF PV-1805, PV-1803	SEAT AND SEAL OF	2
1507	PINION,SCH420,POS.NO.27 (P1205)	ITEM NAME : PINION	1
1508	O-RING,VITON,DIA.6.98 MM.,POS.NO.52D (P1301A/B)	ITEM NAME : O-RING	10
1509	HELICAL PINION SHAFT RSE32,P/N: E270717101,POS.NO.3602 (P2401)	ITEM NAME : HELICAL PINION SHAFT RSE32	1
1510	SHAFT,AISI 431,P/N: 310.03802-4,POS.NO.51 (G2301A/B)	ITEM NAME : SHAFT	2
1511	ROTA FLOWMETER, SIZE 25 M.M., 1", ANSI 150 RF, RANGE 400-4000 KG/H,	DESCRIPTION : ROTA FLOWMWTER	2
1512	Repair Kit, P/N RV500X00072, Fisher control valve, FV-1304-1C	Description : Repair Kit	4
1513	MECHANICAL SEAL(CARTRIDGE SEAL) SIZE: 43 MM.,BQ1U1MG (G3582C)	ITEM NAME : MECHANICAL SEAL(CARTRIDGE SEAL)	1
1514	FLEXIBLE COUPLING COMPLETE SET,HUB MILD STEEL "ALTRA-FLEX" (GZ2408,	ITEM NAME : FLEXIBLE COUPLING	10
1515	DOMED WASHER,Ti 2,OD.38 MM.,P/N: 802-516G101 (C1601)	ITEM NAME : DOMED WASHER	200

1516	LOCK NUT,TB35,M27,POS.NO.30 (P1301,P1401)	DESCRIPTION : LOCK NUT,	61
1517	GASKET,TI/TI PTFE/SUS304,150#,16"	DESCRIPTION : GASKET	7
1518	VOLTAGE REGULATOR,P/N 0810 (G-3180)	MATERIAL DESCRIPTION : VOL	2
1519	MECHANICAL SEAL SIZE: 1.875,26-M7ZS1/47.625- G1,SBEGG "EBTH" (G1102,	ITEM NAME : MECHANICAL SEAL SIZE: 1.875	2
1520	BALL VALVE,CF8,RF,600#,4"	BALL VALVE CL600 RAISE FACE 125-250 RA-FN SS A351 GR.CF8 BODY SS304, TRIM GRAP.S	1
1521	FILTER BAG,POLYESTER FELT,DIA.117xL.3005 MM. (BF2411,BF2901)	ITEM NAME : FILTER BAG	175
1522	GASKET F.VICTAULIC COUPLING TYPE: 77,SILIKON (RED), 20" DN500L (P1101	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 77	3
1523	GASKET,TI/TI PTFE/SUS304,ID.640x666x703x725xTHK.4.5 MM. (D1402)	ITEM NAME : GASKET	3
1524	SET SCREW,M12,SUS316,POS.NO.12 (P1301C)	ITEM NAME : SET SCREW,M12	12
1525	SET SCREW,M16,SUS316,POS.NO.29 (P1301C)	ITEM NAME : SET SCREW,M16	12
1526	IMPELLER,MATERIAL 1000,I/N 101	DESCRIPTION : IMPELLER	2
1527	SHAFT,1.4021/ASTM A276,POS.NO.210 (G2701A/B)	ITEM NAME : SHAFT	1
1528	Motor Start "DELCO REMMY" 24 VDC,(DG1)	Description : Motor Start "DELCO REMMY" 24 VDC,(DG1)	1
1529	GASKET(P1),304/304 PTFE/NIL,SIZE: 520x560x594x4.5 MM.THK (D1503)	ITEM NAME : GASKET(P1)	8
1530	DIAPHRAGM VR3, TAG : FV-1802A, FV-1802B	DESCRIPTION : DIAPHRAGM VR3	2
1531	UNIVERSAL LEVER,000 200 368 397,SIZE: 145x36 FOR M10,P/N: 30,POS.NO.2181-	ITEM NAME : UNIVERSAL LEVER	11
1532	SEAT & RETAINER,I/N 6 & 7,KITAMURA	DESCRIPTION : SEAT & RETAINER,	2
1533	BEARING SPACER,P/N: C10792A-1-DAD,I/N: 37 (P- 2408,P-2409)	Description : BEARING SPACER	2
1534	STUFFING BOX,DWG.NO.P-930823-0,I/N 4	DESCRIPTION : STUFFING BOX	2
1535	DISC,X6 CR NI MO 17-12-2,I/N 7	MATERIAL DESCRIPTION : SEAT,	1
1536	CONVERTER CARD, FREQUENCY TO VOLTAGE, P/N Z10708- A4, BRAND SPERI,	DESCRIPTION : CONVERTER CARD, FREQUENCY TO VOLTAGE	3
1537	TOOTHED RIM SEGMEN F. IGV,ST:5,I/N:30#37	DESCRIPTION : TOOTHED RIM SEGMENT INLET GUIDE VANE CONTROL,	1
1538	GASKET,NIL/TI ASB/TI,300#,12"	DESCRIPTION : GASKET,	8
1539	SAMPLE FLOW TUBE&FLOAT(O2)5981-3871,SERV	DESCRIPTION : SAMPLE FLOW TUBE&FLOAT,	2
1540	SHAFT SLEEVE MODIFY FOR NEW SEAL "PSS",SUS316L (G2406A/B,G2407A/B)	ITEM NAME : SHAFT SLEEVE MODIFY	2
1541	SLEEVE NUT,SUS316,POS.NO.23,DWG.NO.TY9-05722 (G1445A/B/C)	ITEM NAME : SLEEVE NUT	2
1542	WELDING TIG ROD,ALLOY STELLITE#1,DIA:1/8"*36",(5KG/BOX)	Description : WELDING TIG ROD	10
1543	GASKET (SERIES "B"),TI/TI PTFE/SUS304,150#,28"	DESCRIPTION : GASKET	4
1544	FRONT DISPLAY OF CONTROL,53MC5000,FISHER	DESCRIPTION : FRONT DISPLAY OF CONTROLLER,	2
1545	CONSTANT FLOW VALVE (CMP), TAG : FI-1440A/B, FI- 1447A/B, FI-1458A/B	DESCRIPTION : CONSTANT FLOW VALVE (CMP)	2
1546	4 PORT MODBUS GATEWAY, ADVANTECH, EKI-1224CI-CE, 4xRS232/422/485,	DESCRIPTION : 4 PORT MODBUS GATEWAY WITH SOLUTION AND	2
1547	POWER SUPPLY,115/230V,FISHER	DESCRIPTION : POWER	1
1548	LOCK NUT,SIZE.24,MAT,L:TB 35,I/N 27	DESCRIPTION : LOCK NUT,	48
1549	OVERSPEED COUNTER CARD, BRAUN (MAPTERKO)	DESCRIPTION : OVERSPEED COUNTER CARD	1
1550	BUSHING RING,HASTELLOY C4,P/N:41	DESCRIPTION : BUSHING RING,	1
1551	SPROCKET NON-DRIVE SIZE,CS./S35C,SIZE: JIS-160- 22T,POS.NO.AA-7 "TSK"	ITEM NAME : SPROCKET NON-DRIVE SIZE	1
1552	SHAFT,STAINLESS STELL-DUPLEX 2205,(S0400) EN 1.4460,P/N: 310.03802-4,	ITEM NAME : SHAFT	1
1553	DEFLECTOR,BRONZE CASTING,CAC406,P/N: 094-02 (G3260G/H/I/J)	ITEM NAME : DEFLECTOR	2
1554	PNEUMATIC BUTTERFLY VALVE,FC20,CS,12"	DESCRIPTION : PNEUMATIC BUTTERFLY VALVE,	1
1555	DAC8 CHANNELS OUTPUT BOARD MIR 9000(CEMS	MATERIAL DESCRIPTION : DAC8 CHANNELS OUTPUT BOARD,	1
1556	QUAD FILTER,ELEC,EMI/RFI,17-01-16,JOY	DESCRIPTION : QUAD FILTER,	2
1557	BEARING NO.89317 ,POS.NO.35 (P1403,P2102,P2406)	ITEM NAME : BEARING NO.89317	1

1558	Position transmitter Feedback , SRI986 Atex (foxboro eckardt), TUNTAi	Description : Position transmitter Feedback , SRI986 Atex	2
1559	STEEL PIPE WITH RUBBER LINER,SGP,INSIDE 3 MM.RL,FLANGE 5 MM.,RL,	ITEM NAME : STEEL PIPE WITH RUBBER LINER	1
1560	SPACER COUPLING NO.ES-40,P/N: 7300110 "OMEGA" (G1403C/D,G1441C,	ITEM NAME : SPACER COUPLING NO.ES40	3
1561	DIAL PLATE BAND: TOKYOKEISO MODEL : FT-1102 RANGE 0-15 m, LT-2302,	DESCRIPTION : DIAL PLATE ACCESSORIES (STANDARD)	5
1562	GASKET,TI/TI PTFE/304,150#,6"	DESCRIPTION : GASKET	24
1563	BEARING NO.30219 DB "NSK" (P1203,P1205)	ITEM NAME : BEARING NO.30219 DB	1
1564	GLAND PACKING,P#6610 + P#316, TAG : TV-2201	DESCRIPTION : GLAND PACKING COMPLETED SET	1
1565	GASKET,TI/TI PTFE/304,300#, 24" (603x650x685x773 MM.) (R1301C)	ITEM NAME : GASKET	5
1566	SLEEVE COLLAR,SS400,POS.NO.15 (P1202B)	ITEM NAME : SLEEVE	1
1567	ROTA FLOW METER,5-50 KG/HR,1/2",S316, TAG : FT- 1734	ROTA FLOW METER FOR G-1705A/B FLUSHING	2
1568	SPRING 1.4310,MATERIAL 316L SS,P/N 540.8884.0000	DESCRIPTION : SPRING 1.4310	1
1569	OVERCURRENT RELAY,COC4-A01D1 523PMB,1-12A (0.1A STEP),110V,	Description : OVERCURRENT RELAY	1
1570	10" WELD NECK FLANGE CL900 RF STD-FN CS ASTM A105 ANSI-B16.5	DESCRIPTION : WELD NECK FLANGE	1
1571	FLEXIBLE HOSE,SINGLE BRAIDE,SUS316,SIZE: 10"x1045 MM. (FLX-1601 HOSE AT	ITEM NAME : FLEXIBLE HOSE	1
1572	Soft start ABB Type PSE 170-600-70 for MAPTAKO Turning gear (MJ-1101)	Description : Soft start ABB Type PSE 170-600-70 for MAPTAKO Turning gear (MJ-1101)	1
1573	Optical filter CO2 4,300 mm , ABB , LimasII,CO/CO2 analyzer , patr no.768838	Description : Optical filter CO2 4,300 m.m.	1
1574	Optical filter CO2 4,691 mm , ABB , LimasII,CO/CO2 analyzer , patr no.768874	Description : Optical filter, Co2 4,691 m.m.	1
1575	HELICAL GEAR,P/N: C270477001,POS.NO.3603 (P2401,P2402,P2407)	ITEM NAME : HELICAL GEAR	1
1576	COMPRESS RING,SUS316,POS.NO.6 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : COMPRESS RING	2
1577	POWER SUPPLY,3A,250V(16A)1771-P7/B,ALLEN	DESCRIPTION : POWER	2
1578	LOCK NUT #AN64,SS400,POS.NO.38 (P1301C)	ITEM NAME : LOCK NUT #AN64	1
1579	BEARING NO.3311 A "SKF" (G1102,G1505C,G2406)	ITEM NAME : BEARING NO.3311 A	18
1580	Magnetic flow, Integral type, 3" ANSI 150 ,	DESCRIPTION: MAGNETIC FLOW COMPLETED SET	1
1581	TRANS ELEC CARD, 01151-0948-0203,FISHER	DESCRIPTION : TRANSMITTER ELECTRONIC CARD,	3
1582	Bend 10", SCH S-10S, 90 deg 5D, BE SUS304TP-A	Bend 10", SCH S-10S, 90 deg 5D, BE SUS304TP-A	1
1583	COLLAR,SUS316,POS.NO.8 (P1202B)	ITEM NAME : COLLAR	2
1584	VICTAULIC COUPLING COMPLETE SET TYPE: 77, 32" DN800 (P1101 THUNTAI)	ITEM NAME : VICTAULIC COUPLING COMPLETED SET TYPE: 77	1
1585	SHAFT SLEEVE M/S 1.750",316 SS,POS.NO.126 (G1703A/B,G1901A-F,G1911C,	ITEM NAME : SHAFT SLEEVE M/S 1.750"	4
1586	GASKET,TI/TI PTFE/SUS304,515x530x575x606xTHK.4.5 MM. (D1202,D1203,D1502)	ITEM NAME : GASKET	5
1587	IMPELLER NUT STAGE: 3+4,MAT'L: X20CR13V,SIZE: M39 (P-1101)	ITEM NAME : IMPELLER NUT STAGE: 3+4	1
1588	TRANSDUCER,VXW1080-C91L-1102,BRAND:OVAL	DESCRIPTION : TRANSDUCER,	1
1589	FLOW TRANSMITTER,150#,4", FI-1689	FLOW TRANSMITTER	1
1590	GASKET FOR CASING COVER,SILICONE RUBBER,POS.NO.2- JAN (T2101)	DESCRIPTION : GASKET FOR CASING COVER	3
1591	BOWL BOTTOM BEARING SEAL(2 PCS/SET),TEFLON&SUS316L,P/N: W-V5247B-	ITEM NAME : BOWL BOTTOM BEARING SEAL	4
1592	SPACER RING,SUS304,SIZE: DIA.105x120x10 MM.,P/N: S (B2402)	ITEM NAME : SPACER RING	3
1593	SMART TEMPERATURE TRANSMITTER, REMOTE MOUNT, ROSEMOUNT, TAG :	DESCRIPTION : SMART TEMPERATURE TRANSMITTER, REMOTE MOUNT	2
1594	HEATER/SUPPLY PCBA,SERVOMEX	DESCRIPTION : HEATER /	1
1595	THRUST PLATE GEAR BOX ASSEMBLY,P/N: P-W59081#- 001#-DJD00,POS.NO.3-1-	ITEM NAME : THRUST PLATE GEAR BOX ASSEMBLY	1
1596	NOZZLE,MATERIAL BS 970-316S11 ST ST,P/N 019041- 263	DESCRIPTION : NOZZLE	1
1597	GASKET(A/BP1),TI/TI PTFE/CS,SIZE: 562x584x624x648x4.5 MM.THK (R1301)	ITEM NAME : GASKET (A/BP1)	5
1598	O-RING,PTFE FF,DIA.173xTHK.6 MM.,POS.NO.2 (P1202B)	ITEM NAME : O-RING	8
1599	SEAT RING FOR BALL VALVE,MATERIAL GRAPHITE,CLASS 300#,SIZE 1"	DESCRIPTION : SEAT RING FOR BALL VALVE	4

1600	GASKET SHEET,ASB & GRAP,1500x1500xTHK.5 MM.	DESCRIPTION : GASKET SHEET	5
1601	OIL FILTER FOR GEAR BOX,PAPER,P/N: W51711-2- Z8A,T08-010P (GZ2408,	ITEM NAME : OIL FILTER FOR GEAR BOX	16
1602	DIVE PIN (16 PCS/SET),316 SS,POS.NO.9 (P1401)	ITEM NAME : DIVE PIN (16 PCS/SET)	2
1603	VOLTAGE RELAY,AUX.VOLT AC/DC 100-220V,CBV2-A01D1 541PMB,MITSUBISHI	Description : Voltage relay , Aux.Volt AC/DC 100-220 V	1
1604	O-RING,K1,P/N: SE01_158.12x5.33_00338BA0,POS.NO.8 (P2401A)	ITEM NAME : O-RING	4
1605	Remote seal pressure transmitter, Flange mounted,Flush mounting,ANSI150#,RF,	Description : Remote SealPressure Transmitter	1
1606	INTERMEDIATE BEARING SPLIT TYPE,PTFE GLASS 25%,POS.NO.8 (P1401,	ITEM NAME : INTERMEDIATE BEARING SPLIT TYPE	1
1607	FLEXIBLE COUPLING COMPLETE SET,RUPEX TYPE: RWN252,POS.NO.35	ITEM NAME : FLEXIBLE COUPLING COMPLETE SET	1
1608	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-Z (SUS317L),ID 470 x	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	1
1609	RING ORIFICE PLATE, CONNER TAP, SIZE 6", SS316, FE-1619	DESCRIPTION : RING ORIFICE PLATE	1
1610	RTD PT100 OHM,L=440,I=300,TE-1505,1619..	DESCRIPTION : RTD ELEMENT	2
1611	SR25 Pump WSENSOR 2.4 ID tube for Bio Tector B7000i TOC Analyzer "HACH",	Description : SR25 Pump WSENSOR 2.4 ID tube for Bio Tector B7000i	1
1612	GASKET(SERIES: A),TI/TI PTFE/304,150#,36"	DESCRIPTION : GASKET(SERIES: A)	2
1613	PIPE,A790 UNS S31803,SL,SCH 40,2"	PIPE,SMLS BE,S-40S,SS A790 UNS S31803	12
1614	SHAFT SLEEVE,SUS316L,P/N: 2 INCLUDE SET SCREW P/N: 7 (T1442)	ITEM NAME : SHAFT SLEEVE	1
1615	TURBOLOG DIG132 MODEL 2 CARD	DESCRIPTION : TURBOLOG DIGI32	1
1616	STEEL PIPE WITH RUBBER LINER,SGP,INSIDE 3 MM.RL,FLANGE 5 MM.RL,	ITEM NAME : STEEL PIPE WITH RUBBER LINER	1
1617	BIO TECTOR ACID REAGENT,P/N: 25255061,B7000I TOC ANALYER "HACH" (COD	DESCRIPTION : BIO TECTOR ACID REAGENT(1.8N 80mg/L MN)	5
1618	BUSH,P/N 46,I/N 515531100	DESCRIPTION : BUSH	2
1619	O-RING F IGV CONTROL STAGE.3,NBR,ID.47.63xTHK.3.53 MM.,P/N: 3175475	DESCRIPTION : O-RING F INLET, INNER,OUTER : 47.63 * 3.53 MM,	11
1620	ECCENTRIC RED,BW,316L,10.5*9.5MM,16"*14"	DESCRIPTION : ECCENTRIC REDUCER,	1
1621	Over-current relay COC1-A01D1 503PMB , Aux.Volt AC/DC 100-220 V, MITSUBISHI,	Description : Over-current relay , Aux.Volt AC/DC 100-220 V	1
1622	Over-current relay COC2-A01D1 511PMB , Aux.Volt AC/DC 100-220 V, MITSUBISHI,	Description : Over-current relay , Aux.Volt AC/DC 100-220 V	1
1623	PIPE 3", EFW BE B36.19 A312 GR.TP316L SCH 40S	PIPE 3", EFW BE B36.19 A312 GR.TP316L SCH 40S	3
1624	SAFETY ISOLAT TR-15%220-240VAC+10%,GUTOR	SAFETY ISOLATE TRANS	3
1625	SEAL FACE FOR MECHANICAL SEAL,TYPE M7N Q1QM2GG,SIZE 65 MM	DESCRIPTION : SEAL FACE FOR MECHANICAL SEAL	3
1626	TRANSDUCER,AIR FILTER DIFF PRESS(E),JOY (P-3861A)	DESCRIPTION : TRANSDUCER,	1
1627	STATIC REACTIVE POWER RELEY, 7RM3101-0A	DESCRIPTION : STATIC REACTIVE,	1
1628	SPHERICAL ROLLER BEARING NO.23226,P/N: U6023226C0,POS.NO.6001/6002	ITEM NAME : SPHERICAL ROLLER BEARING NO.23226	4
1629	GASKET,TI/TI PTFE/304,300#,6"	DESCRIPTION : GASKET	22
1630	SIMATIC S5, CPU 102 F.S5-100U PC W.POWER SUPPLY UNIT ,24V/9V DC ,	DESCRIPTION : SIMATIC S5, CPU 102 F.S5-100U PC W.POWER SUPPLY UNIT	1
1631	SEAT RUBBER,EPDM/ST.STEEL,E1, 3",VIKING	DESCRIPTION : SEAT,	3
1632	VSD,ABB,ACS580-01-062A-4+J400 30KW,58A	DESCRIPTION : VSD,ABB,ACS580-01-062A-4+J400 30KW,58A	1
1633	WELDING NECK FLANGE,FEMALE,A105N,900#,1"	DESCRIPTION : WELD NECK FLANGE	5
1634	ROTA FLOW METER,0.5-5 L/MIN,WATER,TOKYO	DESCRIPTION : ROTA FLOW METER	4
1635	STRAINER ORIFIC,DELUGE VALVE,BRASS,1/2"	DESCRIPTION : STRAINER ORIFIC,	4
1636	BALDOR SEALS INCLUDING: BALDOR DE INPRO SEAL, P/N 048135030C,BALDOR	Description : BALDOR SEALS INCLUDING: BALDOR DE INPRO SEAL, P/N 048135030C,	2
1637	STATIONNARY SEAL RING,CARBON DI SILICIO,P/N: 6648120U31,POS.NO.1	ITEM NAME : STATIONNARY SEAL RING	1
1638	GASKET,TI/TI PTFE/SUS304,150#,14"	DESCRIPTION : GASKET	9
1639	BOWL BOTTOM BEARING SEAL(2 PCS/SET),TEFLON&SUS316L,P/N: V5247B 150	ITEM NAME : BOWL BOTTOM BEARING SEAL	4
1640	GUIDE BUSH,MATERIAL SA 564 17/4,P/N 019063- 226,I/N 43	DESCRIPTION : GUIDE BUSH	2
1641	10" Pipe, SMLS, PE, S-40, CS A106 GR.B ASME	10" Pipe, SMLS, PE, S-40, CS A106 GR.B ASME	3

1642	CHECK VALVE,1" SWING CHECK,P/N: 03407- 021,POS.NO.6 (G3601A/B)	ITEM NAME : CHECK VALVE	1
1643	SEAT RING FOR BALL VALVE,MATERIAL GRAPHITE,CLASS 300#,SIZE 4"	DESCRIPTION : SEAT RING FOR BALL VALVE	2
1644	DP TRANSMITTER,SUS 316,DP,1",STARDUST	DP TRANSMITTER	1
1645	CONDUCTIVITY TRANSMITTER,3-8850-1P	DESCRIPTION : CONDUCTIVITY TRANSMITTER,	2
1646	DI 24VDC FTA RED(32),MC-TDIY22,HONEYWELL	DI 24VDC FTA RED (32) COMPR,	1
1647	BEARING ISOLATOR,P/N: SE03AA01,POS.NO.115 (G2201E)	ITEM NAME : BEARING ISOLATOR	4
1648	WELD NECK FLANGE,SUS 304,RF,600#,4"	DESCRIPTION : WELD NECK FLANGE,	5
1649	SHAFT PUMP,SUS410,POS.NO.204 (G3535)	ITEM NAME : SHAFT PUMP	4
1650	WELD NECK FLANGE,SUS317L,RF,S-40S,300#,8"	DESCRIPTION : WELD NECK FLANGE,	2
1651	VIBRATION PROBE,R/N:13-02-01, JOY	DESCRIPTION : VIB	2
1652	POWER CONVERTOR,FSCP6701X1-FA8 (DCS)	MATERIAL DESCRIPTION : POWER CONVERTOR AND -, COMMUNIC	17
1653	FLOAT,ALUMINIUM,12-120 NM3/H,TOKYO	DESCRIPTION : FLOAT & TAPEPED TUBE,	5
1654	GEAR ACTUATOR,CAST IRON,150#,24"	DESCRIPTION : GEAR ACTUATOR,	2
1655	METERING PUMP,MODEL: EHN-C36VCMR "IWAKI" (G4802,G4806,G4807)	ITEM NAME : METERING PUMP	2
1656	GLAND PACKING,TOMBO#9034(PTFE FIBER AND TREATED WITH PTFE),3/8"(9.5	ITEM NAME : GLAND PACKING	6
1657	TEE,SUS 304,BW,SEAM,SCH 40,10"	DESCRIPTION : TEE,	3
1658	O-RING PRESSURE COM.,P/N: 10061675,POS.NO.0021 (P2401A)	ITEM NAME : O-RING PRESSURE COM.	2
1659	EXPANSION JOINT,CS./RUBBER,150#,20"x L.265 MM. (COOL TOWER)	ITEM NAME : EXPANSION JOINT	1
1660	Wire wound gasket, Pos No 113, Material Graphite/Titanium, Tag : PV-2309	Description : Wire wound gasket, Pos No 113	1
1661	Wire wound gasket, Pos No 1, Material Graphite/Titanium, Tag : PV-2309	Description : Wire wound gasket, Pos No 1	1
1662	LOCKING PLATE,SIZE: M36,P/N: 20096545,POS.NO.6130 (P1404)	ITEM NAME : LOCKING PLATE	14
1663	REPAIR KIT FOR DIAPHRAGM VALVE,1",SAHARA	DESCRIPTION : REPAIR KIT,	2
1664	SHAFT SLEEVE,316SS,P/N: AY38913AA-316,POS.NO.177 (G1802C/D)	ITEM NAME : SHAFT SLEEVE	2
1665	SMART TRANSMITTER POWER SUPPLY, SPLITTER 2 OUTPUT, KCD2-STC-1.2O,	DESCRIPTION : SMART TRANSMITTER POWER SUPPLY, SPLITTER 2 OUTPUT,	3
1666	CONDUCTIVITY INDICATOR C/SET (ANALYZER)	MATERIAL DESCRIPTION : CONDUCTIVITY INDICATOR,	2
1667	ROUND BAR,SUS 317L,1-1/2"*3 M	DESCRIPTION : ROUND BAR	1
1668	GLOBE VALVE,BW,SUS304,1500#, 3/4"	DESCRIPTION : GLOBE VALVE,	1
1669	GASKET F.VICTAULIC COUPLING TYPE: 31,SILIKON (RED), 30" DN800 (P1101	ITEM NAME : GASKET VICTAULIC COUPLING TYPE: 31	1
1670	SHAFT SLEEVE,SUS 316,DWG.NO.P-930823-0,I/N 9	DESCRIPTION : SHAFT SLEEVE	2
1671	STEEL PIPE WITH RUBBER LINER,SGP,INSIDE 3 MM.RL,FLANGE 5 MM.,RL,	ITEM NAME : STEEL PIPE WITH RUBBER LINER	1
1672	MULTIFUNCTION PROTECTION RELAY,MITSUBISH	MULTIFUNCTION PROTECTION RELAY,	1
1673	LOCK NUT #AN56,SS400,POS.NO.47 (P1301C)	ITEM NAME : LOCK NUT #AN56	1
1674	MECHANICAL SEAL SIZE: 35 MM.(CARTRIDGE SEAL),26S- CARTEX-SN/35-00	ITEM NAME : MECHANICAL SEAL SIZE: 35 MM.(CARTRIDGE SEAL)	1
1675	GASKET,TI/TI PTFE/304,300#,20"	DESCRIPTION : GASKET	6
1676	MECHANICAL SEAL SIZE: 1.125",CARTRIDGE SEAL,Q1Q1EGG "EBTH" (G1501,	ITEM NAME : MECHANICAL SEAL SIZE: 1.125"	1
1677	BOLT WITH NUT (INCLUDE WIRE),ASTM904L,M12x40 MM.,POS.NO.97 (P1203)	ITEM NAME : BOLT WITH NUT	2
1678	CASING WEARING,P/N: 502 (G3261XA,XB,XC)	ITEM NAME : CASING WEARING	2
1679	GASKET(B),C/W PARTITION BAR 10 MM.),TI/TI PTFE/NIL,SIZE: 428x468x508x4.5	ITEM NAME : GASKET(B)	4
1680	SIMATIC S5 PLC DIGITAL INPUT MODULE(FGD)	MATERIAL DESCRIPTION : SIMATIC S5 430 DIGITAL INPUT MODULE,,	1
1681	GLOBE VALVE,C.S,R.F,PN 6.4 MPA,DN 20	MATERIAL DESCRIPTION : GLOBE VALVE,	7
1682	SPRAY NOZZLE,SUS316,1" WL15120 "BETE" (C1401A/B)	DESCRIPTION : SPRAY NOZZLE	12
1683	Repair Kit, P/N RV500X00062, Fisher control valve, FV-1304-1B	Description : Repair Kit	4

1684	CONTROL UNIT MWG KIT,IGV,SAR07.5,AUMA	CONTROL UNIT MWG KIT FOR IGV MOTOR	1
1685	SIGHT GLASS COMPLETE SET,NO.10,REFLEX GLASS/GASKET/CUSHION,W.	DESCRIPTION : SIGHT GLASS,	6
1686	2-FOLD AND UNIT, GUZS-F4112, HIMA	DESCRIPTION : 2-FOLD AND UNIT,	2
1687	SOFT SPARE PART OF METSO LW7LBA3500	DESCRIPTION : SOFT SPARE PART OF METSO LW7LBA3500 CONTROL VALVE, SPARE PA	2
1688	SLEEVE ASSEMBLY,SEAL TYPE: ISC1BX,MAT'L: ALLOY C- 276,SIZE: SEAL SIZE:	ITEM NAME : SLEEVE ASSEMBLY	1
1689	COVER SEAL,PTFE/GYLON,1800x765x3,P/N: 400006127,POS.NO.108 (F2408)	COVER SEAL,DWG NO.950001388,PART LIST NO.108,P/N 400006127,MATERIAL PTFE/GYLO	2
1690	WEDGE RING,PTFE FFW (CODE:ZZ02386264),SIZE: ID.120xOD.130x10 MM.THK,	ITEM NAME : WEDGE RING	2
1691	BENTLY NEVADA VIBRATION PROXIMITY PROBE, 330105- 02-12-10-02-00	DESCRIPTION : VIBRANTION PROBE	3
1692	BEARING SHIMS OUTPUT SHAFT&INTERM SHAFT,P/N: 824- 1712&826-1712	ITEM NAME : BEARING SHIMS OUTPUT SHAFT&INTERM SHAFT	2
1693	BALL VALVE,S317,125-250 RA-FN,300#,3/4"	BALL VALVE, CL 300#, RF 125-250 RA-FN, SS ASTM A351,	1
1694	UNIVERSAL LEVER,000 200 368 398,SIZE: M12xL.140,P/N: 29,POS.NO.2181-019	ITEM NAME : UNIVERSAL LEVER	1
1695	GASKET,INCLUDE CENTER BAR=10 MM.,NIL/TI GRAP/NIL,SIZE: ID.488xOD.538x4.	ITEM NAME : GASKET	3
1696	MOTOR FOR IGV P-1101B,ADOR71-4/80, AUMA	MOTOR	1
1697	D/P TRANSMITTER,0-1250 MMH2O,SS316	DESCRIPTION : DIFFERENCE PRESSURE TRANSMITTER,	1
1698	LEVEL SENSOR NRG26-21 (DEAERATOR)	MATERIAL DESCRIPTION : LEVEL SENSOR,	1
1699	BEARING SPRING,P/N P-C10797-1,I/N 9	DESCRIPTION : BEARING SPRING	2
1700	ROTARY SEAL RING,AISI 316L+GRAFITE,P/N: 8063120EZ3,POS.NO.2 (E1507)	ITEM NAME : ROTARY SEAL RING	1
1701	VIBRATION PROXIMITY PROBE,8 MM,BENTLY	DESCRIPTION : VIBRATION PROXIMITY PROBE	3
1702	MOTOR GEAR BOX,P/N 941177-0018,E&H	DESCRIPTION : MOTOR GEAR,	1
1703	DISC,X60113949,P/N: 2:26-10066/1-18-601-01- 023,POS.NO.23 (P1101 TUNTHAI)	ITEM NAME : DISC	2
1704	FRAME END COVER,THRUST,CARBON STEEL A216 GR.WCB,P/N: 109A	ITEM NAME : FRAME END COVER,THRUST	1
1705	TRACKBALL OF IKB, 51196694-901,Honeywell DCS	DESCRIPTION : TRACKBALL OF IKB, 51196694-901,Honeywell DCS	1
1706	CO GAS DETECTOR COMP SET,0-200 PPM,ATI	DESCRIPTION : CO GAS DETECTOR COMPLETED SET,	1
1707	POWER SUPPLY+5VDC,FSDH7010X1-A1 (DCS)	MATERIAL DESCRIPTION : POWER	1
1708	SHAFT SLEEVE,1.4301 F,P/N: SL01-26-HSHLV-D/140- E1-16_00242BA0,POS.NO.16	ITEM NAME : SHAFT SLEEVE	1
1709	O-RING,K1,P/N: SE01_142.42x5.33_00338A0,POS.NO.19,20 (P2401A)	ITEM NAME : O-RING	4
1710	CIRCUIT BOARD OF AC ANALOG ACTUATOR	CIRCUIT BOARD OF AC ANALOG ACTUATOR	1
1711	GATE VALVE,SUS 304,SW,800#,1",CRANE	DESCRIPTION : GATE VALVE	4
1712	GLOBE VALVE,SUS 304,RF,150#,2"	GLOBE VALVE CL150 RF 125-250 RA-FN SS A351 GR.CF8, BODY SS304 TRIM LOOSE DISC (	2
1713	GASKET SHEET,SILICONE,W.1 M.xL.10 M.xTHK.3 MM.	DESCRIPTION : GASKET SHEET	1
1714	RUPTURE DISC HOLDER,SUS316L GASKET: GRAPHITE TI.,SIZE: 3" AISI 900# LF.	ITEM NAME : RUPTURE DISC HOLDER	1
1715	Machine Cover : Sealing A50*25 CR120-GZ*15M (MP- 1101)	Description : Machine Cover : Sealing A50*25 CR120-GZ*15M (MP-1101)	1
1716	PLUMMER BLOCK NO.SN519+2219K+H319+ZF19,POS.NO.9 (T2101)	DESCRIPTION : PLUMMER BLOCK	1
1717	SHAFT SLEEVE,DUPLEX 2205,P/N: 9901710- 033,POS.NO.14 (G1503A/B)	ITEM NAME : SHAFT SLEEVE	1
1718	SEPARATING ELEMENT OF CONTROL HEAD,P/N 68	Description : SEPARATING ELEMENT OF CONTROL HEAD	3
1719	SET BOLTS OF FLEXIBLE COUPLING COMPLETE SET,RUPEX TYPE: RWN252,	ITEM NAME : SET BOLTS OF FLEXIBLE COUPLING COMPLETE SET	2
1720	OIL GAUGE,POS.NO.BL-12 (B-1402 B)	ITEM NAME : OIL GAUGE	4
1721	PIPE,SUS304,SL,SCH160,2"*6 M.	Description : PIPE	1
1722	LEVEL CONTROLLER,T630 (DEAERATOR)	MATERIAL DESCRIPTION : LEVEL CONTROLLER,	1
1723	VALVE POSITIONER SMART TYPE FOR DOUBLE ACTING, BRAND : 3S, MODEL :	DESCRIPTION : VALVE POSITIONER SMART TYPE FOR DOUBLE ACTING	1
1724	WEDGE RING,PTFE-EFW,POS.NO.13 (P1403,P2102,P2406)	ITEM NAME : WEDGE RING	2
1725	RADIAL BEARING LAB'Y SEAL WITH O- RING,BRONZE,POS.NO.333A (G1403C/D,	Description : RADIAL BEARING LAB'Y SEAL WITH O-RING	2

1726	ANALOG INPUT MODULE,FSCL6859X1-A1 (DCS)	MATERIAL DESCRIPTION : ANALOG INPUT MODULE (DUAL), MODEL [illegible]	8
1727	DRIVE PIN,SUS316L,POS.NO.36 (P1401,P2401)	ITEM NAME : DRIVE PIN MATERIAL [illegible]	32
1728	FLOAT,FLOWSIGHT,BALL-SPRING LOADED,POS NO.11 "HITACHI" (P1301A/B)	ITEM NAME : FLOAT,FLOWSIGHT TYPE [illegible]	3
1729	O-RING CORD,VITON,DIA.10 MM. (D2402,D2403,D2404)	ITEM NAME : O-RING CORD MATERIAL [illegible]	50
1730	ROTA FLOW METER,1-10 NL/MIN,PURGE,TOKYO	DESCRIPTION : ROTA FLOW METER SIZE,DIMENSION [illegible]	4
1731	GASKET 2T,MATERIAL TOMBO #9020,I/N AH	DESCRIPTION : GASKET 2T MATERIAL [illegible]	4
1732	HORIZONTAL SHAFT,P/N: 500-1712 (E3264 F/G/H PRI PROJECT)	ITEM NAME : HORIZONTAL SHAFT PART NO [illegible]	1
1733	EXPANSION JOINT,FLANGE,JIS5K,SUS316L,16"xL.325 MM. (T2102A OUTLET)	ITEM NAME : EXPANSION JOINT DIAMETER [illegible]	1
1734	Soft Rubber Busging x 12 pcs, MP-1101	Description : Soft Rubber Bushing x 12 pcs Remarks SEIMEN	1
1735	GATE VALVE,ASTM A351 GR.CF8,RF,600#,1-1/2"	DESCRIPTION : GATE VALVE,ASTM A351 GR.CF8,RF,600#,1-1/2" SIZE [illegible]	1
1736	PLATE,SUS304L,4 FTx8 FTxTHK.5 MM.	DESCRIPTION : PLATE TYPE [illegible]	2
1737	Face Seal, P/N 19A4243X032, Fisher control valve, FV-1304-1B	Description : Face Seal Valve Size [illegible]	4
1738	Gasket Repair Kit, PV2-2401	Description : Gasket Repair Kit Valve size [illegible]	2
1739	NECK BUSH,BRONZE CASTING,CAC406,P/N: 088 (G3260G/H/I/J)	ITEM NAME : NECK BUSH MATERIAL [illegible]	2
1740	Add-on kit,S2 Analog module , ABB , LimasII,CO/CO2 analyzer , patr no.990055	Description : Add-on kit, S2 Analog module Remarks ABB	1
1741	Gasket Repair Kit, PV-2427	Description : Gasket Repair Kit Valve size [illegible]	1
1742	Gasket Repair Kit, PV2-2402	Description : Gasket Repair Kit Valve size [illegible]	1
1743	Gasket Repair KIt, PV2-2401A	Description : Gasket Repair Kit Valve size [illegible]	1
1744	COUPLING BOLT P/N: 123&RUBBER BUSH FOR COUPLING BOLT P/N: 624 (10 [illegible]	ITEM NAME : COUPLING BOLT&RUBBER BUSH FOR COUPLING BOLT MATERIAL [illegible]	2
1745	U.L.C,NO.3,MATERIAL SUS 316L,SIZE 2 MM THK	DESCRIPTION : U.L.C NO [illegible]	100
1746	SENSOR INTERFACE PCB(CO/CO2)S2000904,SER	DESCRIPTION : SENSOR INTERFACE, BRAND SERVOMEX	1
1747	RUPTURE DISC,CDCV (LL),316-TEFLON-316,SIZE: 1- 1/2" (N2)	ITEM NAME : RUPTURE DISC TYPE CDCV (LL)	8
1748	SEAT RING 6BX6B, 6"x150# RF, TAG : FV-1802A, FV- 1802B	DESCRIPTION : DESCRIPTION : SEAT RING 6BX6B, 6"x150# VALVE SIZE [illegible]	1
1749	RTD Pt100 Sensor for MAPTERKO EXPANDER, P/N 955623900, Tag : J-1101B	Description : RTD Pt100 Sensor Size [illegible]	1
1750	GLAND PACKING,MATERIAL PTFE,FOR BALL VALVE 10" "HISAKA"	DESCRIPTION : GLAND PACKING MATERIAL PTFE	10
1751	TEST RING OF LUBE OIL COOLER (EZ1107 A/B MAPTERKO)	Description : TEST RING OF LUBE OIL COOLERE (MAPTERKO) Size [illegible]	2
1752	DISC,MAT'L: BS 970-316S11 ST ST,P/N: 007374- 263,POS.NO.5 (PSV-2226)	ITEM NAME : DISC MATERIAL [illegible]	1
1753	GAUGE PRESSURE TRANSMITTER, 56 KG/CM2, SS316L, HART, IN-LINE TYPE, [illegible]	DESCRIPTION : GAUGE PRESSURE TRANSMITTER, IN-LINE TYPE [illegible]	1
1754	ROTOR CARRIER ISC,MAT'L: SUS 316 SS,P/N: 14,POS.NO.QE3E2500CB3 [illegible]	ITEM NAME : ROTOR CARRIER ISC. MATERIAL [illegible]	1
1755	DRIVE PIN,SUS316,POS.NO.27 (P1301C)	ITEM NAME : DRIVE PIN MATERIAL SUS316	24
1756	O-RING,KALREZ 7079 OR 6375,K#274,ID.253.59xOD.260.65xCS.3.53 MM.,P/N: [illegible]	ITEM NAME : O-RING MATERIAL [illegible]	2
1757	SHAFT,SUS304 (GM3521A/B)	ITEM NAME : SHAFT MATERIAL SUS304	1
1758	LEVEL TRANSMITTER,0-500 mm,SS316,LT-1633	LEVEL TRANSMITTER, SIZE [illegible]	1
1759	SPRING WASHER,SUS316,M16 (F1441)	ITEM NAME : SPRING WASHER MATERIAL SUS316	132
1760	BOOSTER RELAY VALVE, MASONEILAN, SIZE 1/2", MODEL : BR400, TAG : FV- [illegible]	DESCRIPTION : BOOSTER RELAY VALVE SIZE 1/2"	1
1761	GASKET,TI/TI PTFE/304,150#,18"	DESCRIPTION : GASKET TYPE SPIRAL WOUND GASKET	6
1762	KEY,S45C,P/N: ZZ03869501,POS.NO.51 (P1301C)	ITEM NAME : KEY MATERIAL S45C	1
1763	Rubber Diaphragm, Motoyama, CR, PV1-2402	Description : Rubber Diaphragm Valve size 2"	1
1764	OIL PUMP 2.5RA-16N FOR GEAR BOX,P/N: SU90353453,POS.NO.4004 (P2401, [illegible]	ITEM NAME : OIL PUMP 2.5RA-16N FOR GEAR BOX PART NO [illegible]	2
1765	COLLAR RING,MODEL NV150/125-40 3326.4,DWG.NO.185681	DESCRIPTION : COLLAR RING MODEL [illegible]	2
1766	INDUCER STUD,SUS316,P/N: 09-ST06AA01DB3,POS.NO.10 (G2201)	ITEM NAME : INDUCER STUD MATERIAL SUS316	2
1767	COUPLING SET,TYPE: FALK T10-1060T (P2502)	ITEM NAME : COUPLING SET TYPE FALK T10-1060T	1

1768	SET-BOLT,NUT,DWG.3122-713938,I/N 55	MATERIAL DESCRIPTION : SET-BOLT,NUT,	2
1769	THERMOCOUPLE/THERMOWELL,TYPE K,OKAZAKI (TE- 1409,TE-1204)	THERMOCOUPLE WITH THERMOWELL, THERMOCOUPLE	1
1770	SOLENOID VALVE,2-WAY,24 VDC, 1",KANEKO	DESCRIPTION : SOLENOID VALVE,	1
1771	DETEC PCB CaF2(CO/CO2)S2500905A,SERVOMEX	DESCRIPTION : DECTECTOR,	1
1772	GLAND PACKING,VALQUA#8137,SQ.12.5 MM.(1/2"),POS.NO.45,46 (F1441A/B/C	ITEM NAME : GLAND PACKING	26
1773	DRY LUBRICANT,MODEL:750 ,SIZE:B ,CLIMAX(72STICK/BOX)	DESCRIPTION : DRY LUBRICANT,	53
1774	TRANSFORMER DIFFERENTIAL,M:CD 1 (G-3180)	MATERIAL DESCRIPTION : TRANS	2
1775	STUB END,WPHC 276,TYPE A,SCH 40 ,3"	DESCRIPTION : STUB END	1
1776	INPRO SEAL VBX,EN1982:CUSN12,I/N TS2	MATERIAL DESCRIPTION : INPRO SEAL VBX,	1
1777	FLOAT,ALUMINIUM,5-50 NM3/H,PRES.40,TOKYO	DESCRIPTION : FLOAT & TAPEPED TUBE, PRESSURE, : 40,	6
1778	PROCESSOR BOARD(CO/C02),S200902,SERVOMEX	DESCRIPTION : PROCESSOR BOARD,	1
1779	SEAL RING UNIVERSAL CHEM SCREWPORT,SERVO	DESCRIPTION : SEAL RING,	2
1780	KIT CHAMBER STRACK CRN 16-100 (P5201A/B BPE PUMP)	ITEM NAME : KIT CHAMBER STRACK	1
1781	GASKET(P1),TITANIUM/TITANIUM FILLER PTFE/CARBON STEEL,SIZE 322 * 340 *	DESCRIPTION : GASKET,	6
1782	FIT BOLT,P/N: 16,POS.NO.955633300 (P1101B MAPTERKO)	ITEM NAME : FIT BOLT	24
1783	CARBON BUSH,GR.M-400,SIZE: OD.152.4xID.38.1x L.152.4 MM. (G1404A/B)	ITEM NAME : CARBON BUSH	2
1784	Packing Ring, P/N 12A9139X012, Fisher control valve, FV-1304-1C	Description : Packing Ring	16
1785	Packing Ring, P/N 12A9139X012, Fisher control valve, FV-1304-1B	Description : Packing Ring	16
1786	VALVE INLET #SE7AJ14 (GENERATOR GEN#1)	ITEM NAME : VALVE INLET #SE7AJ14	32
1787	VALVE EXHAUST #SE7AJ14 (GENERATOR GEN#1)	ITEM NAME : VALVE EXHAUST #SE7AJ14	32
1788	DIAPHRAGM WITH GASKET "FUJI PUMP" MODEL: Z504-15 SERIES NO.P#11978	ITEM NAME : DIAPHRAGM WITH GASKET	2
1789	CHECK VALVE,SUS 304,BW,1500#1"	DESCRIPTION : CHECK VALVE,SUS 304,BW,1500#1"	1
1790	THRUST BEARING LAB'Y SEAL WITH O- RING,BRONZE,POS.NO.332A (G1403C/D,	ITEM NAME : THRUST BEARING LAB'Y SEAL WITH O-RING	2
1791	GAsket 34", RFFE CL150 SpWnd, 316L-W/PTFE, CS- CR, 316-IR 4.5mm, ID=	GAsket 34", RFFE CL150 SpWnd, 316L-W/PTFE, CS-CR, 316-IR 4.5mm,	9
1792	WELD NECK FLANGE CL900 LARGE MALE 125-250 RA-FN S-40S SS ASTM A182	DESCRIPTION : WELD NECK FLANGE	4
1793	GASKET,TI/TI PTFE/304,150#,4"	DESCRIPTION : GASKET	29
1794	WELD NECK FLANGE,SUS317L,RF,CLASS 150#,8"	DESCRIPTION : WELD NECK FLANGE	1
1795	HEXAGON BOLT,M20 * 95 MM,P/N 20098583,I/N 6725	DESCRIPTION : HEXAGON BOLT,	12
1796	RUPTURE DISC,MICRO-X-(FS),SUS316,SIZE: 3" (PSE2312)	ITEM NAME : RUPTURE DISC	5
1797	ROLLER (DRIVER PULLEY RUBBER LINNING 12 MM.),SS400,DIA.485 MM.,L.1325	ITEM NAME : ROLLER (DRIVER PULLEY RUBBER LINNING 12 MM.)	1
1798	STRAINER,JOHNSON SCREEN,VEE-WIRE,TOP,SUS316L,0.23 MM.SLOTxOD.36	ITEM NAME : STRAINER	2
1799	O-RING KALREZ 4079 FOR HP.SHAFT SEAL,ID.183.74xTHK.3.53 MM. (J1101B)	ITEM NAME : O-RING KALREZ 4079 FOR HP.SHAFT SEAL	4
1800	GASKET (DEA) (E1507)	ITEM NAME : GASKET	9
1801	BEARING PLATE,P/N: 8011 (RO4601A/B)	ITEM NAME : BEARING PLATE	3
1802	GASKET SHEET,VALQUA#GF300,1500x1500xTHK.2 MM.	ITEM NAME : GASKET SHEET	1
1803	MAGNETIC FLOW CONVERTOR,YOKOGAWA, FT-2202A/B	MAGNETIC FLOW CONVERTOR	1
1804	ROLLER BEARING NO.22230CCK/W33+AHX3130 G "SKF" (G1445A/B/C)	ITEM NAME : ROLLER BEARING NO.22230K+AHX3130 "SKF"	2
1805	PCB RELAY MODULE,SERVOMEX,02210904	DESCRIPTION : PCB RELAY MODULE,	1
1806	ROTA FLOW METER,0.2-2KG/H,1/2",150#	DESCRIPTION : ROTA FLOW METER,	1
1807	SHAFT,SS316,SIZE: DIA.63x486 MM.,P/N: CY21361A/B- 316 (G2401A/B)	ITEM NAME : SHAFT	1
1808	GASKET,NIL/TI,GRAP/NIL,101.6*120.7*4.5MM	DESCRIPTION : GASKET,	13
1809	(NOT USE) RUPTURE DISC,SUS316,SIZE: 4" (PSE2421)	ITEM NAME : RUPTURE DISC, 4" P2176-4C14	1

1810	HELICAL GEAR,P/N: C270467001,POS.NO.36.03 (P2403,P2404)	ITEM NAME : HELICAL GEAR	1
1811	Digital module , ABB , LimasII,CO/CO2 analyzer , patr no.990056	Description : Digital module	1
1812	TROCHOID PUMP WITHOUT MOTOR,MODEL: TOP-208HBVB- 0.3MPa (G2201)	ITEM NAME : TROCHOID PUMP WITHOUT MOTOR	1
1813	Y-TYPE STRAINER,ASTM A351 GR.CF8M,SIZE: #300,2" LENGTH F.TO F.=290 MM.	ITEM NAME : Y-TYPE STRAINER	1
1814	2/4 PROCESS MODULE (FLAME DETECTOR)	MATERIAL DESCRIPTION : 2/4 PROCESS MODULE,	1
1815	TEE SUS 317 L,BW,SEAM,SCH 40,6"	DESCRIPTION : TEE,	3
1816	INTERFACE BOARD FOR IGVMOTOR,AC01.1,AUMA	INTERFACE BOARD	1
1817	SEGMENT,PEEK,SIZE: 10x98x25,P/N: 400001827,POS.NO.60 (F2408X NEW RPF)	ITEM NAME : SEGMENT	24
1818	GASKET,TI/TI GRAP/CS,SIZE: 560x600x640x674x4.5 MM.THK (E2201E TOP)	ITEM NAME : GASKET	3
1819	BLOCK HOUSING "SKF",DWG.NO.553461	DESCRIPTION : BLOCK HOUSING,	6
1820	BELLOW,TYPE BALANCE,MATERIAL 316 SS,SIZE 3',900# LF/L (1) * 6",150#,RF/L (1)	DESCRIPTION : BELLOW	1
1821	BLIND, SLIP PLATE, 16 INCH, 150#, SS, ASTM A240 TP316L, RF, 125-250 RA-FN,	DESCRIPTION : BLIND, SLIP PLATE	1
1822	STRAINER,JOHNSON SCREEN,VEE-WIRE,TOP,SUS316L,0.23 MM.SLOTxOD.36	ITEM NAME : STRAINER	2
1823	SET SCREW,M12,TB340,POS.NO.56 (P1301C)	ITEM NAME : SET SCREW,M12	8
1824	GASKET,SUS316/SUS316 PTFE/CS,SIZE: 1510x1540x1574x1600x4.5 MM.THK	ITEM NMAE : GASKET	3
1825	BEARING STEADY,MAT'L: CARBON,SIZE: 29*41*89 MM,P/N: B00266B0100000,	ITEM NAME : BEARING STEADY	10
1826	VALVE STEM, MATERIAL SUS317L, P/N 7, TAG : VF- 1441A/B	DESCRIPTION : VALVE STEM	1
1827	VALVE POSITIONER SMART TYPE FOR SINGLE ACTING, BRAND : 3S, MODEL :	DESCRIPTION : VALVE POSITIONER SMART TYPE FOR SINGLE ACTING	1
1828	NOZZLE,P/N:016236-263,I/N: 4	DESCRIPTION : NOZZLE,	1
1829	GASKET,TI/TI PTFE/CS,600#,6"	DESCRIPTION : GASKET	11
1830	BEARING NO.23044B "NTN",POS.NO.47 (P1402)	DESCRIPTION : BEARING,	2
1831	Gland Packing, PV2-2401A	Description : Gland Packing	1
1832	SOLENOID VALVE,5/2 WAY,24VDC,NORGREN, SINGLE COIL	SOLENOID VALVE DOUBLE ACTING	4
1833	GASKET(P5),TYPE: WIR,BAR: 8 MM.,R.6,TYPE: Z,TI/TI PTFE/NIL,	ITEM NAME : GASKET(P5)	2
1834	AUTO DRAIN OF IA/PA AIR COMPRESSOR,TYPE: DRAIN ALL MODEL RUST	ITEM NAME : AUTO DRAIN OF IA/PA AIR COMPRESSOR	1
1835	COMPRESSION SPRING 2.00x25.0x95.5x8.5,1.4310,P/N: 20002853 (RV1402E)	ITEM NAME : COMPRESSION SPRING 2.00x25.0x95.5x8.5	64
1836	SOLENOID VALVE,M:M4KB219-5,110 VAC,1/4"	MATERIAL DESCRIPTION : SOLENOID VALVE,	3
1837	RACK-MOUNTTED FAN "RITTAL" ,SK 3352500	DESCRIPTION : RACK-MOUNTTED FAN "RITTAL"	2
1838	SIMATIC HMI TP900 Comfort, Comfort Panel, Touch operation,9" widescreen TFT	DESCRIPTION : SIMATIC HMI TP900 Comfort, Comfort Panel, Touch operation,9" widescreen T	1
1839	SEALING FRAME,PTFE A19 OX A.95x120x10,P/N: 307596000,POS.NO.69 (F2408X	ITEM NAME : SEALING FRAME	7
1840	EXPANSION JOINT,FLANGE,JIS5K,SUS316L,16"xL.400 MM. (T2102A INLET)	ITEM NAME : EXPANSION JOINT	1
1841	SIGHT GLASS COMPLETE SET,NO.7,REFLEX GLASS/GASKET/CUSHION,W.34xH.	DESCRIPTION : SIGHT GLASS INCLUDED WITH GASKET GRAPHITE AND CUSION	6
1842	BUSHING RING,P/N:41,MATERIAL:TI	DESCRIPTION : BUSHING RING,	1
1843	O-RING,KALREZ 4079(K1),ID.215.27xTHK.5.33 MM.,POS.NO.14,26 (P2401 MS	ITEM NAME : O-RING	2
1844	SNAP RING,SUS316,A9-9000-011,P/N: 0550,POS.NO.8 (G1445A/B/C)	ITEM NAME : SNAP RING	2
1845	TEE, WELDED,ASTM A182 GR.F51,BW,SCH 10,8",ANSI- B16.9	Description : TEE	1
1846	EX MOTOR, 7.5 KW, 2910 RPM, 380-420V,FRAME 132S, (MG - 1931 C)	Description : EX MOTOR, 7.5 KW, 2910 RPM, 380-420V,FRAME 132S, (MG - 1931 C)	1
1847	O-RING,K1,P/N: SE01_177.17x5.33_00338BA0,POS.NO.13,14 (P2401A)	ITEM NAME : O-RING	4
1848	ACTUATOR SEALING SET, SCHUF, MODEL : PKE300/23, TAG : LV-1301 A/B, LV-	DESCRIPTION : ACTUATOR SEALING SET (E-0130-3300-23-1)	1
1849	SET SCREW,MATERIAL 904L (1.4539),SIZE M10 * 40 MM LONG	DESCRIPTION : SET SCREW	448
1850	BEARING NO.32332 ,POS.NO.37 "NTN" (P1301C)	ITEM NAME : BEARING NO.32332	1
1851	FILTER BRIDGE WITH THE STIFFENER&NO PUNCH HOLES,SUS316L,W.76xL.	ITEM NAME : FILTER BRIDGE WITH THE STIFFENER&NO PUNCH HOLES.	2

1852	FILTER CLOTH OF CELL INSERT,PEEK,200x500 MM.,POS.NO.3 (F2408 RPF)	ITEM NAME : FILTER CLOTH OF CELL INSERT	33
1853	AIR TIMER OF AIR KNOCKER,81503720,CROUZE	DESCRIPTION : AIR TIMER,	5
1854	Buchholz Relay BR50,(TR7,TR3)	Description : Buchholz Relay BR50	1
1855	WASHER IMPELLER,316 SS,POS.NO.199 (G1205,G1301,G2805)	ITEM NAME : WASHER IMPELLER	4
1856	3-Wire RTD PT100 sensor, Brand : Rosemount, P/N 0065N07N0000N0535A1XA, S/N	Description : 3 Wire RTD PT100 sensor	2
1857	O-RING,KALREZ 4079 OR 6375,K#270,ID.228.19xOD.235.25xCS.3.53 MM.,P/N:	ITEM NAME : O-RING	2
1858	(NOT USE) GASKET F.VICTAULIC COUPLING TYPE: 77,NITRIL, 30" DN800T	DESCRIPTION : GASKET VICTAULIC COUPLING,	1
1859	Bend 8", SCH S-10S, 90 deg 5D, BE SUS304TP-A	Bend 8", SCH S-10S, 90 deg 5D, BE SUS304TP-A	1
1860	SPHERICAL ROLLER BEARING NO.23140E/W33 (GEAR BOX B2402)	ITEM NAME : SPHERICAL ROLLER BEARING NO.23140E/W33	2
1861	PLATE,SUS304L,4 FTx8 FTxTHK.8 MM.	DESCRIPTION : PLATE	1
1862	GASKET,TI/TI PTFE/NIL,SIZE: 485x515x541x4.5 MM.THK (E1401)	ITEM NAME : GASKET	4
1863	OIL SEAL NO.ZF56,NBR,POS.NO.6 (T2401C)	TEM NAME : OIL SEAL NO.ZF56	4
1864	PROXIMITER SENSOR,3300XL 5/8 mm, 24VDC	VIBRATION PROXIMITOR SENSOR	2
1865	O-RING CORD,VITON,DIA.6 MM. (P1101)	ITEM NAME : O-RING CORD	99
1866	Engine Meter Panal,Tacho Meters 1 ,Oil Pressure gauge 2 ,Oil Pressure Sensor 2 ,	Description : Engine Meter Panal,Tacho Meters 1 EA,Oil Pressure gauge 2 EA,Oil Pressure Sen	1
1867	DRIFT ELIMINATOR,P/N: AG6582511 (P1101B MAPTERKO)	ITEM NAME : DRIFT ELIMINATOR	9
1868	O-RING FOR SEAL RING,POS.18,P/N:93620068	DESCRIPTION : O-RING,	100
1869	SHAFT,316SS,P/N: DY50437AA-316,POS.NO.105 (G1802C/D)	ITEM NAME : SHAFT	1
1870	TURBOLOG MCAD TRIPLE TIELD ASS,Y MODULE	DESCRIPTION : TURBOLOG MCAD TRIPLE FIELD ASSEMBLY MODULE	1
1871	BALL AND SOCKET JOINT F.IGV STAGE 5,MAT'L: X60053245,P/N: 56 (P1101)	ITEM NAME : BALL AND SOCKET JOINT F.IGV STAGE 5	22
1872	TEMPERATURE TRANSMITTER(MODULE),STT25H,HONEYWELL	TEMPERATURE TRANSMITTER(MODULE)	3
1873	BOLT,TB35,SIZE: M30,POS.NO.12 (P1401,P1402)	ITEM NAME : BOLT	8
1874	LIP SEAL,SC TYPE,312/237/37,P/N: 2796A238DIAA001 (G1505,G1506,G1605,	ITEM NAME : LIP SEAL	6
1875	GASKET(P1)TYPE: WIR,BAR: 8 MM.,O1=P2 106.5 MM.R.6,TYPE: C,TI/TI PTFE/NIL,	ITEM NAME : GASKET (P1)	2
1876	QUAD DISPLAY, ALPHANUMERIC ASSY,JOY	DESCRIPTION : QUAD DISPLAY,	1
1877	FLEXIBLE COUPLING COMPLETED SET (P1402)	ITEM NAME : FLEXIBLE COUPLING COMPLETSD SET	1
1878	1" boss CL3000 SW SS ASTM A182 GR.F317L	1" boss CL3000 SW SS ASTM A182 GR.F317L	1
1879	BUTTERFLY VALVE BODY COMPLETED SET, SIZE 4", EBRO (EBR6.1 SYD), TAG :	DESCRIPTION : BUTTERFLY VALVE BODY COMPLETED SET	1
1880	FLEXIBLE ELEMENT COUPLING OF COOLING TOWER,REXNORD SERIES 350	ITEM NAME : FLEXIBLE ELEMENT COUPLING OF COOLING TOWER	1
1881	SEAL OIL BULLGEAR,P/N: P3793545-00000,POS.NO.41 (P3861A/B)	ITEM NAME : SEAL OIL BULLGEAR	1
1882	IMPELLER MULTISTAGE PUMPS,SUS316,SIZE: OD.198.80 MM.,SHAFT OD.35.30	ITEM NAME : IMPELLER MULTISTAGE PUMPS	3
1883	BOTTON SIDE COVER,TI GR 2 (P1301)	ITEM NAME : BOTTON SIDE COVER	1
1884	TOP SIDE COVER,TI GR2 (P1301)	ITEM NAME : TOP SIDE COVER	1
1885	THROAT BUSHING+CLAMP RING ASSEMBLY FOR PUMP,PTFE CARBON	ITEM NAME : THROAT BUSHING+CLAMP RING ASSEMBLY FOR PUMP	2
1886	BEARING NO.H 308 ,P/N: 21-027,POS.NO.125A (G1302A/B,G2202A/B)	ITEM NAME : BEARING NO.H 308	2
1887	SLEEVE NUT,SUS304,P/N: 272 (G3260G/H/I/J)	ITEM NAME : SLEEVE NUT	2
1888	FLEXIBLE HOSE,FLANGE,SO,10K,8"xL.1 M.	DESCRIPTION : FLEXIBLE HOSE WITH FLANGE,	2
1889	SLEEVE AND SPOOL,P/N 031-039-000	DESCRIPTION : SLEEVE AND SPOOL	7
1890	BIO TECTOR BASE REAGENT,P/N: 25255062,B7000I TOC ANALYER "HACH" (COD	DESCRIPTION : BIO TECTOR BASE REAGENT	5
1891	GASKET,316/GRAP/316,117.5*129*149*171	DESCRIPTION : GASKET,	4
1892	SHAFT,SUS410,POS.NO.204 (G3534A/B)	ITEM NAME : SHAFT	1
1893	COLLAR SLEEVE IGV, ST:1,I/N:48#40	DESCRIPTION : COLLAR SLEEVE F.INLET GUIDE,	22

1894	TEFLON BUSH(STEM),HY49,37.5*52.5*31.4 MM	DESCRIPTION : TEFLON BUSH,	2
1895	TRANSDUCER,SYSTEM AIR PRESS,13-01-10,JOY	DESCRIPTION : TRANSDUCER,	2
1896	STEM BEARING,SOFT CARBON,BRAND:KITAMURA	DESCRIPTION : STEM BEARING	2
1897	OIL SEAL NO.ZF48,NBR,POS.NO.7 (T2401C)	ITEM NAME : OIL SEAL NO.ZF48	4
1898	Neck Extension Unit for 3D Level Scanner, APM, P/N KIT0000002	Description : Neck Extension Unit for 3D Level Scanner, L = 50 cm/19.7" with cable	1
1899	RUPTURE DISC,P2152,SUS316L,SIZE: 3" (PSE2312)	ITEM NAME : RUPTURE DISC, 3" P2152	3
1900	(NOT USE) GASKET (B-BOTTOM),NIL/TITANIUM FILLER PTFE/NIL,SIZE	DESCRIPTION : GASKET (B-BOTTOM)	5
1901	METERING TUBE FLOW ROTA METER	DESCRIPTION : METERING TUBE FLOW ROTA METER,	2
1902	BOLT,TB35,SIZE: M30,POS.NO.20 (P1401)	ITEM NAME : BOLT	6
1903	4-FOLD COMMUNICATE UNIT,NE4-F1101,HIMA	DESCRIPTION : ANNUNCIATOR UNIT,	3
1904	COUPLING NO.H-160,SIZE: SPACER = 140 MM. "FLENDER N-EUPEX" (G-1403,G-	ITEM NAME : COUPLING NO.H-160	1
1905	GASKET,TI/TI PTFE/304,300#,3"	DESCRIPTION : GASKET	25
1906	RELAY CONTACT,M:FSCL6755X1-A2 (DCS)	MATERIAL DESCRIPTION : RELAY CONTACT,	16
1907	ELBOW 90,SUS304,BW,SL,SCH 80,8"	DESCRIPTION : ELBOW 90,	2
1908	LOAD ANGLE LIMIT,P/N 0841 (G-3180)	MATERIAL DESCRIPTION : LOAD ANGEL LIMIT, ,	2
1909	STATIONNARY SEAL RING,CARBON DI SILICIO,P/N: 3257120U31,POS.NO.1A	ITEM NAME : STATIONNARY SEAL RING	1
1910	UPS THYRISTOR SKT 760/12 (CO-GEN)	MATERIAL DESCRIPTION : UPS THYRISTOR SKT 760/12, ,	1
1911	CLAMP,TYPE "Y",MATERIAL W 14539,2 MM THK	DESCRIPTION : CLAMP	95
1912	EXCESS FLOW CHECK VALVE,316,1/4" NPT (PSE1308C)	ITEM NAME : EXCESS FLOW CHECK VALVE	3
1913	GLOBE VALVE,SUS 304,RF,150#,3/4"	DESCRIPTION : GLOBE VALVE	3
1914	VALVE PLUG WITH STEM,SIZE:1" ANSI 150#	VALVE PLUGE WITH STEM,	1
1915	SEGMENT COMPLETE SET B.,F.GAP REDUCER,PEEK,P/N: 400023474,POS.NO.	ITEM NAME : SEGMENT COMPLETE SET B.,F.GAP REDUCER	1
1916	SET SCREW M12,SUS316,P/N: 15 (CODE ZZ02385705) (P2401)	ITEM NAME : SET SCREW M12	8
1917	SET SCREW M14(8 PCS/SET),SUS316,POS.NO.15 (P2401)	ITEM NAME : SET SCREW M14	8
1918	SOLENOID VALVE,M:M4KB219-7,110 VAC,1/4"	MATERIAL DESCRIPTION : SOLENOID VALVE,	2
1919	LIFT CHECK VALVE,SUS 316L,150#,1"	DESCRIPTION : LIFT CHECK VALVE	3
1920	TEMP CONTROL(CO/CO2),SY-S-749,SUMSON	DESCRIPTION : TEMP CONTROL,	2
1921	Gland Packing, Motoyama, P6610CL+P6710CL, FV-2303	Description : Gland Packing	1
1922	FLEXIBLE FLANGED SHAFT COUPLING,CAST IRON FC200,P/N: 147,624	ITEM NAME : FLEXIBLE FLANGED SHAFT COUPLING	1
1923	Repair kit solenoid valve "DONALDSON", Tag : P- 1101B	Description : Repair kit solenoid valve	6
1924	ACCELEROMETER P/N 330400-01-00, BENTLY NEVADA, TAG : VI-GB02	DESCRIPTION : ACCELEROMETER TRANSDUCERS	1
1925	BOLT,HEX HEAD,SUS316,M16x45 MM. (F1441)	ITEM NAME : BOLT,HEX HEAD	59
1926	ROTA FLOW METER,2-20 KG/H,1",150#	DESCRIPTION : ROTA FLOW METER	2
1927	WEAR SLEEVE,MAT'L: SUS316L,SIZE: OD.160*ID.150*L.100 MM. (T1443B,T1444,	ITEM NAME : WEAR SLEEVE	2
1928	GLAND PACKING,STYLE PM1,3/4" "GARLOCK" (T1442B,T1443B,T1444,T1445)	ITEM NAME : GLAND PACKING	2
1929	MOTOR OVEN FAN,70/100W,220-240V,1P,1.1A,HANNING, (OVEN LAB)	DESCRIPTION : MOTOR OVEN FAN	1
1930	Frequency Converter with Trip Value, P+F, Model : KFD2-UFC-Ex1.D, Tag : P-1101	Description : Frequency Converter with Trip Value	1
1931	RUPTURE DISC,BT-KUB4,SS316/SS316,SIZE: 4" (PSE2702X)	ITEM NAME : RUPTURE DISC	1
1932	BEARING HOUSING,P/N: 10026133,POS.NO.0010 (P2406B)	ITEM NAME : BEARING HOUSING	1
1933	ROTAMETER, RANGE 0 - 40 L/MIN, NITROGEN, SIZE DN15 (1/2"), YOKOGAWA,	DESCRIPTION : ROTAMETER FOR NITROGEN	1
1934	Oxygen concentrator, Rotary valve, BSC for Bio Tector B7000i TOC Analyzer, "HACH",	Description : Oxygen concentrator, Rotary valve, BSC for Bio Tector B7000i	1
1935	TYPE 6606 Burkert N/C Valve W/PLUG, for Bio Tector B7000i TOC Analyzer "HACH",	Description : TYPE 6606 Burkert N/C Valve W/PLUG,	1

1936	BACKUP RING,PTFE,330x315xTHK.7.5 MM,POS.NO.9 (P1301C)	ITEM NAME : BACKUP RING	1
1937	V-BELT NO.8V-1700 "SKF" (P2411A/B)	ITEM NAME : V-BELT NO.8V-1700	24
1938	MACHANICAL SEAL REPAIR KIT,P/N: SE04AA53K (G2201)	ITEM NAME : MACHANICAL SEAL REPAIR KIT	4
1939	FILTER BAG,POLYESTER NEEDLE FELT,DIA.120xL.2440 MM. (BF2903)	ITEM NAME : FILTER BAG	72
1940	BEARING COVER DS.,POS.NO.3261 (G2502A/B)	ITEM NAME : BEARING COVER DS.	1
1941	BEARING COVER NDS.,POS.NO.3262 (G2502A/B)	ITEM NAME : BEARING COVER NDS.	1
1942	SEALING RING 11851,PTFE FDA DN15,P/N: 931049700,POS.NO.7 (F2408X NEW	ITEM NAME : SEALING RING 11851	536
1943	STATIONARY FOR MECHANICAL SEAL,TYPE HJ977GN Q1Q1M2GG "BURGMANN"	DESCRIPTION : STATIONARY FOR MECHANICAL SEAL	2
1944	PULLEY TIMING BLET,14 MM PITCH,I/N 10	MATERIAL DESCRIPTION : PULLEY TIMING BLET, SPEC : 14 MM PITCH, ,	1
1945	SNAP ACTING RELAY,GVB12, ITT CONOFLOW (FOR ANGLE VALVE SCHUFT)	DESCRIPTION : SNAP ACTING RELAY	1
1946	ECCENTRIC RED.,SUS317L,SCH 40,SIZE: 8"x6"	DESCRIPTION : ECCENTRIC RED.	1
1947	GASKET(A),TI/TI PTFE/NIL,SIZE: 428x468x508x4.5 MM.THK (E1204B)	ITEM NAME : GASKET(A)	4
1948	O-RING,G115,VITON,POS.NO.40 (P1402)	DESCRIPTION : O-RING	5
1949	SPACER COUPLING,P/N SC8/104/8/8	DESCRIPTION : SPACER COUPLING	2
1950	O-RING,AS-568 K#446,COMPOUND: 4079,P/N: SE01_215.27x6.99 MM._00338BA0,	ITEM NAME : O-RING	2
1951	INVERT BUCKET TRAP MODEL: 981,SIZE: 1/2" SCREW,ORIFICE: #38	ITEM NAME : INVERT BUCKET TRAP MODEL: 981	1
1952	FLASH LAMP,P/N:8666 (SO2 ANALYZER)	MATERIAL DESCRIPTION : FLASH LAMP,	1
1953	PULSE AMPLIFIER,P/N 0096-1 (G-3180)	MATERIAL DESCRIPTION : PULSE AMPLIFIER, ,	2
1954	EXTENTION CABLE FOR VIBRATION,BENTLY NEVADA	DESCRIPTION : EXTENTION CABLE	4
1955	MECHANICAL SEAL,TYPE 26-H75N/40-EX3 AQ1VGG "BURGMANN"	DESCRIPTION : MECHANICAL SEAL	1
1956	GAUGE PRESS TRANS, 30 PSI, SS316L, HART, ROSEMOUNT, PT-1607	DESCRIPTION : GAUGE PRESSURE TRANSMITTER	1
1957	EXPANSION JOINT,FLANGE,JIS10,SUS304,16"(400A)xL.325 MM. (P2411A/B)	ITEM NAME : EXPANSION JOINT	1
1958	O-RING REPAIR KIT FOR ACTUATOR,AW28S,KTM	dESCRIPTION : O-RING REPAIR KIT FOR AW28S	2
1959	PIPE COUPLING,SUS304/VITON,MJER 200A,8"	DESCRIPTION : PIPE COUPLING	2
1960	TURBOLOG DSPVCU MODEL 1	DESCRIPTION : TURBOLOG DSPVCU	1
1961	HEXAGON SCREW,000 010 825 577,M16x30 MM.,P/N: 2:26-10066/1-18-601-01-050,	ITEM NAME : HEXAGON SCREW	11
1962	CARBON BUSH,GR.M-400,OD.75xID.20x L.150 MM. (G1404A/B)	ITEM NAME : CARBON BUSH	3
1963	ISOPUR MR COLLECTION FILTER,3 MICRON,P/N: CMR- 001,385-00014	ITEM NAME : ISOPUR MR COLLECTION FILTER,3 MICRON	2
1964	BACK-UP RING,T12,POS.NO.10 (P2401A)	ITEM NAME : BACK-UP RING	4
1965	COUPLING COMPLETE SET,N-BIPEX BWN 38 (P2701)	ITEM NAME : COUPLING COMPLETE SET,N-BIPEX BWN 38	1
1966	ADAPTER,PTFE FFW,POS.NO.40214 (P2401)	ITEM NAME : ADAPTER	2
1967	RUBBER SEAL,MATERIAL VITON,WHITE COLOR,SIZE ID.675 * OD.726 * 10 MM	DESCRIPTION : RUBBER SEAL	15
1968	AIR FILTER,MODEL: SEV551A4 "PERKINS" (NEW GENERATOR)	ITEM NAME : AIR FILTER	2
1969	FLUID KIT SECTION,P/N 637165-44,I/N 2,3,4,7,8,19,22 AND 23	DESCRIPTION : FLUID KIT SECTION	1
1970	MANIFOLD VALVE(5/2 VALVE) SERIES586 G1/8	DESCRIPTION : MANIFOLD VALVE,	1
1971	SPACER SEAL,P/N: 15522-1,POS.NO.7 (G3601A/B)	ITEM NAME : SPACER SEAL	24
1972	NUT,MAT'L: TB35,SIZE: M24,POS.NO.26 (P1401,P1402)	ITEM NAME : NUT	33
1973	COUPLING COMPLETE SET,MODEL HUB SR71300 NB "THOMAS",P/N 729380	DESCRIPTION : COUPLING COMPLETE SET	1
1974	COUPLING COMPLETE SET NO.H80 SPACER 100 (IN ROUGH BORE) "N-EUPEX"	ITEM NAME : COUPLING COMPLETE SET NO.H80 SPACER 100 (IN ROUGH BORE)	3
1975	MECHANICAL SEAL,TYPE: H4A 045 CB55 "NSO" (G3524)	ITEM NAME : MECHANICAL SEAL	2
1976	PIPE,SUS 304,BW,SEAM,SCH 10,12"*6 M	DESCRIPTION : PIPE,	2
1977	CAP,SS ASTM A182 GR.F321 ANSI-B16.9,CL.3000,FNPT, 3/4"	DESCRIPTION : CAP	1

1978	Gasket, PTFE Envelope Non Asbestos, Size 10", JIS 5K, Tag : XV-2419P, XV-2420P,	Description : Gasket, PTFE Envelope Non Asbestos	9
1979	SIMATIC S7-300, CPU 315-2DP with MPI Integr. 24 V DC Work memory 256 KB 2nd,	DESCRIPTION : SIMATIC S7-300, CPU 315-2DP Central processing unit with MPI Integr	1
1980	CURRENT TRANSFORMER,RC- 39D,12/34KV,IEC185,50HZ,300- 100/5+5A,25/10VA,	Description : CURRENT TRANSFORMER12/34KV,IEC185,50HZ,300-100/5+5A,25/10VA,CLAS	1
1981	PIPE,EFW,BE,S-40S,SS ASTM A312 GR.TP316L,ANSI B36.19M,L.6 M.x4"	PIPE, EFW BE ,S-40S SS, ASTM A312 GR.TP316L, ANSI-B36.19M,,	2
1982	INDUCTOR 3CV110/50I1,3CV110/50I1,ERSKINE,DC CHARGER	DESCRIPTION : INDUCTOR 3CV110/50I1	2
1983	Temperature Element with Transmitter, Size 550 mm, OD 6 mm, Range 0 - 100 deg C,	Description : Temperature Element with Transmitter	1
1984	RADIATOR COMPLETE, ABB, LIMASLL, CO/CO2 ANALYZER, PART NO : 745401	DESCRIPTION : RADIATOR COMPLETE	1
1985	MECHANICAL SEAL,1.875",TYPE: RO,CARBON,KALAREZ O- RING (G1505C)	#N/A	1
1986	SPRING FOR DUAL PLATE CHECK VALVE(2 PCS/1 SET),TI GR2,300#, 6"	ITEM NAME : SPRING FOR DUAL PLATE CHECK VALVE	1
1987	FLANGE FOR GLAND FOLLOWER (NEW DESIGN),1.4301/1.4307,136x16x15,P/N:	ITEM NAME : FLANGE FOR GLAND FOLLOWER (NEW DESIGN)	12
1988	DUAL PLATE CHECK VALVE,CF8,LARGE FEMALE 2" 900#	Description : DUAL PLATE CHECK VALVE,CF8,LARGE FEMALE 2" 900#	1
1989	PIPE COUPLING,SUS304/VITON,MJH 250A,10"	DESCRIPTION : PIPE COUPLING	1
1990	SPRING,P/N C1146-306,I/N 22	MATERIAL DESCRIPTION : SPRING,	1
1991	PINION,DWG:3122-713936,I/N 27	DESCRIPTION : PINION,	1
1992	GASKET,NIL/TI GRAP/TI,182.6*206.4*249.4	DESCRIPTION : GASKET,	3
1993	PRESS SW,DUAL,200-1000 PSI,SOR	DESCRIPTION : PRESSURE SWITCH,	1
1994	SEAT RING,PTFE,P/N:15,SIZE:10"	DESCRIPTION : SEAT RING,	1
1995	MANWAY LOCK CLAMP#3,AISI 316SL,THK.5.0 MM.,P/N: 860-361G4,POS.NO.54	ITEM NAME : MANWAY LOCK CLAMP #3	100
1996	FLANGE FOLLOWER,P/N: AY52879A-D4,POS.NO.190 (G1802C/D)	ITEM NAME : FLANGE FOLLOWER	1
1997	COMPRESSED AIR PLUG,P/N: 400005993,POS.NO.73 (F2408)	COMPRESSED AIR PLUG,DWG NO.950001388,PART LIST NO.73,P/N 400005993,MATERIAL P	2
1998	COLLECTOR FOR KLEENTEK (FILTER),MODEL: ELC-100 LP MACHINE,USAGE	ITEM NAME : COLLECTORS FOR KLEENTEK (FILTER)	5
1999	INTERFACE COMMUNICATION MODULE,1784-PCMK	DESCRIPTION : INTERFACE COMMUNICATION,	1
2000	O-RING,AS-568 KALREZ 4079,K# 328,46.99xTHK.5.33 MM. (G1505A/B,G1802C/D)	ITEM NAME : O-RING	4
2001	OIL MIST FILTER,BD-SRF10,5.024MK,304SS CAGE+SPECIAL FIBREGLASS	ITEM NAME : OIL MIST FILTER	1
2002	BUTTERFLY VALVE,SS316,SEAT: RPTFE,FACE TO FACE: 49 MM.,OD.126 MM.,	DESCRIPTION : BUTTERFLY VALVE	1
2003	SUBMERSIBLE PUMP,5HP380V,DISCHARGE SIZE 4" (MG3548)	ITEM NAME : SUBMERSIBLE PUMP,380 V,DISCHARGE SIZE 4"	1
2004	SUMMATION CURRENT TRANSFORMER,TM-15,5+5+5/5A 15VA CLASS1.0,1.15KV,	Description : SUMMATION CURRENT TRANSFORMER	1
2005	PRESSURE SWITCH DIAPHRAGM SEAL, RANGE 14 BAR, CONNECTION, TAG :	DESCRIPTION : PRESSURE SWITCH	1
2006	TYPE 6606 Burkert C/O Valve W/PLUG, for Bio Tector B7000i TOC Analyzer "HACH",	Description : TYPE 6606 Burkert C/O Valve W/PLUG,	1
2007	TYPE 6606 Burkert N/O Valve W/PLUG, for Bio Tector B7000i TOC Analyzer "HACH",	Description : TYPE 6606 Burkert N/O Valve W/PLUG,	1
2008	BUTTERFLY VALVE BODY COMPLETED SET, SIZE 3", EBRO (EBR5.1 SYD), TAG :	DESCRIPTION : BUTTERFLY VALVE BODY COMPLETED SET	1
2009	MIRROR MOUNT ASSEMBLY 900 (SO2 ANALYZER)	MATERIAL DESCRIPTION : MIRROR MOUNT ASSEMBLY 900,	2
2010	WELD NECK FLANGE 8 INCH CL150 RF 125-250 RA-FN S-20S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	4
2011	OIL RING,CARBON STEEL A216 GR.WCB,P/N: 114 (G1205A/B)	ITEM NAME : OIL RING	2
2012	GASKET,TI/TI PTFE/SUS304,150#,24" (D1503A/B)	ITEM NAME : GASKET	3
2013	GASKET,TI/TI PTFE/CS,300#,24"	DESCRIPTION : GASKET	2
2014	TROCHOID PUMP COMPLETE SET,MODEL: TOP-350VL (P1301C)	ITEM NAME : TROCHOID PUMP COMPLETE SET	1
2015	SPHERICAL ROLLER BEARING NO.22328E/W33 (GEAR BOX B2402)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22328E/W33	2
2016	OIL SEAL,TYPE: SB,NBR,ID.360xOD.400xTHK.17 MM.,POS.NO.34 (P1301C)	ITEM NAME : OIL SEAL	2
2017	GASKET,TI/TI PTFE/CS,600#,4"	DESCRIPTION : GASKET	31
2018	O-RING OIL,P/N: A00214-259-801,POS.NO.12 (P3602)	ITEM NAME : O-RING OIL	2
2019	TIMER RELAY GUARD,MODEL SX-1 (G-3180)	MATERIAL DESCRIPTION : TIMER RELAY GUARD,	4

2020	OPERATION COIL FOR 3.3 KV VCB,ZN12-10	DESCRIPTION : OPE	10
2021	COLLECTION CARTRIDGE, 3 MICRON TRIPLE LENGTH,P/N: 385-00048(CLR20-	ITEM NAME : COLLECTION CARTRIDGE 3 MICRON TRIPLE LENGTH	3
2022	MIRROR MOUNT ASSEMBLY 450 (SO2 ANALYZER)	MATERIAL DESCRIPTION : MIRROR MOUNT ASSEMBLY 450,	2
2023	DIFF.PRESS.SWITCH,R:6-75 PSI,125V,5A,1/4	DESCRIPTION : DIFF PRESSURE SWITCH	1
2024	AFM TRASMITTER GMUP 425/H	DESCRIPTION : AFM TRANSMITTER, GMUP 425/H	1
2025	BEARING,NO.NU2222 E.M1.C3,I/N 19	DESCRIPTION : BEARING	4
2026	Detector with detector (IR) , ABB , LimasII,CO/CO2 analyzer , patr no.768830	Description : Detector with detector (IR)	1
2027	RUPTURE DISC,KBA,SUS316,SIZE: 3" (PSE2424)	ITEM NAME : RUPTURE DISC	3
2028	PIPE, 2 INCH, S-40S, SS, ASTM A312 TP304L, SMLS, BE, ASME B36.19, L = 6 M.	DESCRIPTION : PIPE	5
2029	SOLENOID VALVE,5/2 WAY,2 POSITION,ALUMINIUM,110V,PRESS.0.10 - 99 Mpa,	DESCRIPTION : SOLENOID VALVE	2
2030	WEAR RING CASING,316SS A743 GR. CF-3M,P/N: 164 (G1205A/B PRI)	ITEM NAME : WEAR RING CASING	2
2031	DIGITAL INDI CONTROL,UT55A-200-11-00,YOKOGAWA	DESCRIPTION : DIGITAL INDICATING CONTROLLER	1
2032	NOZZLE CLAMP P1 (FOR D-1301 A/B)	DESCRIPTION : NOZZLE CLAMP,	1
2033	VSD ACS580-01-039A-4ABB (MG-3213A,B),18.5kW	DESCRIPTION : VSD ACS580-01-039A-4ABB (MG-3213A,B),18.5kW	1
2034	ALARM BOARD,(O2),S1100936,SERVOMEX	DESCRIPTION : ALARM BOARD,	1
2035	STUD BOLT & NUTS,8NC,B8 CLASS 2,M27 * 270 MM.	DESCRIPTION : STUD BOLT & NUT	16
2036	TEE,SUS 304,BW,SL,SCH 80,8"	DESCRIPTION : TEE,	1
2037	POPET VALVE DISCHANGE,P/N: 10335-1,POS.NO.2 (G3601A/B)	ITEM NAME : POPET VALVE DISCHANGE	6
2038	SHAFT SLEEVE,MATERIAL SUS 304	DESCRIPTION : SHAFT SLEEVE	3
2039	FLEXIBLE DOUBLE DISC COUPLING COMPLETE SET,MODEL: 726 XTSR71-XXL	ITEM NAME : FLEXIBLE DOUBLE DISC COUPLING COMPLETE SET	1
2040	MECHANICAL SEAL SIZE: 38 MM.,26S-M7N/38-00 "EBTH" (G1202A/B)	ITEM NAME : MECHANICAL SEAL SIZE: 38 MM.	1
2041	Gland packing ring, Pure Graphite Die Formed Ring, ID 32*OD 48* THK 8 mm	DESCRIPTION : GLAND PACKING RING	50
2042	SHAFT PUMP,SUS410,POS.NO.204 (G3532)	DESCRIPTION : SHAFT PUMP	1
2043	VIBRATION PROXIMITOR, R/N:17-01-09,JOY	DESCRIPTION : VIB	1
2044	TEE,SUS 316L,BW,SEAM,SCH 40,12"	DESCRIPTION : TEE	1
2045	BEARING NO.7217 BECBM "SKF" (RV2402C/D PRI PROJECT)	ITEM NAME : BEARING NO.7217 BECBM	6
2046	TEMP GAUGE,0-100 C,CAPILLARY,355 * 12 MM	DESCRIPTION : TEMP GAUGE	3
2047	AIR TIMER KNOB ADJUSTING,79451903,CROUZE	DESCRIPTION : AIR TIMER,	12
2048	PIN L1C18-20 15X80 ASTM A564 gr.630 H1150M, P/N 014 (3 pcs/set), Tag: HV-	Description : PIN L1C18-20 15X80 ASTM A564 gr.630 H1150M	1
2049	SUPRACELL,TYPE: 27 VYON PANEL (S3591A/B)	ITEM NAME : SUPRACELL SPARE PART	4
2050	SEAT BUTTERFLY VALVE,PTFE+METAL,300#, 4"	DESCRIPTION : SEAT BUTTERFLY VALVE,	1
2051	AFM TRASMITTER GMUP 430/H	DESCRIPTION : AFM TRANSMITTER, GMUP 430/H,	1
2052	CONCENTRIC RED.A234WPB,BW,SCH 20,24"*20"	DESCRIPTION : CONCENTRIC REDUCER	1
2053	CONDUCTIVITY SENSOR,142-03-14,ROSEMOUNT, TAG:CT- 1601	DESCRIPTION : CONDUCTIVITY SENSOR	1
2054	BACKUP RING,PTFE,350x335xTHK.7.5 MM,POS.NO.26 (P1301C)	ITEM NAME : BACKUP RING	1
2055	SOLENOID VALVE 4 WAY,1/4"DUAL COIL,SAHAR	DESCRIPTION : SOLENOID VALVE	2
2056	LABYRINTH DISC AT BEARING DS,POS.NO.3711.2 (G2502A/B)	ITEM NAME : LABYRINTH DISC AT BEARING DS	1
2057	LOCAL PUSH BUTTON SWITCH BOX (MP-1301C)	DESCRIPTION : LOCAL PUSH BUTTON SWITCH BOX	1
2058	GASKET,304/304 PTFE/NIL,1520*1550*1580MM	DESCRIPTION : GASKET,	1
2059	RELIEF VALVE,DELUGE VALVE,C-1,VIKING	DESCRIPTION : RELIEF VALVE	2
2060	V-BELT,NO.5V-2800	Description : V-BELT NO.5V-2800	12
2061	PACKING P4519, TAG : FV-1802A, FV-1802B	DESCRIPTION : PACKING P4519	10

2062	LOGIC BOARD FOR IGV MOTOR,AC01.1,AUMA	LOGIC BOARD	2
2063	WEAR RING IMPELLER COVER SIDE,A743 GR. CF10SMNN,P/N: 203 (G1205A/B	ITEM NAME : WEAR RING IMPELLER COVER SIDE	2
2064	MEASURING TAPE,FT1102,30 MM * 25 M,TOKYO	DESCRIPTION : MEASURING TAPE,	1
2065	MAGNETIC,JD1IIA-40,R:0-1500V,220V,5A"CHI	MATERIAL DESCRIPTION : MAGNETIC	1
2066	GASKET,TOMBO #9630,SIZE: T=3,P/N: AL (B2402)	ITEM NAME : GASKET	2
2067	Pipe 3", EFW BE S-10S, SS ASTM A312, GR. TP304L, ANSI-B36.19M	Pipe 3", EFW BE S-10S, SS ASTM A312, GR. TP304L, ANSI-B36.19M	8
2068	SEAL RING D:20.65,P/N: A00226-013-825,POS.NO.7 (P3602)	ITEM NAME : SEAL RING D:20.65	2
2069	ELBOW 90,SW,SUS316L,3000#,3/4"	DESCRIPTION : ELBOW 90	60
2070	IMPELLER POS.NR. 23.00*,P/N: 20014453 "STERLING SIHI PUMP" (G1101A/B)	ITEM NAME : IMPELLER POS.NR. 23.00*	1
2071	STUD BOLT FOR FIXING (CLAMPING DEVICE),M16x2.0 RH,THREADED RIGHT	ITEM NAME : STUD BOLT FOR FIXING (CLAMPING DEVICE)	33
2072	TEFLON BUSH(STEM),V7160-2,24.4*37.4*105	DESCRIPTION : TEFLON BUSH,	6
2073	COVER SEAL,PTFE,SIZE: 168x138x3,P/N: 400008036 (F2408X NEW RPF)	ITEM NAME : COVER SEAL	8
2074	REAMER BOLT WITH NUTS,SUS316,M12x110 MM. (F1441)	ITEM NAME : REAMER BOLT WITH NUTS	4
2075	ROTARY SEAL RING,GRAFITE,P/N: 8553120Z31 (E1507)	ITEM NAME : ROTARY SEAL RING	1
2076	MOTOR GEAR,3.7 KW,HM5-216-59,SUMITOMO (MRV1402,MRV2402A/B)	MOTOR ONLY FOR CYCLO GEAR, MOTOR ONLY	2
2077	POINTER SYNCHROSCOPE,100 VAC (G-3180)	DESCRIPTION : POINTER SYNCHROSCOPE WITH TERMINAL BOX	1
2078	COUPLING,MATERIAL SUS304,SIZE 1-1/2",P/N 1775-D	DESCRIPTION : COUPLING	1
2079	CASING,FC 250,POS.NO.101 (G3535AA/AB/BA/BB)	ITEM NAME : CASING	1
2080	RTD INPUT MODULE,FSCL6853X1-A11 (DCS)	MATERIAL DESCRIPTION : RTD INPUT MODULE,	3
2081	SPACER COUPLING,TYPE: 8 SC COMPLETED SET,P/N: SC8H/3/6 "TB WOOD'S"	ITEM NAME : SPACER COUPLING	2
2082	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS316,METAL SEAT,	DESCRIPTION : DUAL PLATE WAFER CHECK VALVE	2
2083	REMOTE I/O ADAPTER,1771 ASB-E,ALLEN	DESCRIPTION : REMOTE I/O ADAPTER,	2
2084	LEVEL LIMITED PROBE,T:ER56-1 (LS-5201)	MATERIAL DESCRIPTION : LEVEL LIMITED PROBE,	1
2085	ROLLING CONTACT BEARING NO.SL 183030-A C3 (P2401A)	ITEM NAME : ROLLING CONTACT BEARING NO.SL183030-A C3	1
2086	ROLLING CONTACT BEARING NO.SL 182934B-XL C3 (P2401A)	ITEM NAME : ROLLING CONTACT BEARING NO.SL 182934B-XL C3	1
2087	PACKING GLAND,DWG:P-930823-0,I/N:5,SANWA	DESCRIPTION : PACKING GLAND, MAT,L : SCS14,	2
2088	DETECTOR FILLAMENT 2-CELL, 2021122-001	DETECTOR FILLAMENT 2-CELL,	1
2089	WEDGE RING,PTFE FFW,POS.NO.13 (P1203,P1205)	ITEM NAME : WEDGE RING	2
2090	BOLT,TB35,M30xL.105 MM.,POS.NO.24 (P1301)	DESCRIPTION : BOLT,	25
2091	WELD NECK FLANGE, LARGE MALE, ASTM A182 GR.F304, 900#,3/4"	DESCRIPTION : WELD NECK FLANGE, LARGE MALE, ASTM A182 GR.F304, 900#,3/4"	3
2092	pH Sensor, Metter Toledo, Model: InPro4260i, Tag: AT-1911A-B	Description : pH Electrode	1
2093	MEMBRANE HEAD,WP 90/3,BRAND:WTW	DESCRIPTION : MEMBRANE HEAD,	5
2094	ALPHA 255 WORKSTATION 2.1 GB H.D (FGD)	MATERIAL DESCRIPTION : ALPHA 255 WORKSTATION 2.1 GB -, HARD DISK,	2
2095	KIT GEARBOX INSPECTION,P/N: MB409950-00012 (P3861A/B)	ITEM NAME : KIT GEARBOX INSPECTION	1
2096	GLOBE VALVE, 1/2", 900#, ASTM A351 GR.CF8, API- 600, STEM : SS304, SEAT :	DESCRIPTION : GLOBE VALVE	1
2097	DEEP SEA CONTROLLER,220*160 mm,8-35 VDC,DSE7310/20 MKII, (DG1)	Description : DEEP SEA CONTROLLER,220*160 mm,8-35 VDC,DSE7310/20 MKII, (DG1)	1
2098	Rubber seal EPDM x 20 M.with glue pattex power adhesive, MP-1101	Description : Rubber seal EPDM x 20 M.with glue pattex power adhesive	1
2099	4-FOLD DELAY UNIT,ZU4-F2101 ,HIMA	DESCRIPTION : DELAY UNIT,	2
2100	TEE RED,A182-GR.F51,BW,5MMx4.5MM,8"*6"	DESCRIPTION : TEE REDUCER	1
2101	ULC#3,P/N: 317-516G (C1601)	ITEM NAME : ULC#3	35
2102	ACTUATOR REPAIR KIT,811UV-100,ARCA	DESCRIPTION : ACTUATOR REPAIR KIT, CONSISTING OF:O-RING POS 26/41,	3
2103	BEARING NO 23052B "NTN" ,POS.NO.39 (P1301C)	DESCRIPTION : BEARING,	1

2104	Gland packing ring, Graphite Yarn Reinforced With Inconel Fine Wires, ID 32*OD 48*	DESCRIPTION : GLAND PACKING RING	50
2105	SAFETY BARRIER,4-20 MADC(PT-5101/TT-5101	MATERIAL DESCRIPTION : SAFETY BARRIER,	2
2106	SPRAY NOZZLE 1/8" NF1065-B SS316,1/8"BSP 65deg SS316 "BETE" (F3544C)	ITEM NAME : SPRAY NOZZLE 1/8" NF1065-B SS316	83
2107	SMALL DESICCANT,P/N: 25-007,POS.NO.186 (G2201A/B/C/D/E)	ITEM NAME : FILL & VENT FILTING	2
2108	SAFETY ISOLAT TR-15%110-120VAC+10%,GUTOR	SAFETY ISOLATE TRANS	2
2109	FLEXIBLE COUPLING COMPLETED SET,HUB MILD STEEL,INSERT MATERIAL	ITEM NAME : FLEXIBLE COUPLING COMPLETED SET	5
2110	SPRAY NOZZLE,SUS316,1/8" FN10,POS.NO.4 (F1441A/B/C)	ITEM NAME : SPRAY NOZZLE	5
2111	GLAND PACKING,VALQUA #6137-O,SIZE: 6.4 MM.	ITEM NAME : GLAND PACKING	7
2112	RTD Pt 100 4-wire c/w extension cable,U-Length 400 mm, Sheath Length 460 mm, TE-	Description : RTD Pt 100 4-Wire c/w extension cable	1
2113	MOTOR GEAR COMPLETE SET (RV2101A/B)	ITEM NAME : MOTOR GEAR COMPLETE SET	1
2114	PIPE 3", EFW BE B36.19 A312 GR.TP316L SCH 40S	PIPE 3", EFW BE B36.19 A312 GR.TP316L SCH 40S	2
2115	BEARING NO.7322 BECBP "SKF" (G1503A/B)	ITEM NAME : BEARING NO.7322 BECBP	2
2116	GASKET,TI/TI PTFE/CS,ID.550x580x630x660xTHK.4.5 MM. (E1441)	ITEM NAME : GASKET	3
2117	BALL VALVE,SUS 304,RF,150#,1-1/2",KTZ	DESCRIPTION : BALL VALVE	4
2118	PIN-15X70 L1CMA16, METSO, MODEL LW7LBA400PAJAT,TAG NO. FV-1310C	DESCRIPTION : PIN-15X70 L1CMA16	2
2119	THRUST WASHER,P/N P-C14333-16,I/N 136	DESCRIPTION : THRUST WASHER	4
2120	(NOT USE) GASKET CASING,NIL/TI PTFE/NIL,SIZE: ID.456xOD.488x4.5 MM.THK,	ITEM NAME : GASKET CASING	5
2121	BOLT,HEX HEAD,DUPLEX 2205,M12x30 MM. (F1441A/B/C)	ITEM NAME : BOLT,HEX HEAD	88
2122	BUSH 55 x 65 x 70 , Pos 1.12 (1 pc per valve)	Description : BEARING BUSH 55 x 65 x 70 mm	3
2123	NUT,TB35,M27,POS.NO.29 (P1301,P1401)	DESCRIPTION : NUT,	33
2124	NUT,TB35,M36,POS.NO.14 (P1301)	DESCRIPTION : NUT,	11
2125	ROUND BAR,SUS321,OD=1.5, 6 M	DESCRIPTION : ROUND BAR,SUS 321,	1
2126	Personel conductivity meter, YOKOGAWA, SC72-21-E- AA	DESCRIPTION: PERSONEL CONDUCTIVITY METER	1
2127	DGPT,(TR4)	Description : DGPT	1
2128	SLEEVE(SLEEVE OF GLAND PACKING),316LSS,ID.110xOD.136xL.200 MM.	ITEM NAME : SLEEVE(SLEEVE OF GLAND PACKING)	1
2129	SPRAY NOZZLE,SUS316,1/2" EX4200HN,POS.NO.27 (F1441A/B/C)	ITEM NAME : SPRAY NOZZLE	3
2130	RETAINER 35K 8 CV 850 W/HFBORE, P/N 435008244- 163H0000, MASONEILAN,	Description : RETAINER 35K 8 CV 850 W/HFBORE	1
2131	MATING RING,T.CARBIDE NT-23,POS.NO.4-1 (P1503)	ITEM NAME : MATING RING	2
2132	ANALOG TO CONVERTER,(O2),S1100916A,SERVO	DESCRIPTION : ANALOG TO CONVERTER,	1
2133	STUD BOLT & NUTS,B7,UNC,2"*375 MM. (R2301 M/H)	DESCRIPTION : STUD BOLT & NUTS	18
2134	THUST BEARING HOUSING, HP SHAFT	DESCRIPTION : THUST BEARING,	4
2135	GOLD ELECTRODE,550 CLGEL/PG13.5, 80 MM	DESCRIPTION : GOLD ELECTRODE,	2
2136	SPINDLE FLINGER,SS400,P/N: P-C10788-1,POS.NO.43 (P2409A/B/C/D/E)	ITEM NAME : SPINDLE FLINGER	1
2137	WATER COOLING JECKED FOR STROAGE VASSEL VG. (P2701)	ITEM NAME : WATER COOLING JECKED FOR STROAGE VASSEL VG.	1
2138	BOLT HEX HEAD AND NUT,SUS304,M18*160 MM	DESCRIPTION : BOLT HEX HEAD AND NUTS	24
2139	SILICON SEAL RING,TYPE M7N/38Q "BURG MANN"	DESCRIPTION : SILICON SEAL RING	2
2140	PLC COMMUNICATION MODULE,SYSMAC ETN 21, RO PLC	DESCRIPTION : PLC COMMUNICATION MODULE,	1
2141	Gland Packing, FV-1306	Description : Gland Packing	2
2142	Pneumatic Timer, Festo, Model PZVT-99999-MIN-B	Description : Pneumatic Timer	1
2143	FLOAT,FLOWSIGHT,BALL-SPRING LOADED,POS NO.9 "HITACHI" (P1301A/B)	ITEM NAME : FLOAT,FLOWSIGHT	2
2144	STUD BOLT & NUT,B8 CLASS 2,UNC,1-1/8"*150 MM.	DESCRIPTION : STUD BOLT & NUT	33
2145	Limit switch, GF, Model : ER53-1, Tag : RO	Description : Limit seitch for GF valve 3" to 6"	4

2146	COVER SEAL,PTFE/GYLON,168x138x3,P/N: 307762600,POS.NO.71 (F2408)	ITEM NAME : COVER SEAL	12
2147	MECHANICAL SEAL COMPLETE SET,KB75052,3 PCS EACH/SET "KUOBAO"	ITEM NAME : MECHANICAL SEAL COMPLETE SET	2
2148	CURRENT O/P BOARD 12BIT,S110939,SERVOMEX	DESCRIPTION : CURRENT OUTPUT BOARD,	1
2149	FLOW ROTA METER, RANGE 1.1-11 LPM, CONNECTION FLANGE 1/2" RF, ANSI	DSECRIPTION : ROTA FLOW METER	1
2150	GASKET,316L/316L PTFE/CS,620x635x682x715xTHK.4.5 MM. (D2102,D2406,	ITEM NAME : GASKET	8
2151	GASKET(P1),317L/317L PTFE/NIL,SIZE: 520x560x594x4.5 MM.THK (D1503)	ITEM NAME : GASKET(P1)	3
2152	IMPELLER 65-315/320 D32,SIZE: TRIM 312,P/N: 96794699 "GRUNDFOS PUMP"	ITEM NAME : IMPELLER 65-315/320 D32	1
2153	TRAY CLAMP,TYPE PLC,MATERIAL SUS 316L	DESCRIPTION : TRAY CLAMP	50
2154	Limit switch, Brand: BARTEC, Model: 07-2511-1330- 02	Description : Limit switch	5
2155	BEARING STRIP-45/50X181, METSO, MODEL LW7LBA400PAJAT,TAG NO. FV-	DESCRIPTION : BEARING STRIP-45/50X181	2
2156	BEARING STRIP-45/50X118, METSO, MODEL LW7LBA400PAJAT,TAG NO. FV-	DESCRIPTION : BEARING STRIP-45/50X118	2
2157	Bearing Strip 40/51X150 PTFE+C25+AISI316(PAMPUS), P/N 015 , ID H005445 ,PV-	Description : Bearing Strip 40/51X150 PTFE+C25+AISI316(PAMPUS	2
2158	ANALOG O/P MODULE,1771-OFE2,ALLEN-BRADL	DESCRIPTION : ANALOG OUTPUT MODULE,	1
2159	PERFORATED PLATE,1.4571,SIZE: 1x24x78,P/N: 930061200,POS.NO.2 (F2408X	ITEM NAME : PERFORATED PLATE	104
2160	GATE VALVE,SUS 316,RF,150#,1/2"	DESCRIPTION : GATE VALVE	8
2161	PIN 12X63 LICMA14 EN 10088-1.4460, P/N 014 (3 pcs/set) , ID 648094 ,PV-1323C,	Description : PIN 12X63 LICMA14 EN 10088-1.4460	2
2162	GASKET SET SIZE: 2.125,PTFE,P/N: 90924889 (G1301A/B PRI)	ITEM NAME : GASKET SET SIZE: 2.125	1
2163	RACE INNER BEARING,P/N: 10265-2,POS.NO.46 (G3601A/B)	ITEM NAME : RACE INNER BEARING	2
2164	GLAND PACKING,TOMBO#9034(PTFE FIBER AND TREATED WITH PTFE),9.5 MM.	ITEM NAME : GLAND PACKING	2
2165	MODULE,IGNITION, FID, P/N:2021665-001	MODULE IGNITION FID,	1
2166	WELD NECK FLANGE,SS316L,ANSI600#RF,SCH80,SIZE :3", TAG : FE-1461 A/B/C	DESCRIPTION : WELD NECK FLANGE,SS316L,ANSI600#RF,SCH80,SIZE :3"	4
2167	GASKET,NIL/TI,GRAP/NIL,420 * 520 * 3.5MM	DESCRIPTION : GASKET,	8
2168	VALVE REPAIR KIT OF BALL VALVE,3",SAHARA	DESCRIPTION : VALVE REPAIR,	3
2169	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*240 MM.	DESCRIPTION : STUD BOLT & NUT	12
2170	SEAL RADIAL,NITRILG+STAL,ID.35xOD.47xTHK.7 MM. (G1504,G1507)	ITEM NAME : SEAL RADIAL	4
2171	DIFFERENTIAL PRESSURE TRANSMITTER, FLANGE MOUNTED DIAPHRAGM	DESCRIPTION : DIFFERENTIAL PRESSURE TRANSMITTER	1
2172	MACHINE BOLT FOR GLAND FOLLOWER(NEW DESIGN),DUPLEX 2205,M16x2.0	ITEM NAME : MACHINE BOLT FOR GLAND FOLLOWER (NEW DESIGN)	27
2173	COVER COOLING FAN PRI ,SIZE:700*560 MM	DESCRIPTION : COVER COOLING FAN PRI ,SIZE:700*560 MM	3
2174	COUPLING SPACER,TYPE A,SIZE 180 MM,SPACER SIZE 162 MM	DESCRIPTION : COUPLING SPACER	1
2175	PLATE,ALUMINIUM,4 FT*8 FT*10 MM	ALUMINIUM PLATE,	1
2176	VSD,ABB,ACS580-01-026A-4,11KW,26A,MRV-1402E	DESCRIPTION : INVERTER FOR LOW VOL AC MOTOR	1
2177	V-BELT NO.SK,5V 900 (P1503,P2401,P2402,P2405,P2407)	ITEM NAME : V-BELT NO.5V-900	45
2178	GASKET,TI/TI PTFE/CS,ID.755x775x807x875xTHK.4.5 MM. (D1503)	ITEM NAME : GASKET	3
2179	GASKET HOUSING O-RING,P/N: 14-223UC,POS.NO.936AG (G2201A-E)	ITEM NAME : GASKET HOUSING O-RING	4
2180	RTD PT100, single element, 3-wire vibration, Sensor length (L) 300 mm, (Rosrmount	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 300 mm, (Rosrmou	1
2181	WELD NECK FLANGE,SUS 304L,LM,900#,6"	WELD NECK FLANGE CL900 LARGE MALE 125-250 RA-FN, S-80S SS ASTM A182 GR.F304L A	1
2182	BALL VALVE,SUS 304,STD-FN,RF,150#,2"	BALL VALVE,	4
2183	Bearing Strip 54/45X94 PTFE+C25+AISI316(PAMPUS), P/N 016 , ID 656500 ,PV-	Description : Bearing Strip 54/45X94 PTFE+C25+AISI316(PAMPUS)	2
2184	SOLENOID 24 VDC (DG1,2)	Description : SOLENOID 24 VDC (DG1,2)	1
2185	EXTENSION CABLE 8 M. (BENTLY NEVADA), P-1101B	DESCRIPTION : EXTENSION CABLE 8 M.	2
2186	STRAINER,JOHNSON SCREEN,VEE-WIRE,TOP,SUS316L,0.23 MM.SLOTxOD.36	ITEM NAME : STRAINER	2
2187	Plate, SUS 316L, 4 FT x 8 FT, 5 MM	Plate, SUS 316L, 4 FT x 8 FT, 5 MM	2

2188	MECHANICAL SEAL FOR SUBMERSIBLE PUMP,PAC SEAL (G- 4015)	Description : MECHANICAL SEAL FOR SUBMERSIBLE PUMP/PAC SEAL	2
2189	PRESS GAUGE,DIAP,CAPILLARY,0-120 KG/CM2	DESCRIPTION : PRESSURE GAUGE, DIAL	1
2190	V-ADAPTOR(LOWER),V7631 2H,60 * 36 * 36MM	DESCRIPTION : V-ADAPTOR,	1
2191	GATE VALVE,RF,ASTM A351 CF8,SUS304,150#, 4"	#N/A	1
2192	PARTIAL IMPELLER,SUS304,POS.NO.12 (P2401)	ITEM NAME : PARTIAL IMPELLER	1
2193	SOLENOID VALVE,5/2-WAY,24 VDC, 3/8",CKD, MODEL : 4F310E-10-TP	DESCRIPTION : SOLENOID VALVE	7
2194	CONCENTRIC RED.,TI,BW,SL,SCH 40,6"*3"	DESCRIPTION : CONCENTRIC REDUCER,	1
2195	4-FOLD FAIL-SAFE & GATE,GU4S-F4111,HIMA	DESCRIPTION : 4-FOLD FAIL SAFE,	2
2196	REGULATOR,MAIN OIL PRESSURE,13-04-05,JOY	DESCRIPTION : REGULATOR,	1
2197	SEAT RING LOWER 10K, 0.5 INCH, FOR VALVE MASONEILAN, P/N 200714505-	DESCRIPTION : SEAT RING LOWER 10K	1
2198	SEAT RING UPPER 10K, 0.5 INCH, FOR VALVE MASONEILAN, P/N 200714504-	DESCRIPTION : SEAT RING UPPER 10K	1
2199	SPECTACLE BLIND,RF,SS304,600#,4"	SPECTACLE BLIND, CL 600#, RF 125-250 RA-FN SS ASTM A240, SS304, ANSI-B16.5,	1
2200	SBX ADC BOARD COMPLETED (SIO2 ANALYZER)	MATERIAL DESCRIPTION : SBX ADC BOARD COMPLETED, ,	1
2201	O-RING REPAIR KIT,P/N: RK0RP311TA63DB1,POS.NO.936 (G2201A-E)	ITEM NAME : O-RING REPAIR KIT	2
2202	CHECK VALVE,MAT'L: CFSM,SIZE: 150#,2" (G-4015)	ITEM NAME : CHECK VALVE	2
2203	BEARING STOPPER,DWG.NO.63DH5E,I/N 20	DESCRIPTION : BEARING STOPPER	2
2204	O-RING,KALREZ,DIA.120.02xTHK.5.33 MM. (E1507A)	ITEM NAME : O-RING	2
2205	MICRO FLOW METER,5-50 KG/H,FLANGE 1/2",RF,SS304,ANSI 300#/600#,M901-V	DESCRIPTION : MICRO FLOW METER,	1
2206	WEIGHT SCALE INDICATOR,LD5218 ,LEON	WEIGHT SCALE INDICATOR,	1
2207	CURRENT TRANSFORMER,AB12,200/5/5 CLASS 1FS5/15VA CORE:2CLASS	Description : CURRENT TRANSFORMER	1
2208	BEARING BRACKET LANTERN,DUCTILE IRON,POS.NO.344 (G2701A/B)	ITEM NAME : BEARING BRACKET LANTERN	1
2209	NUT,SB.348 GR.3,M27,POS.NO.37 (P1301A/B)	DESCRIPTION : NUT,	26
2210	GATE CONTROL,P/N 0804 (G-3180)	MATERIAL DESCRIPTION : GATE CONTROL	1
2211	OIL FILTER FOR SPINDLE,PAPER DESC,P/N: W51711-1- Z8A,T06-010P (GZ2408,	ITEM NAME : OIL FILTER FOR SPINDLE	12
2212	SHAFT INCLUDING WITH BEARING LOCK NUT AND WASHER,P/N:	ITEM NAME : SHAFT	1
2213	MECHANICAL SEAL SIZE: 65 MM.,26S-M7N/65-00,VBPGG "EBTH" (G2301)	ITEM NAME : MECHANICAL SEAL SIZE: 65 MM.	1
2214	BOLT,HC276,M10x50 MM.,P/N: 896 862G 1308,POS.NO.36 (C1503,C1601)	ITEM NAME : BOLT	96
2215	PRE-FILTER, 6 MICRON TRIPLE LENGTH,P/N: 385- 00049(PLR20-001) (ISOPUR	ITEM NAME : PRE-FILTER 6 MICRON TRIPLE LENGTH	3
2216	COMPRESSED AIR PLUG,PEEK,SIZE: 119x94x39,P/N: 400005993,POS.NO.73	ITEM NAME : COMPRESSED AIR PLUG	2
2217	COLLAR,P/N: 21 (P1301C)	ITEM NAME : COLLAR	1
2218	O-RING,EPDM,0000-274,P/N: 9561.POS.NO.2 (G1445A/B/C)	ITEM NAME : O-RING	4
2219	LOW SPEED SHAFT BEARING NO.30226,P/N: 60.01/60.02 (G1445A/B/C)	ITEM NAME : LOW SPEED SHAFT BEARING NO.30226	4
2220	U-BOLT & NUT,SUS 304,BSW,DIA:C=187 MM,E=143 MM,6"	DESCRIPTION : U-BOLT & NUT	36
2221	TEMP DIGITAL CONTROL SUPPLY,CAL CONTROL	DESCRIPTION : TEMP. DIGITAL CONTROL,	2
2222	O-RING,EPDM,0000-270,P/N: 9561.POS.NO.4 (G1445A/B/C)	ITEM NAME : O-RING	4
2223	MECHANICAL SEAL SIZE: 55 MM.,SINGLE SEAL,BQ1PGG (G4501A/B,G4504A/B)	ITEM NAME : SINGLE SEAL SIZE 55 MM.	2
2224	GAUGE VALVE FOR SIDE GLASS ,JIS10K,20 MM.(3/4"), ASAHI	DESCRIPTION : GAUGE VALVE	7
2225	CONCENTRIC RED,SUS 316L,THK7*6 MM,20*16"	DESCRIPTION : CONCENTRIC REDUCER	1
2226	BOARD BASIC COMPLETE,P/N 527444-0000,E&H	DESCRIPTION : BOARD BASIC,	1
2227	Rota Flow Meter, Range 10 Nmc/h, Model : RG1/L, size G1/2", Female, KROFTA, Tag	Description : Rota Flow Meter, Range 10 Nmc/h, Model : RG1/L, size G3/8", Female, KROFTA	1
2228	COIL SOLENOID VALVE,110V,MOOU-8-,KANEKO	DESCRIPTION : COIL SOLENOID VALVE,	5
2229	TEMP. TRANSMITTER,0-120C, 300 mm,TI-1635	TEMP. TRANSMITTER,	1

2230	STUB END,SUS 317L,BW,SCH 40,6"	DESCRIPTION : STUB END	1
2231	TEMP ELEMENT FOR AMOT THERMOSTATIC, TAG : TCV- 1130	DESCRIPTION : AMOT TEMPERATURE ELEMENT,	2
2232	LCS BOX F - 1441 A,B,C (Agitator),Size 250*240*170 mm,Model : BZC-A2D2	Description : LCS BOX F - 1441 A,B,C (Agitator),Size 250*240*170 mm,Model : BZC-A2D2	1
2233	IMPELLER WASHER,MATERIAL AISI 316L,P/N 185194- 34,I/N 42	DESCRIPTION : IMPELLER WASHER	3
2234	NUT,TB35,M36,POS.NO.22 (P1301)	DESCRIPTION : NUT,	18
2235	MOTHER BOARD(O2),01100914A,SERVOMEX	DESCRIPTION : M	1
2236	KIT INLET INSPECTION,P/N: MB409950-00003 (P3861A/B)	ITEM NAME : KIT INLET INSPECTION	1
2237	DOUBLE END STUD BOLT WITH HEX NUT,21CRMOV57 AND 24CRM05,M20x205	ITEM NAME : DOUBLE END STUD BOLT WITH HEX NUT	76
2238	SINGLE END ANALOG I/P,FSCL6861X1-A2(DCS)	MATERIAL DESCRIPTION : SINGLE ENDED ANALOG INPUT,	1
2239	CRANKSHAFT GASKET SET,P/N: A00149-003- 804,POS.NO.24 (P3602)	ITEM NAME : CRANKSHAFT GASKET SET	1
2240	CURRENT TRANSFORMER,ER- 48,12/34KV,IEC185,50HZ,750-100/5+5A,25/10VA,	Description : CURRENT TRANSFORMER,WINDOW TYPE,INNER DIA 140MM	1
2241	TEE,SUS 317L,BW,SEAM,SCH 40,8"	DESCRIPTION : TEE,	1
2242	SOLENOID, THREAD 1/8", BSPP, 110/120VAC, 50/60 Hz, REMOTE, PILOT, GOYEN,	DESCRIPTION : SOLENOID, REMOTE, PILOT	8
2243	GATE VALVE,SUS316 A351/CF8M,RF,150#,2"	DESCRIPTION : GATE VALVE	2
2244	CURRENT TRANSFORMER,AB12,800/5/5 CLASS 1FS5/15VA CORE2:CLASS	Description : CURRENT TRANSFORMER	1
2245	LOCK NUT,TB35,M42 (P1301)	DESCRIPTION : LOCK NUT,	13
2246	SHAFT SLEEVE,SUS316L,P/N: 182984-33 (G1505C)	ITEM NAME : SHAFT SLEEVE	1
2247	BARRIER PCB ASSEMBLY,SERVOMEX,02223903	DESCRIPTION : BARRIER PCB ASSEMBLY SERVOMEX,	1
2248	VIBRATION PROXIMITOR,BENTLY NEVADA, PART NO : 990-04-70-01-00	DESCRIPTION : VIB	1
2249	BUSHES,20%GF TEFLON,DIA.624x601xTHK.10 MM.,POS.NO.48 (F1441A/B/C)	ITEM NAME : BUSHES	4
2250	RETAINER,SUS304,SIZE: 117x1450 MM.,MODEL: 5FS (BF2412A/B)	ITEM NAME : RETAINER	10
2251	MECHANICAL SEAL,ER-21 ER7- V(CAR/CER/VIT,POS.NO.430 (G3549C/D)	ITEM NAME : MECHANICAL SEAL	2
2252	SAMPLE PUMP (CEMS)	MATERIAL DESCRIPTION : SAMPLE PUMP,	1
2253	GASKET,TI/TI PTFE/304,150#,8"	DESCRIPTION : GASKET	14
2254	THERMOCOUPLE I/P MODULE FSCL6858X1 (DCS)	MATERIAL DESCRIPTION : THERCOUPLE INPUT MODULE,	3
2255	PIPE,SEAMLESS,SUS304,SCH40, 1/2"*6 M.	DESCRIPTION : PIPE	10
2256	RUBBER SEAL C/W ENVELOPE,MAT'L: VITON (BLACK COLOR),SIZE: ID.95 * OD.	ITEM NAME : RUBBER SEAL C/W ENVELOPE	15
2257	SHAFT SLEEVE D 80/90X 82.3 IDN 047965,P/N: 5177552 (RV2101A/B)	ITEM NAME : SHAFT SLEEVE D 80/90X 82.3	2
2258	AC-motor flameproof ,0.55KW,Y380-415V,1.21A,2815 RPM,2P,DCEx 71 L/2 K ,II 2G	Description : AC-motor flameproof,Insulation class F, Motor protection ptc II 2G Ex de IIC T4 G	1
2259	SEAL RING FOR MECHANICAL SEAL "DURA SEAL",DWG.NO.2A-37915,I/N 3	DESCRIPTION : SEAL RING	2
2260	BEARING NO.7034 ADF ,POS.NO.13 (P2407)	ITEM NAME : BEARING NO.7034 ADF	2
2261	PSU BOARD COMPLETE (SIO2 ANALYZER)	MATERIAL DESCRIPTION : PSU BOARD COMPLETED, ,	1
2262	LAB TECTA 4.250 PP (5.250) BEARING PROTECTOR,TYPE: 8-1 DBL,S/N:	ITEM NAME : LAB TECTA 4.250 PP(5.250) BEARING PROTECTOR	1
2263	FLEXIBLE COUPLING COMPLETED SET,TYPE H,SIZE 140 MM "FLENDER"	ITEM NAME : FLEXIBLE COUPLING COMPLETED SET	1
2264	MANUAL BALL VALVE, 4 INCH, ASME 150#, RF, MATERIAL CF8M/SS316/PTFE,	DESCRIPTION : MANUAL BALL VALVE	1
2265	dd Compact PEEK ARS Valve, 2.5 m.m., for Bio Tector B7000i TOC Analyzer "HACH",	Description : dd Compact PEEK ARS Valve, 2.5 m.m., for Bio Tector B7000i	1
2266	O-RING,K88271,ID.28.2xTHK.3.0 MM.,POS.NO.4176-052 (J1101B EXPANDER)	ITEM NAME : O-RING	3
2267	LABYRINTH SEAL INBOARD WITHOUT RING,I/N 333 A	DESCRIPTION : LABYRINTH SEAL INBOARD WITHOUT RING	7
2268	PIPE, 3 INCH, S-40S, SS, ASTM A312 TP304L, SMLS, BE, ASME B36.19, L = 6 M.	DESCRIPTION : PIPE	2
2269	LOCKING NUT,P/N007200-266,BS970-431S29ST	DESCRIPTION : LOCKING NUT,	1
2270	SHAFT,316 S 31,P/N: M734GJ037,POS.NO.14 (G1606A/B)	ITEM NAME : SHAFT	2
2271	SPEED MONITOR, DD2503, BRAND ELECTRONIC, TAG : T- 1441A/B/C	SPEED MONITOR POWER	2

2272	GATE VALVE,SW,A182 F304,SUS304,800#,3/4" ,PROTEK	DESCRIPTION : GATE VALVE	4
2273	OTI,SHIHLIN,(OTR-11)	Description : OTI	1
2274	Pipe 1", SCH 10, Stainless steel, ASTM A312 TP304L, Seamless, Plain end, ANSI	Description : Pipe	8
2275	OIL SEAL,P/N: SBX2-608212,POS.NO.P2-4 (G2202)	ITEM NAME : OIL SEAL	6
2276	SEAT AND SEAL OF PV-2701	SEAT AND SEAL OF	1
2277	METAL RING,ANSI 900L,VF-2400B	DESCRIPTION : METAL RING OF ANGLE VALVE	1
2278	DEFLECTOR,BRONZE CASTING,CAC406,P/N: 094-01 (G3260G/H/I/J)	ITEM NAME : DEFLECTOR	1
2279	O-RING,FKM,P/N: JISB2401-G260,POS.NO.23 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : O-RING	6
2280	COIL FOR SOLENOLD VALVE,4210-24V/DC-EEX	COIL FOR SOLENOID VALVE,	5
2281	LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER),SUS316,DIA.3 MM.xL.1245	ITEM NAME : LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER)	12
2282	BALL VALVE,SUS316,SIGHT GLASS,RF,150#,1"	DESCRIPTION : BALL VALVE,	10
2283	TUBING PVC WITH FLANGE,SIZE:4" * 1.30 MT	DESCRIPTION : TUBLING,	5
2284	GASKET,304/304 PTFE/NIL,150#,796*836*876	DESCRIPTION : GASKET,	4
2285	WELD NECK FLANGE,SUS 316L,RF,300#,12"	DESCRIPTION : WELD NECK FLANGE,	2
2286	WCC SPACER DISC COUPLING NO.W4-25D-BE140 MM.,CZ80-160(42x100)	ITEM NAME : WCC SPACER DISC COUPLING NO.W4-25D-BE140 MM.	2
2287	DUAL PLATE CHECK VALVE,RETAINERLESS DESIGN,SUS304,EPDM SEAT,	ITEM NAME : DUAL PLATE SWING CHECK VALVE	2
2288	DIGITAL CONTROL,R12935-D3,HARTMANNES	DESCRIPTION : DIGITAL CONTROLLER,	1
2289	SEALING ELEMENT BRAND BULL GEAR	DESCRIPTION : SEALING ELEMENT,	1
2290	BEARING,NO.UK 320 "NTN"	DESCRIPTION : BEARING	1
2291	SHAFT,SUS316L,POS.NO.122 (G1403C/D)	ITEM NAME : SHAFT	1
2292	GATE VALVE BB OS&Y,SUS316,SW,800#,1-1/2"	DESCRIPTION : GATE VALVE BB OS&Y, SUS316,SW,800# 1-1/2"	1
2293	Ultima te-k UPS UKA-4K (4000VA/2800W)LAB	Description : Ultima te-k UPS UKA-4K (4000VA/2800W)LAB	1
2294	BEVEL GEAR,I/N: 36.05,P/N: A292038003	Description : BEVEL GEAR	1
2295	BEARING NO.JHB 07710,BOWER,P/N: 5.04055.02.54.O,POS.NO.63 (P-3601 C)	ITEM NAME : BEARING NO.JHB 07710,BOWER	1
2296	PRESS GAUGE,DIAP,CLYCERINE,0-4 KG/CM2, BULK CAR	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE, CONN.	3
2297	O-RING FOR MECHANICAL SEAL,EPDM,P/N 2580/123/394	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
2298	BLIND FLANGE,SUS316,ANSI B16.5,RF.,300# 12"	DESCRIPTION : BLIND FLANGE	1
2299	IMPELLER NUT,SUS304,POS.NO.2912 (G2502A/B)	ITEM NAME : IMPELLER NUT	1
2300	SEAL SPACER,P/N: 09M-S22-AC01DB,POS.NO.52 (G2201)	ITEM NAME : SEAL SPACER	4
2301	GASKET,TI/TI PTFE/304,300#,4"	DESCRIPTION : GASKET	20
2302	DIFF.PRESS.GAUGE,0-4 KG,1/2"(PDI-5101)	MATERIAL DESCRIPTION : DIFFERENTIAL PRESSURE GAUGE -, WITH LIQU	1
2303	OIL MIST ELIMINATOR,P/N: P3515B165-1 (P3304)	ITEM NAME : OIL MIST ELIMINATOR	1
2304	MINIMUM SAFE CARD,P/N 527442-0000,E&H	DESCRIPTION : MINIMUM SAFE PLUG IN BOARD,	2
2305	BEARING,STAHL,P/N: BG11_26-SKF 23032CC/C3W33_00201BA0,POS.NO.31	ITEM NAME : BEARING	1
2306	PUMP CASING,FC250,MODEL: CSHP 65-24 (G3535 AA/AB/BA/BB)	ITEM NAME : PUMP CASING	2
2307	ALLOY SPRING 1.8159/1.7102,ALLOY STEEL,P/N: 540.9902.0205	ITEM NAME : ALLOY SPRING 1.8159/1.7102	1
2308	FILTER ELEMENT FOR HEP-J400,16D,150 (P3862)	ITEM NAME : FILTER ELEMENT FOR HEP-J400,16D,150	4
2309	GASKET CASING,NIL/TI PTFE/NIL,ID.577xOD.625xTHK.4.5 MM. (G1503)	ITEM NAME : GASKET CASING	4
2310	SHAFT SLEEVE,SUS316L,OD.65xID.50xL.146 MM.,P/N: 146676-33 (G2301A/B)	ITEM NAME : SHAFT SLEEVE	3
2311	SEAT BUTTERFLY VALVE,PTFE+METAL,300#, 3"	DESCRIPTION : SEAT BUTTERFLY VALVE,	1
2312	TURBOCHARGER REPAIR KIT Y89/00257,P/N: SE652AF (OLD DISSELS	ITEM NAME : TURBOCHARGER REPAIR KIT Y89/00257	4
2313	PLATE,PLATE 0.5 MM AISI 316 "SONDEX" (E1205C)	DESCRIPTION : PLATE	10

2314	DISCHARGE VALVE COMPLETE,P/N: 803795.4 (G2402A/B)	ITEM NAME : DISCHARGE VALVE COMPLETE	1
2315	PRESSURE SWITCH 70 KG/CM2, CONNECTION 1/2" (ASHCROFT), DUAL SET	DESCRIPTION : PRESSURE SWITCH	1
2316	NOZZLE,P/N006465-263,BS970-316S11ST	DESCRIPTION : NOZZLE,	2
2317	BEARING,ADAPTOR SLEEVE NO.H 3134 "SKF" (T1442B,T1443B,T1444,T1445)	ITEM NAME : BEARING	4
2318	LEVEL SWITCH,FTM50-DGG2A4A37AA, 250V, R 1-1/2"	DESCRIPTION : LEVEL SWITCH	1
2319	RTD Transmitter, I/P RTD pt 100, Range 0-150 C, Brand:M-system, Model: M2RS-4A-	Description : RTD Transmitter	3
2320	BEARING NO.22224B,POS.NO.30 (P1301A/B)	ITEM NAME : BEARING NO.22224B	2
2321	O-RING FOR INBOARD SEAL,MAT'L: KALREZ 7075,P/N: 2 (P1503)	ITEM NAME : O-RING FOR INBOARD SEAL	2
2322	UPS AC CAPACITOR 75 UF,370 VAC (CO-GEN)	DESCRIPTION : AC CAPACITOR	12
2323	MECHANICAL SEAL SIZE: 32 MM.,26S-MG12/32-G60 "EBTH" (G1101A/B,G4011)	ITEM NAME : MECHANICAL SEAL SIZE: 32 MM.	4
2324	BUSH,PTFE,POS.NO.45 (P1301A/B)	ITEM NAME : BUSH	1
2325	MOTHER BOARD(O2),1100925B,SERVOMEX	DESCRIPTION : M	1
2326	ROTOR AND SHAFT,P/N: 3-570-552-340-37,POS.NO.36 (G3546A/B)	MATERIAL DESCRIPTION : ROTOR AND SHAFT, ,	1
2327	MECHANICAL SEAL SIZE: 35 MM.,TYPE: T502/BRIC1Q347 "JOHN CRANE" (G1618)	ITEM NAME : MECHANICAL SEAL SIZE: 35 MM.	1
2328	SPOCKET,MATERIAL ANSI 160-B22,SIZE DIA.80* 380 * 22 TEETH	DESCRIPTION : SPROCKET	2
2329	RUPTURE DISC,TEF/ALU/TEF/316,SIZE: 1-1/2"(40 MM.) L-STD-L-V (LL) (PSE3718)	ITEM NAME : RUPTURE DISC	3
2330	LCD Display for COD analyzer, P/N 67017701	Description : LCD analyzer for COD analyzer	1
2331	Packing set (3pcs/set) ARCA (PV-1106)	Description : Packing set	1
2332	PAULSTRA RADIAFLEX RUBBEER MOUNT; HS CODE: 40169991,RUBBER,OD.60	ITEM NAME : PAULSTRA RADIAFLEX RUBBEER MOUNT; HS CODE: 40169991	24
2333	GASKET,TITANIUM/TITANIUM FILLER PTFE/CARBON STEEL,SIZE 267x287.3x317.	DESCRIPTION : GASKET	6
2334	ANGLE BAR,SUS304,2"x2"xTHK.3/16"xL.6 M.	DESCRIPTION : ANGLE BAR	5
2335	INTERFACE BOARD,MIR 9000 (CEMS)	MATERIAL DESCRIPTION : INTERFACE BOARD,	1
2336	SPHERICAL ROLLER BEARING,P/N: 10001351,POS.NO.0104 (P2406B)	ITEM NAME : SPHERICAL ROLLER BEARING	1
2337	CHECK VALVE,LIFT,RF,125-250,ASTM A351 GR.CF8M,TRIM SS316,GASKET SP-	DESCRIPTION : CHECK VALVE	1
2338	BALL VALVE,SUS 316,A351/WCB,RF,SEAT:RPTFE,300#,1/2"	DESCRIPTION : BALL VALVE	8
2339	UNDERLAY PLATE,WS3820,398x98x3 MM.,P/N: 307762100 (F2408 RPF)	ITEM NAME : UNDERLAY PLATE	88
2340	SHAFT,STAINLESS STELL-DUPLEX 2205 (G1602A/B)	ITEM NAME : SHAFT	1
2341	THROAT BUSH ASSEMBLY,PTFE CARBON FILLED+SS316 (G2805A/B)	ITEM NAME : THROAT BUSH ASSEMBLY	1
2342	TEE,SUS 317L,BW,SEAM,SCH 40,3"	DESCRIPTION : TEE,	9
2343	MECHANICAL SEAL SIZE: 50 MM.,EJ5- -VV1A-44260 "DURA SEAL" (G3581)	DESCRIPTION : MECHANICAL SEAL	1
2344	FLUSHING RING,D.50,SUS,P/N: 806735,POS.NO.402F (G2402)	DESCRIPTION : GUIDE BAND D30 * 15.21	3
2345	ELBOW 90,316L,SW,SEAM,3000#,1/2"	DESCRIPTION : ELBOW 90	60
2346	WELDING TIG ROD,AWS NO.ERNiCrMo-3,INCONEL 625,2.4 * 1000 MM. (5 KG/BOX)	DESCRIPTION : WELDING TIG ROD	10
2347	GASKET,NIL/317 GRAP/TI,600#,10"	DESCRIPTION : GASKET,	4
2348	ROTA FLOWMETER, SIZE 25 M.M., 1" ANSI 150 RF, RANGE 340 - 3400 KG/H,	DESCRIPTION : ROTA FLOWMWTER	1
2349	NOZZLE INLET,MATERIAL BS 970-316S11 ST ST,P/N 016285-263,I/N 4	DESCRIPTION : NOZZLE INLET	1
2350	BEARING NO.22328CC/C3W33,POS.NO.36 (P1301C)	DESCRIPTION : BEARING,	1
2351	O-RING,EPDM,ID.89.5 MM.xTHK 3 MM.,P/N: 520614- 75,POS.NO.33 (G1504,G1507)	ITEM NAME : O-RING	6
2352	SHAFT,STAINLESS STELL-DUPLEX 2205,POS.NO.160 (G1613A/B)	ITEM NAME : SHAFT	1
2353	(NOT USE) GASKET (C/D BOTTOM),NIL/TITANIUM FILLER PTFE/NIL,SIZE	DESCRIPTION : GASKET (C/D BOTTOM)	3
2354	BEARING BRACKET,CAST IRON,P/N: DIN# 0.6025,POS.NO.330 (G2701A/B)	ITEM NAME : BEARING BRACKET	1
2355	BEARING,NO.32034X "SKF"	DESCRIPTION : BEARING	2

2356	O-RING (OUTER), AN6227-11 (ID : 13.94 M.M.), FOR VALVE, MASONEILAN, P/N	DESCRIPTION : O-RING (OUTER) AN6227-11	3
2357	SEAT RETAINER,HJ977GN/65,POS.NO.27 (G1403)	ITEM NAME : SEAT RETAINER	1
2358	PUMP CASING MODEL : 125 X 100 & CSHP (G3532A/B)	ITEM NAME : PUMP CASING	1
2359	FOAM CHAMBER AFC-330 VAPOR SEAL ASSEMBLY,SIZE: 6"x4",P/N: 418583	ITEM NAME : FOAM CHAMBER AFC-330 VAPOR SEAL ASSEMBLY	5
2360	DIAPHRAGM VALVE,Y PATTERN,5521 IB 60, 1"	PLASRIC DIAPHRAGM VALVE,	2
2361	DC-DC CONVERTER,MODEL NW-1 (G-3180)	MATERIAL DESCRIPTION : DC-DC CONVERTER,	1
2362	LEAKAGE DETECTOR GMSG-2VK1-40/40,26892307,SIEMENS (MP-1101)	Description : LEAKAGE DETECTOR GMSG-2VK1-40/40	1
2363	SMALL END BUSHING,P/N: A00134-603-000 (P3602)	ITEM NAME : SMALL END BUSHING	1
2364	SHAFT,STAINLESS STEEL SS304 (G3592A/B)	ITEM NAME : SHAFT	1
2365	Snap Acting Relay repair kit, Model GVB12,ITT, Tag : LV-2401-02-03	Description: Snap Acting Relay repair kit, Model GVB12,ITT	2
2366	LIP SEAL,PTFE,POS.NO.15 (P1502)	ITEM NAME : LIP SEAL	2
2367	THROAT BUSHING,PTFE+CARBON FILLED (G2501A/B)	ITEM NAME : THROAT BUSHING	2
2368	SPRING,ALLOY STEEL,I/N 54	MATERIAL DESCRIPTION : SPRING,	1
2369	SPRING,MATERIAL SUS 316 L,I/N 54	DESCRIPTION : SPRING	1
2370	SPRING,MATERIAL ALLOY STEEL,I/N 54	DESCRIPTION : SPRING	1
2371	RELIEF VALVE,P/N: VAO1AG01,POS.NO.175 (G2201)	ITEM NAME : RELIEF VALVE	1
2372	DOUBLE LIP SEALS NO.TSNA 2283-ACID (T1402)	DESCRIPTION : LABYRINTH SEAL	10
2373	WIRE,TITANIUM GR 2,DIA.2 MM. (P1301,R1301 A/B/C)	ITEM NAME : WIRE	2
2374	RUPTURE DISC,P2133-7D14,SUS316,SIZE: 3" (PSE2415)	ITEM NAME : RUPTURE DISC, 3" P2133-7D14	3
2375	BLIND FLANGE, 16 INCH, 150#, FORGED, SS ASTM A182 GR.F304L, RF, 125-250	DESCRIPTION : BLIND FLANGE	1
2376	ARM RING WITH PIN,SIZE: 5",P/N: TC 300 SE (BULKCAR)	ITEM NAME : ARM RING WITH PIN	36
2377	SEQUENCER OF AIR KNOCKER,P/N: 81550001	DESCRIPTION : SEQUENCER,	6
2378	8-FOLD O/P AMPLIFIER,VA8-F3113,HIMA	DESCRIPTION : OUTPUT AMPLIFIER,	3
2379	SPHERICAL ROLLER BEARING AND SLEEVE WITH SEAL NO.22217EK+H	ITEM NAME : SPHERICAL ROLLER BEARING AND SLEEVE WITH SEAL	5
2380	R-RAY SOURCE CABLE HOLDER, METAL SLING	DESCRIPTION : METAL SLING, R-RAY SOURCE CABLE HOLDER,	1
2381	SEALING ELEMENT ,HP,SHAFT	DESCRIPTION : SEALING ELEMENT,	1
2382	LIMIT SWITCH 07-2911-1*21/30, BARTEC	LIMIT SWITCH,	1
2383	FLOW GAUGE, SIZE 1", 150#, FG-2705B NEW-FLOW	DESCRIPTION : FLOW GAUGE	1
2384	Under voltage relay MUV-A1V-R 094PGA , Aux.Volt AC/DC 100-220 V, MITSUBISHI,	Description : Under voltage relay, Aux.Volt AC/DC 100-220 V	1
2385	Alternator 24 VDC,(DG1)	Description : Alternator 24 VDC,(DG1)	1
2386	FLOW GAUGE, SIZE 1", 150# RF, RANGE 50-630 L/H, FG-1405, YOKOGAWA	DESCRIPTION : FLOW GAUGE	1
2387	GREASE GADUS S2 V220 2 ,SHELL,1*18 KG	DESCRIPTION : GREASE GADUS S2 V220 2	7
2388	GASKET,TI/TI PTFE/304,150#,5"	DESCRIPTION : GASKET	16
2389	SHAFT,2321,P/N: 127393-32,POS.NO.51 (G1507)	ITEM NAME : SHAFT	1
2390	MEMBRANE SWITCH PANEL(KEYPAD),SERVOMEX	MEMBRANE SWITCHMPANEL(KEYPAD),	1
2391	SPLIT PIN,000 010 363 308,SIZE: 4x36,POS.NO.4176- 007 (J1101B EXPANDER)	ITEM NAME : SPLIT PIN	7
2392	MALE ONE TOUCH ,1/4*1/8,NPT,SS316,SMC	DESCRIPTION : MALE ONE TOUCH 1/4 * 1/8,NPT,SS316,	63
2393	BEARING NO.30226 "NTN" ,POS.NO.21,6 (P2402,P2403,P2404,P2405)	ITEM NAME : BEARING NO.30226	4
2394	SLIPRING ASSEMBLIES,CLASS IP 55,25A,500V (STEMMANN)	Description : SLIPRING ASSEMBLIES,CLASS: IP 55	1
2395	MIN AND MAX ALARM,M:NRS1-2B (DEAERATOR)	MATERIAL DESCRIPTION : MIN AND MAX ALARM,	1
2396	SHAFT,SUS304L,P/N: M734GJ036 (G4013A/B)	ITEM NAME : SHAFT	1
2397	GASKET,316L/316L PTFE/CS,908.1x927.1x968.5x1047.8xTHK.4.5 MM. (E1301)	ITEM NAME : GASKET	4

2398	SEAL RING ZXQ 500,P/N 5177523,I/N 7.5	DESCRIPTION : SEAL RING ZXQ 500	4
2399	GASKET(C/W PARTITION BAR 8 MM. R 2.25,BAR: TI- 1),TI/TI PTFE/SUS304,SIZE:	ITEM NAME : GASKET	2
2400	Rubber Diaphragm, Motoyama, CR, PV2-2401	Description : Rubber Diaphragm	2
2401	SMART Transmitter Power Supply Pepper+Fuchs KCD2- STC-1.20 (Tunthai Excitation	Description : SMART Transmitter Power Supply Pepper+Fuchs KCD2-STC-1.20 (Tunthai Excitatio	1
2402	NUT,TB35,M39,POS.NO.19 (P1301)	DESCRIPTION : NUT,	13
2403	OIL TUBE,P/N 47,I/N 516088900	DESCRIPTION : OIL TUBE	1
2404	IMPELLER,MATERIAL SUS 316 L,I/N 101	DESCRIPTION : IMPELLER	1
2405	LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER),SUS316,DIA.3 MM.xL.1220	ITEM NAME : LOCKING ROD(SMALLER SIZE FOR SEFAR FILTER)	12
2406	SHAFT,SUS316L,POS.NO.122 (G1203C,G2501C,G2503C/D)	ITEM NAME : SHAFT	2
2407	ARMSTRONG IB.TRAP 814,BODY: CAST IRON,SIZE: 1- 1/4" ORIFICE#1/4"(250 PSI)	ITEM NAME : ARMSTRONG IB.TRAP 814 SIZE: 1-1/4" ORIFICE #1/4"(250 PSI)	1
2408	Ball valve repair kit, KTM, E0106-32.1E, 2"ANSI 300, XV-1315A-B,XV-1316A-B	Description : Valve repair kit	2
2409	DUAL FAIL SAFE SWITCHING,VE 2SX-F3226	DESCRIPTION : FUAL FAIL SAFE SWITCHING,	2
2410	SPACER COUPLING,P/N 507/3/5	DESCRIPTION : SPACER COUPLING	2
2411	SHAFT,SUS316,P/N: 2807B (G2405,G2407)	ITEM NAME : SHAFT	1
2412	CONDUCTIVITY METER,24 VDC (CIC-5201)	MATERIAL DESCRIPTION : CONDUCTIVITY METER (SENSOR +, TRANSMITT	1
2413	NUT,IMPELLER NITRINIC 60 COND A,SUS316 (F593 GR.2),P/N: RB00002K032445,	ITEM NAME : NUT,IMPELLER NITRINIC 60 COND A	1
2414	O-RING,SILICONE RUBBER(FKM),DIA.5.7xID.189.3 MM.,POS.NO.AA-17 (T1401BB)	Description : O-Ring	3
2415	PLATE,SUS 316L-2B,4 FT*8 FT*3 MM.	DESCRIPTION : PLATE	2
2416	SEGMENT,PEEK,10x8x25,P/N: 400001827,POS.NO.60 (F2408)	DESCRIPTION : SEGMENT	24
2417	TROCHOID PUMP COMPLETE SET (GG2201A/B/C/D)	ITEM NAME : TROCHOID PUMP WITH MOTOR COMPLETE SET	1
2418	O-RING FOR MECHANICAL SEAL,P/N 2560/123/394	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
2419	(NOT USE) ROUND CORD,BONDED FOR INLET DIAPHRAGM,STAGE 5 (P1101)	DESCRIPTION : ROUND CORD,BONDED FOR INLET DIAPHRAGM,STAGE 5	5
2420	H2 GAS RECEIVER MODULE,A14-18,ATI	DESCRIPTION : H2 GAS RECEIVER,	1
2421	GASKET,TI/TI PTFE/NIL,SIZE: 479x509x535x4.5 MM.THK (E1401B)	ITEM NAME : GASKET	3
2422	ELBOW 90,A234 WPB,BW,SL,SCH 40,10"	DESCRIPTION : ELBOW 90	11
2423	SHAFT,4140 STEEL,P/N: R104-733 2238,POS.NO.122 (G1103C PRI)	ITEM NAME : SHAFT	1
2424	SEAT RETAINER 6BX6B, TAG : FV-1802A, FV-1802B	DESCRIPTION : SEAT RETAINER 6BX6B	1
2425	STANDARD GAS,METHANE (CH4) 50% LEL	STANDARD CALIBRATION GAS	2
2426	IMPELLER,BC,POS.NO.201 (G3535)	ITEM NAME : IMPELLER	1
2427	GUIDE RING D:20.65,P/N: A00237-012-825,POS.NO.6 (P3602)	ITEM NAME : GUIDE RING D:20.65	1
2428	Gasket Repair Kit, PV-1114	Description : Gasket Repair Kit	1
2429	GATE CONTROL,P/N 0804 (G-3180)	MATERIAL DESCRIPTION : GATE CONTROL, ,	1
2430	O2 CALIBRATION GAS,2000 PSIG,7 M3	MATERIAL DESCRIPTION : O2 CALIB	1
2431	PERMEATE PORT,TYPE: RO#1 (RO4601A/B)	ITEM NAME : PERMEATE PORT	6
2432	QUICK RELEASE VALVE,POS.6, P/N:93620632	DESCRIPTION : QUCK RELEASE VALVE,	4
2433	BALL VALVE,RF,SUS304,SEAT: RPTFE,150#,3"	BALL VALVE, CL150 RF 125-250 RA-FN ,	1
2434	SCHNEIDER TSX ETHERMET MODBUS/TCP MODULES, TSX ETY4103, MODICON	DESCRIPTION :SCHNEIDER TSX ETHERMET MODBUS/TCP MODULES, TSX ETY4103, MOD	1
2435	Rubber Diaphragm, Motoyama, CR, FV-1305A	Description : Rubber Diaphragm	4
2436	GASKET,INCLUDE CENTER BAR=10 MM.,NIL/TI GRAP/NIL,ID.512 MM.xOD.	ITEM NAME : GASKET	3
2437	CONCENTRIC RED.,SUS 317L,SCH 40,8"*6"	DESCRIPTION : CONCENTRIC REDUCE,	3
2438	BALL VALVE WITH LIMIT SWITCH,300#,2"	DESCRIPTION : BALL VALVE WITH LIMIT SWITCH	2
2439	BOLT HEX HEAD,304,M30*3.50*120 MM	DESCRIPTION : BOLT HEX HEAD	48

2440	FRONT PANEL LED(O2),01101916,SERVOMEX	DESCRIPTION : FRONT PANEL,	1
2441	CYCLOID DISC (2 PCS/SET) (P1504)	DESCRIPTION : CYCLOID DISC	1
2442	GASKET,316L/316L GRAP/CS,684x735x785x914xTHK.4.5 MM. (D2401)	ITEM NAME : GASKET	5
2443	SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23028 CCK/W33+H 3028	ITEM NAME : SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23028 CCK/W33+H3	2
2444	LOCK NUT AND LOCK WASHER,SS400 (P2102)	ITEM NAME : LOCK NUT AND LOCK WASHERDWG	1
2445	RTD PT100 OHM,L=590,I=450,TE-1518	DESCRIPTION : RTD ELEMENT	1
2446	MOTOR COMPLETE BLOWER(IA/PA),(MP3862A/B)	Description : COMPLETE BLOWER,20 HP,NEMA4,380/3/50,THD FLG	1
2447	O-RING PROCESS,P/N: A00214-261-806,POS.NO.11 (P3602)	ITEM NAME : O-RING PROCESS	2
2448	MALE ONE TOUCH ,1/4*1/4,NPT,SS316,SMC	DESCRIPTION : MALE ONE TOUCH 1/4 * 1/4,NPT,SS316,	63
2449	GATE VALVE,ASTM A351Gr.CF8,JIS10K,PTFE,FLANGE ENDS,4"	ITEM NAME : GATE VALVE	1
2450	V-BELT NO.8V-1500 "SKF" (P2410)	ITEM NAME : V-BELT NO.8V-1500	18
2451	O-RING,VITON,POS.NO.52D+52E (P1401,P1402)	ITEM NAME : O-RING	7
2452	COLLAR BUSH FOR GLAND FOLLOWER (NEW DESIGN),CuSn6/PTFE,D35/25x21,	ITEM NAME : COLLAR BUSH FOR GLAND FOLLOWER (NEW DESIGN)	48
2453	VSD, 3.7KW,HF3204-3A7,SUMITOMO (MRV-2411D,E,F)	INVERTER	1
2454	SEAL RING FOR MECHANICAL SEAL,TYPE ROTT (DIN) "DURA SEAL",I/N 3	DESCRIPTION : SEAL RING FOR MECHANICAL SEAL	1
2455	BACK UP CARD,M:DZK-2,P/N AP01R2 (D-3161)	MATERIAL DESCRIPTION : BACK UP CARD,	1
2456	CONTROL CARD OF EP,M:DZK-2 (D-3161)	MATERIAL DESCRIPTION : CONTROL CARD,	1
2457	ROUND BAR,SUS 316L,3/4"*3 M	DESCRIPTION : ROUND BAR	7
2458	RADIAL BEARING LABYRINTH SEAL WITH O- RINGS,BRONZE,POS.NO.333A	ITEM NAME : RADIAL BEARING LABYRINTH SEAL WITH O-RINGS	1
2459	O-RING FOR SEAL CARTRIDGE,G310,FKM JISB2401- G310,POS.NO.33 (P2404,	ITEM NAME : O-RING FOR SEAL CARTRIDGE	3
2460	PREVAILING TORQUE HEXAGON NUT,P/N: 17,I/N: 003100900 (P-1101 B)	Description : PREVAILING TORQUE HEXAGON NUT	8
2461	GASKET ENVELOPE,TYPE: 32 HOLES,MAT'L: NON ASBESTOS,SIZE: ID.740*OD.	ITEM NAME : GASKET ENVELOPE	2
2462	LOCK NUT,TB35,M39,POS.NO.20 (P1301)	DESCRIPTION : LOCK NUT,	13
2463	SOLENOID VALVE,M:M4KB219-3,110 VAC,1/4"	MATERIAL DESCRIPTION : SOLENOID VALVE,	3
2464	WELDING TIG,TITANIUM,1.6*1000 MM,WEL	DESCRIPTION : WELDING TIG ROD,	5
2465	6-FOLD UNIT,4-FOLD INVER,DY6-F2201,HIMA	DESCRIPTION : FOLD INVERTER,	2
2466	GASKET SEALANT(EXPANDED PTFE),VIRGIN PTFE,W.25 MM.xTHK.6 MM.xL.15	DESCRIPTION : GASKET SEALANT	10
2467	O-RING,AS-568 KALREZ 4079,K# 229,59.92xTHK.3.53 MM. (G1505A/B,G1802C/D)	ITEM NAME : O-RING	4
2468	MECHANICAL SEAL SIZE: 40 MM.,26S-HJ97G/40-G4 "EBTH" (G3516)	ITEM NAME : MECHANICAL SEAL SIZE: 40 MM.	2
2469	ANALOG OUTPUT MODULE,1746-N04I (SLC 500)	MATERIAL DESCRIPTION : ANALOG OUTPUT MODULE,	1
2470	CURRENT TRANSFORMER,AB12,400/5 CLASS5P20 15VA,FOR 12KV,ALCE (PRI)	Description : CURRENT TRANSFORMER	1
2471	KEY PLATE ASSEMBLY,SS400,W.135 MM.xL.540 MM. (B2402)	ITEM NAME : KEY PLATE ASSEMBLY	1
2472	Pneumatic Timer, Festo, Model PZVT-999-SEC-B	Description : Pneumatic Timer	1
2473	GASKET,NIL/321 GRAPHITE/CS,900#,8"	DESCRIPTION : GASKET	20
2474	GASKET(C/W PARTITION),316L/316L PTFE/NIL,SIZE: 700x730x755x4.5 MM.THK,	ITEM NAME : GASKET	3
2475	GASKET,321/321 GRAP/NIL,2500#,8"	DESCRIPTION : GASKET	21
2476	O-RING,KALREZ,P/N: 4 (P1502)	ITEM NAME : O-RING	1
2477	SUCTION VALVE COMPLETE,P/N: 803794.7 (G2402A/B)	ITEM NAME : SUCTION VALVE COMPLETE	1
2478	GASKET,304/304 GRAP/CS,SIZE: 480x525x575x606x4.5 MM.THK (D1103,D2502)	ITEM NAME : GASKET	11
2479	SHAFT SEAL(OIL SEAL),W 5710,ID.180xOD.210xTHK.15 MM.,P/N: 0232,0233	ITEM NAME : SHAFT SEAL(OIL SEAL)	6
2480	BALL VALVE,SUS316,RF,150#,1-1/2"	DESCRIPTION : BALL VALVE	2
2481	WINDOW CAF2(CO/CO2),5985-5352,SERVOMEX	DESCRIPTION : WINDOW CAF2, INNER,OUTER : 6 * 25 MM,	3

2482	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	9
2483	Rubber Diaphragm, Motoyama, CR, FV-2501	Description : Rubber Diaphragm	4
2484	VDR-OCELIT Varistor,80/20/10/2SP/500Vdc/10- 20mA,column with 2 discs 820 SB,	Description : VDR-OCELIT Varistor,80/20/10/2SP/500Vdc/10-20mA,column with 2 discs 820 SB	1
2485	SHAFT FOR PUMP,SUS410 (G3549A/B)	ITEM NAME : SHAFT FOR PUMP	1
2486	FLOW TRANSMITTER,SS316, 1", FI-1631	FLOW TRANSMITTER,	1
2487	O-RING, SIZE 964 * 3 mm Pos 1.15 (2 pcs per valve)	Description : O-RING, SIZE 964 * 3 mm, FKM NBR70SH	7
2488	SHAFT,SUS304,POS.NO.6 (P2502A/B)	ITEM NAME : SHAFT	1
2489	(NOT USE) GASKET(C/D TOP),NIL/TITANIUM FILLER PTFE/NIL,SIZE 556*606*4.5 MM	DESCRIPTION : GASKET (C/D TOP)	3
2490	BALL BEARING NO.310R 0015,P/N: 21-060,POS.NO.125C "MRC" (G2201)	ITEM NAME : BALL BEARING NO.310R 0015	1
2491	SHAFT SLEEVE M/S 1.750",316 SS,POS.NO.126 (G1703A/B,G1704A/B)	ITEM NAME : SHAFT SLEEVE M/S 1.750"	2
2492	HV BUSHING TR4,10 MVA WITH GASKET, 22 MM	HV BUSHING TR4, 10 MVA WITH GASKET,	2
2493	RTD Pt 100 3-wire ,U-Length 420 mm, (Rosrmount) , TE-1110BX2,TE-1158X,TE-	Description : RTD Pt 100 3-wire ,U-Length 420 mm, (Rosrmount) , TE-1110BX2,TE-1158X,TE-11	2
2494	MOTOR,15 KW 380V,50Hz 4 POLE,MP-2901,MP-1410	MOTOR, CAPACITY : 15 KW, 4 POLE, 160L, POWER	1
2495	REGULATOR,BEARING OIL PRESS,13-04-08,JOY	DESCRIPTION : REGULATOR,	1
2496	REGULATOR,BULLGEAR BEARING OIL,13-04-20	DESCRIPTION : REGULATOR,	1
2497	DIAPHRAGM 35K, MASONELIAN, P/N 035107040-176- 0000, TAG : FV-1102	DESCRIPTION : DIAPHRAGM 35K	1
2498	NOZZLE,P/N 006465-263,I/N 4	MATERIAL DESCRIPTION : NOZZLE,	1
2499	GASKET F LUBE OIL SYSTEM,P/N:3189449	DESCRIPTION : GASKET F LUBE OIL,	6
2500	O-RING KALREZ 4079,ID.151.99xTHK.3.53 MM.,POS.NO.71 (J1101B)	ITEM NAME : O-RING KALREZ 4079	2
2501	GATE VALVE,SUS304,SEAT: METAL,RF,300#,2"	DESCRIPTION : GATE VALVE	1
2502	SMART TRANSMITTER POWER SUPPLY, SPILTTER 2 OUTPUT, KCD2-STC-Ex1.	DESCRIPTION : SMART TRANSMITTER POWER SUPPLY	1
2503	SPRING FOR CHECK VALVE,INCONEL X-750,SIZE: 300#, 8" (G1205)	ITEM NAME : SPRING FOR CHECK VALVE	2
2504	PUMP CASING,FC 250,P/N: 101,MODEL: CSHP 65-29 (G3532A/B/C/D)	ITEM NAME : PUMP CASING	2
2505	GASKET,TI/GRAP/NIL,603*642*691*4.5MM	DESCRIPTION : GASKET,	2
2506	CHECK VALVE,SUS 304,HOR LIFT,SW,800#,1"	CHECK VALVE,CL800,SW,SS ASTM A182 GR.F304, BODY: SUS 304 TRIM HOR LIFT BC SP-W	3
2507	VITON-QUAD-RING-GASKET-DETAIL"Z",2193426, PV- 1106C	DESCRIPTION : VITON-QUAD-RING-GASKET-DETAIL Z,	1
2508	VITON-QUAD-RING-GASKET-DETAIL"Z",2183637	DESCRIPTION : VITON-QUAD-RING-GASKET-DETAIL Z,	1
2509	SOCKET HEAD CAP SCREW,SUS316,M24x3.0x90 MM. (G1445)	ITEM NAME : SOCKET HEAD CAP SCREW	15
2510	PRESS SW(NORMAL),35-375 PSI,SOR	DESCRIPTION : PRESSURE SWITCH	1
2511	Electronic Over-current relay,EOCR-3MZ2- WRDUW,0.5-80A,100-240VAC/DC,EOCR,	Description : Electronic Over-current relay,0.5-80A,100-240VAC/DC	2
2512	Electrode pH sensor, Model : CPS11D-7AS21, (E & H), AE-3203/3204	Description : Orbisint CPS11D-7AS21 Memosens pH comb.	2
2513	MOTOR,1.5 KW,380V,4P,FRAME: 90L,TECO	DESCRIPTION : MOTOR,	1
2514	MODEL 50 REPAIR KIT,P/N:2020164-001		1
2515	SLEEVE,P/N 10267-1,P/N 4,DWG.16655	MATERIAL DESCRIPTION : SLEEVE, ,	2
2516	CONTROLLER CARD,CU-CONT-3PN-415V,ERSKINE	CONTROLLER CARD,	1
2517	BEARING NO.NU312 EMCCG55P6UY, NSK,(MG-2201)	DESCRIPTION : BEARING NO.NU312EMCCG55P6UY	9
2518	Gasket, non ASB+PTFE envelope, 5K, 20"	Gasket, non ASB+PTFE envelope, 5K, 20"	6
2519	GASKET,MATERIAL TOMBO #9094,SIZE ID.250 * OD.360 * 3 MM THK,P/N AO	DESCRIPTION : GASKET	2
2520	WASHER,IMPELLER LOCKING,316 STN STL,P/N: B10585 6 3211,POS.NO.199A	ITEM NAME : WASHER,IMPELLER LOCKING	4
2521	BEARING NO.22228 CCK/C3W33 "SKF" (T2404)	ITEM NAME : BEARING NO.22228 CCK/C3W33	2
2522	Gland Packing, PV-2805	Description : Gland Packing	1
2523	CLUTCH SHAFT,P/N P-C10810A-1,I/N 27	DESCRIPTION : CLUTCH SHAFT	2

2524	STUD BOLT AND NUT,B7,1-3/4*580 MM	STUD BOLT AND NUTS ,B7 ALLOY STEEL ,	44
2525	ANGULAR POSITIONER TRANSMITTER, TEMPRESS	DESCRIPTION : ANGULAR POSITIONER TRANSMITTER,	1
2526	RUPTURE DISC,MINTRX,317L-TAN-316L,SIZE: 1" (PSE1701)	ITEM NAME : RUPTURE DISC	3
2527	CHASIS I/O RACK(12 SLOT) CPU,1771-A3B*B	DESCRIPTION : CHASIS I/O RACK,	1
2528	DIGITAL INPUT,P/N 0801 (G-3180)	MATERIAL DESCRIPTION : DIGITAL INPUT, ,	2
2529	MECHANICAL SEAL COMPLETE SET,TYPE: 116S-2P,S/N: BB1-K/30,SL/BB1-K/30	ITEM NAME : MECHANICAL SEAL COMPLETE SET	3
2530	FLINGER,MATERIAL SS 400,DWG.NO.63DH5E,I/N 11	DESCRIOTION : FLINGER	4
2531	PH ELECTRODE,AH300-1 GEL,120 MM,STIP	DESCRIPTION : PH ELECTRODE	2
2532	DIAPHRAGM SEAL, PRESSURE GAUGE WITH CAPILLARY TUBE 5 M., RANGE 0 -	DESCRIPTION : DIAPHRAGM SEAL PRESSURE GAUGE	2
2533	SEALING ELEMENT ,LP,SHAFT	DESCRIPTION : SEALING ELEMENT,	1
2534	SPECIAL TOOL FOR BORSIGH COMPRESSOR	DESCRIPTION : SPECIAL TOOL,	1
2535	DIGITAL POWER METER,ME110SR-4APH,3P 3W AC 110V FOR CT/5A PT400/100V	Description : DIGITAL POWER METER	1
2536	O-RING,KALREZ 7075,SIZE: SE01_240.89x3.53 MM.,POS.NO.34 (P2401A)	ITEM NAME : O-RING	1
2537	O-RING HEAD INTEGRITY,P/N: A00214-597- 800,POS.NO.10 (P3602)	ITEM NAME : O-RING HEAD INTEGRITY	2
2538	BEARING NO.32214 ,POS.NO.36 (P1203,P1205)	ITEM NAME : BEARING NO.32214	2
2539	SHAFT SLEEVE,ID.60xOD.75xL.173 MM.,P/N: 133384- 33,POS.NO.17 (G2102)	ITEM NAME : SHAFT SLEEVE	1
2540	QUAD KEYPAD,MEMBRANE ASSY,17-01-01,JOY	DESCRIPTION : QUAD KEYPAD,	1
2541	SHAFT SLEEVE D 115/105x52,P/N: 5177533,POS.NO.8.3 (RV2402C/D)	ITEM NAME : SHAFT SLEEVE D 115/105x52	1
2542	CT DC 254A<IDC=<281A381A<IDISCH=<421A,0P6283A,GUTOR UPS	DESCRIPTION : CT DC 254A<IDC=<281A381A<IDISCH=<421A	1
2543	CT DC 296A<IDC=<324A444A<IDISCH=<485A,0P6285A,GUTOR UPS	DESCRIPTION : CT DC 296A<IDC=<324A444A<IDISCH=<485A	1
2544	Limit switch, GF, Model ER52-1, Tag : RO	Description : Limit switch	2
2545	SMART TEMPERATURE TRANSMITTER, REMOTE MOUNT, FOXBORO, TAG : TT-	DESCRIPTION : SMART TEMPERATURE TRANSMITTER, REMOTE MOUNT	1
2546	SEMIC.FUSE 800A 250VUL/CSA,515-9031,GUTOR UPS	DESCRIPTION : SEMIC.FUSE 800A 250VUL/CSA	3
2547	OIL PUMP BEARING,P/N: A00155-001-000,POS.NO.34 (P3602)	ITEM NAME : OIL PUMP BEARING	1
2548	BATTERY CHARGER,CBI2410A (DG1,2)	Description : BATTERY CHARGER,CBI245A (DG1,2)	1
2549	GASKET,TI/TI GRAP/CS,300#,6"	DESCRIPTION : GASKET	7
2550	Conductivity cell, Insertion cells, ABB, Model 2078-485, Tag : CT-2301	Description : Conductivity cell, Insertion cells	1
2551	U-BOLT & NUT,SUS304,BSW,DIA.C=30 MM.,E=43 MM.,1/2"	DESCRIPTION : U-BOLT & NUT	158
2552	WELDING FILLER INCONEL 82, 0.093" * 36", TIG	DESCRIPTION : WELDING FILLER INCONEL 82	10
2553	SHAFT SLEEVE,DUPLEX ALLOY 2205(ASTM A890 Gr4A),P/N: B03743A 2469	ITEM NAME : SHAFT SLEEVE	1
2554	BEARING NO.23022 CC/W33 "SKF" (P1402,E1507)	ITEM NAME : BEARING NO.23022 CC/W33	4
2555	GASKET,NIL/TI PTFE,ID.665x615xTHK.4.5 MM. (G1503A/B)	ITEM NAME : GASKET	3
2556	BEARING NO.85UZS419T2X-SX "KOYO",I/N 16-5 (P1504,P2503)	DESCRIPTION : BEARING,	3
2557	GLAND PACKING PURE SILK PTFE, ID.32*OD.48*THK 8 MM.	DESCRIPTION : GLAND PACKING	50
2558	SINGLE-END ANALOG I/P,FSCL6895X1-A1(DCS)	MATERIAL DESCRIPTION : SINGLE-ENDED ANALOG INPUT,	1
2559	FUSE LINK GSA100,EF005962,ERSKINE,DC CHARGER	DESCRIPTION : FUSE LINK GSA100	18
2560	ELBOW 90,TI,WELDED 100%,BW,S40S,4"	DESCRIPTION : ELBOW 90,WELDED 100% X-RAY,	1
2561	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	4
2562	FUSE LINK CURRENT,LIMITING TYPE,CLS-R STYLE R,3.6 kV,40 kA,50 Hz,M50A,	DESCRIPTION : FUSE LINK CURRENT	4
2563	REXNORD OMEGA ES20 COMPLETE SET WITH STRAIGHT BORE HUBS	ITEM NAME : REXNORD OMEGA ES20 COMPLETE SET WITH STRAIGHT BORE HUB	1
2564	SHAFT SLEEVE,DUPLEX ASTM 890 GR4A.,P/N: 200138- 68,POS.NO.17 (G1403A/B,	ITEM NAME : SHAFT SLEEVE	1
2565	ELEMENT PRIMARY FOR INLET AIR FILTER,P/N: 13.06.01(P0540009-00089),POS.	ITEM NAME : ELEMANT PRIMARY FOR INLET AIR FILTER	4

2566	MOTOR SCRUBBER(CO/CO2),S0022912,SERVOMEX	DESCRIPTION : MOTOR SCRUBBER,	1
2567	CIRCUIT BOARD(AMPLIFIER),PP-396,NISSEI	DESCRIPTION : CIRCUIT BOARD,	1
2568	SEAL RING,SIL COR 1,SIZE: 1.125,ROTT-EU5EFTT "DURA SEAL" (G1510)	DESCRIPTION : SEAL RING	1
2569	Pipe BE A312-TP304 EFW,, SCH 40,6"	Description : Pipe BE A312-TP304 EFW	1
2570	PLUG VALVE,PFA,150#,1" (G1202A/B DISCHARGE LINE)	ITEM NAME : PLUG VALVE	1
2571	P.L.C,MAT'L: W.14539,SIZE: T = 2 MM. (C1501,C1502,C1504)	ITEM NAME : P.L.C	75
2572	CAP BW. SUS304, SCH.10,SMLS. SIZE:20"	DESCRIPTION : CAP BW. SUS304, SCH.10,SMLS. SIZE:20"	1
2573	LIQUID LEVEL GAUGE (BRASS),TYPE: SHORT ELBOW,1/4" NPT. (P3551,P3552)	ITEM NAME : LIQUID LEVEL GAUGE (BRASS) TYPE SHORT ELBOW 1/4"	6
2574	SHAFT SLEEVE,SUS316L,P/N: 205 (G3535)	ITEM NAME : SHAFT SLEEVE	4
2575	MECHANICAL SEAL,P/N: 96525458 "GRUNDFOS",MODEL: CR32-1-1 (G4602A/B)	ITEM NAME : MECHANICAL SEAL	3
2576	GASKET(WITH BAR TYPE: M),316L/316L PTFE/NIL,724x754x784xTHK.4.5 MM.	ITEM NAME : GASKET(WITH BAR TYPE: M)	4
2577	WATER COOLING ENEMEL OZONE TUBE, COD ANALYZER	DESCRIPTION : WATER COOLING ENEMEL OZONE TUBE, COD ANALYZER	1
2578	SPACER POPPET,P/N: 19583-1,POS.NO.24 (G3601A/B)	ITEM NAME : SPACER POPPET	6
2579	STUD BOLT & NUTS,UNC,B8 CLASS 2,3/4"x220 MM.	DESCRIPTION : STUD BOLT & NUT,B8 CLASS 2,UNC, 3/4" x 220 MM.	40
2580	BAFFLE PLATE,P/N: 93620051,POS.19,NETTER	DESCRIPTION : BAFFLE PLATE,	5
2581	COUPLING COMPLETE SET NO.E-97 (ROUGH STOCK BORE) "NOR-MEX" (G3535)	ITEM NAME : COUPLING COMPLETE SET NO.E-97 (ROUGH STOCK BORE)	4
2582	BEARING ROLLER BRAND NTN,NO 25UZ 857187	DESCRIPTION : BEARING ROLLER,	3
2583	INSERT FOR MECHANICAL SEAL,TYPE T59UQR151 "JOHN CRANE"	DESCRIPTION : INSERT FOR MECHANICAL SEAL	2
2584	COLLAR,POS.NO.13 (P1301C)	ITEM NAME : COLLAR	2
2585	SLC5/03 CONTROLLER,8K & MODULE (SLC 500)	MATERIAL DESCRIPTION : SLC5/03 CONTROLLER,8K & MODULE,	1
2586	COUPLING COMPLETE SET,TYPE: A,FLENDER N-EUPEX-200 (G2101A/B)	ITEM NAME : COUPLING COMPLETE SET	1
2587	INTERFACE,TYPE E-03DM (PLC KOYO)	MATERIAL DESCRIPTION : INTERFACE,	1
2588	SET-PIN FOR BUTTERFLY VALVE 16",MATERIAL SUS 304,P/N HV-515A-1508-1	DESCRIPTION : SET-PIN FOR BUTTERFLY VALVE 16"	8
2589	CARBON GRAPHITE BUSHING,P/N: 2-108-015-880- 04,POS.NO.38 (G3546A/B)	MATERIAL DESCRIPTION : IDLER BUSHING, ,	4
2590	LIMIT SWITCH,EXPLOSION PROOF,5A, 250 VAC,1LX- 7001, YAMATAKE	DESCRIPTION : LIMIT SWITCH	5
2591	AUTORATOR(SP CONTROL),LAB-3H,115V,SHIMPO	DESCRIPTION : AUTORATOR,	1
2592	AUTORATOR(SP CONTROL),LAB-1AX,SHIMPO	DESCRIPTION : AUTORATOR,	1
2593	BEARING,NO.22232 "NTN"	DESCRIPTION : BEARING	3
2594	FUEL FILTER ELEMENT,P/N SE429,I/N 38	DESCRIPTION : FUEL FILTER ELEMENT	16
2595	PIPE,SUS304,SEAM,SCH 10,2"*6 M.	DESCRIPTION : PIPE,	5
2596	HEX BOLT & LOCK NUT, 8.80, M12 x 320 M.M., ANK (AIR KNOCKER)	DESCRIPTION : HEX BOLT & LOCK NUT	170
2597	POWER SUPPLY MODULE,120V,1771-P4S,ALLEN	DESCRIPTION : POWER	2
2598	SET SCREW M12,SUS316,POS.NO.10 (P1503)	ITEM NAME : SET SCREW M12	11
2599	4-FOLD & UNIT(FAIL SAFE),GU8S-F4303,HIMA	DESCRIPTION : 4-FOLD FAIL SAFE,	2
2600	BEARING NO.22310B,C3 "NTN" (P1403,P2102,P2406)	ITEM NAME : BEARING NO.22310 B/C3	1
2601	BUTTERFLY VALVE,SUS 316,PTFE,150#,4"	DESCRIPTION : BUTTERFLY VALVE	2
2602	SHAFT,STEEL-4140,A436,POS.NO.122 (G1442A/B)	ITEM NAME : SHAFT	1
2603	SMARTPRO INTERTFACE BOARD,P/N:217290	DESCRIPTION : SMARTPRO INTERFACE BOARD, : OHMART X-RAY LAVE	1
2604	VALVE STEM, 6"x150#, TAG : FV-1802A, FV-1802B	DESCRIPTION : VALVE STEM, 6" x 150#	1
2605	BUSHES,20%GF TEFLON,DIA.476x452.5xTHK.10 MM.,POS.NO.47 (F1441A/B/C)	ITEM NAME : BUSHES	4
2606	GASKET(WITH BAR TYPE: E1),316L/316L PTFE/NIL,724x754x784xTHK.4.5 MM.	ITEM NAME : GASKET(WITH BAR TYPE: E1)	4
2607	"LAB TECTA" BEARING PROTECTOR (FILNGER-PUMP END),SIZE: 2.625"x3.375",	ITEM NAME : "LAB TECTA" BEARING PROTECTOR (FILNGER-PUMP END)	1

2608	GASKET(P1),TI/TI PTFE/CS,562x578x618x643xTHK.4.5 MM. (R1301C)	ITEM NAME : GASKET(P1)	3
2609	LABYRINTH SEAL OUTBOARD WITHOUT RING,MAT'L: TEFLON/GRAPHITE,POS.	ITEM NAME : LABYRINTH SEAL OUTBOARD WITHOUT RING	6
2610	SHIM,P/N: 6 (P1301C)	ITEM NAME : SHIM	1
2611	COUPLING SPACER,SIZE: 55 MM,P/N: E993 KZ164 (G2503)	DESCRIPTION : COUPLING SPACER	1
2612	SLEEVE DUPLEX,P/N 10266-1,I/N 3,DWG16655	MATERIAL DESCRIPTION : SLEEVE DUPLEX, ,	2
2613	DOUBLE END STUD BOLT WITH HEX NUT,21CRMOV57 AND 24CRM05,M20x180	ITEM NAME : DOUBLE END STUD BOLT WITH HEX NUT	60
2614	O-RING BEARING END COVER,P/N: 20A11CM260 (G2405,G2406,G2407)	ITEM NAME : O-RING BEARING END COVER	6
2615	TEMP GAUGE,0-200 C,322 * 8 MM	DESCRIPTION : TEMP GAUGE	3
2616	KIT SEAL PUMP (M/S,GASKET,BUSH),P/N: P3404090- 00106,POS.NO.7 (P3861A/B)	ITEM NAME : KIT SEAL PUMP (M/S,GASKET,BUSH)	1
2617	BEARING NO.NU 2320 ECML/C3, SKF(FOR MOTOR CENTIFUGE SR.3VAZ19016-	DESCRIPTION : BEARING	1
2618	THERMOCOUPLE,M:FSCL6854X1-A3 (DCS)	MATERIAL DESCRIPTION : THERMOCOUPLE,	2
2619	WCC SPACER DISC COUPLING NO.W4-35D-BE140 MM.,TYPE: CZ65-315(65 x 130)	ITEM NAME : WCC SPACER DISC COUPLING NO.W4-35D-BE140 MM.	1
2620	PULSE AMPLIFIER,P/N 0096-1 (G-3180)	MATERIAL DESCRIPTION : PULSE AMPLIFIER, ,	1
2621	PUMP CASING,P/N 161.01(SUBMERSIBLE PUMP)	MATERIAL DESCRIPTION : PUMP CASING, ,	1
2622	BUSHING-STAFFING BOX,MATERIAL SUS 316L,P/N B02079A0,I/N 125	DESCRIPTION : BUSHING-STUFFING BOX	2
2623	MECHANICAL VALVE RELAY,5/2 WAY,KURODA, TAG: WWTU- DEWATERING	MECHANICAL VALVE RELAY,5/2 WAY	3
2624	SET SCREW M12,SUS316,POS.NO.13 (P2401)	ITEM NAME : SET SCREW M12	6
2625	FLUE HEAD COVER FOR TUBE,SUS304 ASTM A182 F304L,2" (B2402)	ITEM NAME : FLUE HEAD COVER FOR TUBE	4
2626	FUSE FOR FIC. 450 FRAME TRAP (P3528A/B)	ITEM NAME : FUSE FOR FIC. 450 FRAME TRAP	2
2627	O-RING F.CARBON RING SEAL STAGE.1,X60096593,P/N: TO 7 (P1101)	DESCRIPTION : O-RING F.CARBON RING SEAL,	4
2628	SLEEVE,2324,P/N: 183909-33,POS.NO.17 (G1404,G2102)	DESCRIPTION : SLEEVE	1
2629	BOLT,HEX HEAD AND NUT,SUS304,M12x40 MM.	DESCRIPTION : BOLT,HEX HEAD AND NUT	540
2630	O-RING FOR MECHANICAL SEAL,T,ID.38 MM.xTHK.2.62 MM.,P/N: 412.2,POS.NO.	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
2631	SHAFT,SUS316L,OD.43xL.383 MM.,P/N: 127393- 32,POS.NO.51 (G1202)	ITEM NAME : SHAFT	1
2632	HOUSING GASKET,ID.443 MM.xOD.465 MM.xTHK.0.8 MM.,P/N: GK01AA01,POS.	ITEM NAME : HOUSING GASKET	6
2633	CURRENT TRANSFORMER,TRC- 213,12/34KV,IEC185,50HZ,200/5A,25VA,CLASS	Description : CURRENT TRANSFORMER12/34KV,IEC185,50HZ,200/5A,25VA,CLASS 5P	1
2634	SHAFT SLEEVE,SUS316,POS.NO.126 (G1442A/B)	ITEM NAME : SHAFT SLEEVE	1
2635	BOLT,HEX HEAD,DUPLEX 2205,M16x45 MM. (F1441A/B/C)	ITEM NAME : BOLT,HEX HEAD	14
2636	RADIAL SHAFT SEAL RING(TC 90x110x12 MM.),P/N: 421.02 (G3261XA,XB,XC)	ITEM NAME : RADIAL SHAFT SEAL RING	2
2637	BEARING ISOLATOR(INBOARD),SIZE: SHAFT SIZE: 35 MM.,BORE SIZE: 55 MM.,	ITEM NAME : BEARING ISOLATOR(INBOARD)	2
2638	GASKET COVER JOINT,POS.NO.4590.3 (G2502A/B)	ITEM NAME : GASKET COVER JOINT	1
2639	ROUND BAR,SUS316,DIA.100 MM.xL.1000 MM.	DESCRIPTION : ROUND BAR	1
2640	WELD NECK FLANGE,CS ASTM A105N,LM,900#,SCH 80,10"	DESCRIPTION : WELD NECK FLANGE	1
2641	GASKET,NON ASBESTOS,ID.1615xOD.1760xTHK.5 MM. (P1101 SUCTION PIPE 1	ITEM NAME : GASKET	2
2642	SEAL,PTFE/GYLON,D300/275x2,P/N 930049100,POS.NO.110 (F2408)	SEAL,DWG NO.950001388,PART LIST NO.110,P/N 930049100,MATERIAL PTFE/GYLON,SIZE D	6
2643	DIAPHRAGM ASSEMBLY,P/N PR5005B000 "PAC"	DESCRIPTION : DIAPHRAGM ASSEMBLY	3
2644	GASKET,316L/316L PTFE/NIL,SIZE: 1520x1550x1575x4.5 MM.THK (E1441)	ITEM NAME : GASKET	5
2645	O-RING FOR MECH SEAL NIPPON PILLAR,EPDM,P/N: 1-2 & 2 (G1445A/B/C)	ITEM NAME : O-RING FOR MECH SEAL	2
2646	ZERO SPEED RELAY,KFA6-DWB-EX1.D,250V	DESCRIPTION : ZERO SPEED RELAY	1
2647	8-FOLD AND UNIT,GU8S-F4110,HIMA	DESCRIPTION : FOLD AND UNIT,	1
2648	BACK UP RING,TEFLON,P/N: P-A1126-2(Z1126-2-VLA) P-Z01126#-002#-VLA00,	ITEM NAME : BACK UP RING	3
2649	O-RING,FKM,POS.NO.33 (P2401,P2402,P2403)	ITEM NAME : O-RING	3

2650	IMPELLER WASHER,SUS316L,P/N: 181808-34,POS.NO.42 (G1505C)	ITEM NAME : IMPELLER WASHER	1
2651	SEQUENCE LOGIC CONTROLLER, GOYEN, INPUT/OUTPUT 110 VAC, SILO BAG	DESCRIPTION : SEQUENCE LOGIC CONTROLLER	2
2652	MOTOR,1.75KW.6.7/3.9A,200-240/346- 415V,2P,FLANGE,CRELEC,(MZ-1101A)	Description : MOTOR 3 PHASE INDUCTION-MOTORS	1
2653	AUX RELAY,SRC50-2U/X,110/120VAC,6A,6NO(6a),FUJI (MCC ISBL)	ITEM NAME : AUX RELAY,SRC50-2U/X,110/120VAC,6A,6NO(6a)	40
2654	PLATE,SUS 316L-2B,4 FT*8 FT*2 MM.	DESCRIPTION : PLATE	2
2655	SEAL,PTFE/GYLON,1400x450x3,P/N: 400006318,POS.NO.109 (F2408)	SEAL,DWG NO.950001388,PART LIST NO.109,P/N 400006318,MATERIAL PTFE/GYLON,SIZE 1	2
2656	TEE,SUS 317L,SW,SEAM,3000#,1"	DESCRIPTION : TEE,	7
2657	ROLLER BEARING,P/N: 21-118,POS.NO.125C (G2201A-E)	ITEM NAME : ROLLER BEARING	1
2658	SPRING (48 PCS/SET),MAT'L: 316 SS,POS.NO.6 (P1401,P1402)	ITEM NAME : SPRING (48 PCS/SET)	1
2659	HOLDDOWN,"TH",AISI 316SL,THK.2 MM.,P/N: 310 363G 014,POS.NO.28 (C1301,	ITEM NAME : HOLDDOWN,"TH"	1779
2660	PUNCH PLATE,SUS304,HOLE DIA.3.2 MM.,PITCH 5 MM.,3 FTx6 FTxTHK.2 MM.	DESCRIPTION : PUNCH PLATE,	1
2661	O-RING FRAME,EPDM,P/N: P-Y3092-3,POS.NO.98 (P2409)	ITEM NAME : O-RING FRAME	10
2662	BEARING NO.23038B (2 PCS/SET),POS.NO.33 "NTN" (P1301A/B)	ITEM NAME : BEARING NO.23038B	2
2663	LEVEL SWITCH,NRS2-1 (DEAERATOR)	MATERIAL DESCRIPTION : LEVEL SWITCH,	1
2664	IMPELLER,ASTM A351/M-CF8M ANLD,P/N: 232,POS.NO.15100 (G2703X)	ITEM NAME : IMPELLER	1
2665	BEARING,NO.7216 BDF "NTN"	DESCRIPTION : BEARING	1
2666	SEAT RING,SUS316CP,10",150#,MOTOYAMA	SEAT RING	1
2667	RUPTURE DISC,PS 2109-3G16,SUS316L,SIZE: 3" (PSE2228)	ITEM NAME : RUPTURE DISC, 3" PS 2109-3G16	3
2668	BUTTERFLY VALVE BODY COMPLETED SET SIZE 3"/EBRO(Z011-A) RO PLANT	DESCRIPTION : BUTTERFLY VALVE BODY COMPLETED SET	3
2669	HOUSING SEAL,MATERIAL AISI 304 ST.ST,I/N 184	DESCRIPTION : HOUSING SEAL	6
2670	O-RING GUIDE VANE,MATERIAL BUNA-N,I/N 349	DESCRIPTION : O-RING GUIDE VANE	6
2671	O-RING DRAIN & VENT PLUG,MATERIAL BUNA-N,I/N 412 B	DESCRIPTION : O-RING DRAIN & VENT PLUG	6
2672	GASKET,NIL/TI GRAP/NIL,SIZE: 556x606x4.5 MM.THK (E2201C/D TOP)	ITEM NAME : GASKET	5
2673	PIPE COUPLING,SUS304/VITON,MJER 100A,4"	DESCRIPTION : PIPE COUPLING	2
2674	SQUARE GASKET,NON ASBESTOS,500x550x1160x1220xTHK.2 MM. (E2412A/B	ITEM NAME : SQUARE GASKET	6
2675	GEARBOX OIL SHROUD,MAT,L: SPCC,P/N: 2- SH10UT01,I/N: P2-16	Description : GEARBOX OIL SHROUD	4
2676	SEAL RING FOR MECHANICAL SEAL "DURA SEAL",DWG.NO.2A-37915,I/N 3	DESCRIPTION : SEAL RING	1
2677	OIL SEAL,TYPE: TB,FKM,ID.140xOD.170xTHK.14 MM. "NOK" (P1301C)	ITEM NAME : OIL SEAL	2
2678	JOURNAL BEARING BRAND BULL GEAR,P/N: P-X4243-1 (J1101)	ITEM NAME : JOURNAL BEARING	1
2679	PULLEY SET OF E3515 1-# 4 LBC-W-500,MAT'L: CAST IRON (E3515)	ITEM NAME : PULLEY SET OF E3551 1-# 4 LBC-W-500	1
2680	PRESSURE GAUGE FILL GLYCERINE, DIAPHRAGM, 3", 150#, RANGE 0-10	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE	1
2681	RTD Pt 100, COMPLETED WITH THERMOWELL MATERIAL SS316L, SIZE 1" ANSI	DESCRIPTION : RTD Pt 100, COMPLETED WITH THERMOWELL	1
2682	DISCRETE IP/OP (16),FSCL6787X1-A1 (DCS)	MATERIAL DESCRIPTION : DISCRETE INPUT/OUTPUT (16) -, TERMI	1
2683	O-RING,FKM.P/N: JISB2401-G290,POS.NO.40 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : O-RING	4
2684	PACKING, MASONELIAN, P/N 005675795-919-0000, TAG : FV-1102	DESCRIPTION : PACKING	5
2685	LUBE OIL PUMP,MODEL: TOP-N330HLVB-12K (GZ2408)	DESCRIPTION : LUBE OIL PUMP,	1
2686	GUIDE VALVE INLET #392/42 (GENERATOR GEN#1)	ITEM NAME : GUIDE VALVE INLET #392/42	32
2687	GUIDE VALVE EXHAUST #392/42 (GENERATOR GEN#1)	ITEM NAME : GUIDE VALVE EXHAUST #392/42	32
2688	AIR COMBINATION, AC60-10G-2-B, SMC	DESCRIPTION : AIR COMBINATION	3
2689	UV LAMP FOR TOC ANALYZER,SP025701,ASTRO	DESCRIPTION : UV LAMP,	1
2690	GASKET SPIR WND 600, FOR VALVE, MASONEILAN, P/N 200723783-826-0000,	DESCRIPTION : GASKET SPIR WND 600 (2 EA / 1 SET)	6
2691	AIR TRAP,CAST IRON,FLOAT,150#,1/2"	DESCRIPTION : AIR TRAP,	3

2692	SPRAYING CONTROL VALVE W/OVERLOAD SENSOR	MATERIAL DESCRIPTION : SPRAYING CONTROL VALVE WITH -, OVERLOAD	4
2693	Socket Head Screw M6X20 DIN912 ISO 3506 A2-70/80 , P/N 027 (8 pcs/set) , ID	Description : Socket Head Screw M6X20 DIN912 ISO 3506 A2-70/80	2
2694	GASKET,TI/TI PTFE/SUS304,ID.620x640x680x717xTHK.4.5 MM. (D1403)	ITEM NAME : GASKET	2
2695	DRIVE PIN,M16,SUS316,POS.NO.16 (P2403)	ITEM NAME : DRIVE PIN,M16	16
2696	DIAPHRAGM REPAIR KIT NYLON SEAT, 1", MODEL K2501, GOYEN, BF-2903	DESCRIPTION : DIAPHRAGM REPAIR KIT NYLON SEAT	7
2697	O-RING FOR SEAL CARTRIDGE,FKM A5568A- 384,POS.NO.57 (P2404,P2405)	ITEM NAME : O-RING FOR SEAL CARTRIDGE	2
2698	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*220 MM	DESCRIPTION : STUD BOLT & NUT	26
2699	O-RING,VITON,POS.NO.52B+52C (P1301,P1402)	ITEM NAME : O-RING	7
2700	PULLEY GEAR SIDE,CAST IRON,SIZE: DIA.300 MM.,5V- 5-3535 (P2403,P2404)	ITEM NAME : PULLEY GEAR SIDE	3
2701	BOTTOM GASKET,NIL/TITANIUM (GR.2) FILLER GRAP/SS 321,ID.279x307x323.	ITEM NAME : BOTTOM GASKET	5
2702	STUD BOLT/NUT,ANSI.B.16.5,3/4"* 360 MM	DESCRIPTION : STUD BOLT/NUT,	12
2703	Ignition Transformer, Weishapt, Model W-ZG02, Input 230 VAC, Output 2 x 9000 VAC,	Description : Ignition Transformer	2
2704	SHAFT,SUS316L (P1410A/B)	ITEM NAME : SHAFT	1
2705	PIPE COUPLING,SUS304/VITON,MJH 150A,6"	DESCRIPTION : PIPE COUPLING	1
2706	VOLTAGE REPEATER, KFD2-VR4-Ex1.26, P+F (TURBOLOG)	DESCRIPTION : VOLTAGE REPEATER	1
2707	PACKING FOR TOP COVER OF SILO,SILICONE RUBBER,DIA.15xTHK.10 MM.	ITEM NAME : PACKING FOR TOP COVER OF SILO	100
2708	FLOW METER,50-500 KG/H,3/4",150#	DESCRIPTION : FLOW METER,	1
2709	PIPE COUPLING,SUS304/VITON,MJER 250A,10"	DESCRIPTION : PIPE COUPLING	1
2710	SHAFT FOR VIKING PUMPS,AISI4340 (G1951A/B)	ITEM NAME : SHAFT FOR VIKING PUMPS	1
2711	Pressure Gauge with Diaphragm seal, 3", 150#, Hastelloy-C,Range 0 - 10 Kgs/Cm2,	Description : Pressure Gauge assembles with diaphragm seal	1
2712	O-RING,K1,P/N: SE01_266.29x3.53_00338BA0,POS.NO.21 (P2401A)	ITEM NAME : O-RING	2
2713	ADJUSTING SCREW,P/N016774-272	DESCRIPTION : ADJUSTING SCREW,	2
2714	WHEEL VULKOLLAN DIA:250/75-DIA:140	DESCRIPTION : WHEEL, DIA : 250/75-0140,	1
2715	NUT IMPELLER,MATERIAL SUS 304,I/N 202	DESCRIPTION : NUT IMPLELLER	6
2716	GASKET,TI/TI GRAP/CS,SIZE: 600x620x670x691x4.5 MM.THK (D2201)	ITEM NAME : GASKET	3
2717	Line Diaphragm of GF diaphragm valve size 2", Model : 747502017, RO chemical unit	Description : "+GF+" PTFE with EPDM supporting, Diaphragm sheet for +GF+ diaphragm valve	3
2718	(NOT USE) GASKET (A-BOTTOM),NIL/316L FILLER PTFE/NIL,SIZE 471*511*4.5 MM	DESCRIPTION : GASKET (A-BOTTOM)	11
2719	BEARING NO.3313 A/C3 "SKF" (G1441,G2405,G2407)	ITEM NAME : BEARING 3313 A/C3	4
2720	SOLENOID VALVE,3/2-WAY,110 VAC,1/4" NPT	SOLENOID VALVE	4
2721	QUICK COUPLING,FEMALE COUPLER X FEMALE NPT,SUS316,5" (BULKCAR)	ITEM NAME : QUICK COUPLING	2
2722	PILOT LAMP RED, 110/127 V, P-3601C	DESCRIPTION : PILOT LAMP RED, 110/127 V	4
2723	DRB SPRAY NOZZLE COMPLETE SET (E3531,E3534)	ITEM NAME : DRB SPRAY NOZZLE COMPLETE SET	14
2724	SHAFT POS.NR. 21.00*,P/N: 20050376 "STERLING SIHI PUMP" (G1101A/B)	ITEM NAME : SHAFT POS.NR. 21.00*	1
2725	RUBBER SHEET,EPDM(EPR),W.100 MM.xL.10 M.xTHK.5 MM. (T1442B,T1443B,	ITEM NAME : RUBBER SHEET	6
2726	RAM 1 FOR PXW CONTROLLER GB / D,353-9002,GUTOR UPS	DESCRIPTION : RAM 1 FOR PXW CONTROLLER GB / D	1
2727	MOTOR FOR IGV J-1101C,ADOR63-2/45,AUMA	MOTOR	1
2728	MOTOR OF ACTUATOR,220VAC,50HZ (TV-31401)	MATERIAL DESCRIPTION : MOTOR OF ACTUATOR,	1
2729	Pressure gauge, Range (-5000) - 1000 mmH2O, RVF	Description : Pressure gauge	2
2730	DIFFERENTIAL PRESS GAUGE,0-500/1000 MMH20	DESCRIPTION : DIFFERENTIAL PRESSURE	1
2731	Enrichment outlet fitting repair kit, STIP, COD analyzer	1. Bolting 1/4" PVDF	2
2732	PACKING BOX RING FOR VALVE TYPE 8510, P/N 16A6087X072, TAG : XV-1111	DESCRIPTION : PACKING BOX RING	1
2733	GASKET(M1),316L/316L PTFE/CS,SIZE: 515x530x575x606x4.5 MM.THK (D1205)	ITEM NAME : GASKET	6

2734	SCHNEIDER PERIPHERRAL REMOTE IO ADAPTOR, PRA0100, MODICON M340,	DESCRIPTION : SCHNEIDER PERIPHERRAL REMOTE IO ADAPTOR, PRA0100, MODICON M3	1
2735	SERVO-AMPLIFIER,M:ZPE-2030 (FV-31302)	MATERIAL DESCRIPTION : SERVO-AMPLIFIER,	2
2736	BEARING NO.885-94 941EC418-15EG (65UZS88T2) POS.NO.18-5 (P1202A/B)	ITEM NAME : BEARING NO.885-94 941EC418-15EG (65UZS88T2)	3
2737	BEARING,NO.C-UCF313D1 "NSK"	DESCRIPTION : BEARING	2
2738	O-RING CORD,VITON,DIA.5.33 MM. (P1101B)	ITEM NAME : O-RING CORD	50
2739	PIPE FOR AIR KNOCKER,PKL200/5, POS.16	DESCRIPTION : PIPE	3
2740	COUPLING NORMEX G112 COMPLETE SET (UNBORE) (G1102A/B)	ITEM NAME : COUPLING NORMEX G112 COMPLETE SET (UNBORE)	2
2741	DIAPHRAGM REPAIR KIT, MASOLNEILAN, P/N200047556- 686-0000, TAG : PCV-P-	DESCRIPTION : DIAPHRAGM REPAIR KIT	2
2742	FLEXIBLE HOSE,T 509 OE,4"xL.3 MTRS. (WWT UNLOAD ACETIC)	ITEM NAME : FLEXIBLE HOSE	1
2743	SHAFT,316LSS,POS.NO.160 (G1961A/B)	ITEM NAME : SHAFT	1
2744	Magnetic Level Switch ,2 point alarm switch, size 4" ANSI 150RF, LS-4102	Description : Magnetic level switch	1
2745	GASKET,316L/316L PTFE/NIL,SIZE: 745x765x800x4.5 MM.THK (R1301)	ITEM NAME : GASKET	6
2746	SUCTION COVER,FC250,SIZE: 100*80 FLANGE 150#,4",POS.NO.102	ITEM NAME : SUCTION COVER	1
2747	SEAT AND SEAL OF PV-1804	SEAT AND SEAL OF	1
2748	SLEEVE,MATERIAL SUS 316L,SIZE DIA.95 * 110 * 150 MM LONG,P/N L	DESCRIPTION : SLEEVE	1
2749	BEARING ISOLATOR(OUTBOARD),SIZE: SHAFT SIZE: 25 MM.,BORE SIZE: 50	ITEM NAME : BEARING ISOLATOR(OUTBOARD)	2
2750	MECHANICAL SEAL SINGLE COMPONENT,1.375" D022_P11,CARBON/SIC/EPDM	ITEM NAME : MECHANICAL SEAL SINGLE COMPONENT TYPE: P11 D022	1
2751	ACTUATOR REPAIR KIT BETTERFLY VALVE, 3", BRAND : SAHARA, RAG : P-	DESCRIPTION : ACTUATOR REPAIR KIT,	2
2752	MECHANICAL SEAL,P/N: 96525490 "GRUDFOS" MODEL: CR/N 32-150 HQQV	ITEM NAME : MECHANICAL SEAL	2
2753	GROOVED COUPLING 1-1/2" WITH GASKET COMPLETE SET (MF4602 RO PLANT)	ITEM NAME : GROOVED COUPLING 1-1/2" WITH GASKET COMPLETE SET	16
2754	OIL SEAL,B1-SF145x223x14/22-5-FKM,FKM,P/N: 0 017 398 3,POS.NO.10 (T1442B,	ITEM NAME : OIL SEAL	4
2755	BALL VALVE,SUS 316,RF,SEAT: RPTFE,150#,3/4"	DESCRIPTION : BALL VALVE	3
2756	MECHANICAL SEAL,TYPE: 9TQF(31)10(58)1,P/N: A0285 "JOHN CRANE" (G1501)	ITEM NAME : MECHANICAL SEAL	1
2757	O-RING,VITON,POS.NO.52C+52A (P1401,P1402)	ITEM NAME : O-RING	6
2758	GASKET,TI/TI PTFE/CS,600#,8"	DESCRIPTION : GASKET	9
2759	GASKET,MP4430 NON ASBESTOS,W.1240xL.1415xTHK.2 MM. (E2412A/B/C)	ITEM NAME : GASKET	6
2760	EXPANSION JOINT,SINGLE SPHERE,EPDM.FLANGE CS.,10"(DN250)xL.240 MM.	ITEM NAME : EXPANSION JOINT	3
2761	SAFETY VALVE,MATERIAL:MOTOYAMA-CROS	DESCRIPTION : SAFETY VALVE,	1
2762	SEAT RING,SUS316 ST-S,4",150#RF,SERIAL NO : G13591,MOTOYAMA	SEAT RING	1
2763	V-SEAL GASKET-POS 171,2267839, FV-1309C	DESCRIPTION : V-SEAL GASKET-POS 171,	1
2764	RACE INNER BEARING,P/N: 10265-4,POS.NO.47 (G3601A/B)	ITEM NAME : RACE INNER BEARING	1
2765	SOCKET BOLT:M10,MAT,L:SANDVIK,I/N 90	DESCRIPTION : SOCKET BOLT,	6
2766	AVR EXTENTION CARD OF AVR GEN. (G-3180)	MATERIAL DESCRIPTION : AVR EXTENTION CARD (	1
2767	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*160 MM.	DESCRIPTION : STUD BOLT & NUT	21
2768	CONCENTRIC RED.,SUS 304,SCH 80,8"*6"	CONCENTRIC REDUCER,BW,S-80S,ASTM A403 GR.WP304,, ANSI-B16.9,	1
2769	GEAR MOUNT INNER,P/N: D4-22 (E3264F/G/H PRI PRJ)	ITEM NAME : GEAR MOUNT INNER	1
2770	SOCKET ASS'Y FOR UV LAMP (SO2 ANALYZER)	MATERIAL DESCRIPTION : SOCKET ASSEMBLY	1
2771	ACTUATOR O-RING REPAIR KITS,NBR, ANGLE VALVE	DESCRIPTION : ACTUATOR O-RING REPAIR KITS,	3
2772	DIAL PLATE BAND: TOKYOKEISO MODEL : FT-1102 RANGE 0-5 m, LT-1104,LT-	DIAL PLATE ACCESSORIES (STANDARD)	2
2773	POWER SUPPLY BOARD,IGV MOTOR,AC01.1,AUMA	POWER	1
2774	O-RING SLEEVE,P/N: A00214-221-801,POS.NO.13 (P3602)	ITEM NAME : O-RING SLEEVE	1
2775	SCREW,HEX SOC.CAP,SIZE 1/2-13 UNC * 38 MM LONG,P/N 1BHA23A,I/N 36-1	DESCRIPTION : SCREW,HEX SOC.CAP	72

2776	PIPE BEND, ANGLE 45 DEG, SIZE 2 INCH, 254 MM., SS ASTM A312 TP304L, S-40S,	DESCRIPTION : PIPE BEND	1
2777	BOLT/NUT/WASHER HEX HEAD,SUS304,M30*200 MM.	DESCRIPTION : BOLT AND NUT WASHER HEX HEAD,	37
2778	SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23122 CCK/W33+H 3122	ITEM NAME : SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23122 CCK/W33 + H	2
2779	Gland Packing, PV-1105	Description : Gland Packing	1
2780	LV/EF CARD, VDEF/110, J1853K, ERSKINE	LV/EF CARD C/W VDVD-CON, POWER	1
2781	SPACER COUPLING NO.ES-5R "OMEGA" (G1502C,G2503C/D)	ITEM NAME : SPACER COUPLING NO.ES-5R	2
2782	UNION REDUCING,SUS316,T1/2"*10 MM. (C1301)	ITEM NAME : UNION REDUCING	18
2783	RUPTURE DISC(OLD DESIGN),MICRO-X- (FS),SUS316,SIZE: 3" (PSE2228)	ITEM NAME : RUPTURE DISC	3
2784	O-RING,K1,P/N: SE01_240.89x3.53_00338A0,POS.NO.34 (P2401A)	ITEM NAME : O-RING	2
2785	STUD BOLT WITH NUTS,UNC,B8 CLASS 2,M16x130 MM.	DESCRIPTION : STUD BOLT WITH NUTS, B8 CLASS 2, M.16 x 130 MM	96
2786	Gland PAcking, LV-1302	Description : Gland Packing	2
2787	BEARING NO.6313 ZNR (P1205,P1203)	ITEM NAME : BEARING NO.6313 ZNR	4
2788	Bearing Strip 50/64X173,5 PTFE+C25+AISI316(PAMPUS), P/N 015 , HV-1111C	Description : Bearing Strip 50/64X173,5 PTFE+C25+AISI316(PAMPUS)	1
2789	AIR CYLINDER WITH PROXIMITY SWITCH,CMK2-M-LB-40- 350-TOH-D-J,CKD	DESCRIPTION : AIR CYLINDER,	4
2790	STUD BOLT & NUTS,UNC,B8 CLASS 2,3/4"x240 MM.	DESCRIPTION : STUD BOLT & NUT,B8 CLASS 2,UNC, 3/4" x 240 MM.	32
2791	ZF RING (ZF-12),MAT'L: NBR,P/N: 14,DWG.NO.TP- 1226-02-04-01 (RV-2403)	ITEM NAME : ZF RING (ZF-12)	2
2792	NUT,HEX HEAD,ALLOY C276,SIZE: M12x1.75 MM. (T1441A/B/C,T1443)	ITEM NAME : NUT,HEX HEAD	31
2793	PARTS KIT,TYPE 350 SERIES 71 "THOMAS",P/N 7416	DESCRIPTION : PARTS KIT	1
2794	AIR REALY VALVE,3-WAY,0-9 KG/CM2,PORT 1/2",501A, KOGANEI	DESCRIPTION : AIR RELAY VALVE,	4
2795	FLEXIBLE HOSE C/W FLANGE,SUS316L,ANSI 150#,SORF,2"xL.300 MM.	ITEM NAME : FLEXIBLE HOSE C/W FLANGE	4
2796	SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23220 CCK/W33+AHX	ITEM NAME : SPHERICAL ROLLER BEARING AND TAPER SLEEVE NO.23220 CCK/W33 + A	2
2797	MECHANICAL SEAL,H2A 040 CB77 "EBTH" (H2A040CB55: SAN THAI) (G3541)	ITEM NAME : MECHANICAL SEAL	1
2798	HEX BOLT WITH NUT,ASTM A193 GRADE B8 CLASS 2 AISI SS304,SIZE: M20x70 MM.	ITEM NAME : HEX BOLT WITH NUT	43
2799	PUSH BUTTON SWITCH ALLOY,25MM,TYPE:DPBA- 10R,240VAC,3A	DESCRIPTION : PUSH BUTTON SWITCH ALLOY,25MM,TYPE:DPBA-10R,240VAC,3A	10
2800	PUSH BUTTON SWITCH ALLOY,25MM,TYPE:DPBA- 01G,240VAC,3A	DESCRIPTION : PUSH BUTTON SWITCH ALLOY,25MM,TYPE:DPBA-01G,240VAC,3A	10
2801	GASKET,316/316 GRAP/CS,300#,10"	DESCRIPTION : GASKET	8
2802	FLEXIBLE HOSE,SUS304,150#,3"xL.500 MM. (R3525)	ITEM NAME : FLEXIBLE HOSE	4
2803	GLOBE VALVE,SUS304,SW,800#,3/4"	DESCRIPTION : GLOBE VALVE	2
2804	SITOP PSU8200 20 A Stabilized power supply input: 120-230 V,AC 110-220 V DC	DESCRIPTION : SITOP PSU8200 20 A Stabilized power supply	2
2805	JOURNAL BEARING BRAND BULL GEAR,P/N: W-V3718-151 (J1101)	ITEM NAME : JOURNAL BEARING	1
2806	COUPLING NO.H-125 ,SPACER: 100 MM. "FLENDER N- EUPEX" (G1505)	ITEM NAME : COUPLING NO.H-125,SPACER = 100 MM.	1
2807	I/O CARD VME,M:DC6490X1-GA1 (DCS)	MATERIAL DESCRIPTION : I/O CARD VME,	1
2808	LOWER BEARING(INTERMEDIATE SHAFT) NO.HH421210/HH421246C "TIMEKEN"	ITEM NAME : LOWER BEARING(INTERMEDIATE SHAFT) NO.HH421210/HH421246C	1
2809	SEQUENCE LOGIC CONTROLLER BAG FILTER (GOYEN) PRECISION P1, BAG	DESCRIPTION : SEQUENCE LOGIC CONTROLLER BAG FILTER	1
2810	SHAFT SLEEVE,A276 TYPE: STAINLESS STEEL 316,P/N: B04553A 2256,POS.NO.	ITEM NAME : SHAFT SLEEVE	1
2811	Power supply 800W for HP, ProLiant ML350 Gen9, System1 Server	Description : Power Supply 800W	1
2812	LOAD CELL,MODEL: C2T1-2T-S ,TANAKA (YP-2601A/B)	DESCRIPTION : LOAD CELL,	1
2813	BEARING NO.32311 J2 "SKF" (G3143A/B)	ITEM NAME : BEARING NO.32311 J2	25
2814	Gland Packing, FV-2302	Description : Gland Packing	1
2815	TAPERED ROLLER BEARING NO.32314C,P/N: U6032314B0,POS.NO.6006 (P2401,	ITEM NAME : TAPERED ROLLER BEARING NO.32314C	4
2816	STANDARD GAS,MIXTURE GAS,4.5% CARBON DIOXIDE BALANCE NITROGEN,	DESCRIPTION : STANDARD GAS	2
2817	PLATE,SUS316L,4 FTx8 FTxTHK.6 MM.	DESC : PLATE	1

2818	SUCTION COVER,FC250,MODEL: CSHP 65-24 (G3535AC/AD/BC/BD)	ITEM NAME : SUCTION COVER	2
2819	SUCTION COVER,FC250,MODEL: CSHP 80-24 (G3535AA/AB/BA/BB)	ITEM NAME : SUCTION COVER	2
2820	O-RING,KALREZ 4079(K1),ID.183.52xTHK.5.33 MM.,POS.NO.20 (P2401 MS	ITEM NAME : O-RING	1
2821	IMPELLER,MATERIAL SUS 316 L,I/N 101	DESCRIPTION : IMPELLER	1
2822	GASKET F.VICTAULIC COUPLING TYPE: 77,200224620/NITRIL, 16" DN400L	ITEM NAME : GASKET F.VICTAULIC COUPLING TYPE: 77	1
2823	DRIVE PIN,SUS316,POS.NO.10 (P2401)	ITEM NAME : DRIVE PIN	12
2824	BEARING NO.23936 CC/W33 "SKF",I/N 104E (P1404)	DESCRIPTION : BEARING	1
2825	PUMP SHAFT,SUS304,SIZE: OD.32 MM.xLENGTH.1087.5 MM.,P/N: 203 (G1619A/B)	ITEM NAME : PUMP SHAFT	1
2826	WASHER, SS321, SCHUF, VF-2400B	DESCRIPTION : 0901-050070-005 WASHER	1
2827	PLUG,SUS316L,OD.22.2 MM.xOD.17.3 MM.xL.20 MM. (HEAT EXCHANGER)	ITEM NAME : PLUG	39
2828	LOOSE NUT,1.4539,M10,P/N: 891 904G 03,POS.NO.11 (C1301,C1501,C1502,	ITEM NAME : LOOSE NUT	276
2829	COIL SOLENOID,24 VDC, KANEKO	DESCRIPTION : COIL SOLENOID,	2
2830	SUB-BOARD COMPLETE,P/N 527445-0000,E&H	DESCRIPTION : SUB-BOARD,	1
2831	PUNCH PLATE,SUS304,HOLE DIA.2.5 MM.,PITCH 4 MM.,4 FTx8 FTxTHK.2 MM.	DESCRIPTION : PUNCH PLATE	2
2832	SET OF GEAR BOX,EKF-2V-6 "FLENDER" (P2406B)	ITEM NAME : SET OF GEAR FOR P2406B BEAR BOX	1
2833	GASKET CASING,NIL/TI PTFE/NIL,ID.425xOD.438xTHK.4.5 MM. (G1502A)	ITEM NAME : GASKET CASING	3
2834	SET SCREW M12,SCM435,POS.NO.16 (P1202,P1403,P2102,P2406)	ITEM NAME : SET SCREW M12	16
2835	PULSE AMPLIFIER,P/N 0096-2 (G-3180)	MATERIAL DESCRIPTION : PULSE AMPLIFIER, ,	2
2836	OIL SEAL,BA-SF145x230x17/14-FKM,FKM,P/N: 017 838 1 1,POS.NO.9 (T1442B,	ITEM NAME : OIL SEAL	4
2837	SHAFT (MODIFY),SUS316L (G1602B)	ITEM NAME : SHAFT (MODIFY)	1
2838	HELICAL PINION SHAFT,P/N: E270417101,POS.NO.3604 (P2403,P2404,P2407)	ITEM NAME : HELICAL PINION SHAFT	1
2839	REPAIR KIT,P/N: 070-10.19-11.0 (G2402C)	ITEM NAME : REPAIR KIT	1
2840	GASKET,INCLUDE CENTER BAR=10 MM.,NIL/TI GRAP/NIL,ID.471 MM.xOD.511	ITEM NAME : GASKET	3
2841	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*445 MM.	DESCRIPTION : STUD BOLT & NUT	9
2842	SPROCKET,B-TYPE/STOCK BORE,SS400,SIZE: RS160x48 TEETH (T2401A/B)	ITEM NAME : SPROCKET	1
2843	BEARING NO.7314 FTP6, KOYO,(MG-2201)	DESCRIPTION : BEARING	5
2844	PRESS SW(NORMAL),12-100 PSI,SOR	DESCRIPTION : PRESSURE SWITCH,	1
2845	PUNCH PLATE,SUS304,HOLE DIA.3 MM.,PITCH 5 MM.(GAP 2 MM.),4 FTx8 FTxTHK.	DESCRIPTION : PUNCH PLATE	1
2846	WELD NECK FLANGE SIZE 3/4",CL1500 LARGE MALE 125- 250 RA-FN S-80S SS	DESCRIPTION: WELD NECK FLANGE SIZE 3/4",CL1500 LARGE MALE 125-250 RA-FN S-80S S	1
2847	LOCK NUT,TB35,SIZE: M36 (P1401)	ITEM NAME : LOCK NUT	5
2848	AUX RELAY,MKS3PN,COIL 110 VDC,7A,11 PIN,OMRON ,(3.3 PRI)	DESCRIPTION : AUX RELAY	36
2849	Bottom Ring Pos 154 ARCA, FV-1309C	Description : Bottom Ring	3
2850	IMPELLER NUT WITH NUT LOCK WASHER,SUS304L,P/N: J561GJ002&Q145GJ010,	ITEM NAME : IMPELLER NUT WITH NUT LOCK WASHER	1
2851	SETS PIN SCREW(4 PCS/SET),316 ST.STL,POS.NO.8 (P1301A/B)	ITEM NAME : SETS PIN SCREW	5
2852	SCHNEIDER 8 ANALOG INPUT MODULES, AMI0810, MODICON M340, WWTU PLC	DESCRIPTION : SCHNEIDER 8 ANALOG INPUT MODULES, AMI0810, MODICON M340	1
2853	DIGITAL O/P MODULE 32BIT,1771-OBN,ALLEN	DESCRIPTION : DIGITAL OUTPUT MODULE,	1
2854	6-FOLD POWER DISTRIBUTION,QV6-F7105,HIMA	DESCRIPTION : POWER DISTRIBUTION,	2
2855	METAL PARTS,MATERIAL PLATED STEEL "BURGMANN" P/N H-HL4125,I/N 5	DESCRIPTION : METAL PARTS	4
2856	SENSOR/DETECTOR C/SET,M:A2-111(ANALYZER)	MATERIAL DESCRIPTION : SENSOR/DETECTOR C/SET,	1
2857	SPACER RING,20%GF TEFLON,DIA.624x601xTHK.5 MM.,POS.NO.50 (F1441A/B/C)	ITEM NAME : SPACER RING	5
2858	RATIO CONTROL,CU-3RA(RA3),SHIMPO	DESCRIPTION :	1
2859	WELD NECK FLANGE, 12", SCH-10S, 5K, SS304L, FLAT FACE, ANSI B16.5	DESCRIPTION : WELD NECK FLANGE	1

2860	KEY,SS304,P/N: ZZ03870445,POS.NO.42 (P1301C)	ITEM NAME : KEY	1
2861	O-RING,KALREZ 6375,65x4.5 FOR M/S I/N.2,P/N: 89640120 (G1602A/B)	ITEM NAME : O-RING	2
2862	SIMATIC S5 DIGITAL OUTPUT MODULE S5,8x24VDC, 0.5A ,SIEMENS (MP1101)	DESCRIPTION : SIMATIC S5 DIGITAL OUTPUT MODULE S5.8X24 VDC, 0.5A	1
2863	GASKET,316/316 FILLER PTFE/NIL,SIZE 10",150#	DESCRIPTION : GASKET	10
2864	CT DC 296A<IDC=<324A 444A<IDISCH=<485A, (UPS-UT)	Description : CT DC 296A<IDC=<324A 444A<IDISCH=<485A, (UPS-UT)	1
2865	CT DC 324A<IDC=<375A 485A<IDISCH=<562A, (UPS-UT)	Description : CT DC 324A<IDC=<375A 485A<IDISCH=<562A, (UPS-UT)	1
2866	SELF ALIGNING BALL BEARING AND SLEEVE WITH SEAL NO.2217K+H 317+TSN	ITEM NAME : SELF ALIGNING BALL BEARING AND SLEEVE WITH SEAL	4
2867	STANDARD CALIBRATION GAS,HYDROGEN,105 L (50 % LEL)	DESCRIPTION : STANDARD CALIBRRATION GAS	1
2868	HELICAL PINION SHAFT,P/N: E27047111,POS.NO.3604 (P2401)	ITEM NAME : HELICAL PINION SHAFT	1
2869	COLLAR SLEEVE F.INLET GUIDE STAGE 5,MAT'L: X60010008,P/N: 48#40 (P1101)	ITEM NAME : COLLAR SLEEVE F.INLET GUIDE STAGE 5	22
2870	SCHNEIDER 8 ANALOG OUTPUT MODULES, AMO0802, MODICON M340, WWTU	DESCRIPTION : SCHNEIDER 8 ANALOG OUTPUT MODULES, AMO0802, MODICON M340	1
2871	AIR RELAY VALVE,0-9KG/CM2,PILOT:1/8"KOGA	DESCRIPTION : AIR RELAY VALVE,	4
2872	QUICK COUPLING,MALE ADAPTORxFEMALE NPT,SUS316,5" (BULKCAR)	ITEM NAME : QUICK COUPLING	6
2873	PLC ETHERNET TRANSCEIVER(FGD SIMATIC S5)	MATERIAL DESCRIPTION : AUI ETHERNET PORT TO FIBER -, OPTIC	3
2874	CAM DOOR JOINT,P/N: SEV644A/1,L0013344 (GENERATOR GEN#1)	ITEM NAME : CAM DOOR JOINT	8
2875	LIP SEAL PUMP END,P/N: 2796A216DIAA001 (G2405,G2406,G2407)	ITEM NAME : LIP SEAL PUMP	4
2876	COIL SPRING,SUS316,POS.NO.18 (P1202,P2401,P2403)	ITEM NAME : COIL SPRING	64
2877	IMPELLER,SUS 304,SIZE: DIA 6-1/8,P/N: 2716549,POS.NO.101 (GP3525)	ITEM NAME : IMPELLER	4
2878	CALIBRATED SPECIAL STEEL SCREWS,P/N 3,TYPE PST 2160	DESCRIPTION : CALIBRATED SPECIAL STEEL SCREW	2
2879	THYRISTOR REPLAES,CS35-14 U9435,GDT35/14,ERSKINE,DC CHARGER	DESCRIPTION : THYRISTOR REPLAES,CS35-14 U9435	6
2880	STUD BOLT WITH NUTS,UNC,B8 CLASS 2,M20x150 MM.	DESCRIPTION : STUD BOLT WITH NUTS, B8 CLASS 2, M.20 x 150 MM	47
2881	Bushing LV 3N 6300A (A+B) with copper rod (76mm),(TR3,7)	Description : Bushing LV 3N 6300A (A+B) with copper rod (76mm),(TR3,7)	3
2882	DUAL CHANNEL PREAMPLIFIRE, 2818, TAG : FT-1902	DESCRIPTION : DUAL CHANNEL PREAMPLIFIRE, 2818	1
2883	RPF-GREASE OF DRUM ROLLER BEARING NO.LGEV 2/18 "SKF"	ITEM NAME : RPF-GREASE OF DRUM ROLLER BEARING NO.LGEV 2/18	1
2884	NUT LOCK ,MATERIAL SS 400,I/N 301	DESCRIPTION : NUT LOCK	6
2885	DOUBLE ACTING PNEUMATIC CYLINDER, TOMOE,773Z- 3E,40-80 MM.	DESCRIPTION: DOUBLE ACTING PNEUMATIC CYLINDER	2
2886	GASKET,MAT'L: NIL/TI FILLER PTFE/NIL,SIZE: 402 * 438 * 4.5 MM.THK (E1611)	ITEM NAME : GASKET	3
2887	HOUSING STEADY BEARING,MATERIAL 1000,I/N 213	DESCRIPTION : HOUSING STEADY BEARING	1
2888	Gasket 65.5/46X1.5 GRAPHITE+AISI316, P/N 022 , ID H016554 , FV-1310C ,XV-	Description : Gasket 65.5/46X1.5 GRAPHITE+AISI316	2
2889	Gasket 52.2/41X1.5 GRAPHITE+AISI316, P/N 022 , ID H016553 , PV-1323C ,XV-	Description : Gasket 52.2/41X1.5 GRAPHITE+AISI316	2
2890	ARMSTRONG INVERTED BUCKET TRAP MODEL : 1882	Description : ARMSTRONG INVERTED BUCKET TRAP MODEL : 1882	1
2891	MECHANICAL SEAL TYPE: H-35A,P/N: 00UNZ011(96981546) (MG-3574	Description : MECHANICAL SEAL TYPE: H-35A	1
2892	SPACER COUPLING NO.ES-20,P/N: 7300100 "OMEGA" (G1103C,G1441A/B,	ITEM NAME : SPACER COUPLING NO.ES20	2
2893	Step motor , ABB , LimasII,CO/CO2 analyzer , patr no.746740	Description : Step motor	1
2894	SHAFT PUMP,MATERIAL STEEL,I/N 122	DESCRIPTION : SHAFT PUMP	1
2895	BEARING NO.22320H (BRG.22320E),POS.NO.21/5 "NTN" (P1503)	ITEM NAME : BEARING NO.22320H (BRG.22320E)	2
2896	O-RING F INLET STAGE.5,VITON,ID.705xTHK.6 MM. (P1101)	DESCRIPTION : O-RING F INLET, INNER,OUTER : 705 * 6 MM,	5
2897	RATIO CONTROL,CU-3RA(RA2),SHIMPO	DESCRIPTION :	1
2898	GASKET,TI/TI PTFE/304,150#,3"	DESCRIPTION : GASKET	19
2899	GASKET,MAT'L: 316L/GRAPHITE/NIL,SIZE: 494 * 532 * 582 * 4.5 MM.THK (R2301)	ITEM NAME : GASKET	7
2900	Pipe EFW BE, THCK 4.0 MM, SS ASTM A312 GR.TP 304L, Size 3"	Description : Pipe EFW BE	2
2901	GASKET (SERIES A),304/304 GRAP/CS,150#,36" (R1301B)	DESCRIPTION : GASKET (SERIES A)	4

2902	FILTER CLOTH,DUROTEX POLYNOVA,SIZE: 2000 MM.x2200 MM.LONG (F3544C)	ITEM NAME : FILTER CLOTH	1
2903	Relay, PSR-SCP-24UC/ESAM4/8X1/1X2, Tag : K.729.5, MAPTERKO TURBOLOG	Description : Relay,PSR-SCP-24UC/ESAM4/5X1/1X2	1
2904	TAPERED ROLLER BEARING NO.32316,P/N: U603231600,POS.NO.6003/6004	ITEM NAME : TAPERED ROLLER BEARING NO.32316	4
2905	Level controller SNR01 G2400,24 Volt DC,A1AP415633,SIEMENS,(TUNTHAI	Description : Level controller SNR01 G2400,24 Volt DC	2
2906	GASKET,TI/GRAP/NIL,600*620*691*4.5MM	DESCRIPTION : GASKET,	2
2907	GASKET,TI/TI GRAP/CS,300#,12"	DESCRIPTION : GASKET	3
2908	PACKING SHEET,MATERIAL V#1500,P/N 701	DESCRIPTION : PACKING SHEET	6
2909	CASING SEAL UPPER SPACER,P/N P-14629A-7-FPD,I/N 215	DESCRIPTION : CASING SEAL UPPER SPACER	1
2910	SPRING HANGER,P/N VSH-7126-02	DESCRIPTION : SPRING HANGER	1
2911	SPRING HANGER,P/NVSH-7126-03	DESCRIPTION : SPRING HANGER	1
2912	ROTAMETER, RANGE 15-150 M3/H, WATER, SIZE DN125 (5" x 150#), MODEL LZS-	DESCRIPTION : ROTAMETER FOR WATER	1
2913	RUBBER SEAL(MANHOLE),CR,BLACK COLOR,ID.472xOD.523xTHK.10 MM.	ITEM NAME : RUBBER SEAL(MANHOLE)	9
2914	IMPELLER NUT,ASTM 2744CP8M,P/N: J561GJ003,POS.NO.2912 (G2503A/B)	ITEM NAME : IMPELLER NUT	1
2915	MACHINE BOLT HEX HEAD/NUT,SUS 304,M16*2*160 MM.	DESCRIPTION : MACHINE BOLT AND NUT	41
2916	MEASURING TAPE,SS316,P/N 941178-0003,E&H	DESCRIPTION : MEASURING TAPE,	1
2917	SPRING UPPER MATING RING,P/N P-V8746-1,I/N 142	DESCRIPTION : SPRING UPPER	50
2918	TEMPERATURE GAUGE BI-METAL, RANGE 0 - 120 C, DIAL 2.5 INCH,	DESCRIPTION : TEMPERATURE GAUGE	4
2919	GATE VALVE,FORGED ST,S.O/R.F,900#,1/2"	DESCRIPTION : GATE VALVE	2
2920	Bearing Strip 50/55X116 PTFE+C25+AISI316(PAMPUS), P/N 016 , HV-1111C	Description : Bearing Strip 50/55X116 PTFE+C25+AISI316(PAMPUS)	1
2921	"LAB TECTA" BEARING PROTECTOR (FILNGER-COUPLING END),SIZE: 2.125"x2.	ITEM NAME : "LAB TECTA" BEARING PROTECTOR (FILNGER-COUPLING END)	1
2922	GASKET,TEFLON,SIZE: ID.1373xOD.1514.5xPCD.1463 MM.,PCD: 24 HOLESx3 MM.	ITEM NAME : GASKET	2
2923	PISTON,POS.17,P/N:93620053,NETTER	DESCRIPTION : PISTON,	2
2924	SEAT VALVE,EPDM,SIZE:400A (16"), JIS 5K	DESCRIPTION : SEAT,	1
2925	GASKET RING JOINT,SUS 304L,900#,6", FV-2202	DESCRIPTION : GASKET RING JOINT	4
2926	ROTA FLOW METER,0.4-4 LPM,O2 ANALYZER	DESCRIPTION : ROTA FLOW METER,	2
2927	FLINGER PUMP END,P/N 157 A	DESCRIPTION : FLINGER PUMP END	3
2928	MECHANICAL SEAL SIZE: 48 MM.,26S-M7N/48-00,Q1BVGG "EBTH" (G1103A/B)	ITEM NAME : MECHANICAL SEAL SIZE: 48 MM.	1
2929	(NOT USE) CHEMTEC NO.F602,25 LTRS/TIN	DESCRIPTION : CHEMTEC,	8
2930	FLEXIBLE COUPLING,RUBBER,FENNAFLEX-F220FB (T1442,T1443,T1444,T1445)	ITEM NAME : FLEXIBLE COUPLING	1
2931	RELAY BOARD FOR IGV MOTOR,AC01.1,AUMA	RELAY BOARD	1
2932	TAPERED ROLLER BEARING NO.32314 ,P/N: U603231400,POS.NO.6005 (P2401,	ITEM NAME : TAPERED ROLLER BEARING NO.32314	6
2933	O-RING PROCESS,P/N: A00214-261-806,POS.NO.11 (P3602)	ITEM NAME : O-RING PROCESS	2
2934	COUNTER MAH, OMRON H7BR, FQI-1961	DESCRIPTION : COUNTER	2
2935	ECCENTRIC REDUCER, 6 x 3", S-10S x S-40S, DUPLEX, ASTM A815 WPS UNS	DESCRIPTION : ECCENTRIC REDUCER	1
2936	CONCENTRIC RED.,A234 WPB,BW,SL,SCH 20,20"*16"	Description : CONCENTRIC REDUCE	1
2937	GATE VALVE,SUS304,RF,150#,1"	DESCRIPTION : GATE VALVE	2
2938	SHAFT RING,MATERIAL SS 400,DWG.NO.54FDH5E-3	DESCRIPTION : SHAFT RING	3
2939	OIL FILTER,P/N: P3516C160-3 (P3304)	ITEM NAME : OIL FILTER	3
2940	THROTLE BUSH SIZE: 2.375",SEAL TYPE: SPC,PTFE+SS316 (G2406,G2407A/B)	ITEM NAME : THROTLE BUSH SIZE: 2.375"	2
2941	CASE PACKING,SUS316/SUS630 (GEAR),POS.NO.19 (GZ1401A/B)	ITEM NAME : CASE PACKING	2
2942	SPACER RING,20%GF TEFLON,DIA.476x452.5xTHK.5 MM.,POS.NO.49	ITEM NAME : SPACER RING	6
2943	CROWN NUT WITH PIN,POS.9,71300140,NETTER	DESCRIPTION : CROWN NUT WITH PIN	100

2944	EXPANSION JOINT,EPDM.FLANGE CS.,150#,6"xL.152.4 MM. (G4500A/B,G4503A/B,	ITEM NAME : EXPANSION JOINT	8
2945	(NOT USE) GASKET,NON ASBESTOS(SIL C-4400),ID.1200 MM.xOD.1230 MM.xTHK.	ITEM NAME : GASKET	6
2946	GASKET,TF9302501-1-026,ID.1240xOD.1415xTHK.3 MM.,I/N 15 (E2412)	DESCRIPTION : GASKET	6
2947	TENSION CYLINDER,TAG NO.F-3544	DESCRIPTION : TENSION CYLINDER,	4
2948	INTERMEDIATE BEARING OF FGD (FGD)	DESCRIPTION : INTERMEDIATE BEARING	4
2949	MECHANICAL SEAL SIZE: 45 MM.,MODEL: TB2-045 "MARSHAL" (G4503A/B/C,	ITEM NAME : MECHANICAL SEAL SIZE: 45 MM.	3
2950	Repair kit diaphragm valve "DONALDSON", Tag : P- 1101B	Description : Repair kit diaphragm valve	3
2951	ROLLER HEAD & BOREHOLE,9.002.77.31,STIP	DESCRIPTION : ROLLER HEAD,	1
2952	PRIMARY SEALING RING FOR MECHANICAL SEAL,TYPE 8B1 AR1S1,SIZE 3.125	DESCRIPTION : PRIMARY SEALING RING FOR MECHANICAL SEAL	1
2953	DUAL PLATE CHECK VALVE,WAFER,304,150#,2"	DUAL PLATE CHECK VALVE,WAFER	1
2954	HORN ANTENNA COMPLETE WITH ANTENNA COVER	HORN ANTENNA WITH COVER, BRNAD : VEGA,	1
2955	RAM 16GB for HP ProLiant ML350 Gen9, System1 Server	Description : RAM 16GB	1
2956	BALL VALVE,RF,SUS304,SEAT: RPTFE,150#, 1"	BALL VALVE, CL150 RF 125-250 , RF ,	2
2957	O-RING,P/N: 10017743,POS.NO.0071 (P2701)	ITEM NAME : O-RING	3
2958	IR SOURCE WITH SIR CONTROL BOARD (CEMS)	MATERIAL DESCRIPTION : IR SOURCE WIRED-MIR- WITH, CONTRO	1
2959	COUPLING FOR LUBE OIL PUMP,MODEL: L-095 "LOVE JOY" (P1301,E3130A/B)	ITEM NAME : COUPLING FOR LUBE OIL PUMP	5
2960	Motor charging device,MD-AD125-W ,100-125VAC- DC,MITSUBISHI,(L5)	Description : Motor charging device,MD-AD125-W ,100-125VAC-DC	1
2961	Motor charging device,MD-AD250-W ,200-250VAC- DC,MITSUBISHI,(WWT)	Description : Motor charging device,MD-AD250-W ,200-250VAC-DC	1
2962	UNDER VOLTAGE TRIP DEVICE (UVT),UCON-D110B-W INST(3.0SEC),MITSUBISHI	Description : Under Voltage Trip Device (UVT),UCON-D110B-W INST(3.0SEC)	1
2963	GLAND PACKING,GRAPHITE,96 * 80 * 8 MM	DESCRIPTION : GLAND PACKING,	16
2964	GROOVED COUPLING 4" WITH GASKET COMPLETE SET (MF4601 RO PLANT)	ITEM NAME : GROOVED COUPLING 4" WITH GASKET COMPLETE SET	5
2965	DRY DISCONNECT ADAPTOR,SUS 316,2"	DESCRIPTION : DRY DISCONNECT ADAPTOR,	1
2966	HEATER CARTRIDGE DUAL VOLTAGE,SERVOMEX	DESCRIPTION : HEATER CARTRIDGE DUAL VOL	1
2967	SHAFT SLEEVE M/S 1.375",316 SS,POS.NO.126 (G1701A/B,G1702A/B,G1705A/B)	ITEM NAME : SHAFT SLEEVE M/S 1.375"	2
2968	ANTI-CONDENSATION HEATER R3-8,5-490- 800W,26620070,SIEMENS (MP-1101)	Description : ANTI-CONDENSATION HEATER R3-8,5-490-800W	1
2969	GASKET(TYPE: WI),321/321 GRAP/NIL,900#,6" (E2201)	ITEM NAME : GASKET(TYPE: WI)	29
2970	GASKET,321/321 GRAP/CS,1500#,8"	DESCRIPTION : GASKET,	13
2971	O-RING,FKM,P/N: JISB2401-G190,POS.NO.20 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : O-RING	5
2972	NOZZLE,P/N006467-263,BS 970-316S11 ST	DESCRIPTION : NOZZLE,	1
2973	O-RING REPAIR KIT,NBR,P/N: RKORP2000UA,POS NO.936 (G1302,G2202)	ITEM NAME : O-RING REPAIR KIT	2
2974	OIL SEAL,TC,VITON,ID.73.02xOD.98.43xTHK.12.7 MM. (G1205A/B)	ITEM NAME : OIL SEAL	3
2975	LIP SEAL COUPLING END,P/N: 2796A112DIAC001 (G1501)	ITEM NAME : LIP SEAL COUPLING END	4
2976	ZF RING (ZF-9),MAT'L: NBR,P/N: 13,DWG.NO.TP-1226- 02-04-01 (RV-2403)	ITEM NAME : ZF RING (ZF-9)	2
2977	O-RING,(A,B),SEAT,VITON,I/N: 051A,051B,SIZE: 150#, 14" (PV1405)	DESCRIPTION : O-RING	3
2978	GASKET,TI/TI GRAP/304,300#,2"	DESCRIPTION : GASKET, SEALING ELEMENT W/INNER & OUTER RING	14
2979	Diaphragm kit, CKD, Model:PD3-25A-F-D-KIT, Tag : CTA silo	Description : Diaphragm kit	11
2980	CASE PACKING,PACKING PAPER,POS.NO.22 (GZ2401)	ITEM NAME : CASE PACKING	2
2981	PULLEY GEAR SIDE 3 GLOOVE,CAST IRON,SIZE: ID.64.6*OD.370*125/65 MM.	ITEM NAME : PULLEY GEAR SIDE 3 GLOOVE (PULLEY WITH TAPER BUSH WITH STANDA	2
2982	GASKET,TI/TI PTFE/CS,SIZE: 673x703x729x752x4.5 MM.THK (E1404)	ITEM NAME : GASKET	3
2983	CELL CONN KIT (O2),01131984,SERVOMEX	DESCRIPTION : CELL CONNECTION KIT,	1
2984	GASKET,TI/TI PTFE/304,300#,2"	DESCRIPTION : GASKET	22
2985	BLIND FLANGE,SUS304,RAISED FACE,300#,6"	DESCRIPTION : BLIND FLANGE	1

2986	SET SCREW WITH WIRE(MODIFICATION),SUS316,P/N: 97 (P1301)	ITEM NAME : SET SCREW WITH WIRE (MODIFICATION)	3
2987	WELDING EXATON (SANDVIK) TIG ROD ER NiCr-3, 2.4 MM	DESCRIPTION : WELDING EXATON (SANDVIK) TIG ROD ER NiCr-3, 2.4 MM	5
2988	BEARING NO.32324U,POS.NO.60 (P1301)	ITEM NAME : BEARING NO.32324U	1
2989	3-WIRE RTD PT100 SENSOR C/W TERMINAL BOX,L=105 MM, OD = 6 MM,	DESCRIPTION : 3 WIRE RTD PT100 SENSOR	1
2990	GASKET(WI),316L/316L GRAP/NIL,SIZE: 1200x1220x1254x4.5 MM.THK (E1104B)	ITEM NAME : GASKET (WI)	4
2991	TROCHOID PUMP,TOP-220HB (P1301A/B)	ITEM NAME : TROCHOID PUMP	1
2992	N.S.P,MATERIAL 904L/2D,SIZE L = 114 MM * T = 2 MM	DESCRIPTION : N.S.P	30
2993	Switch Amplifier, KCD2-SR-2.LB, PEPPERL+FUCHS, Tag : MAPTERKO	#N/A	2
2994	TEE,SUS 317 L,BW,SEAM,SCH 40,4"	DESCRIPTION : TEE,	4
2995	STUD BOLT & NUT,B8 CLASS 2,UNC,1"*160 MM.	DESCRIPTION : STUD BOLT & NUT	20
2996	Gland Packing, FV-1103	Description : Gland Packing	1
2997	TAPER PLUG,COPPER,OD.13.50 MM.xOD.15.50 MM.xL.60 MM. (E1105B,E1106B,	ITEM NAME : TAPER PLUG	30
2998	SEAL RING UNIVERSAL CHEM WELDSTUB,SERVO	DESCRIPTION : SEAL RING,	1
2999	SHAFT END BUSHING,P/N: A00142-001-554,POS.NO.33 (P3602)	ITEM NAME : SHAFT END BUSHING	1
3000	SEAT AND SEAL OF AV-1801	SEAT AND SEAL OF	1
3001	SIMATIC S5 DIGITAL INPUT MODULE S5,8x24VDC,SIEMENS (MP1101)	DESCRIPTION : SIMATIC S5 DIGITAL INPUT MODULE S5.8X24 VDC	1
3002	SIMATIC S5, BUS UNIT F.S5-100U/ET 100U ,SIEMENS (MP1101)	DESCRIPTION : SIMATIC S5, BUS UNIT F.S5-100U/ET 100U	1
3003	STUB END,SUS 316L,SMLS,SCH 40,4"	DESCRIPTION : STUB END	6
3004	FLEXIBLE HOSE WITH FLANGE,SUS304,150#,5"xL.520 MM. (F2408 RPF)	ITEM NAME : FLEXIBLE HOSE WITH FLANGE	2
3005	GASKET,316/GRAP/316, 168*178*209*280*4.5	DESCRIPTION : GASKET,	1
3006	LOAD ANGLE LIMIT,P/N 0841 (G-3180)	MATERIAL DESCRIPTION : LOAD ANGLE LIMIT, ,	1
3007	MAIN BODY,TYPE: KB75052EAH,MAT'L: CFRPP,SIZE: INLET & OUTLET 3",POS.	ITEM NAME : MAIN BODY	1
3008	BEARING FOR VALVE TYPE 8510, SIZE 12 INCH, P/N 12A8928X032, TAG : XV-	DESCRIPTION : BEARING	1
3009	SOLENOID VALVE FOR SELEX VALVE,CKD, 24 VDC DOULBLE COIL	DESCRIPTION : SOLENOID VALVE, 24 VDC DOULBLE COIL	6
3010	QUICK RELEASE MEMBRANE(N),POS.8,NETTER	DESCRIPTION : QUCK RELEASE MEMBRANE (SEAL)	30
3011	SEALING RING-K,283*7.1*14.8 mm, Pos 1.14 (3 pcs per valve)	Description : SEALING RING-K,283*7.1*14.8 mm	3
3012	GASKET,NIL/TI GRAP/TI,131*146.1*266.1 MM	DESCRIPTION : GASKET	2
3013	GASKET,TI/TI PTFE/304,150#,2"	DESCRIPTION : GASKET	25
3014	Capacitor B25835 for snubber circuit for Exiter, SIEMENS, (MP-1101,TUNTHAI)	Description : Capacitor B25835 for snubber circuit for Exiter	3
3015	Voltage Transducer, Model : MCR-VDC-UI-B-DC, Tag : A16.1, A16.5, MAPTERKO	Description : Voltage Transducer	1
3016	IDLER AND BUSHING,MATERIAL IRON & CARBON GRAPHITE,P/N 3-418002-105-	DESCRIPTION : IDLER AND BUSHING	5
3017	O-RING (3),TYPE P 265,MATERIAL NBR,DWG.NO.63DH5E,I/N 27	DESCRIPTION : O-RING (3)	4
3018	PIPE,SMLS,ASTM A312GR 316L,SCH 40,1/2"	PIPE, SMLS,	4
3019	(NOT USE) GASKET(C/D TOP),NIL/TITANIUM FILLER PTFE/NIL,SIZE 556*606*4.5 MM	DESCRIPTION : GASKET (C/D TOP)	2
3020	SHAFT SLEEVE,SUS316L,P/N: 4-SL01UT03,POS.NO.P2-22 (G2202)	DESCRIPTION : SHAFT SLEEVE	2
3021	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*265 MM.	DESCRIPTION : STUD BOLT & NUT	14
3022	BOLT WITH NUT,SUS304,M27x90 MM.,POS.NO.45 (P2402,P2405)	ITEM NAME : BOLT WITH NUT	16
3023	PTFE / Aramid Packing, Part No 49628/11, Tag : PV-2309 (1 set = 4 rings)	Description : 86UT Retro-Fit Part, PTFE / Aramid, operating temperature 280 C, 1 set = 4 Rings	1
3024	MOUNTING KIT ACCELEROMETER, BENTLY NEVADA, TAG : VI-GB02 (TUNTHAI)	DESCRIPTION : MOUNTING KIT ACCELEROMETER	1
3025	O-RING,FKM,POS.NO.60 (P2401,P2402,P2403)	ITEM NAME : O-RING	2
3026	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"x255 MM.	DESCRIPTION : STUD BOLT & NUT,B8 CLASS 2,UNC, 5/8" x 255 MM.	40
3027	INBOARD LIP SEAL I/N: 333	Description : INBOARD LIP SEAL	5

3028	CHECK VALVE,PISTON,SUS 304,800#,1/2"	CHECK VALVE,SOCKET WELD	3
3029	TAPE WIRE JOIN,FT1102,13 * 75 MM,TOKYO	DESCRIPTION : TAPE WIRE JOIN,	2
3030	Selector switch (Test-Off-Remode) DG-2	Description : Selector switch (Test-Off-Remode) DG-2	2
3031	LOWER BEARING OUTPUT NO.95500/95925 "TIMKEN",P/N: 601-1712 (E3264F/G/H	ITEM NAME : LOWER BEARING OUTPUT NO.95500/95925	1
3032	Pressure Regulator, Brand GO, Model PR1- 1B11H3I114, for flow seal : FI-1440A/B, FI-	Description : Adjustable Pressure Reducing Regulator	1
3033	AIR CYLINDER CLAMPING UNIT, CKD	DESCRIPTION : AIR CYLINDER COMPLETED SET	3
3034	DRY LUBRICANT FOR ACIDS AND CAUSTICS, CLIMAX, MODEL : 400 (RED), SIDE	DESCRIPTION : DRY LUBRICANT	5
3035	BOLT,S45C,POS.NO.38B (P1301A/B)	ITEM NAME : BOLT	9
3036	Breather Siliga gel,SHIHLIN,(OTR-11)	Description : Breather Siliga gel	1
3037	BEARING,NO.22314 E "SKF"	DESCRIPTION : BEARING	4
3038	BEARING UNIT,NO.UC 320 D1 "NTN"	DESCRIPTION : BEARING UNIT	3
3039	PRESS GAUGE,DIAP,GLYCERINE,0-10 KG/CM2	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE	1
3040	FLOAT,FLOWSIGHT,BALL-SPRING LOADED,POS NO.8 "HITACHI" (P1301A/B)	ITEM NAME : FLOAT,FLOWSIGHT	1
3041	INSERT FOR MECHANICAL SEAL,MATERIAL TUNG CAR 62-6 "DURA SEAL"	DESCRIPTION : INSERT FOR MECHANICAL SEAL	1
3042	SEALING STRAP: DICHTSTREIFEN 14X5,WS3820 (540072500),POS.NO.49 (F2408)	ITEM NAME : SEALING STRAP: DICHTSTREIFEN 14X5	27
3043	(NOT USE) IMPELLER-BC6,BC,P/N: 201 (G3532C/D)	DESCRIPTION : IMPELLER-BC6	1
3044	BALL VALVE,RF,SUS304,SEAT: RPTFE,150#, 1"	BALL VALVE, CL150 RF 125-250 , RF ,	4
3045	SUPPORT RING,SUS304,P/N:16,SIZE:10"	DESCRIPTION : SUPPORT RING,	1
3046	O-RING HEAD,P/N: A00214-597-800,POS.NO.10P (P3602)	ITEM NAME : O-RING HEAD	2
3047	INTERMEDIATE SHAFT BEARING NO.32316,P/N: 60.03/60.04 (G1445A/B/C)	ITEM NAME : INTERMEDIATE SHAFT BEARING NO.32316	4
3048	IMPELLER OF OVER FLOW PUMP (G-3121)	DESCRIPTION : IMPELLER,	1
3049	CT,EU-6-CR, 75/5A, 40VA, 50HZ,RISHO	DESCRIPTION : CURREN TRANS	2
3050	CUR.TRANSFORMER,75/5A,40VA (TPT)	MATERIAL DESCRIPTION : CURRENT TRANS	2
3051	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 32DI, 24 V DC, 1	DESCRIPTION : SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 32DI, 24 V	2
3052	(LEAKAGE) CONDUCTIVITY SWITCH AMPLIFIER,KFA6-ER- EX1.W.LB,1 CHANNEL,	Description : CONDUCTIVITY SWITCH AMPLIFIER	1
3053	U-BOLT & NUT,SUS 304,BSW,DIA:C=156 MM,E=122 MM,5"	DESCRIPTION : U-BOLT & NUT	21
3054	V-ADAPTOR,V76312H(TEF),102.5 * 78 * 36MM	DESCRIPTION : V-ADAPTOR,	2
3055	MECHANICAL SEAL SIZE: 38 MM.,26S-M7N/38-00 "EBTH" (G1202A/B)	ITEM NAME : MECHANICAL SEAL SIZE: 38 MM.	1
3056	GASKET BODY,P/N 13,KITAMURA, XV-2201	DESCRIPTION : GASKET, SPIRAL WOUND,	1
3057	Gland Packing, Motoyama, V7133R+V7132R, TV-1515	Description : Gland Packing	2
3058	Circuit board,radiator heater, ABB , LimasII,CO/CO2 analyzer , patr no.746802	Description : Circuit board, radiator heater	1
3059	O-RING,VITON,SIZE : ID94 * 4MM	DESCRIPTION : O-RING	150
3060	BALL VALVE,SUS 304,RF,SEAT:RPTFE,300#,1-1/2"	DESCRIPTION : BALL VALVE	3
3061	Pressure switch, PSLL-2204A-E	Description : Pressure switch	1
3062	MATING RING,I/N:2,MAT,L:S,CARBIDE	DESCRIPTION : MATING RING,	1
3063	HEX NUT,M10,SUS316L,P/N: 891-361F03 (C1301B)	#N/A	153
3064	V-BELT NO.5V-850 (P1403,P3528A)	ITEM NAME : V-BELT NO.5V-850	27
3065	IDLER GEAR AND BUSHING,P/N: 3-420-401-080- 54,POS.NO.37 (G3546A/B)	MATERIAL DESCRIPTION : IDLER AND BUSHING, ,	1
3066	GLAND PACKING,PURE GRAP,28 * 41 * 6.5 MM	DESCRIPTION : GLAND PACKING,	29
3067	SPRING,P/N C1361-301,I/N 22	MATERIAL DESCRIPTION : SPRING,	1
3068	SHIM SPACER,C2801P,P/N: 09-SP01AA04X (09- SP01AA04A,B,C,E),POS.NO.158	ITEM NAME : SHIM SPACER	2
3069	DOUBLE ACTING PNEUMATIC CYLINDER, TOMOE,773Z- 3E,150-200 MM.	DESCRIPTION: DOUBLE ACTING PNEUMATIC CYLINDER	1

3070	SHAFT FOR PUMP,MAT'L: SUS 316L (G1701A/B,G1702A/B,G1705A/B)	ITEM NAME : SHAFT FOR PUMP	3
3071	DEFLECTOR RADIAL BEARING,MAT'L: BRONZE,P/N: 0B00181A031179,POS.NO.	ITEM NAME : DEFLECTOR RADIAL BEARING	1
3072	FLAT GASKET FRONT WEAR PLATE,SIZE: DIA.272x225x1.5 MM.AVEC 4,DIA.12	ITEM NAME : FLAT GASKET FOR FRONT WEAR PLATE	1
3073	BEARING,NO.32030 X "SKF"	DESCRIPTION : BEARING	2
3074	BOLT,HEX HEAD,DUPLEX 2205,M12x20 MM. (F1441A/B/C)	ITEM NAME : BOLT,HEX HEAD	47
3075	DISPLAY PCB LED(O2),01101902,SERVOMEX	DESCRIPTION : DISPLAY PCB,	1
3076	LCD 19 INCH SQUARE MONITOR FOR MAPTERKO AND TUNTHAI	DESCRIPTION : LCD MONITOR 19 INCH (SQUARE MONITOR) WITH VGA CONNECTOR 100-2	3
3077	GASKET(TYPE: A),316L/316L PTFE/NIL,SIZE: 835x865x895x4.5 MM.THK (E1604)	ITEM NAME : GASKET(TYPE: A)	4
3078	O-RING,VITON,4625xTHK.7 MM.,POS.NO.4 (P1101B)	DESCRIPTION : O-RING	2
3079	BLOWDOWN RING,P/N 022700-112 "IMI BAILEY BIRKETT"	DESCRIPTION : BLOWDOWN RING	2
3080	STUD MACHINE BOLT,SUS316L(A40-70),M12x1.75xL.43 MM.,THREAD.25x13 MM.	ITEM NAME : STUD MACHINE BOLT	210
3081	O-RING,NBR,DIA.480 MM.,POS.NO.41 (P1301)	ITEM NAME : O-RING	2
3082	BEARING,MODEL:JCI-2-1500	DESCRIPTION : BEARING,	9
3083	GASKET,321/321 GRAP/NIL,2500#,6"	DESCRIPTION : GASKET	23
3084	GASKET FLAT BLUE,P/N 022-P901-213,I/N 4 "HEIL"	DESCRIPTION : GASKET FLAT BLUE	24
3085	1" ball valve CL600 RF 125-250 RA-FN SS ASTM A351 GR.CGBM body SS317 trim	1" ball valve CL600 RF 125-250 RA-FN SS ASTM A351 GR.CGBM body SS317 trim metal seats f	1
3086	HILCO FILTER CARTRIDGE,P/N: PH312-01-CG (P1301A)	ITEM NAME : HILCO FILTER CARTRIDGE P/N: PH312-01-CG	4
3087	GASKET,TI/TI PTFE/304,300#,1-1/2"	DESCRIPTION : GASKET	20
3088	ANALOG I/P MODULE,1771-IFE,ALLEN-BRADLEY	DESCRIPTION : ANALOG INPUT MODULE	1
3089	METER VIBRATION MONITOR,TME-100 A,NISSEI	DESCRIPTION : METER VIB	1
3090	RUBBER SEAL C/W ENVELOPE,VITON BLACK COLOR,ID.76 MM.xOD.94 MM.	ITEM NAME : RUBBER SEAL C/W ENVELOPE	7
3091	Proximity switch, P&F, SJ3.5-N, Tag : Off Gas Dryer	Description : Proximity switch	6
3092	GLAND PACKING FOR VALVE, MASONEILAN, P/N 200042430-919-0000, TAG :	DESCRIPTION : GLAND PACKING (5 EA / 1 SET)	3
3093	RING,P/N: A00156-001-325,POS.NO.36 (P3602)	ITEM NAME : RING	1
3094	AC I/P MODULE,OPTO 22,24 VDC,FISHER	DESCRIPTION : AC INPUT MODULE,	12
3095	SUPER FLEXIBLE COMPLETE SET COUPLING NO.NM128 (G3512CA,CB,G3534)	ITEM NAME : SUPER FLEXIBLE COMPLETE SET COUPLING NO.NM128	2
3096	CENTRAL UNIT,FZ-F8604,S/N 06.750842,HIMA	DESCRIPTION : CENTRAL UNIT,	1
3097	PACKING SHEET,V#1500,POS.NO.701 (G3535)	ITEM NAME : PACKING SHEET	6
3098	GASKET(BONNET),NON ASBESTOS,ID.1527xOD.1567xTHK.3 MM. (E2401,E2701B	ITEM NAME : GASKET(BONNET)	2
3099	TAPER PLUG,COPPER,OD.10 MM.xOD.12 MM.xL.60 MM. (E1105,E1106,E1107,	ITEM NAME : TAPER PLUG	146
3100	PIPE,SUS 316L,SMLS,SCH 10,2" * 6 M	DESCRIPTION : PIPE,	2
3101	O-RING REPAIR KIT FOR ACTUATOR,AW20SC-HW,KTM	O-RING REPAIR KIT FOR ACTUATOR	1
3102	SPHERICAL ROLLER BEARING NO.23122 CC/W33 "SKF" (T2101)	ITEM NAME : SPHERICAL ROLLER BEARING NO.23122 CC/W33	2
3103	SLEEVE SHAFT BRONZE AL (G4002A/B)	ITEM NAME : SLEEVE SHAFT BRONZE AL	2
3104	TEMP GAUGE, 0-100 C, L-250, 8 MM, TAG : P-2409	DESCRIPTION : TEMP GAUGE	2
3105	SPHERICAL ROLLER BEARING NO.22320EX (GEAR BOX B2402)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22320EX	2
3106	OIL SEAL HOLDER,FC250,POS.NO.16 (P2411)	DESCRIPTION : OIL SEAL HOLDER	1
3107	SERVICE KIT PUMP HEAD P2,COD ANALYZER	DESCRIPTION : SERVICE KIT PUMP HEAD P2,	1
3108	PLATE,SUS316L,4 FTx8 FTxTHK.4 MM.	DESCRIPTION : PLATE,SUS 316L,4 FT*8 FT*4 MM	1
3109	PERFORATED PLATE,SUS304,4 FTx8 FT. ROUND HOLEH 2.5 MM.PITCH 4 MM.,	ITEM NAME : PERFORATED PLATE	1
3110	PLUG VALVE,PFA,150#,1/2" (G1202A/B DISCHARGE LINE)	ITEM NAME : PLUG VALVE	1
3111	Paddle Flow Switch, connection size 1" PT, SF 1710, FineTek, Tag : Y-1611 MAH	Description : Paddle Flow Switch	1

3112	ELEC. MODULE,EM11,P/N 918366-0000,E&H	DESCRIPTION : ELECTRONIC MODULE,	1
3113	BEARING NO.NJ2220 ECM/C3 "SKF" (T1402B)	ITEM NAME : BEARING NO.NJ2220 ECM/C3	1
3114	Pipe BE A312-TP304 EFW, SCH 40,3"	Description : Pipe BE A312-TP304 EFW	2
3115	SPROCKET SCREW SIDE (T1443A/B/C)	ITEM NAME : SPROCKET SCREW SIDE	1
3116	RELAY MODULE WITH FUSE,VR-H4116,HIMA	DESCRIPTION : RELAY MODULE WITH FUSE,	3
3117	MOISTURE SENSOR,MDR 33Y/22-R1,E&H	DESCRIPTION : MOISTURE SENSOR,	2
3118	Gasket Repair kit, Motoyama, T9007-G20, FV-1501	Description : Gasket repair kit	1
3119	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 8K BYTES,SIEMENS (MP1101)	DESCRIPTION : SIMATIC S5 375 MEMORY SUBMODULE EPROM, 8K BYTES	1
3120	DUST CAP,COUPLING DC-300,SUS316,SIZE: 3"	ITEM NAME : DUST CAP	5
3121	GASKET FOR CHUTE CONNECTION,MAT'L: TOMBO #9094,SIZE: 810 * 940 * 3 MM.	ITEM NAME : GASKET FOR CHUTE CONNECTION	1
3122	DISC,P/N016388-263,BS970-316S11ST	DESCRIPTION : DISC,	2
3123	GASKET,316L/316L PTFE/CS,SIZE: 806.5x825.5x860.6x939.8x4.5 MM.THK (E1603)	ITEM NAME : GASKET	3
3124	MECHANICAL SEAL,P/N: 96525458 "GRUNDFOS" MODEL: CR45-2-2 (G4702)	ITEM NAME : MECHANICAL SEAL	2
3125	PILLOW BLOCK BEARING UNIT NO.CUCP 218C	Description : PILLOW BLOCK BEARING UNIT NO.CUCP 218C	3
3126	PRESSURE CONTROL VALVE,P/N: 940003789,POS.NO.104 (F2408)	PRESSURE CONTROL VALVE,DWG NO.950001388,PART LIST NO.104,P/N 940003789,SIZE G	1
3127	PIPE COUPLING,SUS304/VITON,MJH 20A,3/4"	DESCRIPTION : PIPE COUPLING	6
3128	Globe valve 1/2", RF, JIS10K, SB ISRS, FCMB/SUS 403 Trim	Globe valve 1/2", RF, JIS10K, SB ISRS, FCMB/SUS 403 Trim	13
3129	WN FLANGE 8", RFLFE X BE JIS10K SUS304	WN FLANGE 8", RFLFE X BE JIS10K SUS304	2
3130	ROLLER CHAIN NO.RS 160 ,JIS-ANSI,10 FEETS/BOX (T1402,T1442,T1443,BC3)	ITEM NAME : ROLLER CHAIN NO.RS 160	4
3131	ROTOR AND SHAFT,MATERIAL IRON & STEEL,P/N 3-566- 156-012,I/N 19	DESCRIPTION : ROTOR AND SHAFT	2
3132	CARBON BUSH,GRADE: CY9C,OD.6"xID.1-1/2"xL.6" (G1404A/B)	ITEM NAME : CARBON BUSH	1
3133	O-RING,FKM,P/N: AS568A-274,POS.NO.39 (P2407)	ITEM NAME : O-RING	3
3134	NEUTRAL CURRENT TRANSFORMER (NCT),NCT- 25,MITSUBISHI (L5)	Description : Neutral Current Transformer (NCT),NCT-25	1
3135	SCREW HEAD JAM,P/N 19567-1,I/N 22	MATERIAL DESCRIPTION : SCREW HEAD JAM, ,	2
3136	O-RING F.CARBON RING SEAL STAGE.2,X60162329,P/N: TO 7 (P1101)	DESCRIPTION : O-RING F.CARBON RING SEAL,	2
3137	BALL VALVE,SUS304,FEMALE,#600,2" (BULK CAR)	ITEM NAME : BALL VALVE SCREW FEMALE	2
3138	BUSH WZK 186-265,80*95*100 mm, Pos 1.10 (1 pcs per valve)	Description : BUSH WZK 186-265,80*95*100 mm	3
3139	PACKING KIT 36K 12-16 285K, MASONEILAN, FV-1102	DESCRIPTION : PACKING KIT 36K 12-16 285K	2
3140	SET OF RUBBER ELEMENT,P/N: 940004175,POS.NO.79 (F2408)	SET OF RUBBER ELEMENT,DWG NO.950001388,PART LIST NO.79,P/N 940004175,SIZE 112 S	1
3141	GASKET,316L/316L PTFE/CS,704x723x755x831xTHK.4.5 MM. (D2404,D2405,	ITEM NAME : GASKET	4
3142	GATE VALVE,SUS316,SW,800#,3/4"	DESCRIPTION : GATE VALVE	2
3143	Under Voltage Trip Device (UVT),UCON-A240B-W INST(3.0SEC),MITSUBISHI,(WWT)	Description : Under Voltage Trip Device (UVT),UCON-A240B-W INST(3.0SEC)	1
3144	SHAFT,SIZE DIA.18	DESCRIPTION : SHAFT	1
3145	LOWER SHAFT SLEEVE,HT20-40 (G-3121)	DESCRIPTION : LOWER SHAFT SLEEVE	2
3146	PRESSURE RELIEF VALVE,MATERIAL ALUMINIUM,SIZE 2","HEIL"	DESCRIPTION : PRESSURE RELIEF VALVE	2
3147	MIXTURE GAS,20% O2,BALANCE N2	MATERIAL DESCRIPTION : STANDARD MIXTURE GAS,	2
3148	O-RING,VITON FKM.CODE: ORBP-215F4,POS.NO.4B (P1401,P1402)	ITEM NAME : O-RING	3
3149	REVERSIBLE DIGITAL THERMO TAPE D-50	REVERSIBLE DIGITAL THERMO TAPE,	2
3150	CAP PIPE, 10 INCH, SS 304L, ASTM A403 GR.WP 304L, BE, SCH 5.0 MM, ANSI B16.	DESCRIPTION : CAP PIPE	3
3151	GASKET,TI/TI PTFE/304,300#,8"	DESCRIPTION : GASKET	5
3152	PRING HANGER P/N VSH-7126 01	DESCRIPTION : PRING HANGER	1
3153	UPPER BEARING OUTPUT NO.74550/74850 "TIMKEN",P/N: 600-1712 (E3264F/G/H	ITEM NAME : UPPER BEARING OUTPUT NO.74550/74850	1

3154	BEARING NO.NU 217 ECP "SKF" (RV2402C/D)	ITEM NAME : BEARING NO.NU 217 ECP	5
3155	BOLT WITH NUT,SUS304,M27x90 MM.,POS.NO.39 (P2401,P2407)	DESCRIPTION : BOLT WITH NUT	34
3156	Gland Packing, FV-1103C	Description : Gland Packing	1
3157	Butterfly valve body completed set, size 4", "EBRO", (Z011-A), RO plant (DN100)	Description : Butterfly valve body completed set	2
3158	GASKET,DOUBLE JACKETED,SUS316L/PTFE,SIZE: ID.375xOD.400x4.5 MM.THK	ITEM NAME : GASKET	3
3159	Socket carrier (Complete with sockets) AUMA, AC01.2, IDF,FDF	Description : Socket carrier (Complete with sockets) AUMA, AC01.2	3
3160	Local Control Board, AUMA, AC01.2, IDF,FDF	Description : Local Control Board, AUMA, AC01.2	1
3161	CURRENT TRANSDUCER,110VAC,0-1A,CT 95,WISCO, (TSK)	DESCRIPTION: CURRENT TRANSDUCER	4
3162	PCA ALARM CONTROLLER, GUTOR UPS	PCA ALAR CONTROLLER,	1
3163	RING PISTON,I/N 25,P/N 057723048	DESCRIPTION : RING PISTON,	6
3164	BUTTERFLY VALVE BODY COMPLETED SET, 1-1/2", 40A, TAG : RO PLANT	DESCRIPTION : BUTTERFLY VALVE BODY COMPLETED SET	2
3165	COIL SPRING,SUS316,POS.NO.10 (P1301C)	ITEM NAME : COIL SPRING	72
3166	SPRAY NOZZLE,SUS316,1/2" EX216W (C1401A/B)	DESCRIPTION : SPRAY NOZZLE,	7
3167	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-Z (SUS317L),ID136.5	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	4
3168	STUB END,TI,SMLS,BW,S-10S,1-1/2"	DESCRIPTION : STUB END, SMLS,BW,S-10S,	20
3169	O-RING FOR BELLOW,KALREZ 4079,ID.66.27xTHK.3.53 MM.(2.609x0.139 INCH.),	ITEM NAME : O-RING FOR BELLOW	2
3170	BATTERY CHARGING ALTERNATOR (G-4002)	MATERIAL DESCRIPTION : BATTERY CHARGING ALTERNATOR,	1
3171	GASKET,SILICON RUBBER,ID.1130xOD.1570xTHK.3 MM. (E2409)	ITEM NAME : GASKET	3
3172	SOCKET HEAD CAP SCREW,SUS316,M24 x 3.0 L. 65 MM. (G1445)	ITEM NAME : SOCKET HEAD CAP SCREW	10
3173	DC FAN,24VDC,37W,DV6224R,4300 RPM,EBMPAP	DESCRIPTION : DC FAN,	2
3174	SET OF BEARING,GEAR BOX TYPE: EKFH-2V-128,SIZE: RATIO: 24.7 (P2503B)	ITEM NAME : SET OF BEARING	1
3175	V-BELT NO.5V-1290 (SPB3250) "OPTIBELT" (P3551)	ITEM NAME : V-BELT NO.5V-1290 (SPB3250)	18
3176	PIPE,SUS 304,SL,SCH 40,3" * 6 M.	PIPE EFW BE 4.0 MM,THCK (SCH 40) SS ASTM A403, GR.TP304 ANSI-B16.9M,	1
3177	MECHANICAL SEAL OF GEAR BOX,316L/CARBON,P/N: SE04UT01UC1,POS.NO.	ITEM NAME : MECHANICAL SEAL OF GEAR BOX	1
3178	ROTARY SEAL RING GASKET,AISI 316+PTFE,P/N: PA120YT3,POS.NO.9A (E1507)	ITEM NAME : ROTARY SEAL RING GASKET	2
3179	GASKET,316L/316L PTFE/NIL,SIZE: 503x533x559x4.5 MM.THK (D2401,E1403,	ITEM NAME : GASKET	9
3180	Rubber Diaphragm, Motoyama, CR, PV-2206	Description : Rubber Diaphragm	2
3181	GASKET,TI/TI PTFE/SUS304,503x527x547x570xTHK.4.5 MM. (E1504B)	ITEM NAME : GASKET	2
3182	HOLDER,SS400,POS.NO.17 (P1202B)	ITEM NAME : HOLDER	1
3183	Soft start motor, 400Vac,30kw,59.4A,50HZ,PSR60- 600-70,MT-1422B,MT-1443B,MT-	DESCRIPTION : Soft start motor MT-1422B,MT-1443B,MT-1444,MT-1445	1
3184	CONTROL BOX,WATER PROOF,150 * 80 MM,2 GANGE (30mm),AGA 212 Y,IDEC	RAINPROOF CAST ALUMINIUM CONTROL BOX	8
3185	CURRENT TRANSDUCER (WISCO),CT95/0-5A,4- 20mA,110VAC (MOTOR ISBL	Description : Current transducer (wisco) 110 Vac,CT95/0-5A,4-20mA	4
3186	"MAGNUM" VAPOR SEALS FOR 1030 FOAM CHAMBER (D1911A/B)	ITEM NAME : "MAGNUM" VAPOR SEALS FOR 1030 FOAM CHAMBER	4
3187	GLOBE VALVE 3/4" ,A-105 N,R.F,PN 64,DN 20	DESCRIPTION : GLOBE VALVE 3/4"	2
3188	TRANSDUCER,BEARING OIL PRES,13-01-07,JOY	DESCRIPTION : TRANSDUCER,	1
3189	O-RING FOR MECH SEAL NIPPON PILLAR,EPDM,P/N: 4 (G1445A/B/C)	ITEM NAME : O-RING FOR MECH SEAL	1
3190	DIODE REPLACES,DSI75-12B U1150/14,GD75R12,ERSKINE,DC CHARGER	DESCRIPTION : DIODE REPLACES,DSI75-12B U1150/14	6
3191	REDIAL BEARING LAB'Y SEAL,BRONZE,P/N: A04951A218,POS.NO.333A (G1103C	ITEM NAME : REDIAL BEARING LAB'Y SEAL	1
3192	WELDING TIG ROD,ER308L,2.4*1000 MM.,WEL	DESCRIPTION : WELDING TIG ROD	35
3193	SEAT RING, P/N 22B6022X012,FISHER, PV-3602-3	Description : SEAT RING	1
3194	SHORT NIPPLE,SIZE 3/4,P/N PNBISO20A00A,I/N 34	DESCRIPTION : SHORT NIPPLE	2
3195	SHORT NIPPLE,SIZE 1/4,P/N PNBIS0080A00A,I/N 32	DESCRIPTION : SHORT NIPPLE	2

3196	(NOT USE) ELECTRODE PLASMA,PMX 1650,P/N: 220037	DESCRIPTION : ELECTRODE PLASMA	40
3197	VALVE PIUNGER,DWG:NOP-3Q85-20-0,I/N: 26	DESCRIPTION : VALVE PIUNGER,	3
3198	FLEXIBLE HOSE C/W FLANGE,WIRE BRAID SUS304,8"xL.590 MM. (P1101B)	ITEM NAME : FLEXIBLE HOSE C/W FLANGE	1
3199	MOTOR GEAR COMPLETED SET,0.75 KW,380V4P,FLANGE,SUMITOMO,(MRV-	DESCRIPTION : MOTOR GEAR COMPLETED,3 PHASE INDUCTION-MOTORS	1
3200	BEARING NO.2219 K "SKF" (T2101A/B)	DESCRIPTION : BEARING	2
3201	HEXAGON BOLT,P/N: 12,I/N: 000107500 (P-1101 B)	Description : HEXAGON BOLT	8
3202	O-RING 26201237,P/N: A00214-112-800POS.NO.31 (P3602)	ITEM NAME : O-RING 26201237	1
3203	KIT,QUARTZ JET FID MAXUM II, 2020389-701	KIT QUARTZ JET FID MAXUM II,	1
3204	ROLLER BEARING,P/N: 21-117,POS.NO.125D (G2201A-E)	ITEM NAME : ROLLER BEARING	1
3205	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"x190 MM.	DESCRIPTION : STUD BOLT & NUT,B8 CLASS 2,UNC, 5/8" x 190 MM.	38
3206	GASKET,NIL/TI GRAP/NIL,SIZE: 532x582x4.5 MM.THK (E2201B TOP)	ITEM NAME : GASKET	3
3207	CAP BOLT WITH WIRE,316 ST.STL.,POS.NO.13 (P1301A/B)	ITEM NAME : CAP BOLT WITH WIRE	26
3208	FEED BACK CONTROLLER,220 VAC (FV-31302)	MATERIAL DESCRIPTION : FEED BACK CONTROLLER OF -, ACTUATOR PAF	1
3209	ELBOW 90,BW,SL,SUS316,SCH 40, 3"	DESCRIPTION : ELBOW 90,	12
3210	FUEL OIL FILTER,SE111B "PERKINS",P551604 "DONALDSON" (NEW	ITEM NAME : FUEL OIL FILTER	12
3211	RUBBER SEAL (MANHOLE),EPDM WHITE COLOR,ID.465 MM.xOD.530 MM.xTHK.6	ITEM NAME : RUBBER SEAL (MANHOLE)	10
3212	STUD BOLT & NUTS,B7,UNC,2"x435 MM. (R2301 M/H M.5)	ITEM NAME : STUD BOLT & NUTS	10
3213	DISCRETE INPUT MODULE,FSCL6753X1-A13(DCS	MATERIAL DESCRIPTION : DISCRETE INPUT MODULE DRY -, CON	6
3214	GLAND PACKING,VALQUA#7262(TEFLON),SQ.9.5 MM.(3/8"),POS.NO.40	ITEM NAME : GLAND PACKING	6
3215	EPDM BOOT LINER,AT20 (E1607A/B)	ITEM NAME : EPDM BOOT LINER	4
3216	COUPLING NO.B125 (IN ROUGH BORE) "FLENDER N- EUPEX" (G3592)	ITEM NAME : COUPLING NO.B125 (IN ROUGH BORE)	2
3217	SLEEVE,SS316,P/N: 1895A (G2407A/B)	ITEM NAME : SLEEVE	2
3218	CALIBRATED SPECIAL STEEL SCREWS,P/N 3,TYPE 2100	DESCRIPTION : CALIBRATED SPECIAL STEEL SCREW	2
3219	BALL VALVE,SUS 316,RF,SEAT:RPTFE,300#,3/4"	BALL VALVE CL300 RF 125-250 RA-FN SS ASTM A351 GR.CF8M, BODY:SS316 TRIM REIN	1
3220	THRUST BEARING LAB'Y SEAL,BRONZE,P/N: A04951A223,POS.NO.332A	ITEM NAME : THRUST BEARING LAB'Y SEAL	1
3221	BATTERY CHARGER "PC1000" 24 VDC (DG1)	Description : Battery Charger "PC1000" 24 VDC,(DG1)	1
3222	DIAPHRAGM OF VALVE ACTUATOR, MASONEILAN, MODEL : 30-30242, TAG : XV-	DESCRIPTION : DIAPHRAGM OF VALVE ACTUATOR	1
3223	BUSH,TEFLON GLASS,ID.132 MM.xOD.162 MM.xL.120 MM. (H2502)	ITEM NAME : BUSH	1
3224	ROUND BAR,SUS316L,1"*L.6 M.	DESCRIPTION : ROUND BAR	2
3225	MAGNETIC,S-K180,COIL 110V,MITSUBISHI	DESCRIPTION : MAGNETIC,	2
3226	MECHANICAL SEAL,MATERIAL H2A04011 "DURA SEAL",I/N 142	DESCRIPTION : MECHANICAL SEAL	1
3227	AUX.CONT.EMERGENCY SWITH,STAHL 8082/1 NB0158 1- 3,1-4 (CRANE MP-2409	DESCRIPTION : AUX.CONT.EMERGENCY SWITH STAHL	9
3228	INTERNAL POWER SUPPLY UNIT (PW),PW3-W,MITSUBISHI (L5,WWT)	Description : Internal Power Supply Unit (PW),PW3-W,MITSUBISHI	2
3229	PLUG-IN COND.SENS.PT1000 TEMP,SC42-EP-18	DESCRIPTION : PLUG-IN COND.SENSOR PT1000 TEMP,	1
3230	CONDUIT FITTING,LB,WATER PROOF,HDG,2-1/2	DESCRIPTION : CONDUIT FITTING,	5
3231	SPROCKET,S35C,SIZE: RS120x28 TEETH,BORE DIA.60 MM. (RV1402A/B)	ITEM NAME : SPROCKET	2
3232	SHAFT SLEEVE,SUS316L,POS.NO.170,SVHA 25-20 (G1612A/B,G1617A/B)	ITEM NAME : SHAFT SLEEVE	1
3233	WINDOW ASSEMBLY, YOKOGAWA FOR PM, CEMS	DESCRIPTION : WINDOW ASSEMBLY, YOKOGAWA FOR PM	1
3234	DIGITAL INPUT 64 PTS,C200H-ID217,OMRON	DIGITAL INPUT CONTACT 64 PTS,	1
3235	KEY OF DRIVE GEAR,MATERIAL ALLOY-C,I/N 23 A	DESCRIPTION : KEY OF DRIVE GEAR	4
3236	O-RING CASING,MATERIAL BUNA-N,I/N 513	DESCRIPTION : O-RING CASING	4
3237	PACKING SHEET,MATERIAL V#1500,I/N 701	DESCRIPTION : PACKING SHEET	4

3238	OIL SEAL,FLUORINE RUBBER,ID.125xOD.155xTHK.14 MM. (T1442,T1443)	ITEM NAME : OIL SEAL	4
3239	OIL FILTER #4324909 (GENNERATOR GEN#1)	ITEM NAME : OIL FILTER #4324909	12
3240	ADJUSTING SCREW- INLET=3"#900 OUT6"#150	DESCRIPTION : ADJUSTING SCREW,	1
3241	PIPE,SMLS,SUS304,SCH 40,1-1/2"*6 M	DESCRIPTION : PIPE	2
3242	SEAT RUBBER,EPDM/ST.STEEL,E1, 2",VIKING	DESCRIPTION : SEAT,	3
3243	BOLT WITH NUT,SUS304,M20xL.130 MM.POS.NO.45 (P2401)	ITEM NAME : BOLT WITH NUT	113
3244	COIL SPRING,SUS316,SIZE: 25.1x8.2x1.2,POS.NO.8 (P2401,P2402,P2403)	ITEM NAME : COIL SPRING	48
3245	GASKET,NON ASBESTOS,SIZE: ID.1505xOD.1560x3 MM.THK (E2701B)	ITEM NAME : GASKET	2
3246	WEDGE RING FOR MECHANICAL SEAL,TYPE 9TQF(31)10(58)1,SIZE 1.125 "JOHN CRANE"	DESCRIPTION : WEDGE RING FOR MECHANICAL SEAL	4
3247	BEARING BALL 7 ACT 6-12, P/N 435000422-888-0000, MASONEILAN, FV-1102	Description : BEARING BALL 7 ACT 6-12	1
3248	O-RING INBOARD,VITON,POS.NO.497H,497J (G1701,G1702,G1705)	ITEM NAME : O-RING INBOARD SEAL	37
3249	TEFLON BUSH(STEM2),V7160-2, 85*29.3*2 MM	DESCRIPTION : TEFLON BUSH,	2
3250	Butterfly valve body completed set, size 2", "EBRO", (Z011-A), RO plant	Description : Butterfly valve body completed set	3
3251	KEYPAD FOR VSD,ABB,MODEL: ACS-CP-D (68232902)	DESCRIPTION : KEYPAD FOR VSD	4
3252	RTD Pt 100 3-wire ,U-Length 610 mm, (Rosrmount) , TE-1110CX2,TE-1110CC2,TE-1110CX1	Description : RTD Pt 100 3-wire ,U-Length 610 mm, (Rosrmount)	1
3253	16DU/DO P/N 686B628U01,FISHER PORTER	DESCRIPTION : 16DU/DO,	3
3254	THROAT BUSHING,TYPE: SINGLE INSIDE PTE45E(F/V)TH,POS.NO.B "DURA SEAL" (G2005)	ITEM NAME : THROAT BUSHING	2
3255	GASKET,TI/TI PTFE/SUS304,150#,20" (C1301,C1501,C1503,C1601,D1441)	ITEM NAME : GASKET	2
3256	O-RING,EPDM,G165,P/N: 9 (MODULE CAP B MF4501A/B)	ITEM NAME : O-RING	58
3257	O-RING GS225,EPDM,ID.224.30xTHK.3.1 MM.,P/N: CY- 58382,POS.NO.36 (G1445A/B/C)	TEM NAME : O-RING GS225	5
3258	GASKET,321/321 GRAP/NIL,2500#,10"	DESCRIPTION : GASKET	12
3259	BALL SEAT VALVE,VB4DA1 ,3/4",YOSHIDA	DESCRIPTION : BALL SEAT VALVE,	1
3260	Gland Packing, PV2-2402	Description : Gland Packing	1
3261	Gland Packing, Motoyama, V7232R+V7010, FV-2501	Description : Gland Packing	1
3262	PULLEY GEAR SIDE,CAST IRON,DIA.280 MM.x5V-5- 3535,SHAFT ID.50 K6 (P2407)	Description : PULLEY GEAR SIDE	2
3263	VICTUARIC COUPLING,TYPE: GRV-GRV CLP,SURSL,SIZE: 5" (BULKCAR)	ITEM NAME : VICTUARIC COUPLING SIZE: 5"	5
3264	ADAPTOR,THREAD AND QUICK DISCONNECT WITH MALE END,TYPE: F-300,	DESCRIPTION : ADAPTER 3" THREAD AND QUICK DISCONNECT MALE END	4
3265	O-RING,MATERIAL NBR,NO.G 150 (SIZE ID.150 * 5.5 MM THK),I/N 25	DESCRIPTION : O-RING	8
3266	BUTTERFLY VALVE,WAFER,ALUMINIUM,3" (BULKCAR)	DESCRIPTION : BUTTERFLY VALVE	3
3267	CERAMIC CARTRIDGE 0.8 MICRO (CEMS)	MATERIAL DESCRIPTION : CERAMIC CARTRIDGE 0.8 MICRO,	3
3268	SHAFT SLEEVE,SUS316L,P/N: 1895A162X18W001,POS.NO.1895A (G1203,G1505,	ITEM NAME : SHAFT SLEEVE	2
3269	O-RING,VITON,ID.205xTHK.7 MM.,P/N: 63+64,POS.NO.12,13 (P1404)	DESCRIPTION : O-RING	2
3270	DELTA"V"DCS AI CARD,4-WIRE TER.BLOCK(DCS	MATERIAL DESCRIPTION : DELTA V DCS AI CARD,4-WIRE -, TERMIN	2
3271	FLOAT LEVEL SWITCH,KOBOLD,MODEL,M10-E 4R9 WXXX0E, LAL-1445	Description : Float level switch	1
3272	Drive Lever Casting, Pos 5.26 (1 pc per valve)	Description : Drive Lever Casting	1
3273	PUMP SHAFT,ASTM A276-316 ANLD,P/N: 251,POS.NO.18002 (G2703X)	ITEM NAME : PUMP SHAFT	1
3274	COIL SPRING,SUS304,P/N: CY-58382,POS.NO.32 (G1445A/B/C)	ITEM NAME : COIL SPRING	16
3275	GASKET,TI/TI PTFE/SUS304,SIZE: 589x619x645x668x4.5 MM.THK (E1401A)	ITEM NAME : GASKET	3
3276	LIMIT SWITCH,EXPLOSION PLOOF,2 POINTS DETECTIONS,G 3/4",MODEL: VCX-7001-V(X)-1001A/B,V(X)-1007A/B,V(X)-1010A/B)	DESCRIPTION: LIMIT SWITCH,EXPLOSION PLOOF	2
3277	WELDING FILLER INCONEL 82, 0.062" * 36"	DESCRIPTION : WELDING FILLER INCONEL 82	5
3278	IC,OP-AMP,#AD 549, P/N:216996/C-40447	DESCRIPTION : IC,	10
3279	CHECK VALVE,SUS 304,BW,1500#,1-1/2"	DESCRIPTION : CHECK VALVE	1

3280	WELDING TIG,TGX 316L,2.2*1000 MM,KOBELCO	DESCRIPTION : WELDING TIG ROD	10
3281	CHECK VALVE O-RING,P/N: A00214-019-806,POS.NO.16 (P3602)	ITEM NAME : CHECK VALVE O-RING	6
3282	STUD BOLT & NUTS,UNC,B8 CLASS 2, 1/2"*110 MM.	DESCRIPTION : STUD BOLT & NUTS	68
3283	FUSE LINK NS2,EF010291,ERSKINE,DC CHARGER	DESCRIPTION : FUSE LINK NS2	18
3284	TEFLON BUSH,V#7160-2,P/N:218 B	DESCRIPTION : TEFLON BUSH,	1
3285	RTD Pt 100 3-wire ,U-Length 790 mm, (Rosrmount) , TE-1101	Description : RTD Pt 100 3-wire ,U-Length 790 mm, (Rosrmount)	1
3286	SEAL RING,I/N:3,MAT,L:CARBON	DESCRIPTION : SEAL RING,	1
3287	GASKET ORWIR.,TI/TI GRAPHITE/SUS304,1500#,10" (D2201)	ITEM NAME : GASKET ORWIR.	2
3288	PCA FAN MONITOR 8", 120V-15%/240V+10%	PCA FAN MONITOR 8, POWER	1
3289	SEALING RING,P/N: 20039046,MODEL: HDS630/133SS (RV1402E)	ITEM NAME : SEALING RING	1
3290	THYRISTOR, SKT-760/18,SEMIKRON	THYRISTOR,	2
3291	Firing Board (Board control),BBC,DC Charger SS-2	Description : Firing Board (Board control)	1
3292	O-RING MECHANICAL SEAL,HJ977GNQ1Q1M2GG,TTE,ID.87.6xTHK.5.33 MM.	DESCRIPTION : O-RING MECH SEAL	4
3293	Gasket, PTFE Envelope Non Asbestos, Size 8", JIS 5K, Tag : XV-2403A-B	Description : Gasket, PTFE Envelope Non Asbestos	4
3294	AIR SUCTION FILTER FOR OIL MIST BLOWER, 1" (PZ1101B)	#N/A	4
3295	DIAPHRAGM,P/N: 60624,POS.NO.260 (G1707)	ITEM NAME : DIAPHRAGM	2
3296	PULLEY MOTOR-DRIVE SIDE WITH TAPER BUSH,CAST IRON,DIA.350x5V-6,	ITEM NAME : PULLEY MOTOR-DRIVE SIDE WITH TAPER BUSH	2
3297	GASKET "WIR" WITH BAR,SS304/PTFE/SS304/IR,ID.660x687x714xTHK.4.5 MM.	ITEM NAME : GASKET "WIR"	2
3298	WELD NECK FLANGE,SS ASTM A182 GR.F317L,CL600 RF 125-250 RA-FN,S-40S,	1" weld neck flange CL600 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F317L ANSI-B16.5	1
3299	1" blind flange CL600 RF 125-250 RA-FN SS ASTM A182 GR.F317 ANSI-B16.5	1" blind flange CL600 RF 125-250 RA-FN SS ASTM A182 GR.F317 ANSI-B16.5	1
3300	BUTTERFLY VALVE WITH GEAR,A216 WCB,WAFER,SEAL:EPDM,150#,8"	DESCRIPTION : BUTTERFLY VALVE WITH GEAR OPERATE	1
3301	CURRENT TRANSFORMER,CW- 40LM,1150V,4000/5A,40VA,CLASS 1.0,	Description : CURRENT TRANSFORMER	1
3302	REDIAL BEARING LAB'Y SEAL,BRONZE,P/N: A04951A222,POS.NO.332A	ITEM NAME : REDIAL BEARING LAB'Y SEAL	1
3303	SHAFT SLEEVE,4140 STEEL,P/N: 73705X 2229,POS.NO.126 (G1103C PRI)	ITEM NAME : SHAFT SLEEVE	1
3304	SPLIT PACKING RING,ASTM A276 GR.316L,POS.NO.13 (T1442B,T1443B,T1444,	ITEM NAME : SPLIT PACKING RING	1
3305	FILTER OVER CURRENT,M:LGL-1 (G-3180)	MATERIAL DESCRIPTION : FILTER OVER CURRENT,	1
3306	BLOWDOWN RING,P/N 022700-112 "IMI BAILEY BIRKETT"	DESCRIPTION : BLOWDOWN RING	2
3307	IMPELLER SCREW,SUS316L,P/N: 185411-33,POS.NO.43 (G1505C)	ITEM NAME : IMPELLER SCREW	1
3308	BEARING NO.22217 EK/C3 "SKF" (T2102)	ITEM NAME : BEARING NO.22217 EK/C3	4
3309	TEE EQUAL, 6 x 6", DUPLEX, ASTM A815 WPS UNS S31803, BE, S-10S, WELDED,	DESCRIPTION : TEE EQUAL	1
3310	SOLENOID VALVE,110 VAC,S/N:3Z27,1/8",CKD	DESCRIPTION : SOLENOID VALVE	8
3311	ASCII UNIT,MODEL:C200H-ASC02,BRAND:OMRON	DESCRIPTION : ASCII UNIT	2
3312	H2 TRANSMITTER CIRCUIT BOARD,A11-18,ATI	DESCRIPTION : H2 TRANSMITTER CIRCUIT BOARD,	1
3313	Gland Packing, PV-2427	Description : Gland Packing	1
3314	SCREEN ELEMENT OF GAS STRAINER,SS304,6"	SCREEN ELEMENT OF GAS STRAINER,	1
3315	SOLENOID VALVE,5/2-WAY,24 VDC, 1/4",MODEL: 4F310E-08-TP-DC24V, CKD	DESCRIPTION : SOLENOID VALVE	3
3316	LABYRINTH FLINGER,MATERIAL BRASS.I/N 10	DESCRIPTION : LABYRINTH FLINGER	4
3317	BEARING UNIT,NO.UCF 320 "ASAHI"	DESCRIPTION : BEARING UNIT	1
3318	SCREW GEAR BOX COVER SEAL,SUS316,3/8"-16UNCx22 MM.,P/N: P-C13167-	ITEM NAME : SCREW GEAR BOX COVER SEAL	29
3319	SEAT RING GASKETI/N:180/109,2230489	DESCRIPTION : SEAT RING GASKET,	1
3320	6-FOLD/GATE5 FOLD DIODE,GO11S-F4204,HIMA	DESCRIPTION : FOLD DIODE,	2
3321	SPACER COUPLING,TYPE 7SC-HX1-1/8,P/N 60800844 "WOODS"	DESCRIPTION : SPACER COUPLING	1

3322	DISC HOLDER,P/N015484-263,BS970-316S11ST	DESCRIPTION : DISC HOLDER,	1
3323	RUPTURE DISC,1"-P 1147- 5F21(TL)200,TI&316LSS,SIZE: 1" (PSE1214)	ITEM NAME : RUPTURE DISC,1"-P 1147-5F21(TL)200	4
3324	BUTTERFY VALVE,SIZE: 4", JIS 10 K, TOMOE, 773Z	DESCRIPTION: BUTTERFY VALVE BODY COMPLETED SET,	1
3325	LOCK UP VALVE,IL201-02, 1.4-7 KG/CM2,SMC	DESCRIPTION : LOCK UP VALVE,	4
3326	GASKET(B1 OFF SET BAR 316LSS/PTFE),MAT'L: 316L/PTFE/NIL,SIZE:	ITEM NAME : GASKET	4
3327	SEAT RING,SIZE:1"ANSI 150#, FV-1201	SEAT RING,	1
3328	WELDING TIG ROD,AWS NO.ER347,3.2*1000 MM. (5 KG/BOX)	DESCRIPTION : WELDING TIG ROD	10
3329	SHROUD DISK,MAT'L CI (G-3121)	Description : SHROUD DISK	1
3330	ECCENTRIC RED.,SUS 316L,BW,SCH 40,8"*6"	DESCRIPTION : ECCENTRIC RED.,SUS 316L,BW,SCH 40,8"*6"	1
3331	GASKET,MECH SEAL,PT EA5E (F/V)TH, 3.125" (G1301,G2805)	DESCRIPTION : GASKET	4
3332	TEFLON SHEET,TEFLON PTFE,2000x1000xTHK.1 MM. (F2408)	ITEM NAME : TEFLON SHEET	2
3333	INDICATOR WITH MOVING-IRON MECH	DESCRIPTION : INDICATOR WITH MOVING-IRON MECH,	1
3334	GATE VALVE,SUS304,CLASS 200, 1/2" FNPT	Description : GATE VALVE SUS., FNPT SIZE : 1/2"	8
3335	GASKET,MAT'L: 304/304 FILLER GRAP/304,SIZE: 673 * 693 * 723 * 765 * 4.5 MM.	ITEM NAME : GASKET	6
3336	COUPLING SPACER,P/N SC8H/3/6	DESCRIPTION : COUPLING SPACER	1
3337	PULLEY MOTOR SIDE WITH TAPER BUSHING,CAST IRON,PHP 5-5V1090TB/PHF	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	2
3338	GLOBE VALVE,C.S,R.F,PN 100,DN 50	MATERIAL DESCRIPTION : GLOBE VALVE,	1
3339	GASKET,TITANIUM/TITANIUM FILLER PTFE/CARBON STEEL,SIZE 213 * 233.4 *	DESCRIPTION : GASKET	7
3340	PIPE,SUS 304,SL,SCH 10,3"*6 M.	DESCRIPTION : PIPE,	6
3341	WELDING TIG,ALLOY C276 ,0.045 MM*36"	DESCRIPTION : WELDING TIG ROD	5
3342	KEYPAD ABB OY ACS-AP-S FOR VSD (ACS-580)	DESCRIPTION : KEYPAD ABB OY ACS-AP-S FOR VSD (ACS-580)	5
3343	WELDING ELECTRODE,NIKEL,CW-500 F,1.5x500 MM.	DESCRIPTION : WELDING ELECTRODE,	1
3344	NFB,NF400SS,4P,380V,400A,50KA,MITSUBISHI	DESCRIPTION : NO FUSE BREAKER,	1
3345	POWER SUPPLY RACKMOUNT,1746-P2 (SLC 500)	MATERIAL DESCRIPTION : POWER	1
3346	HOUSING (FAN SHAFT),P/N: 22 (E3515)	ITEM NAME : HOUSING (FAN SHAFT)	1
3347	EPLACEMENT KIT FOR DC CURRENT XXW,GUTOR,(UPS)	Description : EPLACEMENT KIT FOR DC CURRENT XXW	1
3348	LIP SEAL COUPLING END (LIP SEAL LOWER),NBR,ID.22xOD.43xTHK.6 MM.	ITEM NAME : LIP SEAL COUPLING END (LIP SEAL LOWER)	4
3349	SWIVEL NUT, MATERIAL SUS317L, P/N 9, TAG : VF- 1441A/B	DESCRIPTION : SWIVEL NUT	1
3350	MANWAY LOCK CLAMP #20,HEX.,SUS316L,P/N: 861-361G1 (C1301B)	#N/A	25
3351	FUSE POWER SUPPLY,K9005,24VDC,25A,HIMA	DESCRIPTION : FUSE POWER,	1
3352	Closing coil,CC- AD250-W,100-250VAC- DC,MITSUBISHI,(L5,WWT)	Description : Closing coil,CC- AD250-W,100-250VAC-DC	2
3353	CO GAS SENSOR,0-200 PPM,C10-16,ATI	DESCRIPTION : CO GAS SENSOR,	1
3354	PULLEY AND TAPER BUSH,DIA 400-5V-3,(PAC01)	DESCRIPTION : PULLEY AND TAPER BUSH	2
3355	NFB,SA103R,3P,380V,20A,50KA,FUJI	DESCRIPTION : NO FUSE BREAKER,	4
3356	SIMATIC S7-300, ANALOG OUT SM 332, OPTICAL ISOLATE, 4 AO, U/I;	DESCRIPTION : SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 4 AO	1
3357	NUT PISTON COUPLING,P/N 10339-1,I/N 4	MATERIAL DESCRIPTION : NUT PISTON COUPLING	2
3358	SPRING,SUS316,25.1x8.2x1.2 MM.,POS.NO.35 (P2401)	ITEM NAME : SPRING	32
3359	PUMP CASING,MODEL: 80x65 & CSHP (G3532C/D)	ITEM NAME : PUMP CASING	1
3360	BEARING NO.32224U,POS.NO.31 (P1301)	ITEM NAME : BEARING NO.32224U	2
3361	DIAPHRAGM KIT, BAG FILTER ASH	DESCRIPTION : DIAPHRAGM KIT	8
3362	LABYRINTH RING PUMP SIDE,MAT'L: SUS316L,P/N: 81745532,POS.NO.507	ITEM NAME : LABYRINTH RING PUMP SIDE	1
3363	LABYRINTH RING PUMP SIDE,MAT'L: SUS316L,P/N: 80245732,POS.NO.507-1	ITEM NAME : LABYRINTH RING PUMP SIDE	1

3364	GASKET WRI.TYPE,SS316/SS316 PTFE/SS316,SIZE: 508x538x585x638x4.5 MM. (P1011A)	ITEM NAME : GASKET WRI. TYPE	2
3365	MAGNETIC,SC-N3(65),65A,110V,30KW,FUJI	DESCRIPTION : MAGNETIC	7
3366	RUPTURE DISC,FA BULL NOSE,NICKEL,SIZE: 1-1/2" (PSE3047)	ITEM NAME : RUPTURE DISC	5
3367	TEE REDUCER,SUS316L,SW,3000#,1"x3/4"	DESCRIPTION : TEE REDUCE,	9
3368	SHAFT SLEEVE,MODEL: KW 104 "ELEPON SUBMERSIBLE" (G3548)	DESCRIPTION : SHAFT SLEEVE	1
3369	GASKET,304/304 GRAP/CS,ID.620x650x710x800xTHK.4.5 MM. (F2201,D2404)	ITEM NAME : GASKET	4
3370	MECHANICAL SEAL,TYPE 26S-MG1/35-G4,SIZE 35 MM "BURGMANN"	DESCRIPTION : MECHANICAL SEAL	1
3371	MOISTURE DETECTOR (WITHOUT CABLE), YOKOGAWA FOR PM, CEMS	DESCRIPTION : MOISTURE DETECTOR (WITHOUT CABLE)	1
3372	TRANSDUCER,LEVEL SW OIL TANK, JOY	DESCRIPTION : TRANSDUCER,	1
3373	CHECK VALVE,SUS 316,BW,900#,1"	DESCRIPTION : CHECK VALVE	1
3374	ENGINC FOR PERISTALTIC PUMP 1, STIP, COD ANALYZER	DESCRIPTION : ENGINC FOR PERISTALTIC PUMP 1, STIP (COD)	1
3375	O-RING,N-FPM85-VULK,DIA.575xTHK.4 MM.,POS.NO.3.7 (RV2402C/D)	ITEM NAME : O-RING	5
3376	BEARING,NO.32317B (J2)"SKF",P/N 0350 & 0351	DESCRIPTION : BEARING	2
3377	GASKET,TI/TI GRAP/CS,300#,4"	DESCRIPTION : GASKET	9
3378	O-RING,NBR,DIA.106xTHK.2.5 MM.,P/N: 80156,POS.NO.26 (G3601A/B)	ITEM NAME : O-RING	12
3379	TEFLON SHEET,TEFLON,120 MM.x2100 MM.xTHK.5 MM. (F3544A/C)	ITEM NAME : TEFLON SHEET	2
3380	VACUUM PUMP,MODEL: TTLT-TVAC2D060,6CFM 2 STAGE "JB PLATINUM"	ITEM NAME : VACUUM PUMP	2
3381	SHAFT ADAPTER,SUS316L,SIZE: REF.DWG. (GM3512)	ITEM NAME : SHAFT ADAPTER	2
3382	IMPELLER SLEEVE,SUS316L,ASME SA 240 GR 316L,ID.44.70 MM.xOD.50 MM.xL. 100 MM. (G4014A/B)	ITEM NAME : SHAFT SLEEVE	2
3383	COMBIN LOGIC CARD,GK7S-F4304,HIMA	DESCRIPTION : COMBIN LOGIC CARD,	1
3384	MOTOR WITH ENCODER,4.002.77.22,STIP	DESCRIPTION : MOTOR WITH ENCODER,	1
3385	GLOBE VALVE,125-250 RA-FN,SS ASTM A351 GR.CF8M SS316,150#,1"	GLOBE VALVE, 1, CL150 RF 125-250 RA-FN SS ASTM A351 GR.CF8M BODY, SS316 TRIM LO(	1
3386	COUPLING,TYPE: GRID COUPLING,SIZE: 1030T MOTOR BORE 38 MM. KEY 10 MM. PUMP BORE 65 MM. KEY 15 MM. (G4011 A/B)	ITEM NAME : COUPLING	1
3387	COUPLING HALF A,SIZE: AM200 -55MM.,P/N: 01657275,POS.NO.479 (T1442B, T1443B,T1447B,T1457B)	ITEM NAME : COUPLING HALF A	1
3388	SHAFT SLEEVE,SUS304L,OD.51.4 MM.xID.40.15 MM.xL.123.50 MM. (G4013B)	ITEM NAME : SHAFT SLEEVE	1
3389	RTD Pt 100 3-wire ,U-Length 460 mm, (Rosrmount) , TE-1110CB2,TE-1161A	Description : RTD Pt 100 3-wire ,U-Length 460 mm, (Rosrmount) , TE-1110CB2,TE-1161A	1
3390	WASHER WAVY SPRING,P/N: W-W6699-2,I/N: 3-7	Description : WASHER WAVY SPRING	9
3391	MECHANICAL SEAL SIZE: 16 MM.,26-MG1/16-G2,Q1Q1VGG "EBTH" (GP3534)	ITEM NAME : MECHANICAL SEAL SIZE: 16 MM.	3
3392	MANWAY LOCK STUD #5M.,SUS316L,P/N: 865-361F21 (C1301B)	#N/A	24
3393	GASKET,321/321 GRAP/NIL150#490*515*570MM	DESCRIPTION : GASKET,	5
3394	BEARING NO.6224 ZZ ,POS.NO.39 (P1202)	ITEM NAME : BEARING CASE NO.6224 ZZ	2
3395	SEAL RADIAL,NITRILG+STAL,ID.150 * OD.180 * 15 MM THK	DESCRIPTION : SEAL RADIAL,	7
3396	LEAKAGED SENSOR WITH WESTERN PLUG, STIP, P/N 71014714, COD ANALYZER	DESCRIPTION : LEAKAGED SENSOR WITH WESTERN PLUG	1
3397	RTD PT100, single element, 3-wire vibration, Sensor length (L) 565 mm, (Rosrmount) TE-1150C	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 565 mm, (Rosrmou	1
3398	O-RING,MAT,L:VITON,I/N 4B	DESCRIPTION : O-RING,	2
3399	LIMIT SWITCH WITH BRACKET(APL-310, size C:30x130 H30), Model : APL312N, Type : DC Inductive proximity	DESCRIPTION: LIMIT SWITCH	3
3400	CPU CARD,TYPE SR-21-EX "KOYO" (DCS)	MATERIAL DESCRIPTION : CPU CARD,	1
3401	WN FLANGE 3/4", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	WN FLANGE 3/4", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	18
3402	CARBON BUSH,GRADE M400,SIZE: OD.56.10xID.39x63 MM.LONG (G2805C)	ITEM NAME : CARBON BUSH	4
3403	Magnetic,LC1D32F7,110Vac,Schneider,(Crane 20 Tons)	Description : Magnetic,LC1D32F7,110Vac	6
3404	ROLLER BEARING NO 22218 B,BRAND:SKF	DESCRIPTION : ROLLER BEARING, NUMBER : 22218 E,	5
3405	BEARING NO.2217 K "SKF" (T2102)	ITEM NAME : BEARING NO.2217 K	4

3406	OVERLOAD RELAY,TH-N120TAKP,100-150A,MITS	DESCRIPTION : OVERLOAD RELAY,	11
3407	BEARING CASE,TYPE: RE-200,FC-25,POS.NO.29 (P3552)	ITEM NAME : BEARING CASE	6
3408	INNER RACE,140x160x50 MM.,P/N: 0219 (P2401A)	ITEM NAME : INNER RACE	1
3409	SET OF BEARING,POS.NO.26300,26400 (G2703X)	ITEM NAME : SET OF BEARING	2
3410	LANTERN RING,ASTM A276 GR.316L,POS.NO.5 (T1442B,T1443B,T1444,T1445)	ITEM NAME : LANTERN RING	1
3411	TEFLON BUSH(STEM),V7160-2,45.7*63.5*32.3	DESCRIPTION : TEFLON BUSH,	7
3412	FREE SIZE GASKET,TEFLON P#3300 OR EQ (F1441A/B/C)	ITEM NAME : FREE SIZE GASKET	2
3413	O-RING CORD,VITON,DIA.4 MM. (RV2402)	ITEM NAME : O-RING CORD	40
3414	RTD PT100, single element, 3-wire vibration, Sensor length (L) 535 mm, (Rosrmount	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 535 mm, (Rosrmour	1
3415	RTD PT100, single element, 3-wire vibration, Sensor length (L) 495 mm, (Rosrmount	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 495 mm, (Rosrmour	1
3416	RTD PT100, single element, 3-wire vibration, Sensor length (L) 475 mm, (Rosrmount	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 475 mm, (Rosrmour	1
3417	RTD PT100, single element, 3-wire vibration, Sensor length (L) 445 mm, (Rosrmount	Description : RTD PT100, single element, 3-wire vibration, Sensor length (L) 445 mm, (Rosrmour	1
3418	EARTH LEAKAGE RELAY 110 VAC,ELRC-1/60, RITA	DESCRIPTION : EARTH LEAKAGE RELAY 110 VAC	1
3419	RING PITON,I/N 5,P/N 057711014	DESCRIPTION : RING PISTON,	5
3420	GASKET CASING COVER,NIL/316 ASBESTOS/NIL,ID.385xOD.412xTHK.4.5 MM.	ITEM NAME : GASKET CASING COVER	4
3421	NOZZLE,P/N006458-263,BS970-316S11ST	DESCRIPTION : NOZZLE,	1
3422	REPAIR KIT ACTUATOR, S-175 (FLOWSERVE)	DESCRIPTION : REPAIR KIT ACTUATOR	2
3423	GATE VALVE,SUS 316,RF,150#,3/4"	DESCRIPTION : GATE VALVE	3
3424	OIL SEAL,VITON,ID.2-5/8"xOD.1-7/8"xTHK.3/8" (G2401A/B)	ITEM NAME : OIL SEAL	4
3425	TEMP.INDICATOR,SFN48,4-20 MA (DEAERATOR)	MATERIAL DESCRIPTION : TEMPERATURE INDICATOR SFN48,	2
3426	O-RING KALREZ 4079,ID.94.84xTHK.3.53 MM.,POS.NO.70 (J1101B)	ITEM NAME : O-RING KALREZ 4079	2
3427	THROAT BUSHING FOR MECHANICAL SEAL API32,TEFLON+SS316 (G1203C,	ITEM NAME : THROAT BUSHING FOR MECHANICAL SEAL API32	2
3428	RING RIDER,I/N 26,P/N 057801013	DESCRIPTION : RING RIDER,	13
3429	BEARING,NO.3307 "KOYO"	DESCRIPTION : BEARING	4
3430	PLUMMER BLOCK HOUSING NO.SNL 528 "SKF" (T-2404)	ITEM NAME : PLUMMER BLOCK BEARING NO.SNL 528	1
3431	GASKET,BLUE FDA,P/N SUNDRY-SERVICE	DESCRIPTION : GASKET,BLUE FDA	33
3432	GASKET(TYPE: WI),321/321 GRAP/NIL,900#,6"	DESCRIPTION : GASKET	19
3433	Packing set ARCA (PV-1106)	Description : Packing set	1
3434	GASKET,TI/TI,GRA/316,113*124*150*202*4.5	DESCRIPTION : GASKET,	5
3435	GASKET,TITANIUM/TITANIUM FILLER GRAPHITE/NIL,SIZE 205 * 215 * 270 * 4.5 MM THK	DESCRIPTION : GASKET,	5
3436	FLE*IBLE HOSE WITH FLANGE,SIZE:4"*1.32 M	DESCRIPTION : FLEXIBLE HOSE,	1
3437	ADJUSTABLE PULLEY,P/N 506	DESCRIPTION : ADJUSTABLE PULLEY	1
3438	GASKET HOPPER,VITON,WHITE COLOR,ID.665xOD.780xTHK.10 MM.,PCB: 720	DESCRIPTION : GASKET HOPPER	1
3439	SLEEVE,2Z177 (316 SS),P/N: AY38913AA- 316,POS.NO.177 (G1802C/D)	ITEM NAME : SLEEVE	1
3440	O-RING KIT,VITON(O2),01161999,SERVOMEX	DESCRIPTION : O-RING,	2
3441	EX CONTACT BLOCK 8082,NC CONTACT,SCREW TERMINAL,1NC ORDER NO.	DESCRIPTION : EX CONTACT BLOCK 8082,NC CONTACT,SCREW TERMINAL,1NC ORDER N	11
3442	Gasket Kit, Motoyama, T1890MT+T1806GR, FV-2303	Description : Gasket Repair Kit	1
3443	BEARING RING AK/DK 550,110313,P/N: 5178827 (RV2101A/B)	ITEM NAME : BEARING RING AK/DK 550,110313	2
3444	GATE VALVE,SW,BB,SS ASTM A182 GR.F316L,800#,1/2"	1/2" gate valve CL800 SW SS ASTM A182 GR.F316L, body SS 316, trim solid wedge OS&Y BB S	2
3445	GASKET,316L/PTFE/NIL,549x579x605xTHK.4.5 MM. (E1605)	DESCRIPTION : GASKET	5
3446	RETAINING RING STEADY BEARING,POS.NO.369 (G4012)	DESCRIPTION : RETAINING RING STEADY BEARING	4
3447	N.S.P,MATERIAL 904L/2D,SIZE L = 89 MM * T = 2 MM	DESCRIPTION : N.S.P	24

3448	SPRING SS #8,MATERIAL SUS 316,FOR BALL VALVE 8",300 "KTM"	DESCRIPTION : SPRING SS#8	2
3449	DIAPH PLATE FKM MICRO PUMP,GA-747H,ENOMO	DESCRIPTION : DIAPHRAGM PLATE,	2
3450	REPAIR KIT ACTUATOR, S-125 (FLOWSERVE)	DESCRIPTION : REPAIR KIT ACTUATOR	2
3451	VENTILATION FAN "RITTAL" SK 3469007	DESCRIPTION : VENTILATION FAN	1
3452	O-RING,NBR,DIA.300 MM.,POS.NO.37 (P1301)	ITEM NAME : O-RING	1
3453	GATE VALVE,SUS 304,RF,150#,1/2"	DESCRIPTION : GATE VALVE	2
3454	ROUND BAR,SUS316L,DIA.80 MM.xL.1000 MM.	DESCRIPTION : ROUND BAR	1
3455	FRE. METER,LP-110F,CL 1.5,45-55HZ,MITSU.	DESCRIPTION : FREQUENCY METER,	1
3456	GASKET,316/316 PTFE/NIL,SIZE: 524x554x580x4.5 MM.THK (E2501)	ITEM NAME : GASKET	6
3457	DISC,007446-263,BS 970-316S11 (PSV-2431)	MATERIAL DESCRIPTION : DISC,	1
3458	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-100 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-100 A	10
3459	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-150 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-150 A	10
3460	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-200 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-200 A	10
3461	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-250 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-250 A	10
3462	SEAL RING FOR PISTON,POS.29,P/N:93620057	DESCRIPTION : SEAL RING,	10
3463	CABLE GLAND,EX,ARMOUR,3/4NPT,26MM,BRASS	CABLE GLAND, EX,	19
3464	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	3
3465	CASING SEAL LOWER SPACER,P/N,I/N 241	DESCRIPTION : CASING SEAL LOWER SPACER	2
3466	BALL VALVE,SUS304,RF,150#,3/4"	BALL VALVE CL150 RF 125-250 RA-FN A351 CF8 BODY SS 304, TRIM REIN	3
3467	O-RING,AS-568 KALREZ 4079,K# 036,60.05xTHK.1.78 MM.,P/N: 9 (G1802C/D)	ITEM NAME : O-RING	4
3468	PIPE COUPLING,SUS304/VITON,MJH 50A,2"	DESCRIPTION : PIPE COUPLING	2
3469	TAPERED ROLLER BEARING CONE NO.6277/CUP NO.6220,POS.NO.1.3A	ITEM NAME : TAPERED ROLLER BEARING CONE NO.6277/CUP NO.6220	1
3470	GLAND,I/N 69	DESCRIPTION : GLAND	1
3471	AIR COMBINATION, 2 PORT, 3/8", 0.05-0.85 MPa, 2000 L/M.	DESCRIPTION : AIR COMBINATION	5
3472	GASKET,316L/316L PTFE/304,SIZE: 948x935x887x870x4.5 MM.THK (R2301)	ITEM NAME : GASKET	1
3473	OIL SEAL(I.B),2Z118-TSSR,P/N: BY50424D- TSSR,POS.NO.118 (G1802C/D)	ITEM NAME : OIL SEAL(I.B.)	3
3474	O-RING,EPDM,ID.65xTHK.2.62 MM. (G1403,G1502)	DESCRIPTION : O-RING	7
3475	GATE VALVE,FORGED ST,S.O/R.F,900#,1"	DESCRIPTION : GATE VALVE	1
3476	DRIVE PIN(16 PCS/SET),316 ST.STL.,POS.NO.9 (P1301A/B)	ITEM NAME : DRIVE PIN (16 PCS/SET)	1
3477	BASE UNIT,TYPE E-04B-EX "KOYO"(PLC KOYO)	MATERIAL DESCRIPTION : BASE UNIT,	1
3478	BEARING NO.7310 BECBM "SKF" (G1301C/D,G1802C,G2502A/B)	ITEM NAME : BEARING NO.7310 BECBM	4
3479	O-RING F CARBON RING FOR STAGE.5,ID.202.57xTHK.5.33 MM. (P1101)	Description : O-RING F CARBON RING SEAL FOR STAGE: 5	3
3480	PULLEY TIMING BLET,14 MM PITCH,I/N 12	MATERIAL DESCRIPTION : PULLEY TIMING BLET	1
3481	BLIND FLANGE,RF ASME B16.5,SUS316L,150#,12"	DESCRIPTION: BLIND FLANGE	1
3482	MECHANICAL SEAL,SUS316/CARBON,P/N: SE04UT12G1D7UC,POS.NO.P2-77	ITEM NAME : MECHANICAL SEAL	1
3483	POPPET VALAE DISCHARGE,P/N: 10335-1,POS.NO.2 (G3601A/B)	ITEM NAME : POPPET VALVE DISCHARGE	2
3484	PIPE,SUS 316,SEAMLESS,SCH.40,1-1/2"*6 MT	MATERIAL DESCRIPTION : PIPE,	1
3485	MOTOR ACTUATOR LUB OIL,R/N:13-04-18,JOY	DESCRIPTION : MOTOR ACTUATOR,	1
3486	GASKET(JOINT SEALANT),EXPANDED PTFE,W.3/4"(20 MM.)xTHK.7 MM.xL.5	ITEM NAME : GASKET(JOINT SEALANT)	6
3487	O-RING SLIDE GATE VALVE,VITON,P/N 69	DESCRIPTION : O-RING FOR SLIDE GATE VALVE	1
3488	GASKET,TI/TI,GRAP/316,171*182*210*247	DESCRIPTION : GASKET,	1
3489	SHAFT SLEEVE,P/N SL01UT03DB1,I/N P2-22	DESCRIPTION : SHAFT SLEEVE	1

3490	END CAP ADAPTOR,TYPE: RO#1.POS.NO.12 (RO4601A/B)	ITEM NAME : END CAP ADAPTOR	4
3491	SEAT GASKET (O-RING),(KALREZ) PERFLUOROELASTOMER,SIZE: FOR SEAL	ITEM NAME : SEAT GASKET (O-RING)	4
3492	GASKET,316/PTFE/316,600*635*685*715*4.5, TAG : PV-1521	DESCRIPTION : GASKET	2
3493	PULLEY WITH TAPER BUSH FOR AGITATOR,SIZE: PHP 5- 5V1090TB/PHF	ITEM NAME : PULLEY WITH TAPER BUSH FOR AGITATOR	2
3494	BIRKOSIT SEALING COMPOUND (J1101C)	ITEM NAME : BIRKOSIT SEALING COMPOUND	2
3495	SHAFT SLEEVE,MAT'L: 316 SS,P/N: 5157044770 (G1607)	ITEM NAME : SHAFT SLEEVE	1
3496	SHAFT,MATERIAL SUS 420,I/N 8	DESCRIPTION : SHAFT	1
3497	GASKET,SP-WG,TI/TI FILLER PTFE/CS	DESCRIPTION : GASKET,	1
3498	GASKET(SERIES A),316L/316L PTFE/CS,150#, 44"	ITEM NAME : GASKET(SERIES A	1
3499	KIT SERVICE FOR AFTERCOOLER (P3861A/B)	ITEM NAME : KIT SERVICE FOR AFTERCOOLER	1
3500	OMEGA COUPLING WITH HUBS COMPLETE SET,POLYURETHANE/CS,ES-10R	ITEM NAME : OMEGA COUPLING WITH HUBS COMPLETE SET	1
3501	MANWAY WASHER,904L,M10x39xTHK.2 MM. (C1601)	ITEM NAME : MANWAY WASHER	190
3502	TEE SUS 304,BW,SEAM,SCH 40,8"	MATERIAL DESCRIPTION: TEE SUS,	5
3503	BEARING UNIT,NO.UC 218 D1 "NTN"	DESCRIPTION : BEARING UNIT	6
3504	O-RING FRAME,P/N P-Y3091-3,I/N 123	DESCRIPTION : O-RING FRAME	3
3505	O-RING CORD,EPDM,DIA.10 MM. (F1441A/B/C)	ITEM NAME : O-RING CORD	60
3506	BOLT,SIZE:M16,MAT,L:SANDVIK,I/N 89	DESCRIPTION : BOLT,	3
3507	GASKET FOR END PLATE,SILICONE RUBBER,POS.NO.16 (T2102)	ITEM NAME : GASKET FOR END PLATE	2
3508	ADAPTER,MATERIAL SUS 304,SIZE 1-1/2",P/N 1673-AN	DESCRIPTION : ADAPTER COUPLING	1
3509	N.S.P,MATERIAL SUS 316L,SIZE L = 89 MM * T = 2 MM	DESCRIPTION : N.S.P	50
3510	NFB,NF100SH,(NF125- HV),3P,380V,100A,50KA,MITSUBISHI	DESCRIPTION : NO FUSE BREAKER	3
3511	Rubber Diaphragm, Motoyama, CR, PV-1302A	Description : Rubber Diaphragm	2
3512	GASKET,NIL/TI FILLER PTFE/NIL,SIZE: 400x440x4.5 MM.THK (E1611)	ITEM NAME : GASKET	5
3513	BEARING NO.6319 "SKF" (G3260A/B/C/D/E/F)	ITEM NAME : BEARING NO.6319	3
3514	O-RING NUT IMPELLER,EPDM,SIZE: ID.116x1.8 MM.THK,P/N: 9140000-040,POS.	ITEM NAME : O-RING NUT IMPELLER	3
3515	TEE REDUCER,CL3000 SW SS ASTM A182 GR.F316L ANSI- B16.11,3/4"x1/2"	3/4" x 1/2" reducing Tee CL3000 SW SS ASTM A182 GR.F316L ANSI-B16.11	12
3516	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-T (TI),ID 147 x OD 159	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	4
3517	O-RING INBOUND SEAL,SIZE: ID.67.5 * 2.5 MM.THK,MAT'L: VITON (G-1703,G-	Description : O-RING INBOUND SEAL	23
3518	O-RING,AS-568 KALREZ 4079,K# 235,78.97xTHK.3.53 MM.,P/N: 8 (G1802C/D)	ITEM NAME : O-RING	2
3519	MECH-SEAL,SE-505 GEW2 (G-2901)	MATERIAL DESCRIPTION : MECHANICAL SEAL,	2
3520	O-RING PLUG (BUNA-N STANDARD),P/N: 0391-00-302- T,POS.NO.5 (P1301B)	ITEM NAME : O-RING PLUG (BUNA-N STANDARD)	9
3521	O-RING,VITON,3280xTHK.7 MM.,POS.NO.35,98 (P1101B)	DESCRIPTION : O-RING	1
3522	CLAMP RING SET,SP1 0165,SS316L,P/N: 145.04 "EBTH" (T1442,T1443,T1444,	ITEM NAME : CLAMP RING SET	1
3523	GASKET,TI/TI PTFE/NIL,ID.150x190x215xTHK.4.5 MM. (G1403,E2201)	ITEM NAME : GASKET	3
3524	Magnetic,LC1D80F7,110Vac,Schneider,(Crane 20 Tons)	Description : Magnetic,LC1D80F7,110Vac	2
3525	PROBE FILTERING CARTRIDGE,20 MC (CEMS)	MATERIAL DESCRIPTION : PROBE FILTER CARTRIDGE,	3
3526	SLEEVE BEARING,NO.H 3028 "SKF"	DESCRIPTION : SLEEVE BEARING	3
3527	ELECTRONIC OVERLOAD RELAYS,EF45-30,9-30A,CLASS 10-20-30,ABB	Description : ELECTRONIC OVERLOAD RELAYS	4
3528	OVERLAY,P/N 286-035-604	DESCRIPTION : OVERLAY	2
3529	THRUST WASHER #262/151 (GENERATOR GEN#1)	ITEM NAME : THRUST WASHER #262/151	2
3530	V-ADAPTOR,V7631 2H, 42 * 30 * 18 MM	DESCRIPTION : V-ADAPTOR,	4
3531	PULLEY,SIZE: 315 X 5V-4,OD.315 BUSH 3535/BORE 75,MAT,L: FC 200,I/N10	Description : PULLEY	2

3532	COVER SEAL,PTFE/GYLON,222x3x800,P/N: 400006124,POS.NO.41 (F2408 RPF)	ITEM NAME : COVER SEAL	2
3533	MECHANICAL SEAL,1 K-LL4125&4205,BUNA-N,P/N: 2- 477-001-999,POS.NO16	ITEM NAME : MECHANICAL SEAL	2
3534	MOVEMENT ABSORBER UNIT, TB-18,TANAKA	DESCRIPTION : MOVEMENT ABSORBER UNIT,	3
3535	Gland Packing, PV1-2401	Description : Gland Packing	1
3536	Eaton UPS 9E 1000i (LAB)	Description : Eaton UPS 9E 1000i (LAB)	1
3537	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED,32DO, 24V DC,	DESCRIPTION : SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED,32DO	1
3538	GASKET,316/316 PTFE/CS,SIZE: 699x729x755x778x4.5 MM.THK (F2801)	ITEM NAME : GASKET	3
3539	BALL VALVE,SUS 317,A351/WCB,RF,SEAT:RPTFE,300#,1/2"	DESCRIPTION : BALL VALVE	2
3540	GASKET,NIL/TI GRAP/NIL,150#,185*214 MM.*THK 4.5 MM.	DESCRIPTION : GASKET	4
3541	BW.TYPE SINGLE ROW SPROCKET RS120,TYPE: BW,MAT'L: C.S (BC-1,BC-2)	ITEM NAME : BY.TYPE SINGLE ROW SPROCKET RS120	2
3542	Gland Packing, Motoyama, TEF.V+V7133R, FV-1501	Description : Gland Packing	2
3543	LIMIT SWITCH,WLD-28,250 V,2 A "OMRON"	DESCRIPTION : LIMIT SWITCH	7
3544	EAP. FLEXIBLE FIXTURE HANGERS,4 Hub,ECHX 22,ALLOY	EAP. FLEXIBLE CUSHION FIXTURE HANGERS, CONDUIT AND FIXTURE STEM	17
3545	SCREW,HEX SOC.CAP,3/4-10 UNC * 51 MM LONG,P/N 1BHA62A,I/N 7	DESCRIPTION : SCREW,HEX SOC CAP	18
3546	CAM WEAR PLATE,MODEL HEIL 1040,MATERIAL CAST IRON,SIZE 20 MANHOLE	DESCRIPTION : CAM WEAR PLATE	77
3547	TEE RED.,SUS 316L,BW,S,SCH 40,6"*3"	DESCRIPTION : TEE REDUCE	1
3548	POWER FEED MODULE,KFD2-EB2, P+F (TURBOLOG)	DESCRIPTION : POWER FEED MODULE	2
3549	MOTOR,5HP,380V,8.4A,2900RPM,(MG-1705A/B)	Description : MOTOR,5HP,380V,8.4A,2900RPM	1
3550	TEE,SUS 316L,BW,SCH 40,6"	Description : TEE	1
3551	BEARING NO.430314XU,POS.NO. 29 "NTN" (P1401)	ITEM NAME : BEARING NO.430314XU	2
3552	GASKET(C/W PARTITION BAR),H-3117,SIZE: 588x628x4.5 MM.THK (E1203)	ITEM NAME : GASKET	3
3553	GASKET(DOUBLE PARTITION BAR),316L/PTFE/NIL,SIZE: 549x579x605x4.5 MM.	ITEM NAME : GASKET	3
3554	SHAFT,MATERIAL SUS 304,P/N 220	DESCRIPTION : SHAFT	1
3555	STRAINER,Y TYPE,150#,3"	MATERIAL DESCRIPTION : STRAINER,	1
3556	PICKOFF CIOL, FT-1902 PX METERING	DESCRIPTION : PICKOFF COIL	1
3557	PACKING SET,6226/6232-POS156,2273475, PV-1106C, 10", 300#, TYPE 811.47 UV-	DESCRIPTION : PACKING SET 6226/6232-POS 156,	1
3558	PACKING SET,6226/6232-POS156,2273475, PV-1105C, 10", 150#, TYPE : 811.47	DESCRIPTION : PACKING SET 6226/6232-POS 156,	1
3559	WELDING TIG ROD,309L ,2.4*1000 MM,KESTRA	DESCRIPTION : WELDING TIG ROD	20
3560	PRESSURE REDUCER G1/2I 0.5-10BAR LO81.0022 OHNE MA,P/N 5177536	ESCRIPTION : PRESSURE REDUCER G1/2I 0.5-10 BAR -	2
3561	3/4" gate valve CL800 SW SS ASTM A182 GR.F316L	3/4" gate valve CL800 SW SS ASTM A182 GR.F316L. body SS 316, trim solid wedge OS&Y BB S	2
3562	BELT NO.3/11M1400 SPL "GATES" (E3515)	ITEM NAME : BELT NO.3/11M1400 SPL	5
3563	8" lap joint flange CL150 FF STD-FN ASTM A182 F304 ANSI-B16.5	8" lap joint flange CL150 FF STD-FN ASTM A182 F304 ANSI-B16.5	1
3564	V-BELT NO.5V-950 (P2403,P2404)	ITEM NAME : V-BELT NO.5V-950	15
3565	BEARING NO.NU 312 ECP "SKF" (G1403,G1502,G2301)	ITEM NAME : BEARING NO.NU 312 ECP "SKF"/312 E.TVP2 "FAG"	5
3566	HIGH PRESSURE SODIUM LAMP,SHP-S,150W,E40	DESCRIPTION : HIGH PRESSURE SODIUM LAMP	6
3567	CUSHION,NO.19 (2 PCS/SET),SOFT CARBON, KITAMURA	DESCRIPTION : CUSHION,	2
3568	PRESS GAUGE,DIAP,GLYCERINE,0-6 KG/CM2	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE, DIAL	1
3569	O-RING FOR MECHANICAL SEAL EPR# AS-229,EPDM,P/N: 7 (G1203,G1505,	ITEM NAME : O-RING FOR MECHANICAL SEAL EPR# AS-229	9
3570	O-RING FOR MECHANICAL SEAL EPR# AS-328,EPDM,P/N: P (G1203,G1505,	ITEM NAME : O-RING FOR MECHANICAL SEAL EPR# AS-328	9
3571	MAGNETIC,S-N150,COIL 100-127VAC,MITSUBISHI	DESCRIPTION : MAGNETIC,S-N150,COIL 100-127VAC	2
3572	SAFETY VALVE AIR,0-9 BAR, 3/8", SCHUF	DESCRIPTION : SAFETY VALVE,	2
3573	EX CONTACT BLOCK 8082,NO CONTACT,SCREW TERMINAL,1NO ORDER NO.	DESCRIPTION : EX CONTACT BLOCK 8082,NO CONTACT,SCREW TERMINAL,1NO ORDER N	10

3574	WELDING ELECTRODE,GOLD-2 NIKEL,3.2*350MM	DESCRIPTION : WELDING ELECTRODE	6
3575	SPRING,HASTELLOY,P/N: 66530I (E1507)	ITEM NAME : SPRING	12
3576	WASHER WAVY SPRING,P/N: W-W6699-2,I/N: 1-5	Description : WASHER WAVY SPRING	8
3577	O-RING HOUSING BEARING,MAT'L: BUNA-NBR,POS.NO.496 (G1703,G1704,G1901,	ITEM NAME : O-RING HOUSING BEARING	30
3578	MECHANICAL SEAL (CARTRIDGE SEAL),VITON,P/N: 2- 477-038-999-00,POS.NO.19	ITEM NAME : MECHANICAL SEAL	1
3579	STUD BOLT & NUT,B8 CLASS 2,UNC,1-1/8"*160 MM.	DESCRIPTION : STUD BOLT	18
3580	DIAPHRAGM,VITON/PTFE,174x144x2.5,FOR SEP.ELEMENT CONTROL HEAD,P/N:	ITEM NAME : DIAPHRAGM	4
3581	Fuse switch disconnector 3NP1,3-pole,NH00, 160 A, for assembly and installation on	DESCRIPTION : Fuse switch disconnector 3NP1, for assembly and installation on mounting plat	1
3582	O-RING,VITON,POS.NO.2A (P1401,P1402)	ITEM NAME : O-RING	8
3583	O-RING,KALREZ 6375,2.175x0.103 (139) FOR M/S I/N.4,P/N: 81693750 (G1602A/B)	ITEM NAME : O-RING	2
3584	DRIVE PIN,SUS316,POS.NO.5 (P1301C)	ITEM NAME : DRIVE PIN	12
3585	BELLEVILL WASHER,P/N: A00225-003-310,POS.NO.21 (P3602)	ITEM NAME : BELLEVILL WASHER	12
3586	O-RING REPAIR KIT FOR SEAL ACTUATOR BALL VALVE (XV-24005,XV-24006,XV-	DESCRIPTION : O-RING REPAIR KIT FOR SEAL ACTUATOR BALL VALVE	4
3587	V-PACKING,REINFORCED TFE, 70 * 53 * 5 MM, XV-2201	DESCRIPTION : V-PACKING	1
3588	MODULE 5.2 MAIN PCB (PV-31501)	MATERIAL DESCRIPTION : MODULE 5.2 MAIN PCB, ,	1
3589	GLOBE VALVE,SUS 316,SW,800#,1/2"	DESCRIPTION : GLOBE VALVE	2
3590	O-RING OUTBOARD SEAL,VITON,I/N 497 G	DESCRIPTION : O-RING OUTBOARD SEAL	31
3591	O-RING SHAFT PACKING,SIZE: 55 MM. (G2503)	DESCRIPTION : O-RING SHAFT PACKING	3
3592	BEARING NO.23028EAD1(23028B),POS.NO.33 "NTN" (P1401)	ITEM NAME : BEARING NO.23028EAD1(23028B)	2
3593	PILOT LAMP,LED,APNE116DN,110V,GREEN,30MM	DESCRIPTION : PILOT LAMP	19
3594	GASKET(WI),316L/316L GRAP/NIL,SIZE: 1200x1214x1230x4.5 MM.THK (E1104)	ITEM NAME : GASKET	1
3595	WASHER IMPELLER,SUS316,P/N: B00130A03,POS.NO.199 (G2805)	ITEM NAME : WASHER IMPELLER	2
3596	REPAIR KIT ACTUATOR, S-100 (FLOWSERVE), OFF GAS	DESCRIPTION : REPAIR KIT ACTUATOR	2
3597	PACKING SET,6226/6232-POS156,2273475, FV-1309C, 10", 150#, TYPE: 811.47	DESCRIPTION : PACKING SET 6226/6232 -POS 156,	1
3598	ELBOW 90,BW,SEAM,SUS316L,SCH 40, 4"	DESCRIPTION : ELBOW 90	6
3599	KEY,P/N 10776-1,I/N 48,DWG.16655	MATERIAL DESCRIPTION : KEY	4
3600	Gasket repair kit, MOTOYAMA, PV-2435	Description : Gasket repair kit	1
3601	Gasket Repair Kit, MOTOYAMA, PV-2429	Description : Gasket Repair Kit	1
3602	Gasket Repair Kit, MOTOYAMA, PV-2432	Description : Gasket Repair Kit	1
3603	Gasket Repair Kit, PV-2805, MOTOYAMA	Description : Gasket Repair Kit	1
3604	Gasket Repair Kit, FV-1103	Description : Gasket Repair Kit	1
3605	THERMAL BARRIRER GASKET,V6500,P/N: GK01AA02,POS.NO.87A (G2201A-E)	ITEM NAME : THERMAL BARRIRER GASKET	2
3606	COIL SOLENOID VALVE,110V,99-257-5D, ASCO	DESCRIPTION : COIL SOLENOID VALVE,	3
3607	BOLT WITH 2 NUTS,SUS316L(A4-70),M16x70 MM. (P1203)	ITEM NAME : BOLT WITH 2 NUTS	21
3608	NON CONDENSIBLE PLUG,SUS304L,DIA.16.8 MM.x195 MM.,HOLE: 0.30 MM.	ITEM NAME : NON CONDENSIBLE PLUG	20
3609	BEARING OF WHEEL,MODEL HM518451,MATERIAL SUJ2,P/N 003-3449	DESCRIPTION : BEARING OF WHEEL	5
3610	SELECTOR SWITCH,XB4-ED21,1 NO,1NC, MB-2402	Description : SELECTOR SWITCH	5
3611	O-RING,FKP/FKM,ID.127.6xTHK.5.33 MM.,P/N: 20014595,POS.NO.0063E,0064E	ITEM NAME : O-RING	2
3612	O-RING KALREZ 4079,ID.85.32xTHK.3.53 MM.,POS.NO.73 (J1101B)	ITEM NAME : O-RING KALREZ 4079	2
3613	Relay, PSR-SCP-24UC/URM/5X1/2X2, Tag : K.413.5, K567.6, MAPTERKO	Description : Relay,PSR-SCP-24UC/URM/5X1/2X2	2
3614	RING JOINT GASKET R20,SIZE: ID.60 MM.xOD.76.4 MM.x14.3 MM.THICKNESS	ITEM NAME : RING JOINT GASKET R20	2
3615	SEAL AD 3919E (P3551,P3552)	ITEM NAME : SEAL AD 3919E	2

3616	ANALOG OUTPUT ,MSA141, FOR SEPAM	ANALOG OUTPUT	1
3617	ECHO SENSOR FOR PUMP P2,COD ANALYZER	DESCRIPTION : ECHO SENSOR	1
3618	FLEXIBLE HOSE WITH FLANGE,#150,8"xL.360 MM. (G4701A/B)	Description : FLEXIBLE HOSE WITH FLANGE MAT.EPDM 8" L 360 MM.	1
3619	COUPLING FOR TROCHOID PUMP COMPLETE SET (P1301C)	ITEM NAME : COUPLING FOR TROCHOID PUMP COMPLETE SET	1
3620	FLEXIBLE ROD, SIZE 1 x 425 M.M., BERTHOLD, LT- 2401 A	DESCRIPTION : FLEXIBLE ROD	1
3621	FLEXIBLE ROD, SIZE 1 x 350 MM., BERTHOLD, LT-2401 A	DESCRIPTION : FLEXIBLE ROD	1
3622	TIMER SANDWICH,120-240VAC,1 A (D-3161)	MATERIAL DESCRIPTION : TIMER SANDWICH, NUMBER : CRT 5940-20005,	3
3623	GASKET,MP4430 NON ASBESTOS,W.1143xL.1576xTHK.2 MM. (E2409A)	ITEM NAME : GASKET	2
3624	GASKET CASING,NIL/TI PTFE/NIL,ID.428xOD.446xTHK.4.5 MM. (G1403C/D,	ITEM NAME : GASKET CASING	4
3625	WELD NECK FLANGE,316L,300#,RF,1-1/2"	DESCRIPTION : WELD NECK FLANGE,	4
3626	THRUST BALL BEARING NO.51224 "SKF" (T2101A/B)	Description : THRUST BALL BEARING	2
3627	Power Supply 380 V (AUMA) AC01.2 / Tag : IDF,FDF	Description : Power Supply 380 V (AUMA) AC01.2	1
3628	TEE RED.TI B381,BW,SCH 40*SCH 40*4"*3"	TEE REDUCE ,BUTT-WELD ,SCH 40 * SCH 40 ,TITANIUM, ASTM B381 GR.F3,	2
3629	ELBOW 90,SUS 317L,BW,SMLS,SCH 40,1"	DESCRIPTION : ELBOW 90	3
3630	AUTOMATIC BALL VALVE WITH ACTUATOR, AFMO-01, 1" RC, TAG : YP-2601A-B	DESCRIPTION : AUTOMATIC BALL VALVE WITH ACTUATOR, AFMO-01, 1" RC	1
3631	HEXAGON BOLT,M16 * 70 MM,P/N 20098586,I/N 6615	DESCRIPTION : HEXAGON BOLT	2
3632	AIR FILTER #SEV551A/4 (GENNERATOR GEN#1)	ITEM NAME : AIR FILTER #SEV551A/4	2
3633	GASKET END COVER COUPLING END SIZE: 3.125,P/N: 5G313B216BX2,POS.NO.	ITEM NAME : GASKET END COVER COUPLING END SIZE: 3.125	4
3634	COUPLER PART D,TYPE D400,SUS316,SIZE: 4" (BULKCAR)	ITEM NAME : COUPLER PART D	4
3635	WELDOLET PIPE, MAIN PIPE DN 24", BRANCH PIPE DN 1-1/2", SS, ASTM A182	DESCRIPTION : WELDOLET PIPE	5
3636	GASKET 1ST SUCTION PIPE,V#1500,NON ASBESTOS,SIZE: ID.1590xOD.1765x3	ITEM NAME : GASKET 1ST SUCTION PIPE	1
3637	O-RING B (4DG-85),VITON,P/N: 10 (RV2403)	ITEM NAME : O-RING B (4DG-85)	2
3638	SHAFT,SUS316L,POS.NO.108 (GZ2405)	DESCRIPTION : SHAFT,	1
3639	LUBE JET,S20C,P/N: SNI-LU05AA01,POS.NO.174 A/C/D (G2201A/B/C/D/E)	ITEM NAME : LUBE JET	15
3640	Socket for controls, AUMA, AC01.2, IDF, FDF	Description : Socket for controls, AUMA, AC01.2	30
3641	SEALING RING USIT,16.7*24*1.6, Pos 5.21 (4 pcs per valve)	Description : SEALING RING USIT,16.7*24*1.5	20
3642	THERMOSTAT (INCLUDE SENSOR) E956J69,SAHARA, TAG : B 3861, IA Dryer	DESCRIPTION : SPST THERMOSTA, NEMA 1, 120/240V	1
3643	(NOT USE) FILTER BAG,NEEDLONA PPS/PPS 551,DIA.117xL.3005 MM. (BF1404)	ITEM NAME : FILTER BAG	8
3644	RUBBER COUPLING NO.NM128 "NORMAX" (G3512CA,CB,G3534)	ITEM NAME : RUBBER COUPLING NO.NM128	8
3645	CELL MAIN (CO/CO2),02500994,SERVOMEX	DESCRIPTION : CELL MAIN,	2
3646	BEARING LOCK NUT END COVER,P/N: 1332AHOCGR2A001,POS.NO.1332	ITEM NAME : BEARING LOCK NUT END COVER	1
3647	WELDING TIG,ER 316L,2.4*1000 MM.	DESCRIPTION : WELDING TIG ROD	20
3648	HEXAGON BAR,SUS 304,1-1/2"*6 M	DESCRIPTION : HEXAGON BAR	1
3649	Relay Board, AUMA, AC01.2, IDF,FDF	Description : Relay Board, AUMA, AC01.2	1
3650	O-RING,FKM,DIA.417.96xTHK.6.98 MM.,POS.NO.17 (P1301C)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
3651	KAMMPROFILE GASKET,STYLE HEG C1,SS321 GRAPHITE,ID.155 MM.xOD.216	ITEM NAME : KAMMPROFILE GASKET	1
3652	RELAY PCB,P/N 0503 (G-3180)	MATERIAL DESCRIPTION : RELAY PCB, ,	1
3653	LABYRINTH FLINGER,MATERIAL BRASS,I/N 10	DESCRIPTION : LABYRINTH FLINGER	3
3654	LIMIT RING (D-3161)	MATERIAL DESCRIPTION : LIMIT RING,	46
3655	SEPARATING PLATE COVERING ON,PEEK,119x94x28 FOR SEP.ELEMENT	ITEM NAME : SEPARATING PLATE COVERING ON	1
3656	TRANSDUCER (BPE PROJECT)	MATERIAL DESCRIPTION : TRANSDUCER,	1
3657	LIMIT SWITCH,10A 125/250V,1LS1-J, YAMATAKE	DESCRIPTION : LIMIT SWITCH	11

3658	PILOT LAMP YELLOW, 110/127 V, P-3601C	DESCRIPTION : PILOT LAMP YELLOW, 110/127 V	2
3659	GASKET(P6),321/321 GRAP/NIL,ID.415x455x479xTHK.4.5 MM. (D2401,D2402,	ITEM NAME : GASKET (P6)	8
3660	GUIDE VANE,AISI316L SS,POS.NO.347 (GP3521A/B,GP3524,GP3525,GP3526)	DESCRIPTION : GUIDE VANE,	1
3661	PLUG,SUS316L,OD.25 MM.xOD.19 MM.xL.20 MM. (HEAT EXCHANGER)	ITEM NAME : PLUG	21
3662	BEARING NO.7312 BECBM "SKF" (G2203A/B)	DESCRIPTION : BEARING	2
3663	RUPTURE DISC,ULTRX-L,TEFLON-316-NICKEL-316,SIZE: 1-1/2" (PSE3047)	ITEM NAME : RUPTURE DISC	4
3664	GASKET,TI/TI PTFE/304,150#,1"	DESCRIPTION : GASKET	25
3665	GASKET,NIL/TI GRAP/NIL,ID.285 MM.xOD.323 MM.xTHK.4.8 MM. (D2201)	DESCRIPTION : SEAT GASKET	2
3666	EMERGENCY SWITCH,MUSHROOM OD 30MM,EXPLOSION PROTECTED TYPE	DESCRIPTION : EMERGENCY SWITCH,MUSHROOM OD 30MM,EXPLOSION PROTECTED T	5
3667	1" Weld neck flange CL 150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.316L ANSI-	1" Weld neck flange CL 150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.316L ANSI-B16.5	21
3668	CYCLO DRIVE BEARING NO.35UZ8659T2S, KOYO	CYCLO DRIVE BEARING NO. 35UZ8659T2 S	2
3669	GASKET(DOUBLE BAR),316L/316L PTFE/NIL,SIZE: 700x730x755x4.5 MM.THK,	ITEM NAME : GASKET	3
3670	BEARING NO.7309 BECBP "SKF" (G1103,G2502A/B)	ITEM NAME : BEARING NO.7309 BECBP	6
3671	RUBER GASKET,VITON (D1911)	DESCRIPTION : RUBBER GASKET	14
3672	MAGNETIC,S-N125,COIL 110V, MITSUBISHI	DESCRIPTION : MAGNETIC,	3
3673	SEALING PLATE,ABS,P/N: 8010.2/8010.1 (RO4601A/B)	ITEM NAME : SEALING PLATE	3
3674	GASKET,TI/TI PTFE/304,300#,1/2"	DESCRIPTION : GASKET	56
3675	STUB END,SUS 304,BW,SL,SCH 40,2"	DESCRIPTION : STUB END	5
3676	COUNTER RELAY 890 OHM,P/N011376-0000,E&H	DESCRIPTION : COUNTER RELAY,	3
3677	ELBOW 90,316L,SW,SEAM,3000#,1/2"	DESCRIPTION : ELBOW 90	27
3678	GASKET,TITANIUM/PTFE/NIL,SIZE 512 * 543 * 583 * 4.5 MM	DESCRIPTION : GASKET	3
3679	Gland Packing, PV1-2402	Description : Gland Packing	1
3680	GASKET,MATERIAL TOMBO #9092,SIZE ID.710 * OD.910 * 3 MM THK,P/N AL	DESCRIPTION : GASKET	1
3681	SEAT AND SEAL OF LV-1202B	SEAT AND SEAL OF	1
3682	THRUST BEARING,NICKEL, 45 * 55 * 2 MM	DESCRIPTION : THRUST BEARING,	2
3683	DIAPHRAGM ACTUATOR,NEOPRENE,330H,RF 150#	DESCRIPTION : DIAPHRAGM ACTUATOR,	1
3684	GLAND PACKING,STYLE PM1,7/16"(11.1 MM.) "GARLOCK" (T2405)	ITEM NAME : GLAND PACKING	1
3685	FLAT JET NOZZLE,P/N:930102000,I/N:13	DESCRIPTION : FLAT JET NOZZLE	10
3686	OIL SEAL,NBR,ID.270xOD.330xTHK.25 MM.,POS.NO.63B (P1401,P1402)	ITEM NAME : OIL SEAL	5
3687	GASKET COVER CASING,P/N: Y22774A-TM,POS.NO.107 (G1802C/D)	ITEM NAME : GASKET COVER CASING	2
3688	(NOT USE) BEARING FLANGE UNIT NO.UCFCX20+H2320 "SKF" (T1403)	ITEM NAME : BEARING FLANG UNIT NO.UCFC X20 + H2320	1
3689	CAP PIPE, 14 INCH, SS 304L, ASTM A403 GR.WP 304L, BE, SCH 5.5 MM, ANSI B16.	DESCRIPTION : CAP PIPE	1
3690	BEARING NO.32216 "SKF" (P2102)	ITEM NAME : BEARING NO.32216 J2/Q	2
3691	CYLINDER REPAIR KIT,FESTO,DNG-160-PPV-A	CYLINDER REPAIR KITS,	2
3692	N/F BREAKER,NF225HP,380V,225A,3P "MITSU"	MATERIAL DESCRIPTION : NO FUSE BREAKER,	2
3693	GASKET,PTFE,SIZE: OD.895xID.850xTHK.3 MM. (E2409B)	TEM NAME : GASKET	2
3694	MATING RING,1.875",TYPE: RO,CARBON (G1505C)	#N/A	2
3695	SHAFT SLEEVE,SUS316L,DIA.48 MM.xLENGTH.133 MM. (G1103B)	ITEM NAME : SHAFT SLEEVE	1
3696	AC ISOLATOR AMPLIFIER,AD-TV 300 GS,ADAMCZEWSKI,(MP-1101)	Description : AC ISOLATOR AMPLIFIER	1
3697	LABYRINTH FLINGER,MATERIAL BRASS,I/N 10	DESCRIPTION : LABYRINTH FLINGER	3
3698	TIME DELAY ADJ 120V,A560-130-840,SAHARA	DESCRIPTION : TIME DELAY,	2
3699	LABYRINTH FLINGER,MATERIAL BRASS,P/N N898HB175,I/N 10	DESCRIPTION : LABYRINTH FLINGER	3

3700	O-RING,EPDM,ID.165xTHK.2 MM. (G2805C/D)	ITEM NAME : O-RING	4
3701	Gland Packing, MOTOYAMA, PV-2435	Description : Gland Packing	1
3702	Gland Packing, MOTOYAMA, PV-2429	Description : Gland Packing	1
3703	Gland Packing, MOTOYAMA, PV-2432	Description : Gland Packing	1
3704	Enrichment over flow repair kit, STIP, COD analyzer	1. Gas exhaust and over flow contact	2
3705	Filter Element: 12-57-50S,HeadlineFilters,0.1 micron particles,for O2 Analyzer	Description : Disposable Particulate Filter Element	30
3706	PISTON WEAR RING,PTFE/BRONZE,9*2*990 MM	DESCRIPTION : PISTON WEAR RING	2
3707	FILLER BLOCK F.SEPARATING ELEMENT,PEEK,P/N: 400018398,POS.NO.50	ITEM NAME : FILLER BLOCK F.SEPARATING ELEMENT	12
3708	SHIM DIFFUSER (HALF-LAM) STAGE 1,P/N: P1408581- 0000,POS.NO.4 (P3861A/B)	ITEM NAME : SHIM DIFFUSER (HALF-LAM) STAGE 1	1
3709	KOYO NEEDLE ROLLER BEARING ID 7/8" (P3602)	ITEM NAME : KOYO NEEDLE ROLLER BEARING ID 7/8"	2
3710	O-RING,P/N: 940003978,POS.NO.93 (F2408)	O-RING,DWG NO.950001388,PART LIST NO.93,P/N 940003978,ASS'Y GEAR UNIT,BRAND BH	2
3711	GASKET(A),316/316 PTFE/NIL,SIZE: 938x968x998x4.5 MM.THK (E1204A)	ITEM NAME : GASKET	3
3712	FLEXIBLE COUPLING COMPLETE SET NO.NM 128 "NORMEX" (G3531)	ITEM NAME : FLEXIBLE COUPLING COMPLETE SET NO.NM 128	2
3713	MINIATURE RELAY,M:NC2D-DC12V,250VAC(DCS)	MATERIAL DESCRIPTION : MINIATURE RELAY,	20
3714	TEE,SUS 317L,BW,SCH 40,2"	DESCRIPTION : TEE,	4
3715	O-RING FOR MECHANICAL SEAL,PTFE,P/N: 6666533T,POS.NO.11A (E1507)	ITEM NAME : O-RING FOR MECHANICAL SEAL	2
3716	LIMIT SWITCH AUXILALY ACTUATOR,1 LX-7001,AZBIL	DESCRIPTION : AUXILALY ACTUATOR,FOR LIMITSWITCH,1 LX-7001,AZBIL	24
3717	RUBBER SPRING WITH BUMPER,MODEL 1525/75,P/N 080- 1747	DESCRIPTION : RUBBER SPRING WITH BUMPER	3
3718	EXPANSION JOINT,SINGLE SPHERE,EPDM.FLANGE CS.,8"(DN200)xL.205 MM.	ITEM NAME : EXPANSION JOINT	2
3719	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-T (TI),ID 37.5 x OD	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	4
3720	GASKET,TI/TI PTFE/304,150#,3/4"	DESCRIPTION : GASKET	34
3721	AIR CYLINDER,SCA2-TA-63R-200-ROA-D-J, CKD	DESCRIPTION : AIR CYLINDER,	1
3722	GASKET KIT OIL COOLER,P/N: 13.04.03,POS.NO.03 (P3861A/B)	ITEM NAME : GASKET KIT OIL COOLER	2
3723	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*110 MM.	DESCRIPTION : STUD BOLT & NUT	12
3724	SK ADAPTOR FOR ROOF MOUNTED FAN,WxD: 385x305 MM.,CUTOUT WxD:	DESCRIPTION : SK ADAPTOR FOR ROOF MOUNTED FAN	2
3725	BOOSTER RELAY,T:3-PORT,1/4" NPT (FV-1601)	MATERIAL DESCRIPTION : BOOTER RELAY,	3
3726	PIPE,SMLS,ASTM A312 TP316/316L,SCH.40S,3/4"xL.6 M.	DESCRIPTION : PIPE	3
3727	PH ELECTRODE,M:6391-5F (PH ANALYZER)	MATERIAL DESCRIPTION : PH ELECTRODE,	1
3728	SPROCKET SCREW SIDE,SHAFT OD.85 MM. (T1441A/B/C)	ITEM NAME : SPOCKET SCREW SIDE	1
3729	O-RING MECHANICAL SEAL SIZE: 3.125",SGL PT-EG5-- TH,DURAFLON CTD	ITEM NAME : O-RING MECHANICAL SEAL SIZE: 3.125	2
3730	Actuator Repair Kit, Motoyama, FV-1301A	Description : Actuator Repair Kit	2
3731	SET SCREW M12,SCM435,POS.NO.20 (P1202,P1403,P2102,P2406)	ITEM NAME : SET SCREW M12	8
3732	FITTING FERRULE,1/16" SST,VALCO	FITTING FERRULE, 1/16 SST, VALCO,	25
3733	FITTING NUT,1/16" SST,VALCO	FITTING NUT, 1/16 SST, VALCO,	25
3734	CYLINDRICAL ROLLER BEARING NO.NU2218 ECJ (T1401BB)	ITEM NAME : CYLINDRICAL ROLLER BEARING NO.NU2218 ECJ	2
3735	C-CHANNEL,HOT DIP GALVANIZE,75*40*5 MM*6M.	DESCRIPTION : C-CHANNEL	3
3736	RAM 2 BATT FOR CONTROLLER,PART NO. 351- 0003,GUTOR,UPS	DESCRIPTION : RAM 2 BATT FOR CONTROLLER	1
3737	HOOK FOR PACKING,SUS304,14"-1/2"	DESCRIPTION : HOOK FOR PACKING	3
3738	RUBBER COUPLING NO.7J SURE-FLEX,RUBBER "TB WOOD'S" (G4015)	ITEM NAME : RUBBER COUPLING NO.7J SURE-FLEX	4
3739	BEARING NO.51220 "SKF"	DESCRIPTION : BEARING	4
3740	SLING FOR LOADING CHUTE,SUS304,SIZE: DIA.1/4"x50 MTRS,LOAD: 250 KGS	ITEM NAME : SLING FOR LOADING CHUTE	50
3741	OIL FILTER ELEMENT(A10) (P3861)	DESCRIPTION : OIL FILTER ELEMENT (A10)	10

3742	V-BELT,NO.8V-1250	Description : V-BELT NO.8V-1250	8
3743	METERING TUBE,5-50 NM3/H,TOKYO	DESCRIPTION : METERING TUBE,	5
3744	WELDING TIG ROD 410 NIMo - 2.4MM	DESCRIPTION : WELDING TIG ROD 410 NIMo - 2.4MM	5
3745	FILTER OIL CARTRIDGE ELEMENT,PG-050-CH (P3861)	DESCRIPTION : FILTER OIL, SPEC : PG-050-CH,	4
3746	BALL VALVE,FEMALE,NPT,FULL BALL,BRASS,600#, 1- 1/2"	DESCRIPTION : BALL VALVE	4
3747	HUB (BULK TRAILER:CHPT-3360 4-V/35)	DESCRIPTION : HUB,	2
3748	O-RING,P/N: 10020070,POS NO.0063E,0064E (P2406B)	ITEM NAME : O-RING	2
3749	GLAND PACKING,STYLE PM1,3/8"(9.5 MM.) "GARLOCK" (B2402)	ITEM NAME : GLAND PACKING	1
3750	SET OF SEAL,GEAR BOX TYPE: EKFH-2V-128,SIZE: RATIO: 24.7 (P2503B)	ITEM NAME : SET OF SEAL	1
3751	SOLENOID VALVE 3/2, DIRECT ACTION, BURKET, 230 VAC, TAG : COD	DESCRIPTION : SOLENOID VALVE 3/2, DIRECT ACTION	1
3752	MECHANICAL SEAL COMPLETE SET SIZE: 22 MM.,PSS TB301-22 (G3593A/B)	ITEM NAME : MECHANICAL SEAL COMPLETE SET SIZE: 22 MM.	1
3753	DISC,P/N016565-263,I/N: 5	DESCRIPTION : DISC,	1
3754	BALL VALVE,SUS 316,PTFE SEAT,RF,300#,1"	BALL VALVE,	1
3755	FAN HOOD 9060P2(FAN-F),P/N: ERJ0P20003,POS.NO.4623 (G1445A/B/C)	ITEM NAME : FAN HOOD 9060P2(FAN-F)	1
3756	BUTTERFY VALVE,SIZE: 2", JIS 10 K, TOMOE, 773Z	DESCRIPTION: BUTTERFY VALVE BODY COMPLETED SET,	1
3757	O-RING PACKING,PTFE,POS.NO.936E (G2201)	ITEM NAME : O-RING PACKING	4
3758	DIGITAL OUTPUT DC32PTS,C200H-OD218,OMRON	DIGITAL OUTPUT DC 32 PTS TRANSISTOR,	1
3759	AIR SUCTION FILTER WITH O-RING COVER,FILTER 1" WITH O-RING NBR 405.26	ITEM NAME : AIR SUCTION FILTER WITH O-RING COVER	1
3760	GASKET,NIL/316,GRAP/316, 60*70*85*4.5	DESCRIPTION : GASKET,	3
3761	GASKET(B),C/W PARTITION BAR,316L/316L PTFE/NIL,SIZE: 938x968x998x4.5 MM.	ITEM NAME : GASKET(B)	3
3762	KIT COUPLING CR (N) 32/45/64/90 MG132,P/N 96416591	DESCRIPTION : KIT COUPLING CR (N) 32/45/64/90 MG132	2
3763	ROLLER BEARING NO 22220E,BRAND:SKF	DESCRIPTION : ROLLER BEARING, NUMBER : 22220E,	3
3764	GASKET,NIL/TI PTFE/NIL,74x90x4.5 MM.	DESCRIPTION : GASKET	12
3765	BEARING NO.22218EK+ADAPTOR SLEEVE NO.H 318 "SKF" (T1405)	ITEM NAME : BEARING NO.22218EK+ADAPTOR SLEEVE NO.H318	2
3766	GASKET (TAN),P/N 022-P315-731,I/N 2 "HEIL"	DESCRIPTION : GASKET (TAN)	22
3767	PIPE,SMLS,A312 TP304/304L,SCH.40S,1"xL.6 M.	PIPE, SMLS	4
3768	PRESSURE GAUGE RANGE 0-10 KGF/CM2,DIAL 63 MM.,CONNEC.G1/4 DIN,	DESCRIPTION: PRESSURE GAUGE RANGE 0-10 KGF/CM2	3
3769	THRUST BEARING LAB'Y SEAL,BRONZE,P/N: A04951A219,POS.NO.332A (G1103C	ITEM NAME : THRUST BEARING LAB'Y SEAL	1
3770	BEARING NO.6317 "SKF" (F1441A/B/C)	ITEM NAME : BEARING NO.6317	4
3771	BEARING NO.430213XU "NTN" ,POS.NO.43 (P1402)	DESCRIPTION : BEARING,	2
3772	NOZZLE PLASMA,PMX 1650,P/N: 220011	DESCRIPTION : NOZZLE PLASMA	35
3773	SPRING LOWER MATTING RING,P/N W-X7176-16,I/N 138	DESCRIPTION : SPRING LOWER	36
3774	BEARING NO.3309 A/C3 "SKF" (G1613A/B,G1803A,G1961A/B,G2701A/B)	ITEM NAME : BEARING NO.3309 A/C3	4
3775	BOLT,MATERIAL W14539,SIZE M10 * 35 MM LONG	DESCRIPTION : BOLT	110
3776	SPHERICAL ROLLER BEARING NO.22313E,P/N: U6022313H0,POS.NO.6010	ITEM NAME : SPHERICAL ROLLER BEARING NO.22313E	3
3777	BOLT WITH NUT FOR CAM ADJUSTING+RING RETAINING	DESCRIPTION : BOLT WITH NUT FOR CAM ADJUSTING+RING RETAINING	10
3778	BEARING UNIT NO.UKFCX20+H2320 (B2402)	DESCRIPTION : BEARING UNIT NO.UKFCX20 + H2320	1
3779	NON-RETURN VALVE,P/N: 10001922,POS.NO.0080 (P2401A)	ITEM NAME : NON-RETURN VALVE	1
3780	SPRING WASHER,SUS316,M12 (F1441)	ITEM NAME : SPRING WASHER	28
3781	WEDGE FOR MECHANICAL SEAL,P/N: 0450/584/138 "JOHN CRANE" (G1613)	ITEM NAME : WEDGE FOR MECHANICAL SEAL	2
3782	O-RING (BUNA-N STANDARD),P/N: 0391-00-462- T,POS.NO.6 (P1301B)	ITEM NAME : O-RING (BUNA-N STANDARD)	9
3783	GASKET,NIL/304 GRAP/304,SIZE: 803x820x845x4.5 MM.THK (S2401)	ITEM NAME : GASKET	4

3784	LABYRINTH SEAL NO.TS 34 "SKF" (T1442B,T1443B,T1444,T1445)	ITEM NAME : LABYRINTH SEAL NO.TS 34	4
3785	DIAPHRAGM PLATE (FOR CONTROL PV-2427)	DESCRIPTION : DIAPHRAGM PLATE,	1
3786	BLUE, PUSH-BOTTON, 1NC-1NO, P-3601C	DESCRIPTION : BLUE, PUSH-BOTTON, 1NC, 1NO	3
3787	BLACK, PUSH-BOTTON, 1NC-1NO, P-3601C	DESCRIPTION : BLACK, PUSH-BOTTON, 1NC, 1NO	3
3788	YELLOW, PUSH-BOTTON, 1NC-1NO, P-3601C	DESCRIPTION : YELLOW, PUSH-BOTTON, 1NC, 1NO	3
3789	RED, PUSH-BOTTON, 1NC-1NO, P-3601C	DESCRIPTION : RED, PUSH-BOTTON, 1NC, 1NO	3
3790	GREEN, PUSH-BOTTON, 1NC-1NO, P-3601C	DESCRIPTION : GREEN, PUSH-BOTTON, 1NC, 1NO	3
3791	AERATION ASSEMBLY,1 PORT,P/N SUNDRY-SERVICE	DESCRIPTION : AERATION ASSEMBLY,1 PORT	5
3792	DUST CAP,COUPLING DC-400,SUS316,SIZE: 4"	ITEM NAME : DUST CAP	3
3793	BEARING NO.6026 "NTN" POS.NO.10 (P1504)	ITEM NAME : BEARING NO.6026	4
3794	FLINGER PUMP END,P/N: 0871A (G1102,G1505,G1506,G1605,G1610,G2406)	ITEM NAME : FLINGER COUPLING END	22
3795	STUB END,SUS 317L,TYPE A,SL,SCH 40,1/2"	DESCRIPTION : STUB END	3
3796	Gland Packing, PV2-2401	Description : Gland Packing	1
3797	ACTUATOR REPAIR KIT, MOTOYAMA, LV-1301C	DESCRIPTION : ACTUATOR REPAIR KIT	1
3798	SPROCKET,B-TYPE/STOCK BORE,SS400,SIZE: JIS160x22 TEETH (T1401)	ITEM NAME : SPROCKET	1
3799	GASKET,316L/316L PTFE/CS,696x735x785x898xTHK.4.5 MM. (D2402,D2403)	ITEM NAME : GASKET	2
3800	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	Weld neck flange 316L RF 150# , 8"	1
3801	MALE ONE TOUCH,SS304, 8 MM * 3/8" PT,SMC	DESCRIPTION : MALE CONNECTOR ONE TOUCH FITTING	38
3802	SCHNEIDER 12 SLOT RACK, BMXXBP1200, MODICON M340, WWTU PLC	DESCRIPTION : SCHNEIDER 12 SLOT RACK, BMXXBP1200, MODICON M340	1
3803	GASKET,316/316 PTFE/CS,SIZE: 695x715x745x765x4.5 MM.THK (J1101B)	ITEM NAME : GASKET	3
3804	SIMULATOR MODULE,1771-SIM,ALLEN-BRADLEY	DESCRIPTION : SIMULATOR MODULE,	1
3805	LOCK NUT,ABS,P/N: A80051,POS.NO.9 (RO4601A/B)	ITEM NAME : LOCK NUT	16
3806	IC,OP-AMP,#LM331, P/N:216835K-40447	DESCRIPTION : IC,	10
3807	LIQUID COOLING CONDITIONER FOR EMERGENCY GENERATOR #1,#2	ITEM NAME : LIQUID COOLING CONDITIONER	8
3808	GASKET,TYPE: T (C/W PARTITION BAR),316L/316L PTFE/NIL,434x464x490xTHK.	ITEM NAME : GASKET	4
3809	GASKET,TI/TI GRAP/304,300#,6"	DESCRIPTION : GASKET, SEALING ELEMENT W/INNER & OUTER RING	3
3810	O-RING,NBR,ID.392 MM.xTHK.8 MM. (EZ1106A/B)	ITEM NAME : O-RING	3
3811	MECHANICAL SEAL,I/N 7	DESCRIPTION : MECHANICAL SEAL	2
3812	GASKET,TI/TI GRAP/CS,300#,18"	DESCRIPTION : GASKET,	2
3813	DURAFLEX RING,MATERIAL DURAFON "DURA SEAL" P/N PT3T3687B33,I/N 7	DESCRIPTION : DURAFLEX RING	4
3814	PILOT VALVE BODY,P/N 095-071-551,I/N 7-A	DESCRIPTION : PILOT VALVE BODY	3
3815	BEARING NO.3313 A "SKF" (G1441,G2405,G2407)	ITEM NAME : BEARING NO.3313 A	3
3816	WELD NECK FLANGE, 2 INCH, FORGED, S-40S, 300#, SS, ASTM A182 GR.F304L,	DESCRIPTION : WELD NECK FLANGE	6
3817	Gasket Repair Kit, FV-2302	Description : Gasket Repair Kit	1
3818	KIT,SEAL,FID MAXUM II,P/N:2020387-701	KIT SEAL FID MAXUM II,	1
3819	SMART TRANSMITTER POWER SUPPLY, KCD2-STC-1, P+F, TURBOLOG	DESCRIPTION : SMART TRANSMITTER POWER SUPPLY, KCD2-STC-1	1
3820	LOCKING CORD,SILICON,DIA.10 MM.xL.6320 MM. (F1441A/B/C)	DESCRIPTION : LOCKING CORD	4
3821	PH SENSOR,GF SIGNET,3-2724-10	PH SENSOR	1
3822	LIP SEAL PUMP END,P/N: 2796A216DIAA001 (G1501,G1510)	ITEM NAME : LIP SEAL PUMP END	2
3823	BLIND FLANGE,316,150#,8"	BLIND FLANGE,SUS 316,150#,	1
3824	IHI MANUAL GREASE PUMP SKA-214-04,P/N: RK942800 (B2402 PTA DRYER)	ITEM NAME : IHI MANUAL GREASE PUMP: SKA-214-04	1
3825	SHAFT SLEEVE,MATERIAL SUS 304,P/N 230	DESCRIPTION : SHAFT SLEEVE	1

3826	ECCENTRIC RED.,SUS 304,SCH 40,8"*6"	DESCRIPTION : ECCENTRIC REDUCER	1
3827	SOLENOID VALVE,BURKERT,220V,COD ANALYZER	SOLENOID VALVE, PORT	1
3828	Standard gas 1.5% Carbon Dioxide Nitrogen Balance	Description : Standard gas 1.5% Carbon Dioxide Nitrogen Balance	1
3829	DISCHARGE SERVICE VALVE,PAC-01	Item name : DISCHARGE SERVICE VALVE	1
3830	SEAL RING FOR VALVE TYPE 8510, SIZE 12 INCH, P/N 22A8920X012, TAG : XV-	DESCRIPTION : SEAL RING	1
3831	O-RING,TEFLON/VITON,POS.NO.6 (G1205,G1301,G2805)	ITEM NAME : O-RING	4
3832	FLEXIBLE HOSE,SS316,150#,1" (FLANGE 1"x1- 1/2"xL.500 MM.) (P2409)	ITEM NAME : FLEXIBLE HOSE	3
3833	O-RING OUTBOARD SEAL,SIZE: ID.28 * 2.5 MM.THK,MAT'L: VITON (G-1703,G-	Description : O-RING	30
3834	GASKET,MATERIAL TOMBO # 7030,DWG.NO.TP-1226-02- 05-00,I/N 19	DESCRIPTION : GASKET	2
3835	DRIVE PIN,SUS316,POS.NO.9 (P1202B)	ITEM NAME : DRIVE PIN	20
3836	GUIDE PLATE,MATERIAL BS 1400-LG2 GUNMETAL,P/N 006182-154,I/N 9	DESCRIPTION : GUIDE PLATE	1
3837	PILOT FILTER ELMENT,P/N: 240-751-000 (P3861A/B)	NAME : PILOT FILTER ELEEMENT,	1
3838	O-RING,VITON,POS.NO.32A+32B (P1401,P1402)	ITEM NAME : O-RING	10
3839	CELL THERMOCOUPLE(CO/CO2),02500501,SERVO	DESCRIPTION : CELL THERMOCOUPLE,	1
3840	GASKET,TI/TI PTFE/304,150#,1/2"	DESCRIPTION : GASKET	25
3841	GASKET(C/W PARTITION BAR),316L/316L PTFE/NIL,ID.722x752x782xTHK.4.5 MM.	ITEM NAME : GASKET	3
3842	Gasket 65.5/51X1.5 GRAPHITE+AISI316, P/N 022 , HV-1111C	Description : Gasket 65.5/51X1.5 GRAPHITE+AISI316	1
3843	DAMPENING SPRING,POS.11, 93617039, NETTER	DESCRIPTION : DAMPENING SPRING	80
3844	SUCTION COVER,FC250,P/N: 102.MODEL: CSHP 65-29 (G3532C/D)	ITEM NAME : SUCTION COVER	1
3845	Gland Packing, Motoyama, V7232R+V7010, FV-1502	Description : Gland Packing	1
3846	TAPER PLUG,COPPER,OD.9 MM.xOD.7.5 MM.xL.40 MM. (EZ1106A/B)	ITEM NAME : TAPER PLUG	20
3847	RUBBER COUPLING NO.RRS 190 "RATHI" (G2805)	ITEM NAME : RUBBER COUPLING NO.RRS 190	4
3848	BRACKET BUSHING,P/N: 2-116-031-454-00,POS.NO.25 (G3546A/B)	MATERIAL DESCRIPTION : BRACKET BUSHING, ,	3
3849	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*230 MM.	DESCRIPTION : STUD BOLT & NUT	32
3850	PIPE,SMLS,ASTM A312GR 316L,SCH 40,1/2"	PIPE, SMLS,	3
3851	CARBON INSERT,CARBON,SIZE: 38 MM.,P/N: M7N/38Q1BM2GG (G1507)	ITEM NAME : CARBON INSERT	1
3852	CONDUCT "ABB", DISPLAY MODULES WALL AND PANEL, FOR AX400, TAG : CT-	DESCRIPTION : CONDUCT "ABB", DISPLAY MODULES	1
3853	DRIVE PIN,M8(4 PCS/SET),SUS316,POS.NO.1 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : DRIVE PIN,M8	2
3854	SHAFT SLEEVE OF MECHANICAL SEAL (GZ2405A/B)	ITEM NAME : SHAFT SLEEVE OF MECHANICAL SEAL	2
3855	RUBBER COUPLING NO.E-97,RUBBER "NOR-MEX" (G3526,G3532C,G3524,G3525,	ITEM NAME : RUBBER COUPLING NO.E-97	5
3856	GLOBE VALVE,A182 GR.F51,SW,800#,1/4"	GLOBE VALVE 800# SW SS A182 GR.F51 BODY: SS UNS S31803, TR PLUG TY DISC OS&Y B	2
3857	RESISTANCE THERMOMETER PT 100 OHM, RTD	RESISTANCE THERMOMETER,	1
3858	MECHANICAL SEAL,CRI3-11A-FGI-I-V-HQQV,P/N: 96455087 "GRUNFOS" (G1620)	DESCRIPTION : MECHANICAL SEAL	1
3859	BOLT HEX HEAD,M10,SUS304,POS.NO.53 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : BOLT HEX HEAD M10	30
3860	GASKET,TI/TI GRAP/CS,300#,1-1/2"	DESCRIPTION : GASKET,	20
3861	BUFFLE RING,ASTM A276 GR.316L,POS.NO.6 (T1442B,T1443B,T1444,T1445)	ITEM NAME : BUFFLE RING	1
3862	BEARING SEAL(DE SIDE),29x47.63 MM. (G1610A/B,G1505A/B)	ITEM NAME : BEARING SEAL(DE SIDE)	1
3863	O-RING FOR MECHANICAL SEAL,EPDM,P/N: 2540/123/394 (G1503A/B)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
3864	GASKET(SERIES: A),316/316 PTFE/CS,ASME B 16.47(API601) 150#, 26"	ITEM NAME : GASKET(SERIES: A)	3
3865	GASKET,TI/TI GRAP/304,300#,1"	DESCRIPTION : GASKET, SEALING ELEMENT W/INNER & OUTER RING	20
3866	LAP JOINT FLANGE,SUS 304,150#,4"	DESCRIPTION : LAP JOINT FLANGE	4
3867	Globe valve 1", SWE CL800 A182-F304 OS&Y BB 304 Trim	Globe valve 1", SWE CL800 A182-F304 OS&Y BB 304 Trim	1

3868	GASKET,NIL/TI GRAP/NIL,ID.286 MM.xOD.323 MM.xTHK.4.8 MM. (D2201)	DESCRIPTION : GASKET,	4
3869	O-RING,P/N: 10007758,POS.NO.0071E (P2406B)	ITEM NAME : O-RING	1
3870	WELD NECK FLANGE, 10 INCH, S-40S, 150#, FORGED, SS, ASTM A182 GR.F304L,	DESCRIPTION : WELD NECK FLANGE	1
3871	STUB END,SUS 304,BW,SL,SCH 40,3"	DESCRIPTION : STUB END	4
3872	WELDING ELETRODE 309MOL (AWS:E309L Mo- 16)3.2x350MM	DESCRIPTION : WELDING ELETRODE 309MOL (AWS:E309L Mo-16)3.2x350MM	10
3873	ROUND CORD,VITON,P/N: 540012511,POS.NO.NO.25 (F2408)	DESCRIPTION : ROUND CORD	4
3874	GASKET,316L/316L GRAP/CS,SIZE: 602x632x682x720x4.5 MM.THK (E1104)	ITEM NAME : GASKET	6
3875	CASE PACKING,PACKING PAPER,P/N: 11 (GZ1301A/B)	ITEM NAME : CASE PACKING	1
3876	BOLT WZK 186-265P1+127-152P2D24X63, Pos 5.9 (2 pcs per valve)	Description : BOLT WZK 186-265P1+127-152P2D24X63	10
3877	O-RING INSERT MTG.MECHANICAL SEAL SIZE: 3.125",SINGLE INSIDE PT E45E	DESCRIPTION : O-RING INSERT MTG.MECHANICAL SEAL	5
3878	FUSE KIT(CO/CO2),02500996,1-3.15A,SERVOM	DESCRIPTION : FUSE KIT,	16
3879	GASKET,316/316 PTFE/NIL,SIZE: 354x384x410x4.5 MM.THK (E2503)	ITEM NAME : GASKET	9
3880	POWER SUPPLY SMART,PRSY15-1000006,OHMART	DESCRIPTION : POWER SUPPLY	1
3881	BOLT WITH NUT,SUS304,M27x90 MM.,POS.NO.39 (P2401,P2407)	DESCRIPTION : BOLT WITH NUT	16
3882	PIPE COUPLING,SUS304/VITON,MJER 50A,2"	DESCRIPTION : PIPE COUPLING	2
3883	IMPELLER NUT,SUS316L,M35x2.5R MM. (G1404A/B)	ITEM NAME : IMPELLER NUT	2
3884	V-ADAPTOR,V7631 2H, 48 * 32 * 19.5 MM	DESCRIPTION : V-ADAPTOR,	3
3885	BEARING NO.7307 BECBP "SKF" (G1202A/B,G1504,G1507)	ITEM NAME : BEARING NO.7307 BECBP	8
3886	COLLAR SLIDING BEARING,K60246,SIZE: 50/55x40,P/N: 25,POS.NO.2181-034	ITEM NAME : COLLAR SLIDING BEARING	2
3887	GASKET,NIL/TI GRAP/CS,300#,4"	DESCRIPTION : GASKET	10
3888	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*235 MM.	DESCRIPTION : STUD BOLT & NUT	24
3889	PUMP MOTOR FOR TOC,10RPM,SP:024009,ASTRO	DESCRIPTION : PUMP MOTOR,	1
3890	PUMP MOTOR FOR TOC,5 RPM,SP:024015,ASTRO	DESCRIPTION : PUMP MOTOR,	1
3891	PUMP MOTOR FOR TOC,1 RPM,SP:024011,ASTRO	DESCRIPTION : PUMP MOTOR,	1
3892	PUMP HEAD FOR TOC,7017-20 PLASTIC,ASTRO	DESCRIPTION : PUMP HEAD,	1
3893	PUMP HEAD FOR TOC,7016-20 PLASTIC,ASTRO	DESCRIPTION : PUMP HEAD,	1
3894	PUMP HEAD FOR TOC,7015-20 PLASTIC,ASTRO	DESCRIPTION : PUMP HEAD,	1
3895	PUMP HEAD FOR TOC,7014-20 PLASTIC,ASTRO	DESCRIPTION : PUMP HEAD,	1
3896	Packing Set 6226/6232, Pos 156 ARCA, FV-1309C	Description : Packing Set 6226/6232	1
3897	BALL BEARING NO.6216 2RS1 C3 "SKF" (RV2101A/B)	ITEM NAME : BALL BEARING NO.6216 2RS1 C3	6
3898	TAPERED ROLLER BEARING NO.32314 J2/Q "SKF" (P2401,P2402,P2403,P2404,	ITEM NAME : TAPERED ROLLER BEARING NO.32314 J2/Q	3
3899	Gasket Repair Kit, FV-1103C	Description : Gasket Repair Kit	1
3900	INTERMEDIATE SHAFT (FGD)	MATERIAL DESCRIPTION : INTERMEDIATE SHAFT,	5
3901	ELECTROLYTE SOLUTION,ELY/G,WTW	DESCRIPTION : ELECTROLYTE SOLUTION,	2
3902	CARBON INSERT,P/N: Y5FQ3125x43647A (G3548)	DESCRIPTION : CARBON INSERT	2
3903	DIAPHRAGM PROTECTOR REPAIR KIT, MASOLNEILAN, P/N200732656-940-0000,	DESCRIPTION : DIAPHRAGM PROTECTOR REPAIR KIT	2
3904	DIAPHRAGM FOR SOLENOID VALVE,CKD	DESCRIPTION : DIAPHRAGM,	1
3905	BALL FLOAT AIR TRAP,TYPE UNA 13PH,SIZE PN16 "GESTRA"	DESCRIPTION : BALL FLOAT AIR TRAP	1
3906	V-BELT NO.SPB3150 FOR DORMAN DIESELS GENERATOR,P/N: 541/429 (OLD	ITEM NAME : V-BELT NO.SPB3150 FOR DORMAN DIESELS GENERATOR	6
3907	KEY SELECTOR SWITCH,T2KSR13B2C,2 POSITION,DIA.22 MM	DESCRIPTION : KEY SELECTOR SWITCH	26
3908	BOLT HEX HEAD,M24 (8 PCS/SET),SCM435,POS.NO.23 (P1403,P2102,P2406)	ITEM NAME : BOLT HEX HEAD M24 (8 PCS/SET)	1
3909	RING RIDER,I/N 26,P/N 057801049	DESCRIPTION : RING RIDER	2

3910	GASKET,TI/TI PTFE/304,150#,1-1/2"	DESCRIPTION : GASKET	20
3911	SPRING,DWG:50372,I/N 13,MAT,L SWC	DESCRIPTION : SPRING,	4
3912	THRUST BEARING NO :51222,BRAND:SKF	DESCRIPTION : THRUST BEARING, NUMBER : 51222,	3
3913	Repair kit Valve Actuator, AUTOMAX ,Size S100D, XV-2807	Description : Repair kit Valve Actuator	1
3914	GASKET,304/304 PTFE/NIL,699x729x759xTHK.4.5 MM. (E2401,E2502)	ITEM NAME : GASKET	4
3915	BEARING NO. 7308BE, SKF,(MG-4604 A,B)	Description : BEARING	4
3916	OIL SEAL,P/N: 10426-1,POS.NO.49 (G3601A/B)	ITEM NAME : OIL SEAL	1
3917	TEE,SUS 316L,SW,SEAM,3000#,3/4"	DESCRIPTION : TEE,	12
3918	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-Z (SUS317L),ID 78 x	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	4
3919	EXPANDER PISTON RING,P/N: 15523-1,POS.NO.8 (G3601A/B)	ITEM NAME : EXPANDER PISTON RING	8
3920	HEX HEAD BOLT,SCM435,P/N: ZZ01761754,POS.NO.65 (P1301C)	ITEM NAME : HEX HEAD BOLT	12
3921	GASKET,TI/TI PTFE/NIL,260x241x224xTHK.4.5 MM. (E1444)	ITEM NAME : GASKET	2
3922	O-RING FOR MECHANICAL SEAL,P/N: 20023440,POS.NO.0071E (P2401A)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
3923	O-RING,VITON,DIA.3.2 MM. (P1301)	DESCRIPTION : O-RING,	8
3924	O-RING FOR MECHANICAL SEAL SIZE: 3.125",EPR,DIA.88.49xTHK.3.53 MM. "PSS"	ITEM NAME : O-RING FOR MECHANICAL SEAL SIZE: 3.125"	4
3925	ORP ELECTRODES,SIGNET,3-2725-60	ORP ELECTRODES,	1
3926	Relay, PSR-SCP-24UC/URM4/5X1/2X2, Tag : K.729.8, MAPTERKO TURBOLOG	Description : Relay,PSR-SCP-24UC/URM4/5X1/2X2	1
3927	FLEXIBLE HOSE WITH FLANGE,SUS316,150#,2"x550 MM. (F2408 RPF)	ITEM NAME : FLEXIBLE HOSE WITH FLANGE	2
3928	SEAL RING FOR MECHANICAL SEAL,TYPE PTE45E (F/V) TH,SIZE 3.125 "JOHN	DESCRIPTION : SEAL RING FOR MECHANICAL SEAL	1
3929	GASKET,304/304 PTFE/NIL,ID.662x687x712xTHK.4.5 MM. (E2504)	ITEM NAME : GASKET	4
3930	BOLT,DIA.10 MM.xL.25 MM.,SUS316L,P/N: 896- 361F1305 (C1301B)	#N/A	55
3931	SPWG,NIL/TI PTFE/NIL,165*182*5 MM	DESCRIPTION : SPIRAL WOUND GASKET	5
3932	GASKET,SIZE: 354 * 384 * 410 * 4.5 MM.THK,MAT'L: 316L/PTFE/NIL (E-2503)	Description : GASKET	7
3933	RETAINING PLATE,R/N:13-02-03, JOY	DESCRIPTION : RETAINING PLATE,	3
3934	O-RING,FKM,P/N: JISB2401-G180,POS.NO.7,19 (P2401,P2405)	ITEM NAME : O-RING	6
3935	SUPPRESSION BOARD,PL/3013/16/A/A4,XX010676,ERSKINE,DC CHARGER	DESCRIPTION : SUPPRESSION BOARD,PL/3013/16/A/A4	2
3936	PULLEY MOTOR SIDE WITH TAPER BUSHING,TYPE: PHP 3- 5V1030TB/PHF	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	1
3937	CASE PACKING,PAPER,POS.NO.1A (GZ1301CA,GZ1301CB)	ITEM NAME : CASE PACKING	1
3938	STATIONNARY SEAL RING GASKET,PTFE,P/N: 6666604T,POS.NO.10B (E1507)	ITEM NAME : STATIONNARY SEAL RING GASKET	2
3939	WELDOLET,TI B381,BW,SCH 40*SCH 40,3"*1"	WELDOLET,BUTT-WELD ,SCH 40 * SCH 40 ,TITANIUM, ASTM B381 GR.F3,	2
3940	SUPPORT RING (D-3161)	MATERIAL DESCRIPTION : SUPORT RING,	140
3941	Socket Head Screw M6X16 DIN912 ISO 3506 A4-70 , P/N 027 (6 pcs/set) , ID	Description : Socket Head Screw M6X16 DIN912 ISO 3506 A4-70	1
3942	ANALOG CARD P/N 686B617U01,FISHER PORTER	DESCRIPTION : ANALOG CARD,	3
3943	PULLEY GEAR SIDE,2 GLOOVE,CAST IRON,SIZE ID.44.2*OD.336*36 MM.,KEY 12	ITEM NAME : PULLEY GEAR SIDE 2 GLOOVE (PULLEY WITH TAPER BUSH WITH STANDA	2
3944	GASKET,NIL/TI GRAP/NIL,SIZE: 508x548xTHK.4.5 MM.,POS.NO.7 (E2201A TOP)	ITEM NAME : GASKET	2
3945	O-RING INBOARD SEAL,MATERIAL VITON,ID.43.5 * 2.5 MM THK	DESCRIPTION : O-RING INBOARD SEAL	23
3946	COMPENSATION PLATE,WS3820,1716x268x2 MM.,P/N: 300114000,POS.NO.53	Description : COMPENSATION PLATE	3
3947	GASKET(C/W PARTITION BAR),316L/316L PTFE/NIL,ID.722x752x782xTHK.4.5 MM.	ITEM NAME : GASKET	3
3948	OIL SEAL LABYRINTH FOR MOTOR (P1705)	DESCRIPTION : OIL SEAL LABYRINTH FOR MOTOR	2
3949	PIPE COUPLING,SUS304/VITON,MJER 65A,2-1/2" (TR-4)	Description : PIPE COUPLING,SUS 304 / RUBBER VITON,2-1/2"	2
3950	SITOP PSE200U 10 A Selectivity module 4-channel input: 24 V,DC/40 A output: 24 V	DESCRIPTION : SITOP PSE200U 10 A Selectivity module 4-channel	2
3951	PROFILE SEALING SHAPE S EPDM (For Cover)7M,53192456,SIEMENS (MP-1101)	Description : PROFILE SEALING S EPDM (For Cover),7M	1

3952	THROAT BUSHING FOR API PLAN 32,TEFLON+SS316(BIG BORE) (G1802C/D)	ITEM NAME : THROAT BUSHING FOR API PLAN 32	1
3953	GASKET,316L/316L PTFE/NIL,SIZE: 696x726x756x4.5 MM.THK (E1102B)	ITEM NAME : GASKET	3
3954	LOCK NUT #166,CARBON STEEL,POS.NO.166 (P1101 TUNTHAI MOP.PUMP)	ITEM NAME : LOCK NUT #166	2
3955	O2 GAS SENSOR,0-25 %VOL,C10-19, ATI	DESCRIPTION : O2 GAS SENSOR,	1
3956	SHAFT SLEEVE,MAT'L: SUS 316L,P/N: 1895 A (G-2406)	ITEM NAME : SHAFT SLEEVE	1
3957	PULLEY WITH TAPER BUSH,PHP 6-5V1600 TB,TAPER BUSH: PHF 4040,BUSH	ITEM NAME : PULLEY WITH TAPER BUSH	1
3958	GEAR SHAFT ASSEMBLY,SHAFT: SUS316,GEAR: SUS630,POS.NO.9,10,14	ITEM NAME : GEAR SHAFT ASSEMBLY	1
3959	GASKET,304/304 PTFE/CS,SIZE: 150#,24" (C2401,C2501,D2406B,D2503B)	ITEM NAME : GASKET	4
3960	WELD NECK FLANGE,FORGE,1-1/2",S- 80S,900#,STAINLESS STEEL,ASTM A182	DESCRIPTION : WELD NECK FLANGE, FORGE	2
3961	(NOT USE) LUBRICANT OIL,MORLINA 150,200 L,SHELL	DESCRIPTION : LUBRICANT OIL,	1
3962	BUSH DU 2420 ,24/27*20 WZK, Pos 5.11 (2 pcs per valve)	Description : BUSH DU 2420 ,24/27*20 WZK	12
3963	OIL MIST FILTER ELMENT,P/N: MB796039-00004 (P3861A/B)	ITEM NAME : OIL MIST FILTER ELEEMENT	1
3964	GASKET,NIL/TI GRAP/TI,182.6*206.4*211.3	DESCRIPTION : GASKET,	4
3965	O-RING, JIS B2401 P8, ID : 7.8 M.M. FOR VALVE, MASONEILAN, P/N 200040612-	DESCRIPTION : O-RING, JIS B2401 P8	3
3966	SOLENOID VALVE 4/3 WAY (DOUBLE) HYDROLIC / YUKEN, (DSG-01-3C4-A240-	DESCRIPTION : SOLENOID VALVE 4/3 WAY (DOUBLE)	2
3967	CO TRANSMITTER CIRCUIT BOARD,A11-16,ATI	DESCRIPTION : CO TRANSMITTER CIRCUIT BOARD,	1
3968	GASKET(M1),316/316 PTFE/CS,150#, 20" (D1504)	ITEM NAME : GASKET(M1)	5
3969	BOLT,SUS304,M10x25 MM. (C2501)	ITEM NAME : BOLT	199
3970	(NOT USE) BEARING FLANGE UNIT,NO.CUCF 310 D1 "NSK"	DESCRIPTION : BEARING FLANGE UNIT	4
3971	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	6
3972	AERATION GASKET,TAN,MANIFOLD,P/N SUNDRY-SERVICE	DESCRIPTION : AERATION GASKET,TAN,MANIFOLD	33
3973	WASHER IMPELLER,SUS316,P/N: B00130A03,POS.NO.199 (G2805)	ITEM NAME : WASHER IMPELLER	2
3974	WELDING ELECTRODE,309L MO,3.2x350 MM.,WEIGHT: 5 KGS/BOX	DESCRIPTION : WELDING ELECTRODE	10
3975	PHOTO CELL PCB(O2),4931-7167,SERVOMEX	DESCRIPTION : PHOTO CELL,	3
3976	TAPERED ROLLER BEARING NO.32316J (GEAR BOX B2402)	ITEM NAME : TAPERED ROLLER BEARING NO.32316J	2
3977	Pin carrier without pins, AUMA, AC01.2, IDF, FDF	Description : Pin carrier without pins, AUMA, AC01.2	3
3978	LOCK NUT,TB35,M16,POS.NO.34 (P1301A/B)	ITEM NAME : LOCK NUT	2
3979	RUPTURE DISC,MINTRX,317L-TAN-316L,SIZE: 1" (PSE1701)	ITEM NAME : RUPTURE DISC	1
3980	OIL SEAL(O.B),2Z129-TSSR,P/N: BY50424C- TSSR,POS.NO.129 (G1802C/D)	ITEM NAME : OIL SEAL(O.B)	3
3981	SEAL HAT,P/N: 15527-1,POS.NO.10 (G3601A/B)	ITEM NAME : SEAL HAT	12
3982	PIPE 2", EFW BE B36.19 A312 GR.TP316L SCH 40S	PIPE 2", EFW BE B36.19 A312 GR.TP316L SCH 40S	1
3983	PACKING CASE,L PACKING PAPER,POS.NO.19 (GZ1503,GZ2403)	ITEM NAME : PACKING CASE	3
3984	GASKET,SWG "NWIR" (TYPE-B) SS304/GRAP,SS304/IR,SS304/N,	ITEM NAME : GASKET	4
3985	SOLENOID VALVE, 4KB419-M1LS, 24 VDC, TAG : YP- 2601A/B (SV1)	DESCRIPTION : SOLENOID VALVE, 4KB419-M1LS, 24 VDC	2
3986	MECHANICAL SEAL,P/N: 96525458 "GRUNDFOS",MODEL: CR90-6-2 (G4603A/B)	ITEM NAME : MECHANICAL SEAL	1
3987	GASKET,TI/TI,GRAP/316,117.5*129*150*178 MM.*THK.4.5 MM.	DESCRIPTION : GASKET	5
3988	FLEXIBLE HOSE,SUS 316L,SIZE 3" * 550 MM LONG	DESCRIPTION : FLEXIBLE HOSE	1
3989	PACKING ,DWG.NO:NOP-3Q85-20-0,I/N 16	DESCRIPTION : PACKING,	7
3990	Isolated RS-232 to RS-422/485 Converter ADAM- 4520, CEMS Online	#N/A	2
3991	GASKET,MAT'L: 304/304 GRAPHITE/CS,SIZE: 805*820*880*940*4.5.MM.THK	ITEM NAME : GASKET	2
3992	PISTON WEAR RING,PTFE/BRONZE,9*4*990 MM	DESCRIPTION : PISTON WEAR RING,	5
3993	SLIP ON FLANGE,SUS 304,RF,150#,3"	DESCRIPTION : SLIP ON FLANGE	5

3994	MACHINE BOLT,SUS316(A4-70),M20x2.5x140 MM.	ITEM NAME : MACHINE BOLT	20
3995	PIPE COUPLING,SUS304/EPDM,MJER 150A,6"	DESCRIPTION : PIPE COUPLING	2
3996	COUPLING COMPLETE SET,MODEL: A AM132, (RV1402E)	ITEM NAME : COUPLING COMPLETE SET	1
3997	DOUBLE LIP SEALS NO.TSNA 232 G "SKF" (T1401)	DESCRIPTION : LIP SEAL	16
3998	SCREEN ELEMENT OF GAS STRAINER,SS304,3"	SCREEN ELEMENT OF GAS STRAINER,	1
3999	AC ISOLATOR AMPLIFIER,AD-TV 511 GS,ADAMCZEWSKI,(MP-1101)	Description : AC ISOLATOR AMPLIFIER	1
4000	SEAT AND GASKET FOR BALL VALVE 6"	SEAT AND GASKET	3
4001	BEARING NO.6313-Z "SKF" (P2701)	ITEM NAME : BEARING NO.6313-Z	6
4002	BOLT WITH NUT,SUS304,M20x125 MM.,POS.NO.39 (P2405)	DESCRIPTION : BOLT WITH NUT	12
4003	ELBOW 90,SUS 304,BW,SCH 10, 8"	DESCRIPTION : ELBOW 90,	4
4004	ROLLING CONTACT BEARING NO.32210DY (P2401A)	ITEM NAME : ROLLING CONTACT BEARING NO.32210DY	2
4005	Reducer Ecc 10" x 8", S-5.5 mm, BE A403-WP316L WP-W	Reducer Ecc 10" x 8", S-5.5 mm, BE A403-WP316L WP-W	1
4006	GLAND PACKING,PTFE,96 * 80 * 8 MM	DESCRIPTION : GLAND PACKING,	16
4007	Pin for controls, AUMA, AC01.2, IDF,FDF	Description : Pin for controls, AUMA, AC01.2	30
4008	ELBOW 90,TI,SMLS,BW,SCH 10,1-1/2"	DESCRIPTION : ELBOW 90,SMLS,BW,	15
4009	Red Tee welded BE S-40S ASTM A312 GR. TP304L, 2" x 1"	Description : Red Tee 2" x 1" S-40S 304L	7
4010	O-RING CORD,TEFLON,DIA.10 MM.xL.6.5 M. (F1441A/B/C)	DESCRIPTION : O-RING CORD	2
4011	SPACER COUPLING WITH OUT HUBS NO.ES-3R,P/N: 7300080 "OMEGA" (G1931)	ITEM NAME : SPACER COUPLING WITH OUT HUBS NO.ES-3R	1
4012	O-RING UPPER MATING RING,P/N 7FE26BU,I/N 135	DESCRIPTION : O-RING UPPER MATING RING	15
4013	SPRING FOR MECH SEAL,ISC2PP-E2/R2EF/VHH,HASTELLOY C,POS.NO.C1	ITEM NAME : SPRING FOR MECH SEAL SIZE: 2.500	36
4014	PVC SLIP COVER,WHITE COLOR,P/N 09120103	DESCRIPTION : PVC SLIP COVER	5
4015	CONDUCTIVITY CELL (ANALYZER)	MATERIAL DESCRIPTION : CONDUCTIVITY CELL,	3
4016	OUTPUT CARD,TYPE E-21T (PLC KOYO)	MATERIAL DESCRIPTION : OUTPUT CARD,	1
4017	MECHANICAL SEAL,DOUBLE SEAL,W-14HSIC "ELEPON SUBMERSIBLE" (G3548)	Description : MECHANICAL SEAL	1
4018	INSERT OF MECHANICAL SEAL,TYPE ROTT-EU5EFTT "DURA SEAL"	DESCRIPTION : INSERT OF MEACHANICAL SEAL	1
4019	MATING RING,9TQF(31)10(58)1,SIZE: 1.875 "DURA SEAL",I/N B (G1601)	DESCRIPTION : MATING RING	1
4020	IMPELLER CASING,P/N 230.01(SUBMERSE PUMP	MATERIAL DESCRIPTION : IMPELLER CASING, ,	1
4021	IMPELLER NUT WASHER,I/N:53W,SUS 316	DESCRIPTION : IMPELLER NUT WASHER,	1
4022	PLATE,SUS304L,4 FTx8 FTxTHK.1 MM.	DESCRIPTION : PLATE	2
4023	ROUND BAR,SUS304,1"*L.6 M.	DESCRIPTION : ROUND BAR	2
4024	COUPLING COMPLETE SET (1 SET CONSIST OF SLEEVE: 5JE 1 PC. AND	ITEM NAME : COUPLING COMPLETE SET	2
4025	PRE-TORQUE SCREW FOR HOLDER DISC,STAINLESS STEEL,M8x45 MM.	ITEM NAME : PRE-TORQUE SCREW FOR HOLDER DISC	1
4026	WEDGE FOR MECHANICAL SEAL,P/N 0350/584/138 "JOHN CRANE"	DESCRIPTION : WEDGE FOR MECHANICAL SEAL	4
4027	O-RING,MATERIAL TEFLON,SIZE ID.240 * 7 MM THICK,POS.71	DESCRIPTION : O-RING	1
4028	PLATE WEAR,I/N 4,P/N 22301001	DESCRIPTION : PLATE WEAR	2
4029	COLLAR SLEEVE FOR IGV,ST:5,I/N:48#40	DESCRIPTION : COLLAR SLEEVE INLET GUIDE VANE CONTROL,	22
4030	WELDING ELECTRODE,E 317L ,3.2*350 MM,WEL	DESCRIPTION : WELDING ELECTRODE	10
4031	BEARING LONG,CARBON 60,POS.NO.24 (G3561,G3562,G3564)	ITEM NAME : BEARING LONG	4
4032	RUBBER COUPLING NO.AL L110,RUBBER "LOVEJOY" (P1301C,G1951A/B)	ITEM NAME : RUBBER JOINT	4
4033	CARBON BUSH,GRADE CY9C (NON RESIN 500C),SIZE: ID.25xOD.50x150 MM.	ITEM NAME : CARBON BUSH	4
4034	GASKET "WIR",316/316 GRAP/NIL,ID.710x734x801xTHK.4.5/3.2 MM. (D2401A)	ITEM NAME : GASKET	2
4035	3-CH SW/PROXIMITY DETEC RELAY,MTL 2213	DESCRIPTION : DETECTOR RLEAY,	1

4036	INDICATOR CARD,P/N 1683294	DESCRIPTION : INDICATOR CARD,	1
4037	SHAFT SLEEVE,SUS316L,SIZE 85x105x235 MM.,POS.NO.H (B2402 PTA DRYER)	ITEM NAME : SHAFT SLEEVE	1
4038	AEROFIL ROLL FILTER STB290,SYNTHETIC FIBER MEDIA,2 M.x20 M.x20 MM.	ITEM NAME : AEROFIL ROLL FILTER	1
4039	O-RING FOR STATIONRY,KALREZ 4079,ID.76.00xTHK.4.50 MM.(2.992x0.177	ITEM NAME : O-RING FOR STATIONRY	1
4040	CHECK VALVE,NPT,SS316,800#, 1" (G3562)	ITEM NAME : CHECK VALVE	1
4041	FLEXIBLE HOSE WITH FLANGE FITTINGS,STAINLESS STEEL SUS304,DOUBLE	ITEM NAME : FLEXIBLE HOSE WITH FLANGE FITTINGS	1
4042	WELD NECK FLANGE, 3 INCH, 150#, FORGED, S-40S, SS, ASTM A182 GR.F304L,	DESCRIPTION : WELD NECK FLANGE	4
4043	O-RING,G150,POS.NO.54 (P1402)	DESCRIPTION : O-RING	1
4044	PULLEY MOTOR SIDE WITH TAPER BUSHING,PHP 4- 5V975TB/PHF TB 3020x65	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	2
4045	SPRING FOR MECHANICAL SEAL,MATERIAL SS 316,SIZE 4.75 "JOHN CRANE"	DESCRIPTION : SPRING FOR MECHANICAL SEAL	20
4046	GASKET,317L/317L PTFE/NIL,SIZE: 340x376x409x4.5 MM.THK (D1202,D1205)	ITEM NAME : GASKET	6
4047	CF CARD, VIN/110, J3170L, ERSKINE	CF CARD C/W VIN-CON CON, POWER	1
4048	GASKET PTFE,TYPE B,PTFE,SIZE: ID.450xOD.485x4 MM.THK (E1618)	ITEM NAME : GASKET PTFE	3
4049	HIGH VOLTAGE INSULATOR,3.3 KV,RISHO	DESCRIPTION : HIGH VOLTAGE INSULATORS EPOXY RESIN	7
4050	HAND VALVE,VH310-03(3D2-009) 10KG/CM,SMC	DESCRIPTION : HAND VALVE	4
4051	BEARING FLANGE UNIT,NO.CM-UCF 310 D1 "NSK"	DESCRIPTION : BEARING FLANGE UNIT	4
4052	SEAT, MAT: SUS317, P/N 2, 4" * 4"	DESCRIPTION : SEAT,	1
4053	FLEXIBLE HOSE C/W FLANGES,SUS304,4"xL.500 MM.	DESCRIPTION : FLEXIBLE HOSE C/W FLANGES	1
4054	BEARING,NO.5205 "NACHI",P/N 2-055-012-375,I/N 6	DESCRIPTION : BEARING	3
4055	O2 TRANSMITTER CIRCUIT BOARD, A11-19,ATI	DESCRIPTION : O2 TRANSMITTER CIRCUIT BOARD,	1
4056	WELDOLET,TI B381,BW,THK 7.0MM*S-40,8"*4"	WELDOLET,BUTT-WELD ,THK 7.00 MM* SCH 40 ,TITANIUM, ASTM B381 GR.F2,	1
4057	DIAPHRAGM,MATERIAL NEOPRENE,P/N 286-008-365	DESCRIPTION : DIAPHRAGM	4
4058	BEARING NO.NUP 2215 ECP "SKF" (P1441 GEAR BOX)	ITEM NAME : BEARING NO.NUP 2215 ECP	2
4059	GASKET,TI/TI GRAP/CS,300#,2"	DESCRIPTION : GASKET	13
4060	U-BOLT & NUTS,"A",CARBON STEEL,44 CMS.xDIA.2.8 CMS.	DESCRIPTION : U-BOLT WITH NUTS	4
4061	SPROCKET TYPE: B RS120 17 TEETH BORE: 60 MM. (RV1402C/D)	ITEM NAME : SPROCKET	2
4062	KIT SEAL CM1/3/5-AQQE/V,(I & G VERSION) GP3592	ITEM NAME : KIT SEAL CM1/3/5-AQQE/V,(I & G VERSION)	2
4063	O-RING GLAND OF MECHANICAL SEAL,KALREZ 6375(K23),P/N: 111.05	ITEM NAME : O-RING GLAND OF MECHANICAL SEAL	1
4064	GASKET(SHAFT SEAL),PTFE-CARBON,SIZE: 115x121x8 MM.THK (RV2402A/B)	ITEM NAME : GASKET(SHAFT SEAL)	9
4065	BALL VALVE,SUS316,SCREW,600-1000 WOG,FULL BORE,SEAT: RPTFE, 1" FNPT,	DESCRIPTION : BALL VALVE	7
4066	GASKET,D:22.5*38.1.5MM,5.10022.34.03.C	DESCRIPTION : GASKET	8
4067	SERVICE KIT FOR AMOT THERMOSTATIC VALVE, TAG : TCV-1130	DESCRIPTION : AMOT SERVICE KIT FOR VALVE	1
4068	TRANSFORMER DIREC.RELAY,M:CD-1 (G-3180)	MATERIAL DESCRIPTION : TRANS	1
4069	DIRECTIONAL RELAY,MODEL GF-1X (G-3180)	MATERIAL DESCRIPTION : DIRECTIONAL RELAY,	1
4070	STUD BOLT & NUTS,UNC,B8 CLASS 2,3/4"*110 MM.	DESCRIPTION : STUD BOLT & NUTS	36
4071	GASKET(TYPE: A WITH BAR),NIL/TITANIUM FILLER PTFE/NIL,ID.450xOD.	ITEM NAME : GASKET(TYPE: A WITH BAR)	1
4072	BEARING NO.6318 2Z "SKF" (P1441 GEAR BOX)	ITEM NAME : BEARING NO.6318-2Z	2
4073	SWITCH THERMAL N/C SHELF STATE OPEN @ 304 DEG F HERMETICALLY	DESCRIPTION : SWITCH THERMAL N/C SHELF STATE OPEN @ 304 DEG F HERMETICALLY	1
4074	OIL SEAL,NBR,ID.55xOD.73xTHK.10 MM. (G1601)	ITEM NAME : OIL SEAL	3
4075	FLEXIBLE HOSE,FLANGED ANSI B16.5,RF.FLANGE WITH END FIXED+ADAPTOR,	ITEM NAME : FLEXIBLE HOSE	2
4076	SLEEVE,P/N: 1895A875X11N001 (G1501A/B)	ITEM NAME : SLEEVE	2
4077	HILCO FILTER CARTRIDGE,P/N: PH310-10-C (P1301B)	ITEM NAME : FILTER CARTRIDGES	4

4078	BEARING NO.6220 "SKF",POS.NO.18-2 (P1202)	ITEM NAME : BEARING NO.6220	4
4079	PULLEY GEAR SIDE WITH TAPER BUSHING DIA.260x65 MM. (P2102,P2406)	ITEM NAME : PULLEY GEAR SIDE WITH TAPER BUSHING DIA.260x65 MM.	2
4080	SPEED CONTROLLER, 0.5-9.9 KG/CM2, SMC	DESCRIPTION : SPEED CONTROLLER	10
4081	GASKET,TYPE: SEALING ELEMENT W / INNER & OUTER RING,MAT'L: SUS 316L,	ITEM NAME : GASKET	3
4082	Reducer Con 8" x 6", S-5.0 mm, BE A403-WP316L WP- W	Reducer Con 8" x 6", S-5.0 mm, BE A403-WP316L WP-W	1
4083	O-RING,NBR,DIA.570xTHK.5 MM.,P/N: 44 (P1301C)	ITEM NAME : O-RING	2
4084	WELD NECK FLANGE,RF 125-250 RA-FN ANSI-B16.5,S- 40S SS ASTM A182 GR.	WN FLANGE 4", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	2
4085	DISC,P/N 007455-263,I/N 5	MATERIAL DESCRIPTION : DISC,	1
4086	DISC,P/N 007448-263,I/N 5	MATERIAL DESCRIPTION : DISC,	1
4087	COUPLING DRIVE SET KIT,MODEL: TA18M30 (1 SET=2 O- RINGS+2 GASKETS)	ITEM NAME : COUPLING DRIVE SET KIT	1
4088	FLEXIBLE COUPLING COMPLETE SET,48/60 ROTEX48 "ROTEX" (F2408)	ITEM NAME : FLEXIBLE COUPLING	2
4089	STUD BOLT & NUTS,UNC,B8 CLASS 2,3/4"*90 MM.	DESCRIPTION : STUD BOLT & NUTS	47
4090	GASKET,NIL/316 FILLER PTFE/NIL,SIZE 423 * 440 * 4.5 MM THK	DESCRIPTION : GASKET	6
4091	BEARING NO.NU 311 ECJ "SKF" (P3528)	ITEM NAME : BEARING NO.NU 311 ECJ	4
4092	NIPPLE,MATERIAL SUS304,SIZE 3/4" * 100 MM LONG,I/N 60	DESCRIPTION : NIPPLE	1
4093	PIPING ASS'Y(LEFT HAND) FOR P-2409	DESCRIPTION : PIPING,	1
4094	SHORT NIPPLE,SIZE 1-1/2,P/N:PNBIS040A00A,I/N 35	DESCRIPTION : SHORT NIPPLE	1
4095	AIR FILTER REGULATOR,2-PORT, 3/8", 0.05-0.85 MPa	DESCRIPTION : AIR REGULATOR	6
4096	GLAND PACKING,GRAP+WIRE,25.4 * 12.5 * 7	DESCRIPTION : GLAND PACKING, RING	4
4097	GASKET(SHAFT SLEEVE),P/N: 9070029-011,POS.NO.38 (G1503A/B)	ITEM NAME : GASKET(SHAFT SLEEVE)	3
4098	BEARING NO.6314-Z/C3 "SKF" (P1403,P2102)	ITEM NAME : BEARING NO.6314-Z/C3	5
4099	PLC POWER SUPPLY,100-200 VAC, C200HW-PA204R, OMRON, BAGGING PLC	DESCRIPTION : PLC POWER SUPPLY, 100-200 VAC	1
4100	WELDING ELECTRODE,UN-Ni-100(AWS: E NiCI),3.2 MM.x350 MM.,WEIGHT 1	DESCRIPTION : WELDING ELECTRODE	4
4101	THERMO COUPLE ELEMENT,TYPE K,540 * 6.4MM	DESCRIPTION : THERMO COUPLE ELEMENT,	2
4102	GASKET,NIL/TI GRAP/CS,300#,8"	DESCRIPTION : GASKET	4
4103	GASKET,TITANIUM/TITANIUM FILLER PTFE/CARBON STEEL,SIZE 160 * 182 * 210	DESCRIPTION : GASKET,	3
4104	I-BEAM,HOT DIP GALV,150*75*5.5*9.5*6 MTR	MATERIAL DESCRIPTION : I-BEAM,	2
4105	SPACER COUPLING NO.E30,P/N: 7300035 "OMEGA" (G2805C/D)	ITEM NAME : SPACER COUPLING NO.E30	1
4106	O-RING,TYPE G 140.MATERIAL V/#4640 (VITON A),SIZE ID.140 * 3 MM THK,P/N AO	DESCRIPTION : O-RING	1
4107	GASKET,S9901,ID.360xOD.424xTHK.0.5 MM.,POS.NO.9 (G1403)	DESCRIPTION : GASKET,	6
4108	RUBBER COUPLING NO.200,RUBBER "FLENDER N-EUPEX" (G2102)	ITEM NAME : RUBBER COUPLING NO.200	3
4109	GASKET,THREE SHEETS "TREEBOND",P/N: 75440600,POS.NO.29 (P2411A/B)	DESCRIPTION : GASKET	2
4110	Alarm Board (Board control),BBC,DC Charger SS-2	Description : Alarm Board (Board control)	1
4111	Timer Board (Board control),BBC,DC Charger SS-2	Description : Timer Board (Board control)	1
4112	Power Supply Board (Board control),BBC,DC Charger SS-2	Description : Power Supply Board (Board control)	1
4113	Hight - Low Board (Board control),BBC,DC Charger SS-2	Description : Hight - Low Board (Board control)	1
4114	Dropper Board (Board control),BBC,DC Charger SS- 2	Description : Dropper Board (Board control)	1
4115	Gronnd Detech Board (Board control),BBC,DC Charger SS-2	Description : Gronnd Detech Board (Board control)	1
4116	SHIM DIFFUSER (HALF-LAM) STAGE 3,P/N: P1408581- 0002,POS.NO.18	ITEM NAME : SHIM DIFFUSER (HALF-LAM) STAGE 3	1
4117	Gasket ARCA (PV-1106)	Description : Gasket	1
4118	Gasket ARCA (PV-1106)	Description : Gasket	1
4119	Gasket ARCA (PV-1106)	Description : Gasket	1

4120	CUP SPRING 112 * 82 *5,6,P/N: 5177546 (RV2101A/B)	ITEM NAME : CUP SPRING 112*82*5,6	2
4121	GASKET (SERIES "A"),304/304 GRAP/CS,150#,26"	DESCRIPTION : GASKET	3
4122	O-RING,HYCAR,SIZE:ID 462 * 9 MM	DESCRIPTION : O-RING,	1
4123	O-RING FOR MECHANICAL SEAL,FKM,P/N: G450,POS.NO.71 (P1301C)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
4124	O-RING FOR MECHANICAL SEAL,FKM,P/N: G440,POS.NO.66 (P1301C)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
4125	THRUST BEARING NO.52220 "SKF" (G1445A/B/C)	ITEM NAME : THRUST BEARING NO.52220 "SKF"	1
4126	SHELL BEARING,MATERIAL 1000,I/N 134	Description : SHELL BEARING	1
4127	OIL SEAL,TC,NBR,ID.50xOD.75xTHK.12 MM. (G3561)	ITEM NAME : OIL SEAL	2
4128	GEAR DRIVE,STAINLESS STEEL,POS.NO.22 "LIQUIFLO" (G3563,G3564)	ITEM NAME : GEAR DRIVE	2
4129	KEY OF DRIVE GEAR,MATERIAL STAINLESS STEEL,I/N 23 A	DESCRIPTION : KEY OF DRIVE GEAR	2
4130	PACKING SHEET,V#1500 (GM3521)	DESCRIPTION : PACKING SHEET,	2
4131	BODY BONNET GASKET-POS143/144,2230491	DESCRIPTION : BODY BONNET GASKET-POS 143/144,	1
4132	O-Ring, Pos No 112, Material 321/Silver, Tag : PV-2309	Description : O-Ring, Pos No 112	1
4133	V-BELT NO.5V-800 (4 PCS/SET) (P2102,P2406)	ITEM NAME : V-BELT NO.5V-800	12
4134	PLUG,SUS316L,OD.17.15 MM.xOD.12.7 MM.xL.20 MM. (HEAT EXCHANGER)	ITEM NAME : PLUG	30
4135	FLEXIBLE HOSE C/W FLANGE,SUS316L,3"xL.1030 MM. (D1911)	DESCRIPTION : FLEXIBLE HOSE C/W FLANGE	1
4136	PIN LOCKING,P/N: A00154-002-398,POS.NO.30 (P3602)	ITEM NAME : PIN LOCKING	1
4137	PRESS GAUGE,0-6 BAR,1/4" BSP(PT)	DESCRIPTION : PRESS GUAGE,	4
4138	O-RING,DWG.3121-950446,I/N 50	MATERIAL DESCRIPTION : O-RING,	1
4139	FUEL ELEMENT #SE429C/4 (GENNERATOR GEN#1)	ITEM NAME : FUEL ELEMENT #SE429C/4	4
4140	ADAPTOR FOR NON CONDENSIBLE PLUG,SUS304L,ID.18 MM.xOD.1-1/8"x3/8"	DESCRIPTION : ADAPTOR FOR NON CONDENSIBLE PLUG	43
4141	BEARING NO.6219/C3 "SKF" (MP1404)	DESCRIPTION : BEARING NO.6219/C3	4
4142	CHECK VALVE, C-500, 0.7-9KG/CM2, KOGANEI	DESCRIPTION : CHECK VALVE	5
4143	V-BELT NO.PHG 5V-1250 "SKF" (P3552 A/B)	ITEM NAME : V-BELT NO.PHG 5V-1250	12
4144	BODY BONNET GASKET-POS143/144,2194107	DESCRIPTION : BODY BONNET GASKET,	1
4145	STUB END,A182-GR.F51,SL,BW,THK5 MM,8"	STUB END SMLS BW 5.0MM SS A182-GR.F51 125-250, RA-FN SHORT PATTERN	1
4146	LABYRINTH SEAL(INBORAD),I/N:11A	DESCRIPTION : LABYRINTH SEAL (INBORAD),	1
4147	LABYRINTH SEAL(OUTBORAD),I/N:11B	DESCRIPTION : LABYRINTH SEAL (OUTBORAD),	1
4148	SPACER COUPLING NO.ES-2R,P/N: 7300075 "OMEGA" (G1921)	ITEM NAME : SPACER COUPLING NO.ES-2R	1
4149	RING PISTON,P/N: 15521-1,POS.NO.6 (G3601A/B)	ITEM NAME : RING PISTON	18
4150	GASKET,SEALING ELEMENT W/INNER&OUTER RING,SUS316L/GRAPHITE/CS,	ITEM NAME : GASKET	3
4151	FLEXIBLE HOSE C/W FLANGE,SUS316L,1-1/2"xL.300 MM. (F1441A/B/C)	ITEM NAME : FLEXIBLE HOSE C/W FLANGE	2
4152	BEARING NO.311 "SKF" (G1102,G2405,G2406)	ITEM NAME : BEARING NO.311	4
4153	PACKING,MATERIAL V-7137R,6 PCS/SET,I/N 65	DESCRIPTION : PACKING FOR SLIDE GATE VALVE P-1404 A-E	1
4154	O-RING,VITON,ID.990xTHK.6 MM. (P1101)	DESCRIPTION : O-RING,	4
4155	LAP JOINT FLANGE,SUS 304,FF,150#,3"	DESCRIPTION : LAP JOINT FLANGE	4
4156	GASKET SQUARE RING,EPDM,ID.40xOD.49 MM.xTHK.6 MM.,P/N: 6 (MODULE CAP	ITEM NAME : GASKET	76
4157	CHECK VALVE,SUS316,SW,800#,3/4"	DESCRIPTION : CHECK VALVE	1
4158	BEARING NO.30316DU (J2 "SKF") (P1401)	ITEM NAME : BEARING NO.30316DU (J2 "SKF")	2
4159	SET SCREW,M16x20,A4-70 G,P/N: SW02_ISO4028- M16x20-SD_00205BA0,POS.	ITEM NAME : SET SCREW,M16x20	10
4160	SPIRAL WOUND GASKET, TI/TI/GRAP/SUS304, SIZE 122x129x150x178 M.M., TAG	DESCRIPTION : SPIRAL WOUND GASKET	4
4161	SPRING DISCHARGE,P/N: 10332-1,POS.NO.1 (G3601A/B)	ITEM NAME : SPRING DISCHARGE	6

4162	BEARING NO.NU 309 ECP "SKF" (G2502A/B)	ITEM NAME : BEARING NO.NU 309 ECP	6
4163	DIGITAL,AC OUT PUT MODULE,OPTO22,5VDC,LOGIC	Description : DIGITAL,AC OUT PUT MODULE,OPTO22,5VDC,LOGIC	10
4164	ROT.FACE GASKET (O-RING),(KALREZ) PERFLUOROELASTOMER,SIZE: FOR	ITEM NAME : ROT.FACE GASKET (O-RING)	3
4165	O-RING,P/N: 10017758,POS.NO.081 E (P2701)	ITEM NAME : O-RING	1
4166	CHECK VALVE,KB 5HP,VITON,P/N: 114-1V,POS.NO.14 (G4704A/B)	ITEM NAME : CHECK VALVE	1
4167	BALL VALVE,SCS13/CF8,304,R.F,300#,1/2"	MATERIAL DESCRIPTION : BALL VALVE,	3
4168	SLOT.COUNTERS HEAD SCREW,DIN 963,SIZE: A4 M6x16,P/N: 500713200	ITEM NAME : SLOT.COUNTERS HEAD SCREW	64
4169	Actuator O-Ring, Motoyama, CR, PV1-2401A	Description : Actuator O-Ring	1
4170	SPINDLE,P/N005954-266,BS970-316S11ST	DESCRIPTION : SPINDLE,	1
4171	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-Z (SUS317L),ID 55 x	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	4
4172	CPU RACK 8 SLOTS,CS1W-BC083, OMRON	CPU RACK 8 SLOTS,	1
4173	DOUBLE LIP SEALS NO.TSN 528 L "SKF" (T1402)	ITEM NAME : BEARING SEAL NO.TSN 528 L	4
4174	O-RING A (4DP-42),VITON,P/N: 18 (RV2403)	ITEM NAME : O-RING A (4DP-42)	2
4175	ROLLER CHAIN NO.RS 140 ,JIS-ANSI,10 FEETS/BOX (T1441A/B/C)	ITEM NAME : ROLLER CHAIN NO.RS 140	3
4176	LIP SEAL COUPLING END (LIP SEAL LOWER),P/N: 2796A112DIAC001 (G2406)	ITEM NAME : LIP SEAL COUPLING END (LIP SEAL LOWER)	2
4177	HIGH SPEED SHAFT BEARING NO.33213,P/N: 60.05/60.06 (G1445A/B/C)	ITEM NAME : HIGH SPEED SHAFT BEARING NO.33213	4
4178	DISCHARGE BOX,P/N PR6003T000 "PAC"	DESCRIPTION : DISCHARGE BOX	1
4179	O-RING FOR INTERCONNECTOR,TYPE: RO#1,POS.NO.13 (RO4601A/B)	ITEM NAME : O-RING FOR INTERCONNECTOR	105
4180	BEARING NO.23022B (BD1) "NTN",POS.NO.46 (P1402)	ITEM NAME : BEARING NO.23022B (BD1)	2
4181	GASKET,316L/316L GRAP/CS,745x780x810x840xTHK.4.5 MM. (D1101)	ITEM NAME : GASKET TYPE: SPWG	3
4182	BLOWDOWN RING,P/N 006768-261	DESCRIPTION : BLOWDOWN RING,	1
4183	GASKET FOR ANGLE VALVE,NIL/TITANIUM FILLER PTFE/NIL,SIZE: 150#,1-1/2"	ITEM NAME : GASKET FOR ANGLE VALVE	8
4184	RUBBER RING,RUBBER,ID.18 MM.xOD.36 MM.xTHK.9 MM. (G3142)	MATERIAL DESCRIPTION : RUBBER RING,	184
4185	O-RING,KALREZ 4079(K1) AS328,1.85"x3/16" (46.99x5.33 MM.) (G1505C)	ITEM NAME : O-RING	1
4186	PIPE,SUS 304,SCH 10,SL,1/2"*6 MTRS.	DESCRIPTION : PIPE	3
4187	MACHINE BOLT & NUTS,CS,METRIC,SIZE: M12x2x57 MM. (XV3202A/B/C)	DESCRIPTION : MACHINE BOLT & NUTS	20
4188	GASKET,321/321 GRAP/304,1500#,8"	DESCRIPTION : GASKET,	4
4189	BUSHES,20%GF TEFLON,OD.120xID.90xL.98 MM.,POS.NO.32 (F1441A/B/C)	ITEM NAME : BUSHES	2
4190	AIR OPERATED VALVE,PD3-20A, 3/4", CKD	DESCRIPTION : AIR OPERATED VALVE	6
4191	V-ADAPTOR(UPPER),V7631 2H,60 * 36 * 29MM	DESCRIPTION : V-ADAPTOR,	1
4192	SPROCKET FOR DOUBLE ROLLER CHAIN 20B-2,TEETH: 29,PITCH: 3.175	ITEM NAME : SPROCKET FOR DOUBLE ROLLER CHAIN	1
4193	Bus Interface, AUMA, AC01.2, IDF,FDF	Description : Bus Interface, AUMA, AC01.2	1
4194	CLOSURE FLANGE GASKET,FLOOROELAST,P/N: 6666551V,POS.NO.27 (E1507)	ITEM NAME : CLOSURE FLANGE GASKET	2
4195	WASHER (MWLKT TOP#3),MATERIAL SUS 304,SIZE 5 MM THK	DESCRIPTION : WASHER (MWLKT TOP#3)	100
4196	GASKET,304/304 GRAP/304,SIZE: 150#, 24" (C2401)	ITEM NAME : GASKET	4
4197	GASKET,304/304 GRAP/NIL,ID.330x350x400x4.5 MM.THK (F2201)	ITEM NAME : GASKET	9
4198	O-RING FOR DOUBLE OIL COOLER,PERBUNAN,DIA.473 MM.xTHK.10 MM.	ITEM NAME : O-RING FOR DOUBLE OIL COOLER	3
4199	DOUBLE ROLLER CHAIN WITH CONNECTOR 20B-2 (RV1402E)	ITEM NAME : DOUBLE ROLLER CHAIN WITH CONNECTOR 20B-2	2
4200	BEARING NO.6314 2Z/C3 "SKF" (P1403,P2102)	ITEM NAME : BEARING NO.6314-2Z/C3	4
4201	BEARING NO.46307 "CHINA" (G-3170)	MATERIAL DESCRIPTION : BEARING, NO : 46307,	3
4202	GASKET,SPWG (C/W PARTITION BAR),316L/316L PTFE/NIL,455x485x511xTHK.4.5	ITEM NAME : GASKET	2
4203	ANALOG OUTPUT FOR PLC, CQM1-DA021	ANALOG OUTPUT	1

4204	SOLENOID VALVE,5/2-WAY,24 VDC,1/4",HOEBI	DESCRIPTION : SOLENOID VALVE	2
4205	HEX.SOCKET BOLT,M20 (8 PCS/SET),SCM435,POS.NO.25 (P1403,P2102,P2406)	ITEM NAME : HEX.SOCKET BOLT M20 (8 PCS/SET)	1
4206	TEFLON BUSH(STEM),V7160-2,32.5*47.6*26.8	DESCRIPTION : TEFLON BUSH,	2
4207	PRESS GAUGE,GLYCERINE,0-20 KG/CM2,1/2"PF	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE,	4
4208	O-RING,NBR,DIA 124 MM * 2 MM	DESCRIPTION : O-RING,	100
4209	UNION,SUS 304,SW.,3000#, 2"	Description : UNION,SUS 304,SW.,3000#, 2"	2
4210	O-RING,TEFLON,DIA.603xTHK.6.8 MM. (P1301)	DESCRIPTION : O-RING,	1
4211	REAR COVER,KB 5HP,FRPP,P/N: 103,POS.NO.3 (G4704A/B)	ITEM NAME : REAR COVER	1
4212	TURBOLOG SIMPLEX FIELD ASSEMBLY BOARD,FLKMS-D50 SUB/B	DESCRIPTION : TURBOLOG SIMPLEX FIELD ASSEMBLY BOARD	1
4213	V-ADAPTOR,V76312H(PTFE),48 * 32 * 23.5MM	DESCRIPTION : V-ADAPTOR,	2
4214	BEARING HOUSING NO.SNL 517 "SKF" ,POS.NO.7 (T2102)	DESCRIPTION : BEARING HOUSING	2
4215	LIQUID DEFLECTOR MECH SEAL,ASTM A276-316 ANLD,P/N: 251,POS.NO.23600	ITEM NAME : LIQUID DEFLECTOR MECH SEAL	2
4216	BEARING NO.32024 X "SKF" (P2701)	DESCRIPTION : BEARING	2
4217	GASKET CASING,NIL/TI PTFE/NIL,ID.425xOD.438xTHK.4.5 MM. (G1403,G1502)	ITEM NAME : GASKET CASING	3
4218	BEARING NO.7306 BECBM "SKF" (GZ1205A/B,GZ2405A/B)	ITEM NAME : BEARING NO.7306 BECBM	4
4219	SCREW,HEX SOC.CAP,1/4"-20UNCx8 MM.	DESCRIPTION : SCREW,HEX SOC.CAP	40
4220	GASKET,SWG "NWIR" (TYPE-B) SS304/GRAP,SS304/IR,SS304/N,	ITEM NAME : GASKET	4
4221	WELDING ELECTRODE,E317L ,4*350 MM,WEL	DESCRIPTION : WELDING ELECTRODE,	10
4222	SHIM,SUS304,ID.515 MM.xOD.560 MM.xTHK.0.4 MM. (P1301C)	ITEM NAME : SHIM	2
4223	DIAPHRAGM VALVE,Y PATTERN,MODEL:524, 2"	PLASRIC DIAPHRAGM VALVE,	1
4224	GASKET,TI/TI PTFE/304,150#,10"	DESCRIPTION : GASKET	1
4225	BEARING,NO.NU 216 C3 "NTN"	DESCRIPTION : BEARING,	1
4226	WASHER LOCK,MATERIAL SS 400,I/N 203	DESCRIPTION : WASHER LOCK	4
4227	SEAT RING GASKET,I/N:180/189,2230649	DESCRIPTION : SEAT RING GASKET,	1
4228	BODY BONNET GASKET-POS143/144,2230491	DESCRIPTION : BODY BONNET GASKET-POS 143/144,	1
4229	BLIND FLANGE,3 INCH,150#,SS,ASTM A182 GR.F304L,RF,125-250 RA-FN,ANSI	DESCRIPTION : BLIND FLANGE	4
4230	COMPENSATION PLATE,WS3820,1716x268x1 MM.,P/N: 300110900,POS.NO.54	Description : COMPENSATION PLATE	3
4231	STRAINER CL 150,1/2", SS 304	STRAINER CL150, 1/2, SS 304-STRAINER,	1
4232	TUBE,POLYURETHANE,TUBE OD 10 MM.,SMC	DESCRIPTION : TUBE POLYURETHANE	110
4233	PIPE,SUS 304,EFW BE,BW,SCH 10, 6" * 6 M.	PIPE,EFW BE,BW,S-10 SS ASTM,A312 GR. SS304,	1
4234	BEARING NO.6214 "SKF" (G1205,G2805)	DESCRIPTION : BEARING NO.6214	8
4235	TAPERED ROLLER BEARING NO.30312D,P/N: U6030312D0,POS.NO.6009 (P2401,	ITEM NAME : TAPERED ROLLER BEARING NO.30312D	4
4236	O-RING,FEP/FKM (VITON COATED BY PTFE),ID.145.42xTHK.5.33 MM.,P/N:	ITEM NAME : O-RING	1
4237	BEARING NO.6315-2Z "SKF" (G1404,G2102,G3272A/B)	ITEM NAME : BEARING NO.6315-2Z	3
4238	Power supply, Model : MINI-PS-100-240AC/10- 15DC/2, PHOENIX CONTACT,	Description : Power supply	1
4239	NEEDLE VALVE,SUS 316,NV SERIES,3/8"	DESCRIPTION : NEEDLE VALVE	2
4240	SPRING RING,I/N 12, 154.2 * 188 * 3.5 MM	DESCRIPTION : SPRING RING,	1
4241	Gasket RFFE CL150#, Flat, Ring type compressed asbestos acid resist 1.6 mm, 6"	Description :Gasket RFFE CL150#, Flat, Ring type compressed asbestos acid resist 1.6 mm	33
4242	UNION REDUCING,MATERIAL BRASS,SIZE 3/8" * 1/4"	DESCRIPTION : UNION REDUCING	20
4243	UNION,SUS 304,SW,3000#,1-1/2"	DESCRIPTION : UNION,	2
4244	STUD BOLT & NUT PLAIN,B8 CLASS 2,7/8"*1500 MM.	DESCRIPTION : STUD BOLT & NUT PLAIN	5
4245	GASKET,NIL/TI GRAP/CS,600#,8"	DESCRIPTION : GASKET	3

4246	BEARING THRUST,P/N: 25A19 (G1601)	DESCRIPTION : BEARING THRUST	2
4247	NUT,TB35,M16,POS.NO.33 (P1301)	MATERIAL DESCRIPTION : NUT	8
4248	ROLLER CHAIN WITH CONNECTOR,DIN 8187 E20 B-1 (RV1402C/D,RV2402C/D,	ITEM NAME : ROLLER CHAIN WITH CONNECTOR,DIN 8187	4
4249	TEE,SUS 304,SOCKET WELD,SEAM,3000#,1"	DESCRIPTION : TEE	14
4250	LOCK NUT,S25C,SIZE: AW34,POS.NO.28 (P2401)	ITEM NAME : LOCK NUT	1
4251	SPINDLE HEAD,PN016697-266,BS970-316S11ST	DESCRIPTION : SPINDLE HEAD,	1
4252	CIRCUIT BREAKER C60HD325,EF002140,ERSKINE,DC CHARGER	DESCRIPTION : CIRCUIT BREAKER C60HD325	2
4253	HAND VALVE,3-WAY,PORT 3/8",1.0 MPA,VH400-N03,SMC (VF-1401,VF-1504A/B,	DESCRIPTION : HAND VALVE	3
4254	MAIN TRANSFORMER,P/N 924494-1100,E&H	DESCRIPTION : MAIN TRANS	1
4255	PHEOSTAL F.A FRIZLEN,SZL.300X45,1.5 OHM	DESCRIPTION : PHEOSTAL,	1
4256	O-RING FOR MECHANICAL SEAL,FKM,P/N: P335,POS.NO.25 (P1301C)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
4257	RUBBER SEAL,MATERIAL EPDM,BLACK COLOR,SIZE ID.127 * OD.150 * 6.5 MM	DESCRIPTION : RUBBER SEAL	19
4258	WELDING ALUMINIUM,GRADE ER-5356,3.2*1 M	WELDING ALUMINIUM ROD,	4
4259	PRIMARY SEALING RING,TYPE 9TQF(31)10(58)1,SIZE 1.125 "JOHN CRANE"	DESCRIPTION : PRIMARY SEALING RING	1
4260	GASKET,316L/316L PTFE/CS,SIZE: 630x650x680x700x4.5 MM.THK (E1705)	ITEM NAME : GASKET TYPE: SPWG	3
4261	CH4 TRANSMITTER CIRCUIT BOARD,A11-17,ATI	DESCRIPTION : CH4 TRANSMITTER CIRCUIT BOARD,	1
4262	SEAL RING FOR MECHANICAL SEAL,TYPE ROTT-EU5EF- TT,SIZE 1.750 "DURA	DESCRIPTION : SEAL RING FOR MECHANICAL SEAL	1
4263	DC OUTPUT MODULE,M:1746-0B8 (SLC 500)	MATERIAL DESCRIPTION : DC OUTPUT MODULE,	1
4264	BEARING FLANGE UNIT,NO.CM-UCFS313D1 "NSK"	Description : BEARING FLANGE UNIT	1
4265	BEARING FLANGE UNIT,NO.C-UCFS313D1 "NSK"	Description : BEARING FLANGE UNIT	1
4266	PLUG,SUS316L,OD.18 MM.xOD.15.3 MM.xL.20 MM. (HEAT EXCHANGER)	ITEM NAME : PLUG	20
4267	FILTER BAG,POLYESTER FELT,DIA.117xL.1450 MM. (BF2412)	ITEM NAME : FILTER BAG	18
4268	WHEEL STUD INBOARD,F,25.5/38 (BULKCAR)	MATERIAL DESCRIPTION : WHEEL STUD INBOARD,	17
4269	GLAND/V PACKING,PTFE+ASB,41.5*22.5*9.5MM	DESCRIPTION : GLAND PACKING AND V PACKING, RING	3
4270	PIPE COUPLING,SUS304/VITON,MJH 40A,1-1/2"	DESCRIPTION : PIPE COUPLING	2
4271	RUBBER FOR COUPLING NO.BWN142 "BIPEX" (P2401A)	ITEM NAME : RUBBER FOR COUPLING TYPE: BWN142	2
4272	BASE FLANGE GASKET,GRAFOIL,SIZE: OD.198 MM.xID.166 MM.xTHK.2 MM.,P/N:	ITEM NAME : BASE FLANGE GASKET	2
4273	Gland Packing, PV1-2402	Description : Gland Packing	1
4274	SHAFT SLEEVE,P/N 524.02(SUBMERSIBLE PUMP	MATERIAL DESCRIPTION : SHAFT SLEEVE, ,	1
4275	PILLOW BALL "SKF",P/N: SAKAC22M,RIGHT-HAND THREAD,POS.NO.2	ITEM NAME : PILLOW BALL "SKF"	2
4276	RUBBER COUPLING NO.AL L110,HYTREL "LOVEJOY" (G1951A/B)	ITEM NAME : RUBBER JOINT	2
4277	FLEXIBLE HOSE WITH FLANGES,SUS304SIZE: 150#,5"x490 MM (F2408X)	ITEM NAME : FLEXIBLE HOSE WITH FLANGES	1
4278	BUSHING 35K 6-8 UPPER GUIDE, MASONELIAN, P/N 435006140-220-0000, TAG :	DESCRIPTION : BUSHING 35K 6-8 UPPER GUIDE	1
4279	Gate valve CL800 SW A182 GR.F316 1"	Description : Gate valve	1
4280	WELDOLET PIPE, MAIN PIPE DN 8 INCH, BRANCH PIPE DN 1-1/2 INCH,	DESCRIPTION : WELDOLET PIPE	2
4281	PIPE COUPLING,SUS304/EPDM,MJH 80A,3"	DESCRIPTION : PIPE COUPLING	2
4282	SIRIUS safety relay Output expansion 4RO with relay,enabling circuits 4 NO	DESCRIPTION : SIRIUS safety relay Output expansion 4RO with relay,enabling circuits 4 NO co	2
4283	SHAFT SLEEVE,CAST IRON,P/N: 524 (G3592A/B)	ITEM NAME : SHAFT SLEEVE	1
4284	WELDNECK FLANGE,FORGED,RF,125-250 RA-FN,SS,ASTM A182 GR.F316L,S-	#N/A	2
4285	SHELL BEARING,1000,POS.NO.134 (G4012)	DESCRIPTION : SHELL BEARING	2
4286	STUB END,SUS 316L,SL,SCH 40,2"	DESCRIPTION : STUB END	7
4287	78-40 AIRSET 5-100 PSI OUTPUT PRESSIRE, P/N 204500368-999-0000,	Description : 78-40 AIRSET	1

4288	CLOSED CELL SPONGE RUBBER,SIZE 15 * 4 MM	MATERIAL DESCRIPTION : CLOSED CELL SPONGE RUBBERS,	6
4289	COMPACT ENCLOSURE, CBSG-01, STANDARD IP 55	DESCRIPTION : COMPACT ENCLOSURE	4
4290	WELDING TIG,ALLOY 2209 ,0.045 MM*36"	DESCRIPTION : WELDING TIG ROD	4
4291	O-RING,VITON,SIZE:ID 340 * 8.5 MM	DESCRIPTION : O-RING,	2
4292	THROAT BUSHING FOR PLAN 32,PTFE CARBON FILL 25% (G1203A/B,G1505A/B,	ITEM NAME : THROAT BUSHING FOR PLAN 32	1
4293	O-RING,MAT'L: FKM,P/N: AS568A-277,POS.NO.39 (P1503)	ITEM NAME : O-RING	2
4294	STUD BOLT & NUT,B8 CLASS 2,UNC,1"*130 MM.	DESCRIPTION : STUD BOLT & NUT	12
4295	SET SCREW M12,SCM435,POS.NO.20 (P2503)	ITEM NAME : SET SCREW M12	4
4296	MECHANICAL SEAL CARTRIDGE,MODEL CRN90-1AFGVEUEV "GRUNDFOS"	DESCRIPTION : MECHANICAL SEAL CARTRIDGE	1
4297	O-RING (2),TYPE G 140,MATERIAL NBR,SIZE ID.140 * 3 MM THK,I/N 26	DESCRIPTION : O-RING (2),	4
4298	FORK HEAD WZK 212-265, Pos 5.6 (1 pcs per valve)	Description : FORK HEAD WZK 212-265	4
4299	GASKET FOR ANGLE VALVE,NIL/TITANIUM FILLER PTFE/NIL,SIZE: 300#,2"	ITEM NAME : GASKET FOR ANGLE VALVE	6
4300	PILOT LAMP,LED,APNE116DN,110V,YELLOW30MM	DESCRIPTION : PILOT LAMP	11
4301	SHAFT SEALING RING,I/N:52	DESCRIPTION : SHAFT SEALING RING,	1
4302	SLEEVE & SPOOL SET,P/N 031-039-000	DESCRIPTION : SLEEVE AND SPOOL	1
4303	SOCKET HEAD SCREW,SUS304,P/N: B5M- 060014,POS.NO.905F (G2201A/B/C/D/E)	ITEM NAME : SOCKET HEAD SCREW	27
4304	BUSHING PULLEY,1.6250 BORE QD-F,I/N 11	MATERIAL DESCRIPTION : BUSHING PULLEY	1
4305	SUPPORT RING-POS 171,2267840	DESCRIPTION : SUPPORT RING-POS 171,	1
4306	PLATE CAM WEAR,FIBER REIN FORCE,20 MANHOLE,P/N: 134-7460 "HEIL" (BULK	ITEM NAME : PLATE CAM WEAR	9
4307	RUBBER COUPLING NO.82,RUBBER "NORMEX" (G3534,G3535)	ITEM NAME : RUBBER COUPLING NO.82	4
4308	V-RING,NO.V 120,MATERIAL NBR,DWG.NO.63DH5E,I/N 24	DESCRIPTION : V-RING	4
4309	FILTER OIL,P/N: A00147-001-000,POS.NO.21 (P3602)	ITEM NAME : FILTER OIL	3
4310	DOUBLE CHAIN COMPLETED WITH CONNECTOR NO.RS 100 (P2503)	ITEM NAME : DOUBLE CHAIN COMPLETED WITH CONNECTOR NO.RS 100	1
4311	PULLEY GEAR SIDE,FC 200,SIZE: 5V-900-4,PULLEY OD.280 MM.,SHAFT DIA.60	ITEM NAME : PULLEY GEAR SIDE	1
4312	SET OF SEAL FOR GEAR BOX,TYPE: EKF-2V-6 "FLENDER" (P2406B)	ITEM NAME : SET OF SEAL FOR GEAR BOX	1
4313	FUSE LINK ES63,EF003952,ERSKINE,DC CHARGER	DESCRIPTION : FUSE LINK ES63	6
4314	REPAIR KIT OF TROCHOID PUMP,MODEL: TOP-350VL-RK (P1301C)	ITEM NAME : REPAIR KIT OF TROCHOID PUMP	1
4315	SHAFT SLEEVE GASKET,FLOOROELAST,P/N: 6666533V,POS.NO.11 (E1507)	ITEM NAME : SHAFT SLEEVE GASKET	2
4316	TEE,SUS316L,SW,3000#,1"	DESCRIPTION : TEE	5
4317	PULLEY WITH TAPER BUSH FOR AGITATOR,SIZE: PHP 6- 5V975TB/PHF TB3535	ITEM NAME : PULLEY WITH TAPER BUSH FOR AGITATOR	1
4318	GASKET TYPE RF,MAT'L: PTFE,SIZE: OD.436 MM.*ID.399 MM.*3 MM.THK (E1616)	ITEM NAME : GASKET TYPE RF	4
4319	FEMALE CONN TUBE,SS316,TUBE OD.1/2"x1/2" NPT (R2301)	ITEM NAME : FEMALE CONNECTOR TUBE	5
4320	SHELL BEARING,1000,POS.NO.134 (G4014)	DESCRIPTION : SHELL BEARING	1
4321	SHELL BEARING,MATERIAL 1000,I/N 134	DESCRIPTION : SHELL BEARING	1
4322	BEARING NO.6214/C3 "SKF" (G1607A/B,MG2503A)	ITEM NAME : BEARING NO.6214/C3	8
4323	GATE VALVE,SW,ASTM A182,GR,304,800#,1"	GATE VALVE,SOCKET WELD,ASTM A182,GR,SUS 304,800#,	1
4324	Ball valve 3/4", Regular port, RFFE CL150 A351- CF8 304SS ball, RPTFE SEAT	Ball valve 3/4", Regular port, RFFE CL150 A351-CF8 304SS ball, RPTFE SEAT Wrench Op	1
4325	ELBOW 45,SUS 316L,BW,SEAM,SCH 40,6"	DESCRIPTION : ELBOW 45,	2
4326	GROOVE BALL BEARING NO.6220 C3 "SKF" (P2701)	ITEM NAME : GROOVE BALL BEARING NO.6220 C3	3
4327	SPHERICAL ROLLER BEARING NO.22222 EC3 (T1401BB)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22222 EC3	1
4328	TEMPERATURE ELEMENT, PT 100, L = 330 x OD 6 M.M., TE-4901	DESCRIPTION : RTD Pt 100, TEMPERATURE ELEMENT	1
4329	AUTOMATIC GREASE,M:360,6 OZ/TB"LUBE SITE	MATERIAL DESCRIPTION : AUTOMATIC GREASE,	2

4330	O-RING KALREZ 4079,ID.58.42xTHK.2.62 MM.,POS.NO.72 (J1101B)	ITEM NAME : O-RING	2
4331	COUPLING RUBBER,N-BIPEX BWN 38 (P2701)	ITEM NAME : COUPLING RUBBER,N-BIPEX BWN 38	1
4332	PIPE, 1-1/2 INCH, S-40S, SS 304L, ASTM A312, SMLS, PE, ANSI-B36.19M, LENGTH	DESCRIPTION : PIPE	1
4333	ADAPTOR SLEEVE NO.H3128 "SKF" (T-1402)	ITEM NAME : ADAPTER SLEEVE NO.H3128	2
4334	CARBON SLEEVE OF SUBMERSE PUMP	MATERIAL DESCRIPTION : CARBON SLEEVE, ,	3
4335	V-BELT NO.5V-750 (P1203,P1205)	ITEM NAME : V-BELT NO.5V-750	10
4336	INSERT FOR MECHANICAL SEAL "DURA SEAL",DWG.NO.2A- 37915,I/N 2	DESCRIPTION : INSERT FOR MECHANICAL SEAL	1
4337	BEARING NO.6315 ZNR,POS.NO.22 "NTN" (P1403,P2102)	ITEM NAME : BEARING NO.6315 ZNR	4
4338	CAP BOLT WITH WIRE,316 ST.STL.,POS.NO.15 (P1301A/B)	ITEM NAME : CAP BOLT WITH WIRE	11
4339	COIL FOR SOLENOID VALVE,110/220 VAC,3 W	MATERIAL DESCRIPTION : COIL	8
4340	DRIVE PIN,M12,TB340,POS.NO.1 (P1301C)	ITEM NAME : DRIVE PIN,M12	4
4341	STUB END,SUS 304,SL,SCH 40,4"	STUB END,MATERIAL:SS304,SMLS,BE S-40S,	4
4342	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-30 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-30 A	5
4343	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-75 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-75 A	5
4344	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-300 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-300 A	5
4345	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-400 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-400 A	5
4346	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-50 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-50 A	5
4347	SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-40 A	DESCRIPTION : SCALE AMMETER,600V,1A,0.67VA,SCALE : 0-40 A	5
4348	DETEC&BOSS SCRUB(CO/CO2),S1200922,SERVO	DESCRIPTION : DECTECTOR,	1
4349	ISOLATING CONTACT AMPLIFIRE PEPERL&FUCHS	DESCRIPTION : ISOLATING CONTACTOR,	1
4350	PRESSURE SWITCH,10 PSI,J54S9711,SAHARA	DESCRIPTION : PRESSURE SWITCH,	1
4351	AIR REGULATOR,2-PORT,3/8",AR3000-N03BG, SMC	DESCRIPTION : AIR REGULATOR	6
4352	OIL SEAL,TC,VITON,ID.75xOD.100xTHK.13 MM. (P3528A/B)	ITEM NAME : OIL SEAL	16
4353	SEAL RING FOR MECHANICAL SEAL,CARBON #5,POS.NO.3 "DURA SEAL"	DESCRIPTION : SEAL RING FOR MECHANICAL SEAL	1
4354	SPRAYING CONTROL VALVE SOCKET FOR MOTOR	MATERIAL DESCRIPTION : SPRAYING CONTROL VALVE -, SOCKET	5
4355	BUFFER DISC,X60003650,P/N: 2:26-10066/1-18-601- 01-027,POS.NO.27 (P1101	ITEM NAME : BUFFER DISC	2
4356	ELBOW 90,BW,SUS316L,SCH 40,2"	DESCRIPTION : ELBOW 90,316L,BW,SCH 40,2"	7
4357	LEVEL LIMIT SWITCH,FTW325-A2A1A	DESCRIPTION : LEVEL SWITCH NIVOTESTER,	1
4358	BALL VALVE,RF,SUS304,SEAT: RPTFE,300#,3/4"	DESCRIPTION : BALL VALVE	1
4359	GASKET,316L/316L GRAP/NIL,SIZE: 402x432x458x4.5 MM.THK (E1202)	ITEM NAME : GASKET	5
4360	WN FLANGE 1-1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L	WN FLANGE 1-1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	5
4361	MECHANICAL SEAL SIZE: 50 MM.,P/N: 401 (G3532)	DESCRIPTION : MECHANICAL SEAL, INNER,OUTER : 50 MM,	1
4362	WHEEL STUD,TYPE VF "L","BPW"	DESCRIPTION : WHEEL STUD	16
4363	O-RING,P/N: 412.01 (G3261XA,XB,XC)	ITEM NAME : O-RING	2
4364	O-RING,AS-568 KALREZ 4079,K# 135,48.90xTHK.2.62 MM.,P/N: 10 (G1802C/D)	ITEM NAME : O-RING	2
4365	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	4
4366	TEE SUS 304,BW,SEAM,SCH 40,6"	DESCRIPTION : TEE	1
4367	DIODE DSI75-12B U1150/14,EV003213,ERSKINE,DC CHARGER	DESCRIPTION : DIODE DSI75-12B U1150/14	4
4368	COIL SPRING,MAT'L: SUS316,POS.NO.7 (P1503)	ITEM NAME : COIL SPRING	48
4369	SEAL RING,P/N: 15526-1,POS.NO.9 (G360 A/B)	ITEM NAME : SEAL RING	4
4370	ISOLATED ANALOG INPUT,FSCL6897X1-A1(DCS)	MATERIAL DESCRIPTION : ISOLATED ANALOG INPUT (16) -, TERMIN	1
4371	FAN BEARING,SIZE: NO.1055-50G (P1401)	ITEM NAME : FAN BEARING	2

4372	PROBE LEAD (10FT/3M),R/N:13-02-05,JOY	DESCRIPTION : PROBE LEAD,	1
4373	Bottom Ring ARCA (PV-1106)	Description : Bottom Ring	1
4374	PULLEY MOTOR SIDE WITH TAPER BUSHING,PHP 6- 5V975TB/PHF TB3535x85	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	1
4375	O-RING FOR MECHANICAL SEAL,MATERIAL VITON,SIZE ID.60 * 3.5 MM THK,I/N E	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
4376	SPRING,P/N 5.20006.0080.1.0	DESCRIPTION : SPRING,	15
4377	METERING TUBE,12-120 NM3/H,TOKYO	DESCRIPTION : METERING TUBE,	6
4378	CAST IRON PILLOW BLOCK UNIT NO.UCPX10D1 "NSK" (P1410)	ITEM NAME : CAST IRON PILLOW BLOCK UNIT NO.UCPX10D1	4
4379	GASKET(P6),321/321 PTFE/NIL,ID.415x455x489xTHK.4.5 MM. (D2405)	ITEM NAME : GASKET (P6)	3
4380	RUBBER FLEXIBLE COUPLING "FLENDER" MODEL: BWN-112 (F2408)	ITEM NAME : RUBBER FLEXIBLE COUPLING	2
4381	MODULE CAP B,POS.NO.10 (0450612),PVC,6B (MODULE CAP B MF4501A/B)	ITEM NAME : MODULE CAP B I/N.7(0450612)	2
4382	THUST BEARING HOUSING, LP SHAFT	DESCRIPTION : THUST BEARING,	1
4383	WELDING TIG,AI-SI ALLOYS/W-AI,2.4*1000MM	DESCRIPTION : WELDING TIG ROD	5
4384	SHIM,SUS304,ID.515 MM.xOD.560 MM.xTHK.0.2 MM. (P1301C)	ITEM NAME : SHIM	2
4385	BEARING NO.6312-2RSR/C3 (MG3215A/B,T3308A/B,MG3206A/B)	ITEM NAME : BEARING NO.6312-2RSR/C3	5
4386	GASKET,304/304 GRAP/SUS304,150#, 20" (C2401)	ITEM NAME : GASKET	5
4387	BEARING,NO.6221ZZ /2A (S) "NTN",I/N 33	DESCRIPTION : BEARING	3
4388	GASKET,PTFE,ID.298xOD.660xTHK.3 MM. (E1614)	TEM NAME : GASKET	2
4389	HEXAGON BAR,SUS 304,1"*6 M	DESCRIPTION : HEXAGON BAR	1
4390	TAPERED ROLLER BEARING 32314 AIBE (T1402B)	ITEM NAME : TAPERED ROLLER BEARING 32314 AIBE	2
4391	WELD NECK FLANGE,RF,SUS304,150#,4"	DESCRIPTION : WELD NECK FLANGE	3
4392	WELD NECK FLANGE,RF 125-250 RA-FN ANSI B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	1
4393	GATE VALVE,SW,SUS304,800#,1/2"	DESCRIPTION : GATE VALVE	1
4394	O-RING FOR MECHANICAL SEAL,TTE,DIA.37.7xTHK.3.53 MM. (G1202)	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
4395	ANGLE BAR,HOT DIP GALVANIZE,25x25xTHK.3 MM.xL.6 M.	DESCRIPTION : ANGLE BAR	6
4396	COVER SEAL,SIZE:358x 3X1820,P/N:400006191,I/N:43	DESCRIPTION : COVER SEAL	1
4397	PROXIMITY SW,NJ4-12GK-N,P/N06409,P&F	DESCRIPTION : PROXIMITY SWITCH,	2
4398	CHAIN COUPLING (T3304A/B/C)	ITEM NAME : CHAIN COUPLING	2
4399	INPUT CARD,TYPE E-22N (PLC KOYO)	MATERIAL DESCRIPTION : INPUT CARD,	1
4400	PULLEY MOTOR SIDE WITH TAPER BUSHING,TYPE: PHP 3- 5V975TB/PHF	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	1
4401	O-RING,VITON,ID.94.5 MM.xTHK.3 MM.,P/N: 520615- 71,POS.NO.32 (G1507)	ITEM NAME : O-RING	4
4402	Gland Packing, FV-1201	Description : Gland Packing	1
4403	GASKET PTFE TYPE: A,PTFE,SIZE: ID.398xOD.440x5 MM.THK (E1617)	ITEM NAME : GASKET PTFE TYPE: A	2
4404	PROTECTION BELLOWS,O/N:0142069,P/N:48	DESCRIPTION : PROTECTION BELLOWS,O/N:0142069,	3
4405	MECHANICAL SEAL SIZE: 28 MM.,TYPE: 43 "EAGLE"(G3203A/B)	ITEM NAME : MACHANICAL SEAL SIZE: 28 MM.	2
4406	O-RING SIZE: 3.125",PTE45EF/VTH,DURAFLON (G2805)	DESCRIPTION : O-RING	4
4407	GASKET,MAT'L: 316L/PTFE/NIL,SIZE: 479*509*535*4.5 MM.THK (E1606)	ITEM NAME : GASKET	2
4408	GASKET,316/GRAP/316,171*182*195*247*4.5	DESCRIPTION : GASKET	3
4409	SPROCKET MOTOR SIDE (T1443A/B/C)	ITEM NAME : SPROCKET MOTOR SIDE	1
4410	FTA I/O CABLE, 5 M, MU-KFTA05, HONEYWELL DCS	DESCRIPTION : FTA I/O CABLE, 5 M, MU-KFTA05, HONEYWELL DCS	1
4411	BEARING.NO.HM218248/W/2/218210/2A/Q "SKF"	Description : BEARING	3
4412	OMRON, I/O TERMINAL, XW2R-E34GD-C1, RO PLC	DESCRIPTION : OMRON, I/O TERMINAL XW2R-E34GD-C1	2
4413	SPROCKET RS100,SS.400,25 TEETH,BORE: 60 MM. (T2902A/B)	ITEM NAME : SPROCKET RS100	2

4414	SCREW,HEX SOC.CAP,SNCM,3/8"-16UNCx32 MM.,P/N: 1BGA72A,POS.NO.5	ITEM NAME : SCREW,HEX SOC CAP	7
4415	SLEEVE BEARING NO.H 319 "SKF" (T2101A/B)	ITEM NAME : SLEEVE BEARING NO.H-319	4
4416	LOCK NUTS,SUS316,M16,P/N: 13 (F1441A/B/C)	ITEM NAME : LOCK NUTS	4
4417	DEEP GROOVE BALL BEARING NO.6413C3 (P1101 TUNTHAI MOP.)	ITEM NAME : DEEP GROOVE BALL BEARING NO.6413C3	2
4418	GASKET(TYPE: A),304/304 PTFE/NIL,699x719x759xTHK.4.5 MM. (E2401)	ITEM NAME : GASKET(TYPE: A)	2
4419	THREADED HEX HEAD PLUG,CARBON STEEL,1-1/2" NPT. PITCH 11-1/2G (F2201)	ITEM NAME : THREADED HEX HEAD PLUG	23
4420	MAGNETIC CONTACTOR S-K95,COIL 380 VAC,(MP-1403)	DESCRIPTION : MAGNETIC CONTACTOR S-K95,COIL 380 VAC	2
4421	MITSUBISHI NO-FUSE BREAKER,40 AMP,3P,690 VAC,50 HZ,NF125-HGV (MG-	DESCRIPTION : MITSUBISHI NO-FUSE BREAKER	1
4422	BUSHING 35K 6-8 LOWER GUIDE, MASONELIAN, P/N 035006164-220-0000, TAG :	DESCRIPTION : BUSHING 35K 6-8 LOWER GUIDE	1
4423	BEARING NO.22218 (LH-22218BD1) "NTN",I/N 25	DESCRIPTION : BEARING	3
4424	TEE RED ,SUS 304,BW,S,SCH 40 4"*2"	DESCRIPTION : TEE REDUCE,	2
4425	GASKET,316/316,GRAP/316,171*182*209*218	DESCRIPTION : GASKET,	5
4426	GASKET,316L/316L GRAP/CS,SIZE: 150#,20" (D1601)	ITEM NAME : GASKET	4
4427	(NOT USE) LAP JOINT FLANGE,A105,CS,FF,150#,8"	DESCRIPTION : LAP JOINT FLANGE	6
4428	BEARING NO.3306 ATN9/C3 "SKF" (G1701,G1802,G4002A/B)	ITEM NAME : BEARING NO.3306 ATN9/C3	5
4429	Wire wound resistor GWS25SS for Exiter, SIEMENS, (MP-1101,TUNTHAI)	Description : Wire wound resistor GWS25SS for Exiter	3
4430	WELDING ELECTRODE,E308L-16 ,3.2*350 MM.	DESCRIPTION : WELDING ELECTRODE	15
4431	TEE REDUCER,CL3000 SW SS ASTM A182 GR.F316L ANSI- B16.11,3/4"x1/2"	3/4" x 1/2" reducing Tee CL3000 SW SS ASTM A182 GR.F316L ANSI-B16.11	6
4432	COVER SIGHT PVC,FOR ROTA FLOW R-101	COVER SIGHT PVC	2
4433	GASKET,PTFE ENVELOPE 16" JIS 5K	Description : GASKET,PTFE ENVELOPE 16" JIS 5K	2
4434	SPACER SLEEVE,P/N: 525.02 (G3261XA,XB,XC)	ITEM NAME : SPACER SLEEVE	1
4435	O-RING FOR MECHANICAL SEAL,M7N/65 VBPGG,TTE,ID.64.7xTHK.5.33 MM.,POS.	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
4436	GLAND PACKING,#C1050,SIZE: 1/4"	DESCRIPTION : GLAND PACKING	3
4437	RING SCRAPER SPEC.S-065-BT,P/N: 86013,POS.NO.35 (G3601A/B)	ITEM NAME : RING SCRAPER SPEC.S-065-BT	2
4438	FLAT SEALING PE-7 MFA , Pos 5.30 (2 pcs per valve)	Description : FLAT SEALING PE-7 MFA	5
4439	GASKET GEAR BOX,NBR,P/N: 4-GK01UT03,POS.NO.P2-81 (G2202)	ITEM NAME : GASKET GEAR BOX	2
4440	BEARING,NO.3307 A-2ZTN9 "SKF"	DESCRIPTION : BEARING	4
4441	SUPPORT,VITON,P/N: 307656500,POS.NO.74 (F2408)	SUPPORT,DWG NO.950001388,PART LIST NO.74,P/N 307656500,MATERIAL VITON,SIZE 92*1	4
4442	SUPPORT RING-DETAIL "Z",2230944	DESCRIPTION :	1
4443	GLAND PACKING,PURE PTFE, 69 * 50 * 10 MM	DESCRIPTION : GLAND PACKING, RING	5
4444	BLIND FLANGE,6 INCH,150#,SS,ASTM A182 GR.F304L,RF,125-250 RA-FN,ANSI	DESCRIPTION : BLIND FLANGE	2
4445	NYLON PLUG PAD,NEOPRENE,P/N: P-X2681-1,POS.NO.6-2 (P2409)	ITEM NAME : NYLON PLUG PAD	56
4446	DUST CAP,PP,POLYPROPYLENE&NYLON,2-1/2" (USE FOR LOADING STATION)	ITEM NAME : DUST CAP	4
4447	IGNITION ELETRODE (BIO GAS), (1 SET = 2 PC)	#N/A	4
4448	O-RING PACKING,PTFE,P/N: 14-063TA,POS.NO.936A (G2201A-E)	ITEM NAME : O-RING PACKING	2
4449	SLIP ON FLANGE,SUS 304, RF., PN16. 3"	Description : SLIP ON FLANGE,SUS 304, RF., PN16. 3"	2
4450	CONCENTRIC RED.,SUS 304,BW,SCH 10,10"*4"	DESCRIPTION : CONCENTRIC REDUCER,	1
4451	AUTO SLACK ADJUSTMENT,P/N:093-2161-002	DESCRIPTION : AUTO SLACK ADJUSTMENT,	1
4452	FRONT SEAL+ROTATION RING,KB75052EAH "HUOBAO" (G4704A/B)	ITEM NAME : FRONT SEAL+ROTATION RING	1
4453	BOLT WITH NUT,SUS304,M24x120 MM.,POS.NO.92 (P2406)	ITEM NAME : BOLT WITH NUT	27
4454	V-BELT NO.SPZ 3000 (6 PCS/SET) FOR P2K PUMP (G3601C)	ITEM NAME : V-BELT NO.SPZ 3000	12
4455	O-RING,VITON,DIA.139xTHK.3 MM.,P/N: 20053228 (RV1402E)	ITEM NAME : O-RING	4

4456	FILTER CARTRIDGE FOR WATER PURIFIER, USE "MAZUMA" M1F-3 FOR HATCH	DESCRIPTION : FILTER CARTRIDGE FOR WATER PURIFIER, USE "MAZUMA" M1F-3 FOR HA	12
4457	HUB CAP,MODEL 342-4009,TYPE GREASE "STEMCO",P/N 022-0110-T	DESCRIPTION : HUB CAP	6
4458	PULLEY MOTOR SIDE,CAST IRON,DIA.260 MM.x5V-5- 3535,SHAFT ID.75 M6	Description : PULLEY MOTOR SIDE	1
4459	BEARING UNIT NO.UCF 217 "NTN" (T1441A/B/C)	ITEM NAME : BEARING UNIT NO.UCF 217	4
4460	COIL SOLENOID VALVE,CLASS:F,10W,110V,1/4	DESCRIPTION : COIL SOLENOID VALVE,	1
4461	SHAFT SEAL RING,1.4571,P/N: SE04_DIN3760_160x190x15A_00301BA0,POS.NO.	ITEM NAME : SHAFT SEAL RING	4
4462	SPEED CONTROLLER,0.5-9.9 KG/CM2,RFU3/8	DESCRIPTION :	1
4463	PULLEY WITH TAPER BUSH FOR AGITATOR,SIZE: PHP 3- 5V750 OD.225,TB/PHF	ITEM NAME : PULLEY WITH TAPER BUSH FOR AGITATOR	1
4464	V-RING(VS90),P/N: 411.01 (G3261XA,XB,XC)	ITEM NAME : V-RING(VS90)	2
4465	O-RING,P/N: 412.03 (G3261XA,XB,XC)	ITEM NAME : O-RING	2
4466	BEARING NO.3310 "SKF" (G2401)	ITEM NAME : BEARING NO.3310	2
4467	FUSE POWER,JB-3/100,3.6KV,100A,40KA,FUJI	DESCRIPTION : FUSE POWER,	3
4468	GLASS VESSEL ASSEMBLED,4.010.77.09,STIP	DESCRIPTION : GLASS VESSEL ASSEMBLED,	1
4469	EX FIXTURE HANGER,3-HUBS 3/4",EBHT22,ALLOY,(ISBL)	Description : EX FIXTURE HANGER	8
4470	DIFFUSER PLATE,MATERIAL SUS 316L,P/N 3- CV01UT01C,I/N P2-31	DESCRIPTION : DIFFUSER PLATE	1
4471	O-RING, AS568#11 (ID : 7.65 M.M.) FOR VALVE, MASONEILAN, P/N 200802411-	DESCRIPTION : O-RING KIT, AS568#11 (2 EA / 1 SET)	3
4472	RECTIFIER CARD,PL/3013/17MMT,J3162L,ERSK	RECTIFIER CARD SUPPERESSION BOARD,	1
4473	COIL SPRING,SUS316,POS.NO.8 (P2403)	ITEM NAME : COIL SPRING	24
4474	GASKET,316L/316L FILLER PTFE/NIL,SIZE: 523x553x579xTHK.4.5 MM. (E1501)	ITEM NAME : GASKET	3
4475	PLATE SEAL,MATERIAL S45C	DESCRIPTION : PLATE SEAL	1
4476	BEARING,NO.6221 NR "NTN",POS.NO.7 (P1504)	ITEM NAME : BEARING NO.6221 NR	2
4477	SPOCKET RS100,SS400,29 TEETH,BORE DIA.75 MM. (T2102A/B)	ITEM NAME : SPOCKET RS100	2
4478	TEE RED.,SUS 316L,SW,3000#,1-1/2"*1"	DESCRIPTION : TEE REDUCE,	3
4479	TEMP.GAUGE,0-500*C,100 MM,1/2" (TI-5101)	MATERIAL DESCRIPTION : TEMPARATURE GAUGE,	1
4480	SEAL RING,PRESSURE,P/N:10002158,0046	DESCRIPTION : SEAL RING PRESSURE COM,	4
4481	PRESS GAUGE,76 CMHG-2 KG/CM2,1/2"PF	DESCRIPTION : PRESSURE GAUGE, DIAL	3
4482	GASKET "WIR",SS316L/PTFE/SS316L/IR,SIZE: 501x533x594x4.5/3.2 MM. (D2401A)	ITEM NAME : GASKET "WIR"	1
4483	Pin for motor, AUMA, AC01.2, IDF, FDF	Description : Pin for motor, AUMA, AC01.2	12
4484	Socket for motor, AUMA, AC01.2, IDF, FDF	Description : Socket for motor, AUMA, AC01.2	12
4485	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*150 MM.	DESCRIPTION : STUD BOLT & NUT	16
4486	WELD NECK FLANGE,FORGED,RF 125-250 ANSI-B16.5,S- 40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	6
4487	MECHANICAL SEAL SIZE: 16 MM.,TYPE: 20/R,8/S18,CARBON&CERAMIC	ITEM NAME : MECHANICAL SEAL SIZE: 16 MM.	2
4488	TAPER-CHAIN WHEEL 20B-2/3030,BORE: 70 H7 (RV1402E)	ITEM NAME : TAPER-CHAIN WHEEL 20B-2/3030	1
4489	BEARING NO.6313 "SKF" (G3522,G2405,G2407)	ITEM NAME : BEARING NO.6313	4
4490	Gasket Repair Kit, FV-1306	Description : Gasket Repair Kit	1
4491	O-RING,PTFE,ID.15.3xTHK.2.4 MM.,P/N: 520582- 71,POS.NO.47 (G1404,G1502,	DESCRIPTION : O-RING	6
4492	O-RING MANIFOLD (BUNA-N STANDARD),P/N: 0391-00- 360-T,POS.NO.3 (P1301B)	ITEM NAME : O-RING MANIFOLD (BUNA-N STANDARD)	4
4493	PACKING SHEET,MATERIAL V#1500,P/N 701	DESCRIPTION : PACKING SHEET	2
4494	ROLLER BEARING NO.23022 CC/W33 "SKF" (E1507)	ITEM NAME : ROLLER BEARING NO.23022 CC/W33	1
4495	GASKET,321/321 GRAP/NIL,ASME B16.5 900#, 8" INNER: 203.2x238.1x269.9 MM.	DESCRIPTION : GASKET	5
4496	GASKET,321/321 GRAP/304,900#,8"	DESCRIPTION : GASKET,	3
4497	(NOT USE) GASKET (B-TOP),NIL/TITANIUM FILLER PTFE/NIL,SIZE 532*582*4.5	DESCRIPTION : GASKET (B-TOP)	1

4498	COIL SPRING,SUS316,POS.NO.7 (P1202B)	ITEM NAME : COIL SPRING	40
4499	LOCKING RING,MAT NO.20072377,POS.0004	DESCRIPTION : LOCKING RING	2
4500	DISC,P/N016302-263,BS970-316S11ST	DESCRIPTION : DISC,	1
4501	COIL SOLENOID VALVE 1-1/4",24VDC,CKD	DESCRIPTION : COIL SOLENOID VALVE,	2
4502	BEARING NO.22314EAD1(22314B),POS.NO.30 "NTN" (P1401)	ITEM NAME : 22314EAD1(22314B)	2
4503	O-RING F.CARBON RING SEAL STAGE.2,X60162327,P/N: TO 8 (P1101)	DESCRIPTION : O-RING F.CARBON RING SEAL,	1
4504	SLIP ON FLANGE,RF,SUS304,150#, 2-1/2"	Description : Slip on flange	4
4505	STUB END,TI,SMLS,BW,S-10S,3/4"	DESCRIPTION : STUB END, SMLS,BW,S-10S,	14
4506	CASING COLLER,MODEL 3171,P/N B00590B01	DESCRIPTION : CASE COOLER	2
4507	KIT,FILTER FID MAXUM II,P/N:2020388-701	KIT FILTER FID MAXUM II,	1
4508	DOUBLE DIAPHRAGM(2 PCS/SET),TEFLON,OD.85 MM.xTHK.5 MM.HOLE,P/N: 286-	MATERIAL DESCRIPTION : DOUBLE DIAPHRAGM,	1
4509	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"*75 MM.	DESCRIPTION : STUD BOLT & NUTS	50
4510	ELBOW 90,SW,SUS316L,3000#,1"	DESCRIPTION : ELBOW 90	10
4511	HOSE HYDRAULIC, SAE R2AT, 38/", TAG : PV-1101	DESCRIPTION : HOSE HYDRAULIC	3
4512	BEARING ,SIZE:NO.32316A,BRAND:FAG	DESCRIPTION : BEARING,	2
4513	GASKET VICTAULIC FLANGE 3rd STAGE,SIZE: 4",P/N: P1404961-00396	ITEM NAME : GASKET VICTAULIC FLANGE 3rd STAGE	1
4514	GASKET ADAPTOR,2655,P/N: 4-GK01UT04,POS.NO.P2-80 (G2202)	ITEM NAME : GASKET ADAPTOR	3
4515	SEAT RING GASKET,I/N:180/189,2230489	DESCRIPTION : SEAT RING GASKETS,	1
4516	O-RING,FKM,DIA.354.97xTHK.5.33 MM.,POS.NO.19 (P1301C)	ITEM NAME : O-RING	1
4517	DISC,P/N 007448-263,BS 970-316S11 ST	DESCRIPTION : DISC,	2
4518	LABYRINTH DISC AT BEARING NDS,POS.NO.3711.1 (G2502A/B)	ITEM NAME : LABYRINTH DISC AT BEARING NDS	1
4519	RTD DOUBLE ELEMENT,SS316, 315 * OD 6 MM	DESCRIPTION : RTD PT100 DUAL ELEMENT,	1
4520	O-RING FOR RADIAL LAB'Y SEAL(ROTATE),VITON,POS.NO.497H (G1403C/D,	ITEM NAME : O-RING FOR RADIAL LAB'Y SEAL(ROTATE)	2
4521	GASKET FOR DOUBLE OIL COOLER,NON ASBESTOS SIL C4400,OD.540xID.	ITEM NAME : GASKET FOR DOUBLE OIL COOLER	6
4522	O-RING,NBR,P/N: 115-01 (G3260G/H/I/J)	ITEM NAME : O-RING	4
4523	O-RING,VITON/TEFLON,SIZE: ID.125xTHK.3.5 MM. (G1607)	ITEM NAME : O-RING	2
4524	SEAL COVER,KB75052EAH "KUOBAO" (G4704A/B)	ITEM NAME : SEAL COVER	1
4525	O-RING FOR MECHANICAL SEAL,TTE,ID.48.8 MM.xTHK 4 MM.,P/N: 412.1,POS.NO.	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
4526	GASKET,SPIRAL WOUND,NICHIAS TOMBOT,T1806-GR-TOO (TI),ID 123.3 x OD	DESCRIPTION : GASKET,SPIRAL WOUND	4
4527	WEAR RING,P/N 502.01 (SUBMERSIBLE PUMP)	MATERIAL DESCRIPTION : WEAR RING, ,	2
4528	WHEEL STUD,MODEL CHPT-3360 4-V/35,TYPE VF "L","YORK"	DESCRIPTION : WHEEL STUD	20
4529	CAM SWITCH,UCS QU-449-F2BC4003,600V,10A	MATERIAL DESCRIPTION : CAM SWITCH,	2
4530	AIR TIMER END BASE PLATE,81552101,CROUZE	DESCRIPTION : AIR TIMER	1
4531	SPOOL COMPLETED WITH O-RING,P/N 775-014-000,I/N 7-D	DESCRIPTION : SPOOL COMPLETED WITH O-RING	4
4532	ELBOW 90, 3", LONG RADIUS, STAINLESS STEEL, ASTM A403 WP304L, THICK	DESCRIPTION : ELBOW 90	3
4533	O-RING FOR MECHANICAL SEAL,PTFE,P/N: 6666533T (E1507)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
4534	WELDING TIG,HAST. 410,1.6*1000 MM,WEL	DESCRIPTION : WELDING TIG ROD,	5
4535	BOTTOM RING-POS 154,2257622, PV-1106C	DESCRIPTION : BOTTOM RING-POS 154,	1
4536	BEARING NO.6213 ZNR "SKF" (RV-2402)	Description : BEARING NO.6213 ZNR	5
4537	O-RING,NBR,DIA.230 MM.,POS.NO.38 (P1301)	ITEM NAME : O-RING	1
4538	O-RING,NBR,DIA.240 MM.,POS.NO.40 (P1301)	ITEM NAME : O-RING	1
4539	BUTTERFLY VALVE WAFER TYPE,FLANGED ANSI B16.5,CARBON STEEL/ASTM	DESCRIPTION : BUTTERFLY VALVE WAFER TYPE	1

4540	ADJUSTING SCREW,P/N006849-272	DESCRIPTION : ADJUSTING SCREW,	1
4541	GASKET,SWG "NWIR" (TYPE- A),SS304/GRAP,SS304/IR,SS304/N,	ITEM NAME : GASKET	4
4542	RUBBER COUPLING SW 276 "RATHI" (G2503A/B)	ITEM NAME : RUBBER COUPLING	4
4543	O-RING MECHANICAL SEAL,TYPE 9TQF(31)10(58)1,SIZE 1.875 "JOHNCRANE"	DESCRIPTION : O-RING	2
4544	BEARING,NO.UC 310 NA "NSK",I/N 12	DESCRIPTION : BEARING	4
4545	O-RING,HJ977GN/75- 00,Q1Q1M2GG,TTE,ID.87.6xTHK.5.33 MM. "BURGMANN"	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
4546	LOCK WASHER #AL52,SS400,POS.NO.48 (P1301C)	ITEM NAME : LOCK WASHER #AL52	1
4547	GASKET,NIL/316 FILLER PTFE/CS,699x729x759xTHK.4.5 MM. (E2502B,J1101B)	ITEM NAME : GASKET	3
4548	SPHERICAL ROLLER BEARING NO.22220 EM/C3 "SKF" (T1402B)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22220 EM/C3	1
4549	BOLT HEX HEAD WITH NUT,SUS304,M20x70 MM.,P/N: 50 (P2401,P2405)	ITEM NAME : BOLT HEX HEAD WITH NUT	48
4550	SOX SPIDER COUPLING FOR PUMP,P/N: L90-95 (P3861A/B)	ITEM NAME : SOX SPIDER COUPLING FOR PUMP	3
4551	TEMP GAUGE,0-120 C,150 * 6 MM	DESCRIPTION : TEMP GAUGE	2
4552	SPROCKET,B-TYPE/STOCK BORE,SS400,SIZE: JIS140x24 TEETH (T1403)	ITEM NAME : SPROCKET	1
4553	O-RING,FKM,P/N: G315,POS.NO.28 (P1301C)	ITEM NAME : O-RING	1
4554	THERMOCOUPLE W/THERMOWELL,2500*1200*16	MATERIAL DESCRIPTION : THERMO COUPLE C/W THERMOWELL,	2
4555	FLEXIBLE HOSE C/W FLANGE,SUS304,6"xL.1000 MM. (B1402)	DESCRIPTION : FLEXIBLE HOSE C/W FLANGE	1
4556	WELDING TIG,ER 2209 22.8.3.L,2.4 MM.x1000 MM., SANDVIK	DESCRIPTION : WELDING TIG ROD	5
4557	PACKING RING,MAKRO TZ HK15-30 (G2402A/B)	ITEM NAME : PACKING RING	2
4558	SPIDER COUPLING,LOVEJOY SW-190 (G1602,G2502)	ITEM NAME : SPIDER COUPLING,LOVEJOY SW-190	2
4559	(NOT USE) V-BELT,NO.R100/71092000 "NORD",P/N 508	DESCRIPTION : V-BELT (NOT USE)	2
4560	SPROCKET RS100,SS400,19 TEETH,BORE DIA.50 MM.,KEY STANDARD (T2102A)	ITEM NAME : SPROCKET RS100	2
4561	TERMINAL BOARD(MOISTURE ANALYZER),E&H	DESCRIPTION : TERMINAL BOARD,	1
4562	KEYBOARD(101 KEY) 6160-KRD1B,ALLEN-BRAD	DESCRIPTION : KEYBOARD,	1
4563	GASKET(BONNET),316L/316L PTFE/CS,1500x1515x1555x1591xTHK.3 MM.	ITEM NAME : GASKET BONNET	1
4564	SIMATIC S7-300, Front connector with screw contacts, 40-pole (Tunthai Excitation	Description : SIMATIC S7-300, Front connector with screw contacts, 40-pole (Tunthai Excitation	1
4565	IMATIC S7-300, Front connector for signal modules with screw contacts, 20-pole	Description : IMATIC S7-300, Front connector for signal modules with screw contacts, 20-pole (Tu	1
4566	Signal converter 24-240 V AC/DC, Input: 0-10 V, 0/4-20 mA Output: 0-10 V, 0/4-20 mA	Description : Signal converter 24-240 V AC/DC, Input: 0-10 V, 0/4-20 mA Output: 0-10 V, 0/4-20 m	1
4567	System Lamp LED 24V (DC) (Tunthai Excitation Panel), D32-H20,-H21	Description : System Lamp LED 24V (DC) (Tunthai Excitation Panel), D32-H20,-H21	1
4568	LED LAMP, YELLOW, 24VAC/DC, E12, IDEC,(ISBL,WTU)	DESCRIPTION : LED LAMP	35
4569	V-BELT,NO.D-185 "BANDO" (COAL CRUSHER)	MATERIAL DESCRIPTION : V-BELT, NO. : D-185,	6
4570	B.TYPE SINGLE ROW SPROCKET RS120,TYPE: B,16 TEETH,MAT'L: CS (BC1,BC2)	ITEM NAME : B.TYPE SINGLE ROW SPROCKET RS120	2
4571	TEE,SW,SUS316L,ANSI,3000#,1/2"	DESCRIPTION : TEE	8
4572	SEAT RING,P/N 0351/501/138 FOR BP SEAT "JOHN CRANE"	DESCRIPTION : SEAT RING,	4
4573	BEARING NO.30314D ,POS.NO.21/1 "NTN" (P1503)	ITEM NAME : BEARING NO.30314D	2
4574	ROCKER ARM W/ROLLER,P/N 453-004-543	DESCRIPTION : ROCKER ARM,	5
4575	COLLAR SLEEVE F.INLET GUIDE FOR IGV STAGE.1,X52034441,P/N: 21#41	ITEM NAME : COLLAR SLEEVE F.INLET GUIDE FOR IGV STAGE.1	2
4576	O-RING,FLUORINE RUBBER,DIA.110xTHK.5.3 MM. (T1441A/B/C)	ITEM NAME : O-RING	4
4577	U-BOLT & NUT,GALVANIZE,BSW,20"	DESCRIPTION : U-BOLT & NUT,	11
4578	GASKET,MP4430 NON ASBESTOS,W.554xL.1225xTHK.2 MM. (E2412A/B/C)	ITEM NAME : GASKET	3
4579	PULLEY GEAR & MOTOR SIDE,DIA.200x3V-3-2012,SHAFT ID.42 & 45 MM.WITH	Description : PULLEY GEAR & MOTOR SIDE	2
4580	O-RING,PTFE,ID.129.5xTHK.3 MM.,P/N: 520623- 71,POS.NO.32 (G1403)	ITEM NAME : O-RING	8
4581	OIL SEAL,TC,VITON,ID.130xOD.160xTHK.15 MM. (T1402B)	ITEM NAME : OIL SEAL	4

4582	O-RING,KALREZ 4079(K1) AS229,2.359"x1/8" (59.92x3.53 MM.) (G1505C)	ITEM NAME : O-RING	1
4583	ELBOW 90,SUS304,SW,3000#,3/4"	DESCRIPTION : ELBOW 90	12
4584	GLAND GASKET,P/N: 2584B (G1506)	DESCRIPTION : GLAND GASKET	5
4585	O-RING REPAIR KIT,P-2000,P/N: RKORP2000UC (G1302C/D)	ITEM NAME : O-RING REPAIR KIT	2
4586	PRESS GAUGE,GLYCERINE,0-160KG/CM2,1/2NPT	PRESSURE GAUGE, FILL GLYCERINE, SAFETY GLASS	2
4587	FULL COUPLING,SW,SUS316L,3000#,3/4"	DESCRIPTION : FULL COUPLING,	20
4588	STATIONNARY SEAL RING GASKET,FLOOROELAST,P/N: 6666601V,POS.NO.10	ITEM NAME : STATIONNARY SEAL RING GASKET	2
4589	V-BELT NO.SPB1670,FAN #541/404 (GENERATOR GEN#2)	ITEM NAME : V-BELT NO.SPB1670,FAN #541/404	4
4590	BOTTOM TRAY CLAMPS "Y",AISI 316SL,THK.2 MM.,P/N: 902 363G 04,POS.NO.5	ITEM NAME : BOTTOM TRAY CLAMPS "Y"	268
4591	BEARING NO.6311 "SKF" (G2406,P3528)	ITEM NAME : BEARING NO.6311	6
4592	RING RIDER,P/N: 15519-1,POS.NO.5 (G3601A/B)	ITEM NAME : RING RIDER	4
4593	(NOT USE) PULLEY GEAR SIDE WITH TAPER BUSH,FC 200,DIA.260 MM.xPHP 5-	ITEM NAME : PULLEY GEAR SIDE WITH TAPER BUSH	1
4594	O-RING,EPDM,ID.114.3xTHK.3 MM. (P3551)	ITEM NAME : O-RING	10
4595	RUBBER COUPLING NO.NME 82 "NORMEX" (G3535,G3549)	ITEM NAME : CONNECTION RUBBER COUPLING NO.NME 82	6
4596	GASKET,TI/TI PTFE/SUS304,SIZE: 65x75x95x110*4.5 MM.THK (R1301 ANGLE	ITEM NAME : GASKET	3
4597	GASKET,TI/TI PTFE/SUS304,SIZE: 65x75x95x110x4.5 MM.THK (R1301A/B ANGLE	ITEM NAME : GASKET	3
4598	OIL PUMP,GEAR TYPE: VERTICAL,P/N: 890-85 AR819LG (P2503)	ITEM NAME : OIL PUMP	1
4599	GROOVE RING,U-CUP,NBR,256*300.5*20.5 MM	DESCRIPTION : GROOVE RING, U-CUP SEAL,	1
4600	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"*95 MM.	DESCRIPTION : STUD BOLT & NUTS	38
4601	STUD BOLT & NUTS,UNC,B8 CLASS 2,1/2"*80 MM.	DESCRIPTION : STUD BOLT & NUTS	84
4602	DURAFLEX RING,TYPE ROTT-EU5EFTT,SIZE 1.875 "DURA SEAL"	DESCRIPTION : DURAFLEX RING	3
4603	GASKET,TI/TI PTFE/304,300#,1"	DESCRIPTION : GASKET	13
4604	OIL SEAL BELLOWS,P/N: 60048,POS.NO.70 (G1707A/B)	ITEM NAME : OIL SEAL BELLOWS	3
4605	FLEXIBLE HOSE UNION(SOCKET WELD) NPT.THREAD,SUS304(WIRE BRAID	ITEM NAME : FLEXIBLE HOSE UNION (SOCKET WELD)	2
4606	BOLT WITH NUT FOR CHAIN COVER,M10x30 MM. (T2101)	DESCRIPTION : BOLT WITH NUT FOR CHAIN COVER	4
4607	DEEP GROOVE BALL BEARING NO.6014-Z (T3307)	ITEM NAME : DEEP GROOVE BALL BEARING NO.6014-Z	4
4608	RUBBER SEAL COUPLING NO.H160 (7 PCS/SET) "FLENDER N-EUPEX" (G1403,	ITEM NAME : RUBBER SEAL COUPLING NO.H160	3
4609	THRUST WASHER,SOLIDUR-CP,DIA.85x65xTHK.10 MM.,POS.NO.37 (F1441A/B/C)	ITEM NAME : THRUST WASHER	8
4610	SUSPENSION RING,G06-014.0-3.0-V (CEMS)	MATERIAL DESCRIPTION : SUSPENSION RING,	8
4611	O-RING UNDER SHAFT SLEEVE,EPDM,ID.149xTHK.3.5 MM.,P/N: 111.04 (T1442B,	ITEM NAME : O-RING UNDER SHAFT SLEEVE	4
4612	SEAM STAINLESS FOR BELT PRESS,SIZE: 205 CM. (F3544A/B/C)	ITEM NAME : SEAM STAINLESS FOR BELT PRESS	4
4613	BOX SEAL WALLET "PAC",P/N PR6006G186	DESCRIPTION : BOX SEAL WALLET	2
4614	SHAFT SEAL RING(OIL SEAL),ESD34GD160C23A5,10028821,POS.NO.107E	ITEM NAME : SHAFT SEAL RING (OIL SEAL)	2
4615	GASKET CASING,NIL/TI PTFE/NIL,496x528xTHK.4.5 MM. (G1205A/B)	ITEM NAME : GASKET CASING	1
4616	BEARING NO 22310E/C3,POS.NO.33 "SKF" (P1403)	ITEM NAME : BEARING 22310E/C3 "SKF" (SAME 22310B.C3 NTN)	2
4617	GASKET,SPIRAL WOUND,NICHIAS TOMBOT,T9090-TOO (TI),ID 67.3 x OD 85 x 4.5	DESCRIPTION : GASKET,SPIRAL WOUND	6
4618	O-RING, MASONELIAN, P/N 971886023-697-0000, TAG : FV-1102	DESCRIPTION : O-RING	2
4619	AIR TIMER SUB BASE PLATE,81551101,CROUZE	DESCRIPTION : SUB BASE PLATE AIR TIMER	2
4620	GASKET,NIL/TI FILLER GRAP/NIL,ID.470xOD.520xTHK.4.5 MM. (E1507A)	ITEM NAME : GASKET	1
4621	RS-232 OPTICAL ISOLATOR, YP-2601A/B	DESCRIPTION : RS-232 OPTICAL ISOLATOR USING FOR BAGGING WEIGHT SCALE WORK S	5
4622	MECHANICAL SEAL,TYPE N-P02-A-ZP-0140+SEAT SS "AES SEAL"	DESCRIPTION : MECHANICAL SEAL	2
4623	FLEXIBLE HOSE UNION(SOCKET WELD) NPT.THREAD,SUS304(WIRE BRAID	ITEM NAME : FLEXIBLE HOSE UNION (SOCKET WELD)	2

4624	WELD NECK FLANGE,MALE,A182-F51,900#,1"	DESCRIPTION : WELD NECK FLANGE,	1
4625	BEARING NO.32316 ,POS.NO.21/5 "NTN" (P1503)	ITEM NAME : BEARING NO.32316	2
4626	DISK SPRING,SK,SIZE: 12AB27,P/N: W-W06699#-011#- HLA00 (W-W6699-11-HLA),	ITEM NAME : DISK SPRING	8
4627	BLIND FLANGE,RF,SUS316L,300#,2"	DESCRIPTION : BLIND FLANGE	3
4628	WELDOLET,TI,BW,THK 8MM*S-40,16"*2"	DESCRIPTION : WELDOLET,	1
4629	BEARING NO.22211 E "SKF" (MT2102)	DESCRIPTION : BEARING NO.22211 E	2
4630	BOLT HEX HEAD WITH NUT,SUS304,SIZE: M16x60 MM.,P/N: 67 (P2503)	ITEM NAME : BOLT HEX HEAD WITH NUT	8
4631	V-RING FOR MECHANICAL SEAL,TYPE ROTT-EU5-TT,SIZE 1.875 "DURA SEAL",	Description : V-RING FOR MECH SEAL	4
4632	CAPACITOR EA4K7/250/S76,REPLACE EA4k7/250/SS76,EC003371,ERSKINE,DC	DESCRIPTION : CAPACITOR EA4K7/250/S76 OBSOLETE REPLACED BY MODIFIED EA4k7/	2
4633	MACHINE BOLT,SUS304,M16x35 MM.,POS.NO.89 (P2406)	DESCRIPTION : MACHINE BOLT	6
4634	LIP SEAL UPPER,MATERIAL STEEL/BUNA,I/N 332	DESCRIPTION : LIP SEAL UPPER	2
4635	DISC,P/N015480-263,BS 970-316S11 ST	DESCRIPTION : DISC,	1
4636	Gland Packing, Motoyama, TFE.-V+V7133R, LV-1305	Description : Gland Packing	1
4637	RUBBER SEAL C/W ENVELOPE,VITON,BLACK COLOR,SIZE: 1-1/2"(ID.40xOD.	ITEM NAME : RUBBER SEAL C/W ENVELOPE	20
4638	FLEXIBLE HOSE,SIZE: 1-1/2"x210 MM.,SUS304,DOUBLE BRAID (G3601A/B)	ITEM NAME : FLEXIBLE HOSE,SIZE: 1-1/2"x210 MM.,SUS304,DOUBLE BRAID	2
4639	PIPING SWEEP,MATERIAL ALUMINIUM,SIZE 3",P/N 158- 0583 "HEIL"	DESCRIPTION : PIPING SWEEP	1
4640	Communications processor CP 343-1 Lean for connection of SIMATIC S7-300 (Tunthai	Description : Communications processor CP 343-1 Lean for connection of SIMATIC S7-300 (Tunt	1
4641	BEARING NO.6218 "SKF" (RV1402)	ITEM NAME : BEARING NO.6218	3
4642	MATING RING,TYPE PT E45E (F/V) TH,SIZE 3.125 "DURA SEAL"	DESCRIPTION : MATING RING	1
4643	NUT IMPELLER,MATERIAL SS 400,I/N 202	DESCRIPTION : NUT IMPLELLER	2
4644	NUT LOCK BEARING,MATERIAL SS 400,I/N 301	DESCRIPTION : NUT LOCK BERING	2
4645	O-RING,NBR,P/N: 115-02 (G3260G/H/I/J)	ITEM NAME : O-RING	4
4646	O-RING FOR RESERVOIR VENT EJECTOR,P/N: 37846,POS.NO.3 (P3861)	ITEM NAME : O-RING	3
4647	SPRING BELLEVILLE,P/N: 48783-4,POS.NO.11 (G3601A/B)	ITEM NAME : SPRING BELLEVILLE	4
4648	PULLEY GEAR SIDE,MAT'L: CAST IRON,SIZE: DIA.250 * 5V-3-3020,ID.55 MM WITH	ITEM NAME : PULLEY GEAR SIDE	1
4649	PULLEY MOTOR SIDE,MAT'L: FC 200,SIZE: DIA.250 * 5V-3,SHAFT ID.65 MM. WITH	ITEM NAME : PULLEY MOTOR SIDE	1
4650	SHIM DIFFUSER (HALF-LAM) STAGE 2,P/N: P1408581- 0001,POS.NO.11	ITEM NAME : SHIM DIFFUSER (HALF-LAM) STAGE 2	1
4651	FILTER ELEMENT 16D33F,A240-751-000,SAHA	DESCRIPTION : FILTER ELEMENT,	1
4652	SHEET GASKET,PRESS BOARD,P/N: 117-01 (G3260G/H/I/J)	ITEM NAME : SHEET GASKET	4
4653	BELT NO.2/11M1400 SPL "GATES" (E3515)	ITEM NAME : BELT NO.2/11M1400 SPL	3
4654	SERRATE GASKET,SS316, 80.8 * 99 * 3.2 MM	DESCRIPTION : SERRATE GASKET,	3
4655	PIPE,SMLS,ASTM A312GR 316L,SCH 40,1"	DESCRIPTION : PIPE	1
4656	OUTBOARD LIP SEAL,I/N: 332	Description : OUTBOARD LIP SEAL	6
4657	BACK-UP RING FOR SUPPLY SYSTEM UNIT,T2,POS.NO.15 (P2401)	ITEM NAME : BACK-UP RING FOR SUPPLY SYSTEM UNIT	2
4658	GASKET,TOMBO #9630,SIZE: ID.120xOD.210x3 MM.THK,P/N: BM (B2402)	ITEM NAME : GASKET	3
4659	GASKET OIL SHROUD,2655,P/N: 4-GK01UT01,POS.NO.P2- 7 (G2202)	ITEM NAME : GASKET OIL SHROUD	2
4660	DRIVE PIN,M6,SUS316,POS.NO.1 (P2503)	ITEM NAME : DRIVE PIN,M6	4
4661	BAFFLE SLEEVE,TYPE: P-2000,P/N: SL01UT02,POS.NO.P2-45 (G1302C/D)	ITEM NAME : BAFFLE SLEEVE	1
4662	PIPE COUPLING,SUS304/VITON,MJH 15A,1/2"	DESCRIPTION : PIPE COUPLING	2
4663	TAPERED ROLLER BEARING NO.31316 J1/QCL7A (P1402)	ITEM NAME : TAPERED ROLLER BEARING NO.31316 J1/QCL7A	1
4664	O-RING,VITON,3235xTHK.7 MM.,POS.NO.26,89 (P1101B)	DESCRIPTION : O-RING	1
4665	GASKET,NIL/TI,PTFE/NIL,286*323.8*4.5 MM	DESCRIPTION : GASKET,	2

4666	GLAND PACKING,I/N P	DESCRIPTION : GLAND PACKING	1
4667	PIPE COUPLING,SUS304/VITON,MJER 20A,3/4"	DESCRIPTION : PIPE COUPLING	3
4668	CHECK VALVE,SIZE: 1 SWING CHECK,P/N: 03407- 037,POS.NO.19 (G3601A/B)	ITEM NAME : CHECK VALVE	1
4669	O-RING FOR CASING,VITON,ID.259xTHK.3.5 MM. (G2805C/D)	ITEM NAME : O-RING FOR CASING	5
4670	BEARING NO.6406 "SKF" (G3532,G3535A/B)	ITEM NAME : BEARING NO.6406	6
4671	SILENCER (SHORT TYPE) PVC,MALE 1/4" NPT	DESCRIPTION : SILENCER	31
4672	O-RING PACKING,NBR,P/N: 14-040UA,POS.NO.936N,936T (G2201)	ITEM NAME : O-RING PACKING	12
4673	WEAR PART KIT,P/N: 96416735,MODEL: CR64-2-2 "GRUNDFOS" (G4604A/B)	ITEM NAME : WEAR PART KIT	1
4674	GASKET,NIL/TI GRAP/NIL,150#,190*203 MM	DESCRIPTION : GASKET	6
4675	CYLINDRICAL ROLLER BEARING NO.NU2218 ECP (T1401BB)	ITEM NAME : CYLINDRICAL ROLLER BEARING	1
4676	SPROCKET,B-TYPE/STOCK BORE,SS400,SIZE: RS140x22 TEETH (T2101)	ITEM NAME : SPROCKET	1
4677	FLEXIBLE HOSE C/W FLANGE,SUS316,3/4"xL.300 MM. (F1441A/B/C)	ITEM NAME : FLEXIBLE HOSE C/W FLANGE	2
4678	BOLT ROUND TAPER HEAD,SUS 304,M8*20 MM	DESCRIPTION : BOLT ROUND TAPER	386
4679	FLEXIBLE HOSE,SUS316,ANSI 150# RF,1/2"xL.290 MM.,MALE 1/2" NPT	ITEM NAME : FLEXIBLE HOSE C/W FLANGE	3
4680	LIMIT SWITCH,OMRON,V-155-1C26,15A ,(RO PLANT)	DESCRIPTION : LIMIT SWITCH	30
4681	SEAL VALVE FOR DIAPHRAGM PUMP,TYPE NN 40-4310,P/N 722-045-365,I/N 37	DESCRIPTION : SEAL VALVE FOR DIAPHRAGM PUMP	6
4682	SITOR fuse link, with blade contacts, NH00, In:35A, AC:690V, DC:440V (Tunthai	Description : SITOR fuse link, with blade contacts, NH00, In:35A, AC:690V, DC:440V (Tunthai Ex	3
4683	WELD NECK FLANGE,316L,RF,300#,2"	DESCRIPTION : WELD NECK FLANGE	2
4684	FLANGE FOR SURE-FLEX COUPLING WITH SLEEVE COMPLETE SET "WOOD'S"	ITEM NAME : FLANGE FOR SURE-FLEX COUPLING WITH SLEEVE COMPLETE SET	2
4685	DIFFUSOR CYLINDICAL,8.010.25.26,STIP, COD ANALYZER	DESCRIPTION : DIFFUSORCYLINDICAL,	1
4686	SET OF GASKET AND O-RING,MODEL AN5G150-315 "KSB" (G3592)	DESCRIPTION : SET OF GASKET AND O-RING	1
4687	BUTTERFLY VALVE,BODY: CS,DISC: SUS316,CF8M,EPDM,150#,6"	DESCRIPTION : BUTTERFLY VALVE	1
4688	DIAPHRAGM VALVE,Y PATTERN,MODEL:521, 1"	PLASRIC DIAPHRAGM VALVE,	1
4689	SLEEVE AND SPOOL SET (G-3209)	MATERIAL DESCRIPTION : SLEEVE AND SPOOL SET, ,	1
4690	MECHANICAL SEAL WITH LIP SEAL	Description : MECHANICAL SEAL WITH LIP SEAL	1
4691	CAMPROFILE GASKET,SS316L/GRAP,SIZE: OD.690.7 MM.xID.640.5 MM.xTHK.4	ITEM NAME : CAMPROFILE GASKET	1
4692	SPROCKET(MOTOR SIDE),RS140,15 TEETH,BORE: 60 MM. (T1441A/B/C)	ITEM NAME : SPROCKET(MOTOR SIDE)	1
4693	BALL,AISI 440C ST ST,P/N: 013681-235,I/N 31 (PSV2413,PSV2422)	DESCRIPTION : BALL	4
4694	GASKET,PTFE,BRAND:OKAMURA	DESCRIPTION : GASKET,	1
4695	BOLT,DIA.10 MM.xL.50 MM.,SUS316L,P/N: 896- 361F1310 (C1301B)	#N/A	22
4696	GASKET,NIL/TI GRAP/NIL,150#,182*206 MM.	DESCRIPTION : GASKET	2
4697	O-RING OUTER FOR COOLING CAP(A) SIZE: 55 MM.,ELASTOMER,P/N:	ITEM NAME : O-RING OUTER FOR COOLING CAP (A) SIZE: 55 MM.	4
4698	HEXAGON BOLT,A4-70,M12x1.75xL.125 MM.,POS.NO.27 (P2401A)	ITEM NAME : HEXAGON BOLT	8
4699	GASKET,TI/TI PTFE/304,300#,3/4"	DESCRIPTION : GASKET	16
4700	Gasket for end cover, Pos 1.7 (1 pcs per valve)	Description : Gasket for end cover	4
4701	MAGNETIC,SIZE:E00AC3, 4KW,400V,SIEMENS	DESCRIPTION : MAGNETIC CONTACTOR,	3
4702	MAGNETIC,3TF44,15KW,400V,COIL42V,SIEMENS	MAGNETIC CONTACTOR,	3
4703	SET SCREW,316SS,POS.NO.8 (P1401)	ITEM NAME : SET SCREW	8
4704	TEE REDUCER,SUS316L,SW,3000#,1"x3/4"	DESCRIPTION : TEE REDUCE,	2
4705	GASKET,316/316 PTFE/CS,500x520x550x569xTHK.4.5 MM. (F2802A/B)	ITEM NAME : GASKET	2
4706	SIRIUS safety relay Basic unit Advanced series, Relay enabling circuits 3 NO contacts	DESCRIPTION : SIRIUS safety relay Basic unit Advanced series, Relay enabling circuits 3 NO c	1
4707	Spare part*SIMATIC S7, Micro Memory Card for S7- 300/C7/ET 200, 3, 3V Nflash,512	DESCRIPTION : Spare part*SIMATIC S7, Micro Memory Card for S7-300/C7/ET 200, 3, 3V Nfla	1

4708	PROFIBUS bus for Industry PC, SIMATIC OP, OLM, Transmission rate 12 Mbit/s	Description : PROFIBUS bus for Industry PC, SIMATIC OP, OLM, Transmission rate 12 Mbit/s (Tu	1
4709	WN FLANGE 8", CL150 RF 125-250 RA-FN S-10S SS ASTM A182 GR.F304 ANSI-B16.5	WN FLANGE 8", CL150 RF 125-250 RA-FN S-10S SS ASTM A182 GR.F304 ANSI-B16.5	1
4710	Circuit board.light barrier, ABB , LimasII,CO/CO2 analyzer , patr no.746702	Description : Circuit board light barrier	1
4711	GASKET GEAR BOX,NBR,P/N: GK01UT01,POS.NO.P2-7 (G1302)	ITEM NAME : GASKET GEAR BOX	2
4712	OUTPUT CARD,TYPE E-01T (PLC KOYO)	MATERIAL DESCRIPTION : OUTPUT CARD,	1
4713	O-RING,P/N 507001232,DIA:69.5*3.2 MM	DESCRIPTION : O-RING,	20
4714	GASKET CASING,NIL/TI FILLER PTFE/NIL,ID.333xOD.351xTHK.4.5 MM. (G1441)	ITEM NAME : GASKET CASING	2
4715	O-RING,P/N: 10017758,POS.NO.0071E (P2406B)	ITEM NAME : O-RING	1
4716	CAM SW,UCSQO-349-F2B-C3008,10A,600V,IDEC	DESCRIPTION : CAM SWITCH	2
4717	DISC,P/N: 550.02 (G3261XA,XB,XC)	ITEM NAME : DISC	1
4718	BOTTOM RING-POS 154,2257622, PV-1105C	DESCRIPTION : BOTTOM RING-POS 154,	1
4719	LIP SEAL PUMP END,P/N: 2796A112DIAC001 (G2406)	ITEM NAME : LIP SEAL PUMP	2
4720	V-BELT NO.5V-1180	Description : V-BELT NO.5V-1180	6
4721	WEOLET,TI,BW,S-40S,4" * 1"	DESCRIPTION : WELDOLET 4 * 1,BW,S40S,	1
4722	CYLINDRICAL ROLLER BEARING NO.NUP 210 ECJ "SKF" (T1441)	ITEM NAME : CYLINDRICAL ROLLER BEARING	2
4723	GASKET,TI/TI,GRAP/CS, 218*230.5*263*355	DESCRIPTION : GASKET	2
4724	GASKET GEAR BOX,2655,P/N: GK01UT03,POS.NO.P2-121 (G1302)	ITEM NAME : GASKET GEAR BOX	2
4725	BEARING,NO.313 C3 "SKF"	DESCRIPTION : BEARING	3
4726	BEARING NO.22315C (BRG.22315E),POS.NO.21/2 "NTN" (P1503)	ITEM NAME : BEARING NO.22315C (BRG.22315E)	1
4727	O-RING,PTFE,ID.109.5xTHK.3 MM.,P/N: 522544- 71,POS.NO.31 (G1403,G1502)	ITEM NAME : O-RING	8
4728	BLIND FLANGE,FORGED,RF,125-250,ANSI-B16.5,SS ASTM A182GR.F316,300#, 4"	BLIND FLANGE 4", CL300 RF STD B16.5 A182 GR.F316	1
4729	GASKET,NIL/TI NON ASB/NIL,150#,190*203 MM	DESCRIPTION : GASKET	5
4730	SPRING,I/N 27,MODEL:TOP-320 HLVB 15K	DESCRIPTION : SPRING,	3
4731	O-RING,VITON,ID.200xTHK.7 MM.,POS.NO.65+66 (P1404)	ITEM NAME : O-RING	2
4732	ELBOW 90,SUS 316L,BW,SCH 40,3/4"	DESCRIPTION : ELBOW 90	20
4733	O-RING FOR SLEEVE,EPDM, 575 * T 5 MM.	DESCRIPTION : O-RING FOR SLEEVE	4
4734	WELDOLET,BW,6"x2",S-40SxS-40S,ASTM A182 GR.F316L,ANSI B16.11	DESCRIPTION : WELDOLET	1
4735	BEARING FLANG UNIT NO.UCFC 209 (F3544C)	ITEM NAME : BEARING FLANG UNIT NO.UCFC 209	6
4736	BEARING NO.3306 A/C3 "SKF" (G1702)	ITEM NAME : BEARING NO.3306A/C3	3
4737	O-RING,P/N 560-049-610	DESCRIPTION : O-RING	4
4738	BALL VALVE,BRASS,400#,FEMALE,3",KITZ	DESCRIPTION : BALL VALVE,	1
4739	COUPLING KIT (GEL, GREASE TUBE) FOR ULTRASONIC FLOWMETER, BRAND :	DESCRIPTION : COUPLING KIT (GEL, GREASE TUBE)	2
4740	O-RING,FKM 83,DIA.132xTHK.3 MM.,POS.NO.5.5 (RV2402C/D,RV2411D/E/F)	ITEM NAME : O-RING	6
4741	TEE,SUS 304,SW,3000#,1/2"	DESCRIPTION : TEE	9
4742	RTD DOUBLE ELEMENT,SS316, 375 * OD 6 MM	DESCRIPTION : RTD DOUBLE ELEMENT,	1
4743	O-RING,PTFE FFW,P/N: 1 (P1502)	ITEM NAME : O-RING	2
4744	GASKET,NIL/316,PTFE/316,181*207*219*4.8	DESCRIPTION : GASKET,	4
4745	RUBBER FOR COUPLING,TYPE: BWN162 "BIPEX" (P-1404)	ITEM NAME : RUBBER FOR COUPLING	1
4746	O-RING,EPDM,P/N: 7FC52BU,POS.NO.110-21 (P2409)	ITEM NAME : O-RING	12
4747	BEARING NO.32313 U (P1402)	ITEM NAME : BEARING NO.32313 U	4
4748	GASKET,GORE-TEX PTFE,ID.50xOD.67xTHK.0.25 MM.,P/N: 147062-73,POS.NO.45 (G1502)	DESCRIPTION : GASKET	3
4749	PRESS.GAUGE,0-25 KG/CM2,4-1/2",1/2" NPT	MATERIAL DESCRIPTION : PRESSURE GAUGE,	1

4750	O-RING,P/N 560-064-610	DESCRIPTION : O-RING	4
4751	SHUNT 871-50A-75MV1,REPLACED BY SHBASE1- 50A75,ER012268,ERSKINE,DC CHARGER	DESCRIPTION : SHUNT 871-50A-75MV1,REPLACED BY SHBASE1-50A75	2
4752	ROD WIPERS,O/N:016071,P/N:15	DESCRIPTION : ROD WIPERS,O/N:016071,	2
4753	O-RING MECHANICAL SEAL SIZE: 43 MM.,26HRS2/43- EX1,POS.NO.412.62	DESCRIPTION : O-RING FOR MECH SEAL,	5
4754	O-RING OUTER FOR COOLING CAP "A",MAT'L: ELASTOMER,P/N: L451KA006,	ITEM NAME : O-RING OUTER FOR COUPLING "A"	4
4755	MAGNETIC,S-N50,55A,110-120V,22KW,MITSUBISHI	DESCRIPTION : MAGNETIC	3
4756	SPRING,K1,POS.NO.6 (P2401A)	ITEM NAME : SPRING	12
4757	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-Z (SUS317L),ID 51 x	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	2
4758	DIAPHRAGM,VITON/PTFE,174x144x2.5,CONTROL HEAD,P/N: 307763700,POS.NO.	ITEM NAME : DIAPHRAGM	4
4759	DRIVE PIN,SUS316,POS.NO.9 (P1503)	ITEM NAME : DRIVE PIN	2
4760	O-RING FOR MECHANICAL SEAL,MAT'L: EPDM,SIZE: ID.138.5*3.3 MM.THK,POS.	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
4761	GASKET PTFE(TYPE A),PTFE,ID.400xOD.435xTHK.3 MM. (E1613)	ITEM NAME : GASKET PTFE	2
4762	FLAT GASKET POS.NR. 4000,P/N: 43043501 (G1101A/B)	Description : FLAT GASKET POS.NR. 40.00*	4
4763	PLUNGER OIL BY PASS,I/N 19,P/N 222307001	DESCRIPTION : PLUNGER OIL,	3
4764	O-RING MECHANICAL SEAL SIZE: 43 MM.,26HRS2/43- EX1,POS.NO.412.63	DESCRIPTION : O-RING FOR MECH SEAL,	5
4765	FUSE SEMIC, 500A,250V,UL/CSA, GUTOR UPS	FUSE SEMIC, POWER	1
4766	GASKET GLAND,P/N: 2584B (G1203,G1510,G1601,G1605,G1610)	ITEM NAME : GASKET GLAND	9
4767	RELAY,DPDT,115V,A560-040-400,SAHARA	DESCRIPTION : RELAY,	2
4768	DISC,P/N:016251-263,I/N: 5	DESCRIPTION : DISC,	1
4769	DUST CAP,STYLE 50V,ALUMINIUM,SIZE: 5"	ITEM NAME : DUST CAP	3
4770	SEAT RING FOR MECHANICAL SEAL,TYPE 9TQF(31)10(58)1,SIZE 1.125 "JOHN CRANE"	DESCRIPTION : SEAT RING FOR MECHANICAL SEAL	4
4771	V-BELT NO.SK,SPA 2500 (P1410)	ITEM NAME : V-BELT NO.PHG SPA2500	9
4772	SEAT RING SIZE:1-1/2", 416-A,FISHER	DESCRIPTION : SEAT,	1
4773	UPS AC CAPACITOR 15 UF,370 VAC (CO-GEN)	DESCRIPTION : AC CAPACITOR	2
4774	LUBRICATOR,AL2000-F02,MAX 1.0 MPA, SMC	DESCRIPTION : LUBRICATOR, PRESSURE, TEMP : 1.0 MPA,	7
4775	ACTUATOR DIAPHRAGM, P/N 2E669902202,FISHER, PV- 3686-1	Description : ACTUATOR DIAPHRAGM	1
4776	1" Pipe SMLS BE S-80S, SS ASTM A312, GR.TP304L, ANSI-B36.19M	1" Pipe SMLS BE S-80S, SS ASTM A312, GR.TP304L, ANSI-B36.19M	6
4777	CHART PAPER,DL-5000-B,6 PCS/BOX(PI-4911)	MATERIAL DESCRIPTION : CHART PAPER,	1
4778	SITOP PSE202U Redundancy module,Input/output: 24 V DC/40 A,suitable for	DESCRIPTION : SITOP PSE202U Redundancy module,Input/output: 24 V DC/40 A,suitable for	1
4779	BEARING NO.6311/C3 "SKF" (G1203,G1610)	ITEM NAME : BEARING NO.6311/C3	5
4780	SLEEVE BEARING NO.H 317 "SKF" (T2102)	ITEM NAME : SLEEVE BEARING NO.H-317	4
4781	JUNOTION BOX,P/N X16505-12	DESCRIPTION : JUNOTION BOX	2
4782	BEARING NO.6310 "SKF" (P1501,P2502,E3534,G4003A/B)	ITEM NAME : BEARING NO.6310	7
4783	SEAL RING,PRESSURE,P/N:10075015,0051	DESCRIPTION : SEAL RING PRESSURE COM,	3
4784	LED LAMP, RED, 24VAC/DC, E12, IDEC,(ISBL,WTU)	LED LAMP, POWER	30
4785	O-RING F IGV CONTROL STAGE.1,ID.72xTHK.4 MM.,P/N: 52034417.POS.NO.20	ITEM NAME : O-RING F IGV CONTROL STAGE.1	1
4786	Relay, PLC-RSC-24DC/21, Tag : K.117.6, K559.6, MAPTERKO TURBOLOG PANEL	Description : Relay,PLC-RSC-24DC/21	9
4787	IMPELLER NUT,ASTM A276-316 ANLD,P/N: 251,POS.NO.33000 (G2703X)	ITEM NAME : IMPELLER NUT	1
4788	TEFLON BUSH(STEM),V7160-2,52.7*73.6*45.6	DESCRIPTION : TEFLON BUSH,	2
4789	RUBBER FOR VICTUARIC COUPLING,SIZE 3","HEIL"	DESCRIPTION : RUBBER FOR VICTUARIC COUPLING	2
4790	GASKET TYPE: A,PTFE,SIZE: ID.327xOD.362x5 MM.THK (E1619)	ITEM NAME : GASKET TYPE: A	2
4791	TEE SUS 304,BW,SEAM,SCH 40,3"	DESCRIPTION : TEE SUS	3

4792	ROLLER CHAIN NO.RS 120 ,JIS-ANSI,10 FEETS/BOX (T1405,F1441)	ITEM NAME : ROLLER CHAIN NO.RS 120	2
4793	RUBBER FOR GROOVED PIPE COUPLING,NBR,DN40,1-1/2" (P3861A/B)	ITEM NAME : RUBBER FOR GROOVED PIPE COUPLING	16
4794	PIN(HINGE) + RING RETAINING,MATERIAL CARBON STEEL,I/N 8+14 "HEIL"	DESCRIPTION : PIN (HINGE) + RING RETAINING	10
4795	GASKET,C/W CENTER BAR SIZE: 7 MM.WIDTH,NON ASBESTOS NO.V#1500,ID.	ITEM NAME : GASKET	6
4796	Nut & Nipple CGA580, Co/Co2 Analyzer	Description : Nut & Nipple CGA580	5
4797	GASKET,TYPE: B (C/W PARTITION BAR),316/316 PTFE/NIL,434x464x490xTHK.4.5	ITEM NAME : GASKET	2
4798	PIPE COUPLING,NEOPREN,330*313*180 L (DAF SYSTEM)	DESCRIPTION : PIPE COUPLING,	1
4799	OIL LEVEL SIGHT GLASS,GLASS/SUS304,CENTER TO UNTER 160 MM.	DESCRIPTION : OIL LEVEL SIGHT GLASS,	1
4800	INNER BEARING HORIZ NO.6535Q/6580Q(TIMKEN SET 124) "SKF",P/N: 603-1712	ITEM NAME : INNER BEARING HORIZ NO.6535Q/6580Q(TIMKEN SET 124)	1
4801	CHECK COVER,KB75052EAH,CFRPP,SIZE: INLET&OUTLET 3",P/N: 13 (G4704A/B)	ITEM NAME : CHECK COVER	1
4802	BEARING NO.32317U ,POS.NO.31 "NTN" (P1401)	ITEM NAME : BEARING NO.32317U	1
4803	WELDING ELECTRODE,316L,2.6x300 MM. ,GEMINI	DESCRIPTION : WELDING ELECTRODE	8
4804	BEARING NO.6213-2RS1/C3 "SKF" (MG-1101A/B)	DESCRIPTION: BEARING NO.6213-2RS1/C3	4
4805	O-RING, MASONELIAN, P/N 971886018-697-0000, TAG : FV-1102	DESCRIPTION : O-RING	2
4806	LAP JOINT FLANGE,SUS 304,FF,150#,6"	DESCRIPTION : LAP JOINT FLANGE	2
4807	INTERNAL TAP WASHER #167,CARBON STEEL,POS.NO.167 (P1101 TUNTHAI	ITEM NAME : INTERNAL TAP WASHER #167	2
4808	ADJUSTING SCREW,INLET2.5"#600,OUT4"#150	DESCRIPTION : ADJUSTING SCREW,	1
4809	COIL SPRING,I/N:6,MAT,L:HAS-C	DESCRIPTION : COIL SPRING,	9
4810	SSCP,0.25x0.25,TYPE:ISC2PP,I/N:13	DESCRIPTION : SSCP	4
4811	QUATER DOG PT SET SCW,TYPE:ISC2PP,I/N13A	DESCRIPTION : QUARTER DOG PT SET SCW, MECH SEAL	4
4812	PIPING SET & OIL SIGNAL,GEAR TYPE: VERTICAL (P2503)	ITEM NAME : PIPING SET & OIL SIGNAL	1
4813	IMPELLER O-RING,TEFLON,POS.NO.412A (G1403C/D,G1441A/B)	ITEM NAME : IMPELLER O-RING	2
4814	O-RING DRAIN VENTPLEG,EPDM,SIZE: ID.12.5xTHK.1.6 MM. (G3512)	ITEM NAME : O-RING DRAIN VENTPLEG	2
4815	PROXIMITY SWITCH PNEUMATIC,FESTO	PROXIMITY SWITCH PNEUMATIC,,	2
4816	SPINDLE SEAL F.IGV,STAGE:5,I/N:19#42	DESCRIPTION : SPINDLE SEAL F.INLET GUIDE VAN,	1
4817	Ball valve 1-1/2", FB, RFFE JIS10K SCS13/RPTFE seated	Ball valve 1-1/2", FB, RFFE JIS10K SCS13/RPTFE seated	1
4818	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"*140 MM.	DESCRIPTION : STUD BOLT & NUTS	22
4819	GASKET,TI/TI PTFE/304,300#,2"	DESCRIPTION : GASKET	3
4820	O-RING INNER FOR COOLING CAP "A",P/N L451KA007,I/N 31	DESCRIPTION : O-RING INNER FOR COOLING CAP A	4
4821	MAGNETIC,3TF46,22KW,400V,COIL42V,SIEMENS	MAGNETIC CONTACTOR,	2
4822	GASKET "ORWIR",SS316L/SS316L PTFE/CS,360x371.6x406.4x475xTHK.4.5 MM.	ITEM NAME : GASKET "ORWIR"	1
4823	RING BEARING,DIA:50,45,40,30MM* T2 MM	DESCRIPTION : RING BEARING,	98
4824	BEARING UNIT,NO.UC 217 "NTN" (T1441A/B/C)	ITEM NAME : BEARING UNIT NO.UC 217	2
4825	CAP,SCREW,SUS316L,3000#,3/4" NPT	DESCRIPTION : CAP	10
4826	GASKET,316/TI,GRAP/316,117.5*129*149*171	DESCRIPTION : GASKET,	4
4827	CURRENT TRANSFORMER 100/5A,CLASS1.0,CW- 15L,MITSUBISHI,(MP-2502A,B)	Description : CURRENT TRANSFORMER 100/5A,CLASS 1.0	4
4828	ELBOW 90,BW,SL,SUS304,SCH 40,2"	DESCRIPTION : ELBOW 90	11
4829	INSERT FOR MECHANICAL SEAL "DURA SEAL"DWG.NO.2A- 37915,I/N 2	DESCRIPTION : INSERT FOR MECHANICAL SEAL	1
4830	GASKET,TI/TI,GRAP/NIL,231*245*270*4.5	DESCRIPTION : GASKET	2
4831	AIR LUBRICATOR,AL6000-10,SMC	DESCRIPTION : AIR LUBRICATOR,	2
4832	FILTER CARTRIDGES,BALSTON,GC ANALYZER	FILTER CARTRIDGES ONLY,	7
4833	Flat Gasket + sleeve , Pos 163, 168,169, ARCA, FV-1309C	Description : Flat Gasket	1

4834	BEARING NO.6203 C3 "SKF" (G1601)	DESCRIPTION : BEARING	4
4835	SERRATE GASKET,SS316, 112 * 120.4 * 2 MM	DESCRIPTION : SERRATE GASKET,	4
4836	HEX SOCKET BOLT,SCM435,M16x60 MM.,P/N: 23 (P1202A/B)	ITEM NAME : HEX SOCKET BOLT	8
4837	FAN MOTOR,MU1238L-11B, 110 V, ORIX	DESCRIPTION : FAN MOTER,	6
4838	COVER SEAL,SIZE:260 x 3X800,P/N:400006123,I/N:40	DESCRIPTION : COVER SEAL	2
4839	Pipe 1", S-40S, SS 304L, ASTM A312, SMLS, PE, ANSI-B36.19M	Description : Pipe	1
4840	INDICATOR 96X96 POLY-SERIE WS MIT	DESCRIPTION : INDICATOR,	1
4841	GASKET,MATERIAL NON ASBESTOS,I/N 720	DESCRIPTION : GASKET	2
4842	BEARING,NO.32312 "SKF" (P1404 PRI PROJECT)	ITEM NAME : BEARING NO.32312	2
4843	SUPPORT RING-DETAIL "Z",2167999	DESCRIPTION : SUPPORT RING-DETAIL Z,	1
4844	WELDING ELECTRODE,NC38,E308L16,3.2*350MM	DESCRIPTION : WELDING ELECTRODE	10
4845	PIN (CAM),MATERIAL CARBON STEEL,P/N 48-3063+48- 5120,I/N 13 + 5 "HEIL"	DESCRIPTION : PIN (CAM)	10
4846	O-RING,2Y201B-NBR,P/N: 20A11CM158,POS.NO.201B (G1802C/D)	ITEM NAME : O-RING	4
4847	O-RING,NBR,DIA.561.5xTHK.8.4 MM.,POS.NO.41 (F1441A/B/C)	ITEM NAME : O-RING	2
4848	O-RING,EPDM,DIA.579.5xTHK.8.4 MM.,POS.NO.40 (F1441A/B/C)	ITEM NAME : O-RING	2
4849	PULLEY MOTOR SIDE,FC 200,SIZE: OD.236 MM.x5V- 4,POS.NO.6 (P1403)	ITEM NAME : PULLEY MOTOR SIDE	1
4850	O-Ring, Pos 167 ARCA, FV-1309C	Description : O-Ring	1
4851	RUBBER FLEXIBLE COUPLING NO.5JE ,EPDM "TB WOOD" (G1702A)	ITEM NAME : RUBBER FLEXIBLE COUPLING NO.5JE	3
4852	HORIZONTAL LOCK NUT SET,P/N: 5237 (E3264 F/G/H PRI PROJECT)	ITEM NAME : HORIZONTAL LOCK NUT	1
4853	ACTUATOR DIAPHRAGM, P/N 2E859602202,FISHER	Description : ACTUATOR DIAPHRAGM	1
4854	BLIND FLANGE, 6 INCH, CL150 RF 125-250 RA-FN SS ASTM A182 GR.F304 ANSI-	DESCRIPTION : BLIND FLANGE	1
4855	STUD BOLT & NUT,B8 CLASS 2,UNC,1"*150 MM.	DESCRIPTION : STUD BOLT & NUT	8
4856	LED LAMP, GREEN, 24VAC/DC, E12, IDEC,(ISBL,WTU	LED LAMP, POWER	25
4857	STUB END,SUS 316L,BW,SCH 40,3/4"	STUB END,BUTT-WELDING,SUS 316L,SCH 40,	6
4858	(NOT USE) O-RING,3121-714088,I/N33 (P1301)	DESCRIPTION : O-RING,	4
4859	MANWAY STUD BOLT,SUS304,SIZE: M10x40 MM. (C2501)	ITEM NAME : MANWAY STUD BOLT	100
4860	CABLE TRAY COVER,HOT DIP GALVANIZE,600x2400 MM. (WTU)	MATERIAL DESCRIPTION : CABLE TARY COVER,	2
4861	GASKET,MATERIAL NON ASBESTOS,I/N 720	DESCRIPTION : GASKET,	2
4862	DRIVE PIN,M6,SUS316,POS.NO.1 (P2102,P2406,P2407)	ITEM NAME : DRIVE PIN,M6	4
4863	V-RING,MATERIAL NBR,NO.V65 (SIZE ID.58 * OD.65 * 13 MM THK),I/N 24	DESCRIPTION : V-RING	2
4864	PULLEY MOTOR SIDE,FC 200,5V-900-4,SHAFT SIDE: 75 MM. (P1503)	ITEM NAME : PULLEY MOTOR SIDE	1
4865	FLINGER COUPLING END,P/N: 0871B (G1505,G1506,G1605,G1610,G2406)	ITEM NAME : FLINGER COUPLING END	17
4866	O-RING,VITON,SIZE:ID 179 * 5.5 MM	DESCRIPTION : O-RING,	2
4867	GASKET,NIL/304 GRAP/304,525x576x605xTHK.4.5 MM. (S2401)	ITEM NAME : GASKET SPWG	3
4868	WIPER RING-ABOVE OF-POS164,2243048, PV-1106C WITH ACTUATOR 12", 150#,	DESCRIPTION : WIPER RING-ABOVE OF-POS164,	1
4869	PACKING,TEFLON,POS.NO.12 (GZ1402)	ITEM NAME : PACKING	18
4870	PROFILE RING,O/N:2364131,P/N:30	DESCRIPTION : PROFILE RING,O/N:2364131,	2
4871	UNIVERSAL CABLE KIT,FA-CABKIT (PLC KOYO)	MATERIAL DESCRIPTION : UNIVERSAL CABLE KIT,	1
4872	BEARING LOCK NUT,SS41,SIZE: AN40,POS.NO.35 (P1401,P1402)	ITEM NAME : BEARING LOCK NUT	1
4873	O-RING F CARBON RING SEAL STAGE.5,VITON,ID.281xTHK.6 MM.,P/N: 708367	DESCRIPTION : O-RING F CARBON RING SEAL, INNER,OUTER : 281 * 6 MM,	6
4874	WEAR PART KIT,P/N: 96416732 "GRUNDFOS" MODEL: CR45-2-2 (G4702)	ITEM NAME : WEAR PART KIT	1
4875	GASKET,NIL/TI GRAP/NIL,ID.109x123.5xTHK.4.5 MM. (ANGLE VALVE 300#,4")	DESCRIPTION : GASKET	2

4876	DIAPHRAGM MEMBRANE CONTROL VALVE,4",WATT, FV-1102	DESCRIPTION : DIAPHRAGM MEMBRANE	1
4877	ALUMINIUM PIPE ,3",RAF 0104 ALUM PIPE	NAME : ALUMINIUM PIPE,	1
4878	POTENTIONMETER TRANSMITTER,B5MS,M-SYSTEM	POTENTIONMETER TRANSMITTER,	1
4879	Pipe, S-40, ERW, ASTM A-53 GR B ANSI-B36.10 GALV, 3"	Description : Pipe, S-40 ERW	1
4880	O-RING F.CARBON RING SEAL STAGE.3,X60095703,P/N: TO 7 (P1101)	ITEM NAME : O-RING F.CARBON RING SEAL STAGE 3	2
4881	GASKET,NIL/316 PTFE/CS,SIZE: 595x625x644x4.5 MM.THK (E1614)	ITEM NAME : GASKET	2
4882	12" 45 ELBOW SMLS BW S-40 CS ASTM A234 GR.WPB ANSI-B16.9	DESCRIPTION : ELBOW 45 SMLS BW	1
4883	GEAR IKLER ,MATERIAL TEFLON "LIQUIFLO"	DESCRIPTION : GEAR IKLER	1
4884	GEAR DRIVE,ALLOY-C,POS.NO.22 "LIQUIFLO" (G3561,G3562)	ITEM NAME : GEAR DRIVE	1
4885	SHEET PACKING,MODEL 37FH1322H "LIQUIFLO"	DESCRIPTION : SHEET PACKING	1
4886	O-RING, DIA: 64 * 3 MM,MAT'L VITON	DESCRIPTION : O-RING,	6
4887	SPEED CONTROLLER,0.5-9.9 KG/CM2, RFU1/4	DESCRIPTION : SPEED CONTROLLER	3
4888	O-RING,PTFE,ID.100xTHK.5 MM.,P/N: 10002099,POS.NO.0060E (P1441,P2701)	ITEM NAME : O-RING	2
4889	DISC,MATERIAL BS 970-316S11 ST ST,DWG.NO.126651- 72-015,P/N 016302-263,	DESCRIPTION : DISC	1
4890	PACKING RETAINNINE RING,P/N 2457020001	DESCRIPTION : PACKING RETAINNINE RING,	4
4891	O-RING INSERT MOUNTING MECHANICAL SEAL,MATERIAL VITON "DURA SEAL"	DESCRIPTION : O-RING INSERT MOUNTING MECHANICAL SEAL	2
4892	ELBOW 90,BW,SUS316L,SCH 40,2"	DESCRIPTION : ELBOW 90,316L,BW,SCH 40,2"	4
4893	THERMOCOUPLE TYPE T EXTENSION CONNECTOR FOR LIN PUMP, TAG : TSH-	DESCRIPTION : THERMOCOUPLE TYPE T EXTENSION CONNECTOR	1
4894	TAPER BUSH FOR AGITATOR,SIZE: PHF TB3535 x 85 MM. "SKF" (P-2401,P-2402,	ITEM NAME : TAPER BUSH FOR AGITATOR	2
4895	O-RING PACKING,NBR,P/N: 14-161UA,POS.NO.P2-117 (G1302,G2202)	ITEM NAME : O-RING PACKING	7
4896	O-RING,WHITE SILICONE,POS.NO.JK-9 (T1402B)	ITEM NAME : O-RING	1
4897	WELD NECK FLANGE,A182 GR.F51 DUPLEX 2205,RF,150#,SCH 40,2"	Description : WELD NECK FLANGE,A182 GR.F51 DUPLEX 2205,RF,150#,SCH 40,2"	2
4898	PIPE, 3/4 INCH, S-40S, SS, ASTM A312 TP304L, SMLS, BE, ASME B36.19, L = 6 M.	DESCRIPTION : PIPE	1
4899	WIPER RING-ABOVE OF-POS 164,2168240, PV-1337C WITH ACTUATOR 1/2",	DESCRIPTION : WIPER RING-ABOVE OF POS 164,	1
4900	DIAPH PLATE MICRO PUMP,SF-50G-90,ENOMOTO	DESCRIPTION : DIAPHRAGM PLATE,	2
4901	BEARING NO.6218-2Z "SKF" (T1444,T1445)	ITEM NAME : BEARING NO.6218-2Z	2
4902	GASKET PTFE,TYPE A,PTFE,SIZE: ID.450xOD.485x4 MM.THK (E1618)	ITEM NAME : GASKET PTFE	1
4903	BEARING NO.3306 ATN9 "SKF" (G1701)	ITEM NAME : BEARING NO.3306 ATN9	3
4904	ANGLE BAR,HOT DIP GALVANIZE,40x40xTHK.4 MM.xL.6 M.	DESCRIPTION : ANGLE BAR	3
4905	BALL BEARING NO.308 TN9/C3,P/N: 21-059 (21- 133),POS.NO.125B,125D (G2201)	ITEM NAME : BALL BEARING NO.308 TN9/C3	1
4906	HELICAL SPRING,P/N: 10002774,POS.NO.0101E (P2406B)	ITEM NAME : HELICAL SPRING	24
4907	GASKET FOR FILTERING CARTRIDGE (CEMS)	MATERIAL DESCRIPTION : GASKET	6
4908	TERMINAL RAIL STEEL,T:TS35*15 MM*2 MTRS	MATERIAL DESCRIPTION : TERMINAL RAIL STEEL,	6
4909	TAPERED ROLLER BEARING NO.30306 (T3307)	ITEM NAME : TAPERED ROLLER BEARING NO.30306	4
4910	SPIRAL WOUND GASKET, TI/TI/GRAP/SUS304, SIZE 55x75x89.5x107.5 TAG : FV-	DESCRIPTION : SPIRAL WOUND GASKET	4
4911	PRESS GAUGE,GLYCERINE,0-6 KG/CM2,1/2"PF	DESCRIPTION : PRESSURE GAUGE,FILL GLYCERINE	3
4912	RUBBER COUPLING NO.140 (6 PCS/SET) "FLENDER N- EUPEX" (G1607,G2503)	ITEM NAME : RUBBER COUPLING NO.140	3
4913	LED TRANSDUCER UNIT(O2)00500906,SERVOMEX	DESCRIPTION : LED TRANSDUCER UNIT,	2
4914	SLACK ADJUSTER,MODEL CHPT-3360 4-V/35	DESCRIPTION : SLACK ADJUSTER	2
4915	O-RING KALREZ 4079,ID.28.2xTHK.3 MM.,POS.NO.19 (J1101B)	ITEM NAME : O-RING KALREZ 4079	2
4916	SHIM,SUS304,ID.515 MM.xOD.560 MM.xTHK.0.5 MM. (P1301C)	ITEM NAME : SHIM	2
4917	MAGNETIC,MTSUBISHI,ST-65,3P,COIL : AC380- 440V,50HZ,AC3,380-440V,22KW,	DESCRIPTION : MAGNETIC,MTSUBISHI,ST-65,3P,COIL : AC380-440V,50HZ,AC3,380-440V,22K	2

4918	SHAFT SLEEVE 5 HP COMPLETE SET,KB75052EAH "HUOBAO" (G4704A/B)	ITEM NAME : SHAFT SLEEVE 5 HP COMPLETE SET	1
4919	PULLEY MOTOR SIDE,FC 200,DIA.230 MM.x5V-3,SHAFT ID.55 MM. WITH	DESCRIPTION : PULLEY MOTOR SIDE	1
4920	EMPP tubing, 5.36 m.m. OD x 2.4 m.m. ID, for Bio Tector B7000i TOC Analyzer	Description : EMPP tubing, 5.36 m.m. OD x 2.4 m.m. ID,	1
4921	UNION PIPE,FORGED,SS,ASTM A182 GR.F304L,3000#,1"x3/4" FNPT	#N/A	1
4922	BLIND FLANGE,A105,CS,RF,150#,3"	DESCRIPTION : BLIND FLANGE	3
4923	BEARING NO.3311 C3,P/N: 25A19 "SKF" (G1203)	ITEM NAME : BEARING NO.3311 C3	1
4924	O-RING SET FOR MECHANICAL SEAL,POS.NO.2,4,32,42,52 (G1401)	DESCRIPTION : O-RING SET FOR MECH SEAL	1
4925	SPEED CONTROLLER, 0.5-9.9 KG/CM2, SMC	DESCRIPTION :	4
4926	O-RING FOR INSERT MECHANICAL SEAL,TYPE: T670 JC,VITON,SIZE: 2.125	ITEM NAME : O-RING FOR INSERT MECHANICAL SEAL	7
4927	O-RING OPG AFS-259 6.25x6.50x12,P/N: 2-512-031- 894-00,POS.NO.41 (G3546A/B)	MATERIAL DESCRIPTION : GASKET	3
4928	CYLINDRIC COTTER PIN,K88258,SIZE: 5x30,POS.NO.4176-014 (J1101B	ITEM NAME : CYLINDRIC COTTER PIN	1
4929	CB,C65N C20 1 POLE 20 AMP 230/400V ,SCHNEIDER (ISBL LIGHTING)	Description : CB,C65N C20 1 Pole 20 Amp 230/400V	19
4930	WELD NECK FLANGE, 1/2", 900#, S-80S, FORGED, SS, ASTM A182 GR.F304L, RF,	DESCRIPTION : WELD NECK FLANGE	1
4931	HEX SOCKET BOLT,SCM435,M16x60 MM.,P/N: 25 (P1202A/B)	ITEM NAME : HEX SOCKET BOLT	8
4932	BEARING HOUSING NO.SNL 517 "SKF" ,POS.NO.6 (T2102)	DESCRIPTION : BEARING HOUSING	1
4933	BEARING NO.6215/C3 "SKF" (G1205,MP1441)	ITEM NAME : BEARING NO.6215/C3	4
4934	GASKET PTFE,TYPE A,PTFE,SIZE: ID.516xOD.541x3 MM.THK (E1615)	ITEM NAME : GASKET PTFE	1
4935	GASKET PTFE,TYPE B,PTFE,SIZE: ID.516xOD.541x3 MM.THK (E1615)	ITEM NAME : GASKET PTFE	1
4936	BEARING UNIT,NO.UCF 218 "ASAHI"	DESCRIPTION : BEARING UNIT	1
4937	RUBBER HOSE,RUBBER,SIZE: 1-1/4" (RO PLANT)	ITEM NAME : RUBBER HOSE	14
4938	SPROCKET WHEEL,SINGLE WHEEL(MOTOR SIDE),S45C,DIN 1"E16B-1,15TxOD.	ITEM NAME : MOTOR SPROCKET WHEEL	2
4939	SHAFT SLEEVE,P/N: 1895A875X11N001 (G-1510)	ITEM NAME : SHAFT SLEEVE	1
4940	FLOAT VALVE,SUS304,SIZE: 1"	DESCRIPTION : FLOAT VALVE	1
4941	OUTER BEARING HORIZ NO.H715345/H715311 "TIMKEN" ,P/N: 602-1712	ITEM NAME : OUTER BEARING HORIZ NO.H715345/H715311	1
4942	TAPERED ROLLER BEARING CONE NO.526/CUP NO.522,POS.NO.1.3B "TIMKEN"	ITEM NAME : TAPERED ROLLER BEARING CONE NO.526/CUP NO.522	1
4943	O-RING FOR THRUST LAB'Y SEAL(ROTATE),VITON,POS.NO.497F (G1403C/D,	ITEM NAME : O-RING FOR RADIAL LAB'Y SEAL(ROTATE)	2
4944	GASKET GLAND,P/N: 2584B (G1102,G1505)	ITEM NAME : GASKET GLAND	14
4945	AIR REGULATOR,2-PORT,PORT 1/2",AR4000-04G ,SMC	DESCRIPTION : AIR REGULATOR,	3
4946	O-RING,FKM,P/N: G280,POS.NO.31,37 (P1301C)	ITEM NAME : O-RING	1
4947	SIGHT GLASS RETAINER,TYPE: P-2000,P/N: RE13UT01,POS.NO.P2-12	ITEM NAME : SIGHT GLASS RETAINER	1
4948	O-RING MECHANICAL SEAL,HJ977GN Q1Q1M2GG,PTFE,ID.75xTHK.2.62 MM.	DESCRIPTION : O-RING MECHANICAL SEAL	3
4949	O-RING,10 M. (P1101)	DESCRIPTION : O-RING,	10
4950	O-RING,TTE,ID.76.7 * 4.5 MM THK,I/N 3	DESCRIPTION : O-RING,	2
4951	STEM CONN,SS304,DIA. 3/4" * 3/8" * 70 MM	DESCRIPTION : STEM CONNECTOR,	1
4952	WASHERS,SUS316,M16,P/N: 11 (F1441A/B/C)	ITEM NAME : WASHERS	4
4953	WELDING TIG,TGS 316L,2.4*1000 MM.,KOBELCO	DESCRIPTION : WELDING TIG ROD	5
4954	BLIND FLANGE,SUS304,RF,300#,2"	DESCRIPTION : BLIND FLANGE	3
4955	FLEXIBLE HOSE,SUS316L,CONNECT: FLANG LAP JOINT,ANSI 150# RF,1/2"xL.300	ITEM NAME : FLEXIBLE HOSE	2
4956	ROUND CORD,VITON,P/N: 540012511,POS.NO.NO.26 (F2408)	DESCRIPTION : ROUND CORD	2
4957	GASKET,SWG "NWIR" (TYPE- A),SS304/GRAP,SS304/IR,SS304/N,	ITEM NAME : GASKET	4
4958	STUD BOLT PLAIN END,SUS 304,5/8"*1000 MM.	DESCRIPTION : STUD BOLT PLAIN END	6
4959	PLUG SUPPORT,FKM,SIZE: 92x117x8,P/N: 400021081,POS.NO.77 (F2408X NEW	ITEM NAME : PLUG SUPPORT	2

4960	RUPTURE DISC,TANTALUM-TAN,SIZE: 1" (PSE1214)	ITEM NAME : RUPTURE DISC	1
4961	WASHER LOCK,SPEC.MS35338-48,P/N 86311-48,IN 39	DESCRIPTION : WASHER LOCK	8
4962	STUD BOLT PLAIN END,SUS 304,M27*175 MM	DESCRIPTION : STUD BOLT PLAIN END,	7
4963	GASKET,321/321 GRAP/NIL,1500#,1"	DESCRIPTION : GASKET	19
4964	DIAPH TEFLON,SXW-62,85 * 3 MM,TACMINA	DESCRIPTION : DIAPHRAGM TEFLON,	1
4965	O-RING GLAND,EPR,POS.NO.111.05 (G1802A/B)	ITEM NAME : O-RING GLAND	1
4966	ANTENNA FOR MOBILE V-603 OUT SIDE	MATERIAL DESCRIPTION: ANTENNA	3
4967	WELD NECK FLANGE,SUS316L,RF,SCH80,300#,3/4"	DESCRIPTION : WELD NECK FLANGE	4
4968	O-RING,VITON,SIZE:ID 168 * 6 MM, XV-2201	DESCRIPTION : O-RING,	2
4969	PULLEY WITH TAPER BUSH,CAST IRON,PITCH DIA.160 MM.xSPA-3,BUSH 2517,	ITEM NAME : PULLEY WITH TAPER BUSH	2
4970	INSERT FOR MECHANICAL SEAL "DURA SEAL",DWG.NO.2A- 37917,I/N 2	DESCRIPTION : INSERT FOR MECHANICAL SEAL	1
4971	SPOOL,P/N 92005,I/N 111	DESCRIPTION : SPOOL	1
4972	BEARING NO.6020/C3 "SKF" (P1441,P2701)	ITEM NAME : BEARING NO.6020/C3	2
4973	SPROCKET MOTOR SIDE (T1441A/B/C)	ITEM NAME : SPOCKET MOTOR SIDE	1
4974	BEARING,NO.6205 2ZN/HT31 "SKF"	DESCRIPTION : BEARING	2
4975	FLINGER PUMP END,P/N: 0871A305AVSA002 (G1510)	ITEM NAME : FLINGER PUMP END	2
4976	BEARING NO.2317U (S),POS.NO.31 "NTN"	ITEM NAME : BEARING NO.2317U (S)	1
4977	TEE,TI WELDED 100% X-RAY,BW,SCH 40,3"	TEE WELDED 100% X-RAY BW S-40S, TI ASTM B363 GR.WPT2 ASNI-B16.9,	1
4978	SEAT RING,P/N 0319/036/138 FOR AG SEAT "JOHN CRANE"	DESCRIPTION : SEAT RING	3
4979	BEARING NO.30314 J2/Q "SKF" (P1401,P1410)	Description : BEARING NO.30314 J2/Q	2
4980	WN FLANGE 1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	WN FLANGE 1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	6
4981	O-RING F IGV CONTROL STAGE.5,NBR,ID.42.86xTHK.3.53 MM. (P1101)	DESCRIPTION : O-RING F INLET, INNER,OUTER : 42.86*3.53 MM,	1
4982	WN FLANGE 1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	WN FLANGE 1/2", CL150 RF 125-250 RA-FN S-40S SS ASTM A182 GR.F316L ANSI-B16.5	6
4983	V-BELT, C 148,22 X 3750 LI	Description : V-BELT, RUBBER	4
4984	WASHER LOCK,MATERIAL SUS 304,I/N 203	DESCRIPTION : WASHER LOCK	2
4985	WASHER LOCK,MATERIAL SUS 304,I/N 203	DESCRIPTION : WASHER LOCK	2
4986	GLOBE VALVE,A182,SS304L,800#SW,1/2"	GLOBE VALVE 1/2 CL800 SW ASTM A182,GR,SUS304L,TRIM STELLITED, SEAT LOOSE DISC	1
4987	Serrate Gasket, SS316, THK 2 m.m., ID 78 x OD 81 x m.m., Tag : HV-2201	Description : Serrate Gasket, SS316	4
4988	REDUCING UNION, 4 MM x 6 MM, SS316 (SWAGELOK)	DESCRIPTION : REDUCING UNION 4 MM x 6 MM	6
4989	GASKET,NIL/317 ASB/CS,150#,20"	DESCRIPTION : GASKET,	4
4990	O-RING,TEFLON,SIZE ID.162x7 MM.THK,P/N: 1002101 POS.060E,POS.NO.9	ITEM NAME : O-RING	1
4991	GASKET(P6),316L/316L PTFE/NIL,ID.415x455x479xTHK.4.5 MM. (D2403,D2404)	ITEM NAME : GASKET	2
4992	SHAFT PACKING FOR MECHANICAL SEAL "DURA SEAL",DWG.NO.2A-37917,I/N P	DESCRIPTION : SHAFT PACKING FOR MECHANICAL SEAL	6
4993	GASKET,321/321 FILLER GRAPHITE/NIL,SIZE 190 * 230 * 270 * 4.5 MM THK	DESCRIPTION : GASKET	3
4994	COUPLING GR-28-ALU COMPLETE SET (UNBORE),HUB: ALUMINUM (P2503B)	ITEM NAME : COUPLING GR-28-ALU COMPLETE SET (UNBORE)	3
4995	OIL SEAL OF MOTOR SIDE,MODEL: P2CKR-50 (G1302C/D)	ITEM NAME : OIL SEAL OF MOTOR SIDE	2
4996	ROTEX COUPLING COMPLETE SET,TYPE: 1A/1A,MAT'L: GG25,SIZE: 42 (P2406B)	ITEM NAME : ROTEX COUPLING COMPLETE SET	1
4997	O-RING FOR MECHANICAL SEAL,PTFE,ID.20.63 MM.xTHK.2.62 MM.,P/N: 523933-	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
4998	BEARING NO.30307 J2/Q,TYPE: TAPER ROLLER BEARING "SKF" (BC1,BC2)	ITEM NAME : BEARING NO.30307 J2/Q	8
4999	HORIZONTAL GEAR RETAINER,P/N: N/W-10 (E3264 F/G/H PRI PROJECT)	ITEM NAME : HORIZONTAL GEAR RETAINER	2
5000	MATING RING,TYPE 8B1 AR1S1,SIZE 3.125 "DURA SEAL",I/N B	DESCRIPTION : MATING RING	1
5001	TAPER BUSHING NO.3535 X 75 MM. (P2404,P2405,P2407)	ITEM NAME : TAPER BUSHING NO.3535 X 75 MM.	2

5002	BELOW GEAR SPACER (OUTPUT SHAFT),P/N: 452-1712 (E3264 F/G/H PRI	ITEM NAME : BELOW GEAR SPACER (OUTPUT SHAFT)	1
5003	O-RING FOR PRIMARY SEAL SIZE: 3.125,8B1 AR1S1,POS.NO.E "JOHNCRANE"	ITEM NAME : O-RING FOR PRIMARY SEAL SIZE: 3.125	5
5004	O-RING,PTFE,ID.74.5 MM.xTHK 3 MM.,P/N: 520608- 71,POS.NO.31 (G1507)	ITEM NAME : O-RING	6
5005	GASKET STEM,REINFORCES TFE,81.7*94.6*2MM	DESCRIPTION : GASKET,	1
5006	WIPER RING-ABOVE OF-POS164,2243048, FV-1309C WITH ACTUATOR 10", 150#,	DESCRIPTION : WIPER RING-ABOVE OF-POS 164,	1
5007	SLIP ON FLANGE,RF,SUS316L,150#,1"	SLIP ON FLANGE,RAISE FACE,SUS 316L,150#,1"	8
5008	O-RING PRESSURE COM.,P/N: 10037856,POS.NO.0023 (P2401A)	ITEM NAME : O-RING PRESSURE COM.	2
5009	PIN GROOVE FOR VALVE MASONEILAN, P/N 971342005- 163H0000, TAG :,	DESCRIPTION : PIN GROOVE	1
5010	SETTING SCREW,P/N 007181-266	DESCRIPTION : SETTING SCREW,	1
5011	INLET GUIDE VANE CONTROL STAGE: 1 (P1101)	DESCRIPTION : INLET GUIDE VANE CONTROL STAGE: 1	1
5012	O-RING MECHANICAL SEAL SIZE: 3.125",SGL PTEGS TT "JOHN CRANE" (G1806)	DESCRIPTION : O-RING FOR MECH SEAL	4
5013	ROTARY SEAL RING GASKET,FLOOROELAST,P/N: 6666597V,POS.NO.9 (E1507)	ITEM NAME : ROTARY SEAL RING GASKET	2
5014	Stub end 1/2", SMLS BE, 4.0 MM THCK, SS ASTM A403 GR.WP304 type A 125-250	Stub end 1/2", SMLS BE, 4.0 MM THCK, SS ASTM A403 GR.WP304 type A 125-250 RA-FN MSS	4
5015	HYDRAULIC SEAL KIT,MATERIAL NBR,TAG NO.F3544 A/C	Description : HYDRAULIC SEAL KIT	2
5016	RUBBER FLEXIBLE COUPLING NO.6JE "TB WOOD" (MG1507)	ITEM NAME : RUBBER FLEXIBLE COUPLING NO.6JE	2
5017	O-RING GS290,EPDM,ID.289.30xTHK.3.1 MM.,P/N: CY- 58382,POS.NO.35,37	ITEM NAME : O-RING GS290	1
5018	GASKET CASE,EPDM-NBR,POS.NO.351 (G1702,G1705,G1931,G2502)	ITEM NAME : GASKET CASE	10
5019	DOME WASHER,ID.11 MM.xOD.38 MM.,SUS316L,P/N: 802- 361G101 (C1301B)	#N/A	20
5020	BEARING LOCK NUT,S30C,AN 16,P/N: 30 "SKF" (G1445A/B/C)	ITEM NAME : BEARING LOCK NUT	5
5021	BEARING NO.6312/C3 "SKF" (P3528)	ITEM NAME : BEARING NO.6312/C3	3
5022	SOLENOID VALVE 5/2 WAY,24 VDC,1/8" PT	SOLENOID VALVE COMPLETED SET WITH SINGLE COIL,	3
5023	O-RING PLUG,BUNA-N,P/N: 0391-00-714-T,POS.NO.5 (P1301A)	ITEM NAME : O-RING PLUG	3
5024	O-RING,VITON,SIZE:ID 664 * 8 MM	DESCRIPTION : O-RING,	1
5025	KEY L 22.3 4.7 H 5,P/N: A00232-001-300,POS.NO.35 (P3602)	ITEM NAME : KEY L 22.3 4.7 H 5	1
5026	DIAPH RUBBER,DELUGE VALVE,EPDM,3",VIKING	DESCRIPTION : DIAPHRAGM RUBBER,	1
5027	O-RING STATIONARY SEAL,TYPE G16,P/N 475,I/N 2	DESCRIPTION : O-RING FOR STATIONARY SEAL	2
5028	SERRATE GASKET,SS316, 119 * 129 * 3 MM	DESCRIPTION : SERRATE GASKET,	4
5029	RELIFE VALVE,P/N S10923,I/N 25	MATERIAL DESCRIPTION : RELIFE VALVE, SPEC : 300#, ,	1
5030	RUBBER COUPLING NO.9H,HYTREU SURE-FLEX SLEEVE "TB WOOD" (G1704A/B)	DESCRIPTION : RUBBER COUPLING	1
5031	SIGHT GLASS ASS'Y,P/N 560-001-860	DESCRIPTION : SIGHT GLASS,	8
5032	O-RING BEARING END COVER,EPDM,ID.130.5 MM.xTHK.3.3 MM. (G1505)	ITEM NAME : O-RING BEARING END COVER	4
5033	BEARING FLANGE UNIT,NO.UCFL 206C "NTN"	DESCRIPTION : BEARING FLANGE UNIT	2
5034	PIPE BEND 90 LONG,SUS 304,BW,SCH 80,2"	DESCRIPTION : PIPE BEND 90 LONG,	1
5035	GASKET,EPR,ID.870 MM.xOD.1060 MM.xTHK.5 MM. (T1442B,T1443B,T1444B,	ITEM NAME : GASKET	1
5036	OVERLOAD RELAY,TH-T50KP-29A,(24- 34A),1NO,1NC,MITSUBISHI	Description : OVERLOAD RELAY	5
5037	BEARING NO. 7308 B-2RS-TVP, FAG, (MG-4702)	DESCRIPTION: BEARING	2
5038	THREAD SEAL,P/N 511104016	DESCRIPTION : THREAD SEAL,	4
5039	LIP SEAL END CAP,MATERIAL BUNA-N,P/N 2-283-067- 378,I/N 5	DESCRIPTION : LIP SEAL END CAP	6
5040	ROUND BAR,SUS 304,5/8"*3 M	DESCRIPTION : ROUND BAR	3
5041	RUBBER COUPLING,P/N: FLEXOMAX G168 (P3304)	ITEM NAME : RUBBER COUPLING	1
5042	O-RING FOR MECHANICAL SEAL SIZE: 3.125",EPR,DIA.78.74xTHK.5 MM. "PSS"	ITEM NAME : O-RING FOR MECHANICAL SEAL SIZE: 3.125"	2
5043	BOLT,1.4539,M10x25 MM.,P/N: 896 904G 1304,POS.NO.7 (C1301,C1501,C1602)	ITEM NAME : BOLT	30

5044	BOLT WITH NUT,SUS304,M24(C/W TACK WIRE WELD),POS.NO.41 (P2401)	DESCRIPTION : BOLT WITH NUT	13
5045	NUT,M24(12 PCS/SET),SCM435,POS.NO.37 (P2404,P2405)	ITEM NAME : NUT,M24(12 PCS/SET)	12
5046	DIAPHRAGM,MATERIAL NEOPRENE,P/N 286-031-365	DESCRIPTION : DIAPHRAGM	2
5047	CHART PAPER(RECORDER),B 9565 AW,YOKOGAWA	DESCRIPTION : CHART PAPER,	10
5048	GASKET,NIL/TI GRAP/CS,300#,2"	DESCRIPTION : GASKET	6
5049	Output coupler Relay coupler, contacts 24 V AC/DC current 6A (Tunthai Excitation	Description : Output coupler Relay coupler, contacts 24 V AC/DC current 6A (Tunthai Excitation P	5
5050	LAP JOINT FLANGE,A105N,CS,150#,6"	DESCRIPTION : LAP JOINT FLANGE,	4
5051	OIL SEAL CLAMP RING,P/N: 61154,POS.NO.210 (G1707)	ITEM NAME : OIL SEAL CLAMP RING	2
5052	SIGHT GLASS FOR FLOODLIGHT FLD 400MH,SYL	SIGHT GLASS	2
5053	PULLEY AND TAPER BUSH,CAST IRON,DIA.140 MM.xSPA- 3,PHP35PB140TB,TB.	ITEM NAME : PULLEY AND TAPER BUSH	2
5054	PULLEY MOTOR SIDE WITH TAPER BUSHING,PHP 5- 5V750TB/PHF TB 3020x65	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSHING	1
5055	SUPPORT,VITON,SIZE: 92x117x10,P/N: 307656500,POS.NO.74 (F2408X NEW RPF)	ITEM NAME : SUPPORT	2
5056	THERMO COUPLE ELEMENT,TYPE K,280 * 3.2MM	DESCRIPTION : THERMO COUPLE ELEMENT,	1
5057	QUICK RELEASE VALVE SPACER(POM),93620087	DESCRIPTION : QUCK RELEASE VALVE,	10
5058	TAPER BUSHING NO.3535x50 MM. (P2401,P2402,P2403,P2404,P2405,P2407)	ITEM NAME : TAPER BUSHING NO.3535 X 50 MM.	2
5059	BALL BEARING (OUTBOARD),P/N 21-022,I/N P2-23	DESCRIPTION : BALL BEARING (OUTBOARD)	2
5060	STRAIGHT HUB,MATERIAL STEEL,SIZE 1-1/8"	DESCRIPTION : STRAIGHT HUB	2
5061	ROLLER CHAIN NO.RS 100 ,JIS-ANSI,10 FEET/BOX (T2102A/B)	ITEM NAME : ROLLER CHAIN NO.RS 100	2
5062	O-RING,VITON,POS.NO.4B (P1301A/B)	ITEM NAME : O-RING	1
5063	O-RING ,SIZE 50 * 3 mm, Pos 1.13 (1 pcs per valve)	Description : O-RING ,SIZE 50 * 3 mm, FKM70	4
5064	OIL FILTER,MODEL: LND-06-60K (P1301)	ITEM NAME : OIL FILTER	4
5065	NEFLON PASTE,MAT'L: TOMBO #9400,SIZE: 65 CC,POS.NO.R (B-1402)	Description : NEFLON PASTE	2
5066	RING SCRAPER,P/N: 86007,POS.NO.27 (G3601A/B)	ITEM NAME : RING SCRAPER	4
5067	STUB END SUS 304,BW,SCH 40,1/2"	MATERIAL DESCRIPTION: STUB END,	8
5068	Globe valve 3/4", RF, JIS10K, SB ISRS, FCMB/SUS 403 Trim	Globe valve 3/4", RF, JIS10K, SB ISRS, FCMB/SUS 403 Trim	2
5069	Ammeter, YS-8NAA, 0-50-150A, 82 x 82 MM, Mitsubishi	Description : Ammeter, YS-8 Naa, 0-50-150A	3
5070	WELDING TIG,ER316 L CW-2340 ,1.6*1000 MM	DESCRIPTION : WELDING TIG ROD,	2
5071	PIPE COUPLING,SUS304/VITON,MJH 25A,1"	DESCRIPTION : PIPE COUPLING	1
5072	BLIND FLANGE,SUS316,RF ANSI B16.5-1981,SIZE:2- 1/2",300#	DESCRIPTION : BLIND FLANGE	1
5073	DOUBLE STUD BOLT,A4-70 DIN 938,M12x70 MM. (F2408X)	ITEM NAME : STUD BOLT	30
5074	GASKET DISCHARGE,P/N: 15564-1,POS.NO.15 (G3601A/B)	ITEM NAME : GASKET DISCHARGE	2
5075	BELLOW ASBESTOS,P/N 941188-0000,E&H	DESCRIPTION : BELLOW ASBESTOS,	1
5076	GASKET,321/321 GRAP/NIL,ASME B16.5 900#, 8" INNER: 203.2x238.1x269.9 MM.	DESCRIPTION : GASKET	2
5077	HELICAL SPRING,DWG.NO.2-52492253-11,P/N 101E	DESCRIPTION : HELICAL SPRING	16
5078	WHEEL STUD & NUT (LH),SIZE: BFS 7/8,7.8- 11UNF,P/N: SUNDRY-INV	Description : WHEEL STUD & NUT (LH) BFS 7/8,7.8-11UNF	8
5079	DOUBLE ROW ANGULAR CONTACT BALL BEARING NO.5306 A (3306 A)	ITEM NAME : DOUBLE ROW ANGULAR CONTACT BALL BEARING NO.5306 A (3306 A)	2
5080	FLEXIBLE HOSE,SUS304,3/4"xL.800 MM.,POS.NO.W (B2402)	ITEM NAME : FLEXIBLE HOSE	2
5081	GUIDE BAND D30*2.5,PTFE-BRONZE,P/N: 806226,POS.NO.406D (G2402)	DESCRIPTION : GUIDE BAND	2
5082	PROTECTION BELLOWS,O/N:0142000,P/N:34	DESCRIPTION : PROTECTION BELLOWS,O/N:0142000,	2
5083	GLAND PACKING,PURE GRAP, 58 * 45 * 5 MM	DESCRIPTION : GLAND PACKING, RING	3
5084	ACTUATOR DIAPHRAGM, P/N 2E800002202,FISHER	Description : ACTUATOR DIAPHRAGM	1
5085	O-RING,FKM(VITON),ID.129.54xTHK.5.33 MM.,P/N: 10002017,POS.NO.0065E,	ITEM NAME : O-RING	2

5086	GASKET MECHANICAL SEAL "DURA SEAL" I/N G	DESCRIPTION : GASKET FOR MECHANICAL SEAL	9
5087	RUBBER SEAL COUPLING NO.H80 (6 PCS/SET) "FLENDER N-EUPEX" (G1202,	ITEM NAME : RUBBER SEAL COUPLING NO.H80	4
5088	ELEMENT,AIR FITR #S551/4 (GENERATOR GEN#1)	ITEM NAME : ELEMENT,AIR FITR #S551/4	1
5089	GASKET CASING,NIL/TI PTFE/NIL,ID.212xOD.220xTHK.4.5 MM. (G1202,G1507)	ITEM NAME : GASKET CASING	4
5090	RUBBER COUPLING NO.CR 42,POLYURETHANE "ROTEX" (P2406B,GZ1102)	ITEM NAME : RUBBER COUPLING NO.CR 42	4
5091	WIPER RING-ABOVE OF-POS 164,2243048, PV-1105C WITH ACTUATOR ON	DESCRIPTION : WIPER RING-ABOVE OF POS 164,	1
5092	SUPPORTING DISK CK75 IDN 001947,P/N: 5177543,POS.NO.1.12 (RV2101A/B)	ITEM NAME : SUPPORTING DISK CK75	3
5093	Mechanical Interlock magnetic SZ - RM	Description : Mechanical Interlock magnetic SZ - RM	10
5094	SLIP ON FLANGE,RF,SUS304,ANSI-B16.5,150#,2"	DESCRIPTION : SLIP ON FLANGE	4
5095	WAVED DISTANCE RING W4253 129x139x0.6,P/N: 00138207,POS.NO.247	ITEM NAME : WAVED DISTANCE RING W4253 129x139x0.6	4
5096	FLOAT,PTFE,0.2-2 KG/H, TOKYO	DESCRIPTION : FLOAT & TAPEPED TUBE,	2
5097	MICRO SW FOR CHECK VALVE 3",HONNEYWELL	DESCRIPTION : MICRO SWITCH,	2
5098	BALLAST MERCURY LAMP,OMB175,SYLVANIA	DESCRIPTION : BALLAST MERCURY LAMP	1
5099	COUPLING GREASE,P/N: P1405340-00264 (P3861A/B)	ITEM NAME : COUPLING GREASE	1
5100	IMPELLER,KB 5HP,FRPP,P/N: 111,POS.NO.11 (G4704A/B)	ITEM NAME : IMPELLER	1
5101	IMPELLER NUT,SUS304L (G4013A/B)	ITEM NAME : IMPELLER NUT	1
5102	KEY L 12.5 3.2 H 3.2,P/N: A00232-005- 300.POS.NO.42 (P3602)	ITEM NAME : KEY L 12.5 3.2 H 3.2	1
5103	OIL SEAL,NBR,ID.260xOD.300xTHK.20 MM.,POS.NO.63A&63B (P1301A/B)	ITEM NAME : OIL SEAL	4
5104	OIL SEAL(1),NBR,ID.115xOD.145xTHK.14 MM.,POS.NO.23 (P2411A/B)	ITEM NAME : OIL SEAL(1)	10
5105	ASSEMBLY FIXTURE,1.4301,POS.NO.24 (P2401A)	ITEM NAME : ASSEMBLY FIXTURE	6
5106	PILOT ROD,P/N 93309-2,I/N 118	DESCRIPTION : PILOT ROD	1
5107	BEARING NO.3305 ATN9 "SKF" (G1501,G1510)	ITEM NAME : BEARING NO.3305 ATN9	3
5108	BOTTOM TRAY CLAMPS "Y",904 4/2D,THK.2 MM.,P/N: 902 904G 04,POS.NO.31	ITEM NAME : BOTTOM TRAY CLAMPS "Y"	48
5109	DISC,MATERIAL S 970-316S11 ST.ST,DWG.NO.126651- 76-016,P/N 007448-263,I/N	DESCRIPTION : DISC	1
5110	IC MODEL:AD 561J (AD 40715)	DESCRIPTION : IC,	5
5111	GASKET,TI/TI PTFE/304,300#,4"	DESCRIPTION : GASKET	1
5112	GASKET IMPELLER,2Z104-TFR,P/N: SA3210AA00- TFR,POS.NO.104 (G1802C/D)	ITEM NAME : GASKET IMPELLER	1
5113	O-RING SIZE 65 *3 mm,Pos 5.2 (1 pcs per valve)	Description : O-RING SIZE 65 *3 mm	5
5114	GASKET,MATERIAL TOMBO #9092,SIZE ID.200 * OD.280 * 3 MM THK,P/N BL	DESCRIPTION : GASKET	1
5115	CHECK VALVE,SUS 304,SW,800#,1"	DESCRIPTION : CHECK VALVE	1
5116	ELBOW TUBE,SWIVEL,90 DEG,BRASS,OD.6 MM.xOD.1/8" MNPT (B1402B)	DESCRIPTION : ELBOW,SWIVEL	13
5117	FLINGER,NORYL GFN3,POS.NO.507 (G2701A/B)	ITEM NAME : FLINGER	2
5118	QUICK RELEASE VALVE O-RING (PERBUNANE)	DESCRIPTION : QUCK RELEASE VALVE	2
5119	O-RING,MATERIAL VALGUE#4640,SIZE 95 MM,DWG.NO.553405,I/N BC	DESCRIPTION : O-RING	8
5120	SEALING RING,PTFE/GYLON,D111/61x2,P/N: 307769900,POS.NO.15 (F2408)	SEALING RING,DWG NO.950001388,PART LIST NO.15,P/N 307769900,MATERIAL PTFE/GYLO	2
5121	TRANSFORMER,50VA,PRI 400V,SEC 115V,50HZ	Description : TRANSFORMER	5
5122	PULL ROD ASSY FOR IGV MOTOR,SAR07.5,AUMA	PULL ROD ASSY	2
5123	BEARING,NO.32213 (J2/Q)"SKF" P/N: 0150,0151 (P1404)	DESCRIPTION : BEARING	2
5124	GASKET,NIL/TI GRAP/CS,600#,2"	DESCRIPTION : GASKET,	6
5125	ITB COMMON,686B622U01,FISHER	DESCRIPTION : ITB COMMON,	1
5126	PULLEY WITH TAPER BUSH,GG 25,DIA.180x5V-5 TAPER BUSH NO.3020 BORE	ITEM NAME : PULLEY WITH TAPER BUSH	1
5127	OUTSIDE VERTICAL RISER WIDE 150 MM. FOR LADDER	DESCRIPTION : OUTSIDE VERTICAL RISER WIDE 150 MM. FOR LADDER	1

5128	O-RING GUIDE VANE,EPDM,SIZE: ID.41xTHK.3.3 MM. (G3512)	ITEM NAME : O-RING GUIDE VANE	2
5129	GASKET FOR DOUBLE OIL COOLER,NON ASBESTOS SIL C4400,OD.540xID.	ITEM NAME : GASKET FOR DOUBLE OIL COOLER	3
5130	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"x90 MM.	DESCRIPTION : STUD BOLT & NUTS	18
5131	V-BELT NO.3V-850 "SKF" (P1502)	ITEM NAME : V-BELT NO.3V-850	12
5132	GASKET SUCTION LINE 6th STAGE,SS316L/PTFE/SS316L/CS,	ITEM NAME : GASKET SUCTION LINE 6th STAGE	1
5133	BEARING,NO.5307 A "SKF"	DESCRIPTION : BEARING	2
5134	GASKET,304/304 PTFE/NIL,1065x1105x1130xTHK.4.5 MM. (E2401)	ITEM NAME : GASKET	1
5135	MOTOR CONDENSING COIL,B1-1/4-B "FASCO"	MATERIAL DESCRIPTION : MOTOR CONDENSING COIL UNIT,	2
5136	FLINGER PUMP END,P/N 0871 A	DESCRIPTION : FLINGER PUMP END	6
5137	SPROCKET RS100,SS400,17 TEETH,BORE DIA.70 MM. (T2102A/B)	ITEM NAME : SPROCKET RS100	1
5138	O-RING FOR MECHANICAL SEAL,TTE,ID.43.8 MM.xTHK.3.53 MM.,P/N: 412.3,I/N 3	DESCRIPTION : O-RING FOR MECHANICAL SEAL	3
5139	GASKET CASE,EPDM-NBR,POS.NO.351 (G1703)	ITEM NAME : GASKET CASE	7
5140	BATTERY,3.2A,12V,NP3.2-12,YUASA,(FM-200)	Description : BATTERY,3.2A,12V	2
5141	TEE,SUS 304,BW,SEAM,SCH 40,3"	DESCRIPTION : TEE,	1
5142	DURAFLEX RING,TYPE PTO,SIZE 3.125 "DURA SEAL",P/N PT3T3687B33,I/N 7	DESCRIPTION : DURAFLEX RING,	2
5143	O-RING FOR MECHANICAL SEAL,TYPE: M7N Q1QM2GG,P/N: 412.2 (G1502A)	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
5144	DISC,P/N007748-263,BS 970-316S11 ST	DESCRIPTION : DISC,	1
5145	V-RING VA-110,NBR,P/N: RA-32606,POS.NO.19 (P3551,P3552)	ITEM NAME : V-RING VA-110	16
5146	GLAND PACKING,VALQUA#7262(TEFLON) OR EQ,9.5 MM.xL.330 MM.,POS.NO.40	ITEM NAME : GLAND PACKING	2
5147	O-RING CASING COVER,EPDM,ID.266.3xTHK.3.53 MM.,POS.NO.4610.5	ITEM NAME : O-RING CASING COVER	2
5148	SPROCKET,SS400,RS140x14 TEETH,BORE DIA.100,POS.NO.15 (T2101A/B)	ITEM NAME : SPROCKET	1
5149	O-RING,FKM(VITON),ID.158.34xTHK.3.53 MM.,POS.NO.0077E (P1441,P2701)	ITEM NAME : O-RING	3
5150	CAM SW,UCSQO-449-F2B-C4003,10A,600V,IDEC	DESCRIPTION : CAM SWITCH,	1
5151	GASKET PACKING FOR MECHANICAL SEAL,I/N G "DURA SEAL"	DESCRIPTION : GASKET PACKING	2
5152	BEARING NO.YAR 209-2F "SKF" (F3544C)	ITEM NAME : BEARING NO.YAR 209-2F	5
5153	CIRCLIP N5000-87 STEEL,P/N: A00167-015- 310,POS.NO.37 (P3602)	ITEM NAME : CIRCLIP N5000-87 STEEL	1
5154	GASKET SPW."W",SS321/GRAPHITE,ID.38 MM.xOD.50 MM.xTHK.4.5 MM.	ITEM NAME : GASKET SPW.	2
5155	SEAT,P/N 97171-1,I/N 21	DESCRIPTION : SEAT	1
5156	O-RING,VITON,SIZE:ID 90 * 5.5 MM	DESCRIPTION : O-RING,	3
5157	O-RING,VITON,SIZE:ID 95 * 5.5 MM	DESCRIPTION : O-RING,	3
5158	BALL CHECK VALVE,P/N: 050-011-600 (G-3543)	ITEM NAME : BALL CHECK VALVE	2
5159	SCREW SOCKET SET,P/N: FL0025-N020-0050,POS.NO.29 (P3602)	ITEM NAME : SCREW SOCKET SET	1
5160	MECH MOVING COIL INDICATOR, M01604-P4090	DESCRIPTION : MECH.MOVING COIL INDICATOR,	1
5161	RELAY OUTPUT (16),FSCL6775X1-A1 (DCS)	MATERIAL DESCRIPTION : RELAY INPUT (16) TERMINATION -, PANE	1
5162	O-RING,MATERIAL NBR,P/N N 048050008,I/N 7	DESCRIPTION : O-RING	1
5163	O-RING FOR FILTER ELEMENT,VITON,DIA.266.07xTHK.5.33 MM. (FZ1101C/D)	ITEM NAME : O-RING FOR FILTER ELEMENT	3
5164	1-1/2" SLIP ON FLANGE CL150 A182 F316L	DESCRIPTION : SLIP ON FLANGE	4
5165	BUTTERFLY VALVE,DISC: SS316,EPDM,150#,4"	DESCRIPTION : BUTTERFLY VALVE	1
5166	MICRO SWITCH,15A,250V,Z-15H-B ,OMRON	DESCRIPTION : MICRO SWITCH	10
5167	GASKET FOR ANGLE VALVE,NIL/TITANIUM FILLER PTFE/NIL,300#,SIZE 4"	ITEM NAME : GASKET FOR ANGLE VALVE	7
5168	BEARING NO.7306 BEP "SKF" (G1619A/B)	DESCRIPTION : BEARING NO.7306 BEP	4
5169	8" blind flange CL 150 RF STD-FN CS ASTM A105 ANSI-B16.5	8" blind flange CL 150 RF STD-FN CS ASTM A105 ANSI-B16.5	1

5170	GASKET,321/321 GRAP/NIL,900#,2"	DESCRIPTION : GASKET	10
5171	TUBE,4/6 MM,9.019.03.01,STIP	DESCRIPTION : TUBE,	5
5172	SERRATE GASKET,SS316,37.5 * 46.5 * 3.5MM	DESCRIPTION : SERRATE GASKET,	1
5173	DIGITAL INDICATOR,EDP1600(SUMMING BOARD)	DESCRIPTION : DIGITAL INDICATOR,	1
5174	SUMMING BOARD,MODEL: PC-9103 ,TANAKA (YP-2601A/B)	DESCRIPTION : SUMMING BOARD,	1
5175	CARBON BUSH,GRADE M400,SIZE: ID.35xOD.80x80 MM.LONG (G2805C)	ITEM NAME : CARBON BUSH	1
5176	FLEXIBLE HOSE C/W FLANGES,SUS304,#150,2"xL.650 MM. (D2408)	DESCRIPTION : FLEXIBLE HOSE C/W FLANGE	1
5177	CONVERTER,10 BASE-2 TO 10 BASE-T (DCS)	MATERIAL DESCRIPTION : ETHERNET CONVERTER,	1
5178	PRESSURE GAUGE,FOR AIR-CONDITION,IMPERIAL	DESCRIPTION : PRESSURE GAUGE FOR AIR-CONDITION	1
5179	SPROCKET,B-TYPE/STOCK BORE,SS400,SIZE: JIS120x15 TEETH. (T2405)	ITEM NAME : SPROCKET	1
5180	CROWN PIN COUPLING COMPLETE SET,MODEL: FCL200 (GZ1301AA/AB/BA/BB)	ITEM NAME : CROWN PIN COUPLING COMPLETE SET	1
5181	OIL SEAL,NBR,ID.26xOD.45xTHK.9 MM. (G3535)	ITEM NAME : OIL SEAL	5
5182	V-BELT NO.3V-600 (4 PCS/SET) (P1202B)	ITEM NAME : V-BELT NO.3V-600	11
5183	O-RING FOR MECHANICAL SEAL,EPDM,ID.139.5 * 3.3 MM THK,I/N A	DESCRIPTION : O-RING FOR MECHANICAL SEAL	6
5184	SLEEVE BUSHING,P/N 98123-2,I/N 121	DESCRIPTION : SLEEVE BUSHING	2
5185	GROOVED NUT KM16,SIZE: M80*2 ST,P/N: 5177542 (RV2101A/B)	ITEM NAME : GROOVED NUT KM16	1
5186	GASKET,TYPE: B (CENTER BAR 8 MM. R.8),PTFE,ID.453x489xTHK.4.5 MM.	ITEM NAME : GASKET,TYPE: B (CENTER BAR 8 MM. R.8)	1
5187	BOLT HEX HEAD WITH NUT,SUS304,M27xL.90 MM.PITCH.3.0 MM.,THREAD 60	ITEM NAME : BOLT HEX HEAD WITH NUT	4
5188	WIRE ROPE CLIP,SUS 304,BSW,3/8"	DESCRIPTION : WIRE ROPE CLIP	13
5189	GASKET,CAMPROFILE(SERRATED),NICHIAS TOMBOT,1890-T (TI),ID 138.7 x OD	DESCRIPTION : GASKET,CAMPROFILE(SERRATED)	2
5190	BULKHEAD UNION,SS304,8 MM	DESCRIPTION : BULKHEAD UNION	5
5191	PRESS GAUGE,0-2 KG/CM2,3/8"PF	DESCRIPTION : PRESSURE GAUGE,	2
5192	SPHERICAL ROLLER BEARING NO.22310 E/C3 (T1401BB)	ITEM NAME : SPHERICAL ROLLER BEARING	1
5193	Flexible hose, 1/4" hose size, 1/4" tube adaptor end, 1000mm long (For Nitrogen)	Description : Flexible hose, 1/4" hose size, 1/4" tube adaptor end	2
5194	ROLLING CONTACT BEARING NO.32310 (P2401A)	ITEM NAME : ROLLING CONTACT BEARING NO.32310A	2
5195	UNION ONE TOUCH,PLASTIC, 10 MM,SMC	DESCRIPTION : UNION ONE TOUCH,	29
5196	O-RING FOR MECHANICAL SEAL,VITON,P/N: 6666533V (E1507)	ITEM NAME : O-RING FOR MECHANICAL SEAL	1
5197	8" blind flange CL 150 RF STD-FN CS ASTM A105 ANSI-B16.5	8" blind flange CL 150 RF STD-FN CS ASTM A105 ANSI-B16.5	1
5198	O-RING,EPDM,DIA.134.5xTHK.3 MM.,POS.NO.33 (G2102A/B)	ITEM NAME : O-RING	2
5199	ELBOW 90,BW,SUS316L,SCH 40,1"	DESCRIPTION : ELBOW 90	15
5200	CAP TUBE 1/4",316L "SWAGELOK" ,SS-400-C	DESCRIPTION : CAP TUBE 1/4"	10
5201	GASKET,NIL/321 GRAP/CS,600#,8"	DESCRIPTION : GASKET,	6
5202	THRUST WASHER,SOLIDUR-CP,DIA.85x65xTHK.5 MM.,POS.NO.38 (F1441A/B/C)	ITEM NAME : THRUST WASHER	6
5203	SPACER RING,20%GF TEFLON,DIA.109.5x90.5xTHK.10 MM.,POS.NO.33	ITEM NAME : BUSHES	4
5204	PROVEX DCS LED STATUS DISPLAY (DCS)	MATERIAL DESCRIPTION : PROVEX DCS LED STATUS DISPLAY,	4
5205	GASKET,SPWG,NIL/316 PTFE/NIL,SIZE: 550x570x4.5 MM. (E1701)	DESCRIPTION : GASKET	3
5206	FLANGE,316L,R.F,300#, 1-1/4" (G1504)	DESCRIPTION : FLANGE	2
5207	EXPANSION JOINT,EPDM.FLANGE CS.,150#,3"xL.152.4 MM. (G4601A/B)	ITEM NAME : EXPANSION JOINT	2
5208	CAM RING,P/N: 01657348,POS.NO.478 (T1442B,T1443B,T1444B,T1445B)	ITEM NAME : CAM RING	2
5209	SPIDER COUPLING,P/N: 1402070-00223,REF NO.L99-100 (P3861A/B)	ITEM NAME : SPIDER COUPLING	1
5210	Power contactor, AC-3 25 A, 11 kW / 400 V 2 NO + 2 NC, 24 V (Tunthai Excitation	Description : Power contactor, AC-3 25 A, 11 kW / 400 V 2 NO + 2 NC, 24 V (Tunthai Excitation P	1
5211	Power contactor, AC-3, 25A, 11kW, 400V, 2NO+2NC, 24VDC, 3-pole (Tunthai	Description : Power contactor, AC-3, 25A, 11kW, 400V, 2NO+2NC, 24VDC, 3-pole (Tunthai Excita	1

5212	BEARING NO.6312-2Z/C3 "SKF" (P1205)	ITEM NAME : BEARING NO.6312-2Z/C3	2
5213	OIL SEAL,NBR,ID.120xOD.155xTHK.16 MM.,POS.NO.16-6 (P1504,P2503)	ITEM NAME : OIL SEAL	6
5214	BEARING NO.NJ 215 ECP "SKF" (E3515)	ITEM NAME : BEARING NO.NJ 215 ECP	1
5215	O-RING BEARING END COVER,EPDM,SIZE: ID.130*3.3 MM.THK,P/N: 20A11B	ITEM NAME : O-RING BEARING END COVER	3
5216	LIP SEAL,P/N: 9100000-003,POS.NO.49 (G-1503)	ITEM NAME : LIP SEAL	1
5217	BEARING NO 32313U,POS.NO.59 "NTN" (P1402)	ITEM NAME : BEARING NO 32313U	2
5218	MECHANICAL SEAL,TYPE 33 SECTIONAL INTERNAL "DURA SEAL"	DESCRIPTION : MECHANICAL SEAL	1
5219	MECHANICAL SEAL,TYPE 37SECTIONAL INTERNAL "DURA SEAL"	DESCRIPTION : MECHANICAL SEAL	1
5220	ANGULAR CONTACT BALL BEARING NO.3207 ATN9 (G1951A/B,G3546A/B,	ITEM NAME : ANGULAR CONTACT BALL BEARING NO.3207 ATN9	3
5221	ELBOW 90,SW,SUS304,3000#,1/2"	DESCRIPTION : ELBOW 90	9
5222	GEARBOX BAFFLE,TYPE: P-2000,P/N: BA09UT01,POS.NO.P2-44 (G1302C/D)	ITEM NAME : GEARBOX BAFFLE	1
5223	DRIVE PIN,SUS316,POS.NO.58 (P2401,P2402,P2403,P2404,P2405)	ITEM NAME : DRIVE PIN	2
5224	GASKET FOR MECHANICAL SEAL,TYPE ROTT-EU5EFTT,SIZE 1.375,I/N G	DESCRIPTION : GASKET	6
5225	SLIP ON FLANGE,SUS 304,RF,150#,1-1/2"	DESCRIPTION : SLIP ON FLANGE	5
5226	GASKET,316/316 PTFE/CARBON STEEL,SIZE: 160x180x210x240x4.5 MM.THK	ITEM NAME : GASKET	2
5227	COUPLING FOR TROCHOID PUMP COMPLETE SET,ALLUMINUM,TOP2MY/MW	ITEM NAME : COUPLING FOR TROCHOID PUMP COMPLETE SET	1
5228	SCR Model Tm55 (Power Rectifier),BBC,DC Charger SS-2	Description : SCR Model Tm55 (Power Rectifier)	1
5229	Diode: Model RM60 (Power Rectifier),BBC,DC Charger SS-2	Description : Diode Model RM60 (Power Rectifier)	1
5230	BEARING NO.6215 "SKF" (G1205,RV2402)	ITEM NAME : BEARING NO.6215	3
5231	GASKET(STUFFING BOX),NIL/TI PTFE/NIL,ID.130xOD.140xTHK.3.5 MM. (G1806)	ITEM NAME : GASKET (STUFFING BOX)	3
5232	BEARING NO.6408 ,POS.NO.16-3 "SKF" (P2503)	ITEM NAME : BEARING NO.6408 "SKF"	2
5233	WELDING ELECTRODE,309L,2.6*300 MM.,GEMINI, (1KG/BOX)	DESCRIPTION : WELDING ELECTRODE	5
5234	SHUNT RESISTOR, MO1604-P4090,150 MV,6 A	DESCRIPTION : SHUNT RESISTOR,	1
5235	WELDING ELECTRODE,316L,3.2*350 MM,GEMINI	DESCRIPTION : WELDING ELECTRODE	6
5236	IC,OP-AMP,#UA 9638, P/N:216872/C-40447	DESCRIPTION : IC,	10
5237	STRIPPER AS28-38-5-8,NBR,P/N: 485451,POS.NO.333 (G2402A/B/C)	ITEM NAME : STRIPPER AS28-38-5-8	2
5238	LOCATING RING,FRB 10/280,SKF	Description : LOCATING RING	4
5239	FAN ROTOR,P/N: SU463G3516,POS.NO.4620 (G1445A/B/C)	ITEM NAME : FAN ROTOR	1
5240	O-RING FOR THRUST LAB'Y SEAL(STATIC),BUNA,POS.NO.497G (G1403C/D,	ITEM NAME : O-RING FOR RADIAL LAB'Y SEAL(STATIC)	3
5241	O-RING FOR RADIAL LAB'Y SEAL(STATIC),BUNA,POS.NO.497J (G1403C/D,	ITEM NAME : O-RING FOR RADIAL LAB'Y SEAL(STATIC)	3
5242	STATIONNARY SEAL RING GASKET,FLOOROELAST,P/N : 6666604V,POS.NO.10A	ITEM NAME : STATIONNARY SEAL RING GASKET	1
5243	O-RING OUTTER FOR COOLING CAP (A),ELASTOMER,P/N: L451KA006 (G1602)	ITEM NAME : O-RING OUTER FOR COOLING CAP "A"	2
5244	SWING LEVER FOR IGV MOTOR,SAR07.5,AUMA	SWING LEVER ASSY	2
5245	GASKET,321/321 GRAP/NIL,1500#,2"	DESCRIPTION : GASKET	12
5246	ANTENNA FOR MOBILE V-603 OUT SIDE	DESCRIPTION : ANTENNA,	2
5247	SHIM,P/N: 14573-4,POS.NO.7 (G3601A/B)	ITEM NAME : SHIM	1
5248	BALL BEARING NO.6315 2Z/C3 "SKF" (G3261XA,XB,XC)	ITEM NAME : BALL BEARING NO.6315 2ZR/C3	1
5249	Gasket, Motoyama, T1890MT 316, FV-2501	Description : Gasket	1
5250	GASKET CASING,PTFE,ID.425xOD.438xTHK.1 MM. (G1403A/B)	ITEM NAME : GASKET CASING	3
5251	SPROCKET,S38C,SIZE: JIS120xNT10xNEW B,POS.NO.11 (T1405)	ITEM NAME : SPROCKET	2
5252	DRIVE PIN,TB340,POS.NO.60 (P1301C)	ITEM NAME : DRIVE PIN	2
5253	TRANSFORMER,100VA,PRI 400V,SEC 115V,50HZ,ESTEL	Descripton : TRANSFORMER	3

5254	O-RING FOR ACTUATOR TYPE 1061, SIZE 68, P/N 1H862506992, TAG : XV-1111	DESCRIPTION : O-RING	1
5255	SPROCKET FOR ROTARY VALVE & MOTOR SIDE,WHEEL 17 TEETH,BORE: 60	ITEM NAME : SPROCKET FOR ROTARY VALVE & MOTOR SIDE	1
5256	RUBBER COUPLING SLEEVE NO.3J SURE FLEX,EPDM "TB WOOD'S" (G3562,	ITEM NAME : COUPLING SLEEVE NO.3J SURE FLEX	7
5257	GASKET SPW."ORW",SS321/GRAPHITE,SUS316,SIZE: 60x86x143xTHK.4.5 MM.	ITEM NAME : GASKET SPW.	4
5258	SHIM INTERMEDIATE,P/N: 14334-1,POS.NO.20 (G3601A/B)	ITEM NAME : SHIM INTERMEDIATE	3
5259	HAND VALVE,VH310-03(3D2-009) 10KG/CM,SMC	DESCRIPTION : HAND VALVE	1
5260	HAND VALVE,3 WAY,10.2 KGF/CM2,3/8"	MATERIAL DESCRIPTION : HAND VALVE,	1
5261	(NOT USE) O-RING OUTBOARD SEAL ROT SIZE: 1.750,VITON,POS.NO.497F	DESCRIPTION : O-RING OUTBOARD SEAL SIZE: 1.750	6
5262	STUB END,SUS 316L,SMLS,SCH 40,4"	DESCRIPTION : STUB END	1
5263	STUD BOLT & NUTS,UNC,B8 CLASS 2,1/2"x70 MM.	DESCRIPTION : STUD BOLT & NUTS	20
5264	SOCKET HEAD CAP SCREW,SUS 304/ASTM A193 GRADE B8,M10*1.5*25 MM	Description : SCREW	204
5265	TAPERED ROLLER BEARING NO.32306 (T3307)	ITEM NAME : TAPERED ROLLER BEARING NO.32306	2
5266	TAPERED ROLLER BEARING NO.32206 (T3307)	ITEM NAME : TAPERED ROLLER BEARING NO.32206	2
5267	COUPLING KEY,SUS316L (G1404A/B)	ITEM NAME : COUPLING KEY	1
5268	HAND VALVE,3-WAY,PORT 3/8",1.0 MPA,VH400-N03,SMC (VF-1401,VF-1504A/B,	DESCRIPTION : HAND VALVE	1
5269	NOZZLE,P/N:930441100,I/N:12	DESCRIPTION : NOZZLE	2
5270	SPACER RING,20%GF TEFLON,DIA.109.5x90.5xTHK.5 MM.,POS.NO.34	ITEM NAME : SPACER RING	4
5271	BEARING NO 6218 NR "NTN",POS.NO.18-1 (P1202)	ITEM NAME : BEARING NO.6218 NR	2
5272	DOME WASHER,ID.11 MM.xOD.45 MM.,SUS316L,P/N: 802- 361G102 (C1301B)	#N/A	12
5273	LIFT CHECK VALVE,SUS 316,RF,150#,1/2"	DESCRIPTION : LIFT CHECK VALVE,	1
5274	BOLT,SUS304,M10x50 MM. (C2501)	ITEM NAME : BOLT	66
5275	BOLT ROUND TAPER HEAD,SUS 304,M6*70 MM	DESCRIPTION : BOLT ROUND TAPER	271
5276	BALL,MATERIAL AISI 440C ST ST,P/N 013682-235,I/N 31	DESCRIPTION : BALL,	2
5277	HELICAL SPRING,1.4310/SS,DIA.15.5xTHK.5.5 MM.,P/N: 10002774,POS.NO.0101E	ITEM NAME : HELICAL SPRING	8
5278	TUBE FOR PERISTALTIC PUMP Q=0.3 L/H (CEMS) YOKOGAWA FOR PM	DESCRIPTION : TUBE FOR PERISTALTIC PUMP Q=0.3 L/H (CEMS) YOKOGAWA	1
5279	LAP JOINT FLANGE, 2 INCH, 300#, FORGED, SS, ASTM A182 F304, FF, ANSI B16.	DESCRIPTION : LAP JOINT FLANGE	1
5280	GASKET,NIL/TI GRAP/CS,300#,4"	DESCRIPTION : GASKET	2
5281	LOCKNUT&LOCKWASHER AN12/AW12,P/N: U630KMB120,POS.NO.0000 (P2401,	ITEM NAME : LOCKNUT & LOCKWASHER AN12/AW12	4
5282	V-PACKING,PTFE, 29 * 21 * 11 MM	DESCRIPTION : V-PACKING,	1
5283	GASKET,PTFE,SIZE: OD.394xID.354x3 MM.THK (E2403)	ITEM NAME : GASKET	1
5284	O-RING,VITON,SIZE:ID 340 * 5.5 MM	DESCRIPTION : O-RING,	1
5285	V-RING FOR MECH SEAL,SGL PT"DURA"(G-1607	MATERIAL DESCRIPTION : V-RING	2
5286	GROOVED COUPLING 3" WITH GASKET COMPLETE SET (MF4601 RO PLANT)	ITEM NAME : GROOVED COUPLING 3" WITH GASKET COMPLETE SET	2
5287	OIL SEAL,VITON RUBBER,FB110xOD.140xTHK.12 MM. (T1441A/B/C)	ITEM NAME : OIL SEAL	3
5288	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"x90 MM.	DESCRIPTION : STUD BOLT & NUTS	16
5289	SPHERICAL ROLLER BEARING NO.22212 EC3 (T1401BB)	ITEM NAME : SPHERICAL ROLLER BEARING NO.22212 EC3	1
5290	BEARING NO.30213 U "NTN" (P1410)	Description : BEARING NO.30213 U	4
5291	GASKET DOUBLE OIL COOLER,NON ASBESTOS,OD.449xID.427xTHK.2 MM.,	ITEM NAME : GASKET DOUBLE OIL COOLER	6
5292	GASKET ORWIR.,SS321/GRAPHITE/SS321/SUS304,150#,3" (BOTTOM D2201)	ITEM NAME : GASKET ORWIR.	4
5293	STUB END,TI,WELDED 100%-RT,BW,S-40S,2"	DESCRIPTION : STUB END, WELDED 100%-RT,BW,S-10S,	2
5294	PLC BATTERY BACKUP,C,3.6V/5.2AH (FGD)	MATERIAL DESCRIPTION : SIMATIC S5,BACKUP BATTERY, LITHIUM,	1
5295	GASKET(C/W PARTITION BAR 4.8 MM.),316L/316L PTFE/NIL,455x485x511xTHK.4.5	ITEM NAME : GASKET	1

5296	SEAL DUST,MATERIAL NBR,P/N N 408600750,I/N 21	DESCRIPTION : SEAL DUST	1
5297	GLAND PACKING,MATERIAL #C1050,SIZE 5/8"	DESCRIPTION : GLAND PACKING	1
5298	ADAPTOR PART F,TYPE: A-150,SUS316,SIZE: 1-1/2"	DESCRIPTION : ADAPTER,	1
5299	GASKET,NIL/TITANIUM FILLER GRAPHITE/NIL,SIZE 319.5 * 347 * 4.5 MM THK	DESCRIPTION : GASKET	1
5300	GASKET,MP4403 NON ASBESTOS,W.733xL.1143xTHK.2 MM. (E2409A)	ITEM NAME : GASKET	1
5301	SEAT AND GASKET FOR BALL VALVE 3"	SEAT AND GASKET	2
5302	COIL SPRING,SUS 316,POS.NO.35 (P2401,P2402,P2403)	ITEM NAME : COIL SPRING	10
5303	GASKET,NIL/TI GRAP/NIL,900#,2"	DESCRIPTION : GASKET	7
5304	BUSH NO.5 CBN(M/S REPAIR KIT G-1441),SIZE: 2.500",TYPE: DAUL INSIDE	Description : BUSH NO.5 CBN(M/S REPAIR KIT G-1441)	1
5305	RUBBER COUPLING FOR LUBE OIL PUMP,RUBBER,MODEL: L-095 "LOVE JOY"	ITEM NAME : RUBBER COUPLING FOR LUBOIL PUMP	5
5306	PRESS.GAUGE W/GLY,0-25 KG,1/2" (PI-5201)	DESCRIPTION : PRESSURE GAUGE WITH GLYCERINE FILLED	2
5307	O-RING,PTFE,ID.94.5xTHK.3 MM.,P/N: 520615- 71,POS.NO.32 (G1202,G1504)	ITEM NAME : O-RING	4
5308	VERTICAL SEAL SET NO.54972 (1 SET/2 PCS),P/N: 815-1712 "SKF" (E3264F/G/H	ITEM NAME : VERTICAL SEAL SET NO.54972	2
5309	SPIRAL WOUND GASKET, TI/TI/GRAP/SUS304, SIZE 64.5x72x85x112 M.M., TAG :	DESCRIPTION : SPIRAL WOUND GASKET	2
5310	BUSHING PULLEY,1.8750 BORE QD-SF,I/N 13	MATERIAL DESCRIPTION : BUSHING PULLEY	1
5311	Y-BEARING NO.UC 210 "ASAHI" (F3544)	ITEM NAME : Y-BEARING NO.UC 210	5
5312	WELD NECK FLANGE,SUS 304,RF,900#,1"	WELD NECK FLANGE	1
5313	O-RING FOR FRONT DEFLECTOR,EPDM,ID.45.69xTHK.2.62 MM.,POS.NO.4610.8	ITEM NAME : O-RING FOR FRONT DEFLECTOR	1
5314	O-RING SIDE PORT (FEED CONC,VESSEL OUTSIDE),EPDM,P/N: 8041,POS.NO.8	ITEM NAME : O-RING SIDE PORT (FEED CONC,VESSEL OUTSIDE)	17
5315	O-RING FOR BAFFLE PLATE,NBR,ID93 * 3.5MM, AIR KNOCKER	DESCRIPTION : O-RING	80
5316	GASKET SHAFT SLEEVE,ASBESTOS,OD.1-3/4" * ID.1- 1/2",I/N 33	DESCRIPTION : GASKET SHAFT SLEEVE	5
5317	GASKET,GORE-TWX PTFE,ID.50xOD.67xTHK.0.25 MM. (G1403,G1502)	DESCRIPTION : GASKET,	6
5318	REED SWITCH FOR CYLINDER,R-SERIES,CKD	DESCRIPTION : REED SWITCH,	4
5319	SNAP RING,TYPE: 9TQF(31)10(58)1,SIZE: 1.125 (G1501)	DESCRIPTION : SNAP RING	1
5320	O-RING,PTFE,DIA.114.5xTHK.3 MM.,P/N: 520620,POR.NO.31 (G2102)	ITEM NAME : O-RING	3
5321	RUBBER COUPLING NO.GR-28,RUBBER "PU-SUIDER ROTEX" (G3535,GZ1205)	ITEM NAME : RUBBER COUPLING NO.GR-28	8
5322	SPRING,SIZE 1.875 ,12 PCS/SET "JOHN CRANE" I/N F	DESCRIPTION : SPRING	1
5323	BUSH FOR SHAFT MOTOR FAN COIL,1/2",3",AIR CONDITION	Description : BUSH FOR SHAFT MOTOR FAN COIL	8
5324	GASKET,SS304/FILLER GRAPHITE,SIZE: 320x344x4.5MM.THK (E1601)	DESCRIPTION : GASKET	4
5325	Res. 1K5 50W 5% 50PPM,121-5152,GUTOR UPS	DESCRIPTION : Res. 1K5 50W 5% 50PPM	4
5326	DOUBLE END THREAD STUD WITH DOUBLE NUTS,(12.9),M12x1.75xL.160 MM.,	ITEM NAME : DOUBLE END THREAD STUD WITH DOUBLE NUTS	4
5327	O-RING,P/N: 1002038,POS.NO.0065E,0066E (P2406B)	ITEM NAME : O-RING	2
5328	SPIDER COUPLING (CAM RING K4 AM132),P/N: 1657321 (RV1402E)	ITEM NAME : SPIDER COUPLING (CAM RING K4 AM132)	2
5329	PIPE COUPLING,SUS304/VITON,MJER 25A,1"	DESCRIPTION : PIPE COUPLING	1
5330	REAR COVER O-RING,KB 5HP,VITON,P/N: 104V,POS.NO.4 (G4704A/B)	ITEM NAME : REAR COVER O-RING	1
5331	RADIAL BALL BEARING POS.1530 (T1441C)	ITEM NAME : RADIAL BALL BEARING POS.1530	1
5332	TEE REDUCING,SUS 304,SW,3000#,1-1/2"*1"	TEE REDUCING, SW,	1
5333	O-RING,NBR,SIZE:ID 358 * 6 MM,POS.14	DESCRIPTION : O-RING,	3
5334	O-RING PUMP FOR BEARING OIL PUMP,POS.NO.2 (P3861)	ITEM NAME : O-RING PUMP FOR BEARING OIL PUMP	3
5335	SERRATE GASKET,SS316, 136.5 * 160 * 3 MM	DESCRIPTION : SERRATE GASKET,	2
5336	O-RING (BUNA-N STANDARD),P/N: 0391-00-463- T,POS.NO.2 (P1301B)	ITEM NAME : O-RING (BUNA-N STANDARD)	2
5337	GASKET SUPPORT HEAD,P/N: 2584C (G1203,G1510,G1601,G1605,G1610)	ITEM NAME : GASKET SUPPORT HEAD	15

5338	O-RING BEARING END COVER,EPDM,ID.130xTHK.3.3 MM. (G1102,G1203,G1506,	ITEM NAME : O-RING BEARING END COVER	5
5339	FLEXIBLE OIL HOSE,CONNECTOR UNION,SUS304,INNER&OUTER	ITEM NAME : FLEXIBLE OIL HOSE	2
5340	O-RING BEARING END COVER,EPDM,ID.69 MM.xTHK.1.8 MM.,P/N: 20A11B	ITEM NAME : O-RING BEARING END COVER	8
5341	PIPE CAP,SUS316L,SCH10,BW,SL, 4"	DESCRIPTION: PIPE CAP	4
5342	BEARING NO.51115,SIZE: INNER=75,OUTER=100,WIDTH=19 "SKF" (E3515)	ITEM NAME : BEARING	2
5343	BEARING NO.6315 ZNR "SKF" (P1403)	ITEM NAME : BEARING NO.6315 ZNR	1
5344	STUB END,SUS 316L,BW,SL,SCH 40,1-1/2"	DESCRIPTION : STUB END,	4
5345	O-RING PRESSURE COM.,P/N: 10001686,POS.NO.0022 (P2401A)	ITEM NAME : O-RING PRESSURE COM.	2
5346	Gasket 10", CL300 RF, 4.5 MM SP-WD SS 316 and filler non ASB with SS 316 inner	Gasket 10", CL300 RF, 4.5 MM SP-WD SS 316 and filler non ASB with SS 316 inner ring, SP-WD	2
5347	WELD NECK FLANGE, 1" CL300 RF 125-250 RA-FN S-40S SS ASTM A182 GR.	DESCRIPTION : WELD NECK FLANGE	3
5348	GASKET,NIL/317,PTFE/317,181*207*219*4.8	DESCRIPTION : GASKET,	2
5349	O-RING FOR BACK DEFLECTOR,EPDM,ID.45.69xTHK.2.62 MM.,POS.NO.4610.9	ITEM NAME : O-RING FOR BACK DEFLECTOR	1
5350	LAP JOINT FLANGE,SUS304,150#,1/2"	DESCRIPTION : LAP JOINT FLANGE	8
5351	Gasket Repair Kit, LV-1302	Description : Gasket Repair Kit	1
5352	GASKET,321/321,GRAP/CS,1500#,10"	DESCRIPTION : GASKET	1
5353	OIL SEAL,NBR,ID.110xOD.145xTHK.15 MM. (P1202B)	ITEM NAME : OIL SEAL	4
5354	SIGHT GLASS FOR FLD 400 HPS	MATERIAL DESCRIPTION : SIGHT GLASS	2
5355	PRESS GAUGE,GLYCERINE,0-70 KG/CM2,1/2" PF	Description : PRESSURE GAUGE FILL GLYCERINE	1
5356	RADIAL SHAFT SEAL RING(TC 75x110x13 MM.),P/N: 421.01 (G3261XA,XB,XC)	ITEM NAME : RADIAL SHAFT SEAL RING	1
5357	Memory card,6RX1800- 0AS01,A1AP0004312,A4051039/SAG_DF UOM,SIEMENS,	DESCRIPTION : Memory card	1
5358	BETWEEN GEAR SPACER (INTERM.SHAFT),P/N: 451-1712 (E3264 F/G/H PRI	ITEM NAME : BETWEEN GEAR SPACER (INTERM.SHAFT)	1
5359	BELOW GEAR SPACER (INTERM SHAFT),P/N: 453-1712 (E3264 F/G/H PRI	ITEM NAME : BELOW GEAR SPACER (INTERM SHAFT)	1
5360	HOSE CLIPS,SS304,SIZE:25-35 MM,OBIT TAG : AIR KNOCKER	DESCRIPTION : HOSE CLIP	65
5361	RUBBER SEAL,TYPE SPECIAL,MATERIAL NBR	DESCRIPTION : RUBBER SEAL	54
5362	BEARING NO.33213 U "NTN",POS.NO.45 (P1402)	ITEM NAME : BEARING NO.33213 U	2
5363	ELBOW 90,SUS316L,B.W,SL,SCH 40,1-1/2"	DESCRIPTION : ELBOW 90	6
5364	V-SEAL POS.NR.4220,P/N: 43043734 (G1101A/B)	ITEM NAME : V-SEAL POS.NR. 42.20*	4
5365	FUSE QUAD,ELEC,CARTRIDGE,17-01-14,JOY	DESCRIPTION : QUAD FUSE,	10
5366	SPIRAL GASKET 6"x150#, TAG : FV-1802A, FV-1802B	DESCRIPTION : SPIRAL GASKET	1
5367	GROOVE RING,O/N:0160512,P/N:13	DESCRIPTION : GROOVE RING,O/N:0160512,	1
5368	AUXILIARY CONTACT #SZ-AL "FUJI"	DESCRIPTION : AUXILIARY CONTACT #SZ-AL "FUJI"	10
5369	HUB,SIZE: 1.875" (G1931)	DESCRIPTION : HUB	1
5370	BEARING NO.6407 "SKF",POS.NO.18-3 (P1202)	ITEM NAME : BEARING NO.6407	2
5371	O-RING CASING,PTFE,DIA.121xTHK.3.5 MM. (GZ1205,GZ2405)	ITEM NAME : O-RING CASING	3
5372	DISCRETE INPUT MODULE,FSCL6751-A2 (DCS)	MATERIAL DESCRIPTION : DISCRETE INPUT MODULE,	2
5373	BOLT ROUND FLAT HEAD,SUS 304,M6*50 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	261
5374	BEARING NO.6309 Z "SKF" (G1606,G2502)	ITEM NAME : BEARING NO.6309 Z	4
5375	OIL SEAL,NBR,ID.230xOD.260xTHK.20 MM.,POS.NO.63A (P1401,P1402)	ITEM NAME : OIL SEAL	2
5376	LIP SEAL OF SEAL CHAMBER,MATERIAL BUNA-N,SIZE DIA 28 * 41.5 * 6 MM THK	DESCRIPTION : LIP SEAL OF SEAL CHAMBER	3
5377	O-RING F.CARBON RING SEAL STAGE.4,X60162341,P/N: TO 7 (P1101)	ITEM NAME : O-RING F.CARBON RING SEAL STAGE 4	1
5378	BEARING NO.6216 "SKF" (P-2411)	ITEM NAME : BEARING NO.6216	3
5379	GASKET,TI/TI GRAP/CS,900#,1"	DESCRIPTION : GASKET	8

5380	GASKET CASING,PTFE,ID.212xOD.220xTHK.2.5 MM. (G1202A/B)	ITEM NAME : GASKET CASING	4
5381	GASKET,MATERIAL TOMBO #9020,SIZE T = 1.5 MM,P/N AX	DESCRIPTION : GASKET	2
5382	GASKET,NIL/TI PTFE/NIL,152 * 177 MM.	GASKET SPIRAL WOUND,	2
5383	OIL SEAL,RSB,ID.35xOD.68xTHK.19 MM. (RV1402A- D,RV2402A-D)	ITEM NAME : OIL SEAL	1
5384	O-RING,P/N: 20A11CM276(95086955,9140000014),POS.NO.89B (G1503A/B)	ITEM NAME : O-RING	1
5385	DIAPHRAGM SHEET FOR ACTUATOR,FISHER	DESCRIPTION : DIAPHRAGM SHEET	1
5386	(NOT USE) DRIVE CHAIN,I/N 22,SPEC,NO RS80 (F3544)	DESCRIPTION : DRIVE CHAIN (NOT USE)	1
5387	FLINGER COUPLING END,P/N 0871 B	DESCRIPTION : FLINGER COUPLING END	7
5388	SHAFT SEAL,P/N 00985830,I/N 105	DESCRIPTION : SHAFT SEAL	1
5389	IDLER BUSHING,P/N 2-095-010-880-02,I/N 21	DESCRIPTION : IDLER BUSHING	1
5390	CUP SPRING,P/N: 950 (G3261XA,XB,XC)	ITEM NAME : CUP SPRING	1
5391	OIL SEAL,WA60x80x10-FKM,P/N: 00175005,POS.NO.203 (T1442B,T1443B,T1444B,	ITEM NAME : OIL SEAL	6
5392	MILLEX FILTER,25 MM,5 MICRON (CEMS)	MATERIAL DESCRIPTION : MILLEX FILTER,	3
5393	FLEXIBLE HOSE,SEMPERIT 1 SN-K HYDRAULIC HOSE,1/2"xL.690 MM. (G2201)	ITEM NAME : FLEXIBLE HOSE	3
5394	PLATE OUTER,P/N 612-089-551	DESCRIPTION : PLATE OUTER	2
5395	HANDLE FOR BUTTERFLY VALVE,3" AND 5" (BULK CAR)	Description : HANDLE FOR BUTTERFLY VALVE	2
5396	Power contactor, AC-3 9 A, 4 kW / 400 V 2 NO + 2 NC, 24 V (Tunthai Excitation	Description : Power contactor, AC-3 9 A, 4 kW / 400 V 2 NO + 2 NC, 24 V (Tunthai Excitation Pan	1
5397	ADJUSTING PLATE,SS400,POS.NO.40 (P2409A/B/C/D/E/F/G)	ITEM NAME : ADJUSTING PLATE	1
5398	O-RING,SIZE 75 * 3 mm, Pos 1.11 (1 pcs per valve)	Description : O-RING,SIZE 75 * 3 mm WZK, NBR70SH	4
5399	HSH CAP SCREW M12x50,A4-70 G,P/N: SW01_WN48- M12x50_00205BA0,POS.NO.	ITEM NAME : HSH CAP SCREW M12x50	8
5400	PLUNGER ACTUATOR,P/N: 620-007-114 (G3564)	ITEM NAME : PLUNGER ACTUATOR	5
5401	EMERGENCY SWITCH,MUSHROOM,XB4-BS542,22 MM,1NC,110V,10A,50HZ,	DESCRIPTION : EMERGENCY SWITCH	3
5402	Actuator O-Ring, Motoyama, NBR, PV1-2401	Description : Actuator O-Ring	1
5403	WELD NECK FLANGE REDUCER, 2 x 1-1/2 INCH, 150#, S-40S, FORGED, SS ASTM	DESCRIPTION : WELD NECK FLANGE REDUCER	1
5404	CAPACITOR,55UF,450V MP,PART NO. 234- 0556,GUTOR,UPS	DESCRIPTION : CAPACITOR	1
5405	TEE RED.,SUS 304,BW,SCH 40,1-1/2"*3/4"	DESCRIPTION :TEE REDUCE,	5
5406	SHIM SET 170 MM.x140 MM.,P/N: U21505600,POS.NO.2103/2104 (P2401,P2402,	ITEM NAME : SHIM SET 170 MM.x140 MM.	3
5407	ELBOW 90,SW,SUS316L,3000#,3/4"	DESCRIPTION : ELBOW 90	4
5408	V- PACKING,TEFLON,36 * 28 * 14 MM	DESCRIPTION : GLAND PACKING,	2
5409	HORIZONTAL CARRIER OIL RING,P/N: 35106 (E3264 F/G/H PRI PROJECT)	ITEM NAME : HORIZONTAL CARRIER OIL RING	1
5410	FLEXIBLE HOSE C/W FLANGE,SUS304,150#,1/2"xL.800 MM. (B2402)	DESCRIPTION : FLEXIBLE HOSE C/W FLANGE	3
5411	STUD BOLT PLAIN END,SUS 304,M28*200 MM	DESCRIPTION : STUD BOLT PLAIN END,	7
5412	FEMALE POWER PLUG,MODEL RPG-002,P/N 108-3358 "PHILLIPE"	DESCRIPTION : FEMALE POWER PLUG	5
5413	SPIRAL WOUND GASKET, 316/316/GRAP/SS304, SIZE 74x82x102x128, TAG : FV-	DESCRIPTION : SPIRAL WOUND GASKET	5
5414	CAM SW,UCSQO-334-RRP,ITH10A,UI600V,IDEC	DESCRIPTION : CAM SWITCH,	1
5415	AMMETER WITH MOVING-IRON,BE010CH1.00T005,(MP- 1101)	DESCRIPTION : AMMETER (WITH MOVING-IRON)	1
5416	GLAND/V PACKING,TFE.V,38.5 * 19 * 10MM	DESCRIPTION : GLAND/V PACKING,	1
5417	MEMBRANE DIAPH(ACTUATOR) SIZE:30	DESCRIPTION : MEMBRANE DIAPHRAGM,	1
5418	MEMBRANE DIAPH(ACTUATOR) SIZE:30	DESCRIPTION : MEMBRANE DIAPHRAGM,	1
5419	SPROCKET WHEEL,SINGLE,SIZE: 35 TEETH,ID.35 MM.,KEY: 10 MM. (F3544)	ITEM NAME : SPROCKET WHEEL	1
5420	FUSE DIN00 63A GL, GUTOR UPS	FUSE DIN00, POWER	1
5421	DOUBLE LIP SEALS NO.TSN 519 L ("NSK" FIX BRAND) (T2101)	DESCRIPTION : OIL SEAL	3

5422	GASKET(TYPE: B),NON-ASBESTOS FIBER,OD.250xID.200xBCD.227 R6xOD.12	ITEM NAME : GASKET	3
5423	PLATE,SUS304L,4 FTx8 FTxTHK.0.5 MM.	DESCRIPTION : PLATE	1
5424	SOCKET HEAD CAP SCREW,8.8ZN/GALV.CS,M8x25 MM.,P/N: 10000407,POS.NO.	ITEM NAME : SOCKET HEAD CAP SCREW	8
5425	ORIFIC FLANGE,RF,304,300#,2"	DESCRIPTION : ORIFIC FLANGE	2
5426	DICHTSCHNUR RUNDFOR P1101, 4 PERBUN	DESCRIPTION : DICHTSCHNUR RUND,	2
5427	O-RING BEARING BRACKET,BUNA,P/N: 11715302,POS.NO.412.41 (G2701)	ITEM NAME : O-RING BEARING BRACKET	3
5428	Elbow 90 1/2", CL3000 THRD, SS ASTM 182 GR.F304 ANSI-B16.11	Elbow 90 1/2", CL3000 THRD, SS ASTM 182 GR.F304 ANSI-B16.11	6
5429	HAND ASPIRATOR(CO/CO2)2387-0514,SERVOMEX	DESCRIPTION : HAND ASPIRATOR,	1
5430	SPINDLE SEAL FOR IGV,ST:5,I/N:19#42	DESCRIPTION : SPINDLE SEAL INLET GUIDE VANE CONTROL,	1
5431	GASKET,NIL/TI GRAP/CS,600#,1"	DESCRIPTION : GASKET,	11
5432	BOLT HEX HEAD,M12,S25C,POS.NO.18 (P1403,P2102,P2406)	ITEM NAME : BOLT HEX HEAD M12	8
5433	O-RING,VITON,SIZE:ID 79 * 5.5 MM	DESCRIPTION : O-RING,	2
5434	LIMIT SWITCH,MODEL:831390-CBB5,CROUZET	DESCRIPTION : LIMIT SWITCH,	2
5435	MIRROR SPACE FOR SILICA ANALYZER,9210	DESCRIPTION : MIRROR SPACE	2
5436	RING SNAP,2K201C-SR,P/N: AY51567A-SR,POS.NO.201C (G1802C/D)	ITEM NAME : RING SNAP	2
5437	Digital monitoring relay Voltage monitoring, 22.5 mm,10 to 600 V AC/DC 0vershoot and	DESCRIPTION : Digital monitoring relay Voltage monitoring, 22.5 mm.	1
5438	ACTUATOR REPAIR KIT FOR BALL VALVE, 1"	DESCRIPTION : ACTUATOR REPAIR KIT,	1
5439	RETAINING RING CRESCENT 6-8 VALVE, MASONEILAN, FV-1102	DESCRIPTION : RETAINING RING CRESCENT 6-8 VALVE	2
5440	SIGHT GLASS,P/N: 09-GK01AA01,POS.NO.191 (G2201)	ITEM NAME : SIGHT GLASS	1
5441	RUBBER SEAL,EPDM (BLACK COLOR),SIZE: ID.100xOD.125x6 MM.THK	ITEM NAME : RUBBER SEAL	13
5442	SCREW,HEX,SOC.CAP,SUS316,1/2"-13UNCx25 MM.,P/N: SKP535-2,POS.NO.162	DESCRIPTION : SCREW,HEX SOC.CAP	7
5443	SHAFT SEAL(OIL SEAL),W 5710,ID.65xOD.85xTHK.10 MM.,P/N: 0132 (P1404 PRI	ITEM NAME : SHAFT SEAL(OIL SEAL)	2
5444	DOUBLE LIP SEALS NO.TSNA 228G (T1402)	DESCRIPTION : DOUBLE-LIP SEAL	4
5445	GASKET(TYPE: T),NON-ASBESTOS FIBER,OD.250xID.200xBCD.227 R6xOD.12	ITEM NAME : GASKET	3
5446	TAPER PLUG,COPPER,OD.17 MM.xOD.15 MM.xL.40 MM. (E1101)	ITEM NAME : TAPER PLUG	6
5447	PUSH BUTTON SWITCH 1NO,1NC,22MM,110VAC,10A	DESCRIPTION: PUSH BUTTON SWITCH 1NO,1NC,22MM,110VAC,10A	6
5448	COUPLING COMPLETE SETS,MATERIAL STEEL & RUBBER,DWG.NO.P-4002-2	DESCRIPTION : COUPLING COMPLETE SETS	2
5449	ROUND BAR,SUS316L,SIZE: 1/2"*6 M	DESCRIPTION : ROUND BAR	1
5450	V-BELT NO.#240H,TIMING #541/398 (GENERATOR GEN#1)	ITEM NAME : V-BELT NO.#240H,TIMING #541/398	1
5451	SHAFT SLEEVE,BC,POS.NO.205 (G3532)	DESCRIPTION : SHAFT SLEEVE	1
5452	GASKET,NIL/TI GRAP/TI,131*206.4*266.1 MM	DESCRIPTION : GASKET,	2
5453	O-RING OUTBOARD SEAL,VITON,I/N 497 F	DESCRIPTION : O-RING OUTBOARD SEAL	21
5454	ELBOW 90,TI,SMLS,BW,S-10S,1"	DESCRIPTION : ELBOW 90,SMLS,BW,	6
5455	V-BELT,NO.3V-1060 (P1705)	Description : V-BELT NO.3V-1060	6
5456	PROXIMITY SWITCH MODEL:NJ2-11-N-G, P&F	DESCRIPTION : PROXIMITY SWITCH,	1
5457	DISC FOR MECHANICAL SEAL SIZE 1.875",TYPE: 9TQF(31)10(58)1 "JOHN	DESCRIPTION : DISC FOR MECHANICAL SEAL	1
5458	ELBOW ALUM 45 DEG,MATERIAL ALUMINIUM,SIZE 3","HEIL",P/N 045-3479-003	DESCRIPTION : ELBOW ALUM 45 DEG	1
5459	RING RETAINING,P/N: 85020,POS.NO.28 (G3601A/B)	ITEM NAME : RING RETAINING	4
5460	BUSH FOR IGV CONTROL ST:3,I/N:7	DESCRIPTION : BUSH F.INLET GUIDE VAN CONTROL,	2
5461	O-RING,LLB500.065.KXVKC,FKM,POS.NO.4,9,18 (G1301C/D)	ITEM NAME : O-RING	3
5462	PIPE NIPPLE,PBE,SUS304,SCH 160,3/4"*L.100 MM.	PIPE NIPPLE,SMLS, PBE, S-160, SUS 304, ANSI-B36.19M,,	2
5463	CAP,SS A790 UNS S31803,NPT,3000#,1/4"	DESCRIPTION : CAP,	2

5464	SUPERFLEX RED HIGH TEMP,LOCTITE 596,CONTENT: 300 ML. (J1101)	ITEM NAME : SUPERFLEX RED HIGH TEMP,LOCTITE 596	2
5465	FULL COUPLING,SUS 304,SW,3000#,1-1/2"	DESCRIPTION : FULL COUPLING,	53
5466	GASKET,321/321 GRAP/NIL,900#,2"	DESCRIPTION : GASKET	6
5467	BLIND FLANGE,SUS304,RF,1500#,1"	DESCRIPTION : BLIND FLANGE,	5
5468	O-RING,PTFE FFW,P/N: P-20,POS.NO.14 (P1502)	ITEM NAME : O-RING	1
5469	FLEXIBLE HOSE,SEMPERIT 1 SN-K HYDRAULIC HOSE,1/2"xL.440 MM. (G2201)	ITEM NAME : FLEXIBLE HOSE	3
5470	TEMP GAUGE,0-60 C,230 * 6 MM	DESCRIPTION : TEMP GAUGE,	1
5471	LATERAL,MATERIAL ALUMINIUM,SIZE 3 LR 30 DEG "HEIL",P/N 054-8228	DESCRIPTION : LATERAL	1
5472	PULLEY MOTOR SIDE WITH TAPER BUSH,CAST IRON,DIA.630x3V-5,SHAFT ID.48 MM WITH STANDARD KEYWAY (P1508)	Description : PULLEY MOTOR SIDE WITH TAPER BUSH	1
5473	BEARING,NO.21307 CC/C3 "SKF"	DESCRIPTION : BEARING	1
5474	RUBBER INSERT FLEXIBLE SLEEVE NO.MT85,URETRANE "MT SLEEVE COUPLING" (G2502)	DESCRIPTION : RUBBER INSERT FLEXIBLE SLEEVE	4
5475	STUD BOLT & NUTS,UNC,B8 CLASS 2,1/2"*65 MM.	DESCRIPTION : STUD BOLT & NUTS	24
5476	SERRATE GASKET,SS316, 62 * 69.5 * 2 MM	DESCRIPTION : SERRATE GASKET,	4
5477	THROWER POS.NR.5070,P/N: 43043733 (G1101A/B)	Description : THROWER POS.NR. 50.70*	4
5478	Contactor relay, 4 NO + 4 NC, 24 VDC, Size S00,Captive auxiliary switch, for SUVA	DESCRIPTION : Contactor relay, 4 NO + 4 NC, 24 VDC, Size S00,Captive auxiliary switch, for S	2
5479	PRESS GAUGE,0-2 KG/CM2,1/2"NPT	DESCRIPTION : PRESSURE GAUGE,	1
5480	PRESS GAUGE,GLYCERINE,0-40 KG/CM2,1/2"PF	DESCRIPTION : PRESSURE GAUGE FILL GLYCERINE, DIAL	1
5481	SPROCKET,MODEL JIS 120 X NT 13 X NEW B,MATERIAL S38C,I/N 10	DESCRIPTION : SPROCKET	1
5482	RADIAL BALL BEARING POS.1130 (T1441C)	ITEM NAME : RADIAL BALL BEARING POS.1130	1
5483	MECHANICAL SEAL,EA560-25-1 "EBTH" (G3544)	ITEM NAME : MECHANICAL SEAL	2
5484	BEARING NO 6409 "SKF",POS.NO.18-4 (P1202)	ITEM NAME : BEARING NO.6409	2
5485	COIL SOLENOID VALVE 24 VDC,HOERBIGER	DESCRIPTION : SOLENOID VALVE COIL,	2
5486	BLIND FLANGE,RF,SUS316L,300#,2"	DESCRIPTION : BLIND FLANGE	1
5487	FLANGE BEARING,FLANGE HOUSING UNIT UCF 211 "SKF" (RV2904)	ITEM NAME : FLANGE BEARING,FLANGE HOUSING UNIT UCF 211	2
5488	FEMALE CONN TUBE,SS316,TUBE OD.1/2"x1/2" NPT (R2301)	ITEM NAME : FEMALE CONNECTOR TUBE	2
5489	OIL SEAL,NBR,ID.180xOD.210xTHK.16 MM.,POS.NO.12 (P1403,P2102,P2402, P2403,P2405,P2406)	ITEM NAME : OIL SEAL	6
5490	SPACER,P/N 115959,I/N 120	DESCRIPTION : SPACER	3
5491	SLIP ON FLANGE,RF 125-250,RA-FN, ASTM A182 GR. F316L,150#,3/4"	Description : Slip on flange	4
5492	SERRATE GASKET,SS316,37.3 * 46.7 * 3.2MM	DESCRIPTION : SERRATE GASKET,	5
5493	BEARING NO.6308-2Z "SKF" (P2411A)	ITEM NAME : BEARING NO.6308-2Z	4
5494	TIMER POWER OFF DELAY,110 VDC,H3BH-8,8 PINS,0.5-5 SEC. 0.5 Mn-5 Mn, OMRON (ME-1001A-B)	DESCRIPTION : TIMER POWER OFF DELAY	1
5495	FUSE LINK NS2,EF010291,ERSKINE,DC CHARGER	DESCRIPTION : FUSE LINK NS2	2
5496	SHIM SET 150 MM.x120 MM.,P/N: U21505600,POS.NO.2105/2106 (P2401,P2402, P2403,P2404,P2405,P2407)	ITEM NAME : SHIM SET 150 MM.x120 MM.	3
5497	O-RING INSERT,TTE,ID.48.8xTHK.4 MM.,P/N: 412.2,POS.NO.3 (G1202)	ITEM NAME : O-RING INSERT	1
5498	PACKING,I/N 23,MODEL:TOP-320 HLVB 15K	DESCRIPTION : PACKING,	7
5499	PACKING,DWG.NO:NOP-3Q85-20-0,I/N 18	DESCRIPTION : PACKING,	7
5500	O-RING,NITRIL GUMMI,DIA.189.3xTHK.5.7MM.,P/N: 521570-70,POS.NO.54 (G1404, G1406)	ITEM NAME : O-RING	4
5501	NFB,MOTOR PROTEC,3VUI300-1MB00,3P,380V	DESCRIPTION : NO FUSE BREAKER,	1
5502	SPRING FOR MECHANICAL SEAL SIZE: 38 MM.,M7N Q1BM2GG "BURGMANN" (G1402)	DESCRIPTION : SPRING FOR MECHANICAL SEAL	2
5503	COIL FOR SOLENOID VALVE,24VDC,NORGREN	COIL	2
5504	O-RING,BUNA-N,P/N: 80236,POS.NO.28 (G3601A/B)	ITEM NAME : O-RING	3
5505	SPACER,P/N 92876,I/N 115	DESCRIPTION : SPACER	4

5506	STUD BOLT & NUTS,UNC,B8 CLASS 2,1/2"*60 MM.	DESCRIPTION : STUD BOLT & NUTS	22
5507	OIL SEAL,TC,VITON,ID.55xOD.75xTHK.12 MM. (T1402B)	ITEM NAME : OIL SEAL	5
5508	OIL SEAL,NBR,ID.200xOD.235xTHK.18 MM. (P2401,P2402,P2403)	ITEM NAME : OIL SEAL	4
5509	PIPE BEND 45,SUS 304,SEAM,BW,SCH 40,6"	DESCRIPTION : PIPE BEND 45,	1
5510	O-RING,SIZE: G120,P/N: 11 (J3170)	ITEM NAME : O-RING	1
5511	FLEXIBLE OIL HOSE,CONNECTOR UNION,SUS304,INNER&OUTER	ITEM NAME : FLEXIBLE OIL HOSE	2
5512	LAP JOINT FLANGE,SUS 304,FF,150#,1-1/2"	DESCRIPTION : LAP JOINT FLANGE	4
5513	CONCENTRIC RED.,SUS 304,SCH 10 ,8" * 6"	CONCENTRIC REDUCER,BW,S-10S,ASTM A403 GR.WP304,, ANSI-B16.9,	7
5514	Sealing valve actuator upper part, XV-24005,XV- 24006,XV-25005,XV-25006,XV-	Description : O-Ring sealing actuator upper part	7
5515	SPRING PIN,CS. ISO 8752,EN28752,OD.10 MM.xL.35 MM.xTHK.1.5 MM. (P1101B)	ITEM NAME : SPRING PIN	32
5516	ROD DIAPHRAGM,P/N 685-039-120	DESCRIPTION : ROD DIAPHRAGM	1
5517	BOLT & NUT,304,M20 X 75 MM (P-1101)	MATERIAL DESCRIPTION : BOLT & NUT,	18
5518	TUBE,1/2 MM,9.019.03.05,STIP	DESCRIPTION : TUBE,	5
5519	OIL SEAL,TC,FKM,ID.72xOD.140xTHK.12 MM. (RV2411,RV2412)	ITEM NAME : OIL SEAL	3
5520	O-RING,P/N: 10002099,POS.NO.0060E (P2406B)	ITEM NAME : O-RING	1
5521	SHAFT SEAL RING,P/N: 10002173,POS.NO.0107E (P2406B)	ITEM NAME : SHAFT SEAL RING	1
5522	PIPE NIPPLE,PBE,UNS S31803,L=100MM,3/4"	PIPE NIPPLE,SMLS PBE S-40S SS A790 UNS S31803 (SANDVIK), L=100MM (4),	1
5523	CONCENTRIC RED.,TI,BW,SCH 40,3"*2"	CONCENTRIC REDUCER WELDED 100% X-RAY BW S-40S X S-40S, TI ASTM B363 GR.WPT2	1
5524	GASKET,316/GRAP/316,171*182*208*218*4.5	DESCRIPTION : GASKET,	1
5525	BEARING,NO.6310 CM "SKF"	DESCRIPTION : BEARING	3
5526	ROUND,P/N:940003644,I/N:27	DESCRIPTION : ROUND	3
5527	FLINGGER,P/N: 30G17 (G1601)	DESCRIPTION : FLINGGER	3
5528	BEARING NO.3304 B.TVH "FAG" (G2402)	ITEM NAME : BEARING NO.3304 B.TVH	2
5529	(NOT USE) BEARING NO.311 "SKF" (G1102,G2405,G2406)	ITEM NAME : BEARING NO.311	1
5530	BEARING NO.6309 ZNR,POS.NO.15 "SKF" (G1602,G2502,G2503)	ITEM NAME : BEARING NO.6309 ZNR	3
5531	O-RING MECHANICAL SEAL SIZE: 3.125",SGL PTEGS-- TT,P/N: 1341-0248	ITEM NAME : O-RING MECHANICAL SEAL SIZE: 3.125	4
5532	GASKET,NIL/316 FILLER GRAPHITE/NIL,SIZE 404.5 * 423 * 4.5 MM THK	DESCRIPTION : GASKET	2
5533	SEAT AND GASKET FOR BALL VALVE 4"	SEAT AND GASKET	1
5534	PIPE SOCKOLET, 2 x 1, SS, ASTM A182 F304L, 3000#, S80, ANSI B16.11	DESCRIPTION : PIPE SOCKOLET	1
5535	FLINGER COUPLING END,P/N: 0871A09X162A001 (G1510)	DESCRIPTION : FLINGER COUPLING END	1
5536	O-RING FOR MECHANICAL SEAL,TTE,ID.47.7 * 3.5 MM THK,I/N 1.4	DESCRIPTION : O-RING FOR MECHANICAL SEAL	1
5537	DRIVE PIN,TITANIUM,P/N: 10 (P1301)	ITEM NAME : DRIVE PIN	1
5538	O-RING,PTFE,ID.139.5xTHK.3 MM.,P/N: 520626,POS.NO.32 (G2102)	ITEM NAME : O-RING	2
5539	TUBE FOR HOTMARKER,PVC,3.5 MM.,HOTMARKER	Description : TUBE FOR HOTMARKER	200
5540	CAP,TI B363 GR.WPT2,SCH 40,1",NPT	CAP S-40S TITANIUM ASTM B363 GR.WPT2 ANSI-B16.9,	2
5541	O-Ring for Actuator (IR 118 x DIA 6 m.m.), NBR, Tag : FV-2423A-E, FV-2414A-E	Description : O-Ring for Actuator (IR 118 x DIA 6 m.m.), NBR	12
5542	WHEEL STUD & NUT (RH),SIZE: BFS 7/8,7.8- 11UNF,P/N: SUNDRY-INV	Description : WHEEL STUD & NUT (RH) BFS 7/8,7.8-11UNF	4
5543	HAND PULL VALVE,5/2 WAY,MODEL: L522-08,E-MC (HAC LOADING)	DESCRIPTION: HAND PULL VALVE	2
5544	O-RING,VITON,ID.160xTHK.7 MM.,P/N: 61,POS.NO.14 (P1404)	DESCRIPTION : O- RING	1
5545	FLEXIBLE OIL HOSE,CONNECTOR UNION,SUS304,INNER&OUTER	ITEM NAME : FLEXIBLE OIL HOSE	2
5546	COUPLING HUB,PHE L150HUB (GZ2405A/B/C)	ITEM NAME : COUPLING HUB,PHE L150HUB	2
5547	SCREW HEX SOC.CAP,1/2-13 UNC * 13 NN LONG,P/N 1DD15A,I/N 14	DESCRIPTION : SCREW HEX SOC.CAP	16

5548	SET OF GASKET,NON-ASBESTOS,P/N: 251,POS.NO.51100,51400,51500,68200	ITEM NAME : SET OF GASKET NON-ASBESTOS	2
5549	LIP SEAL (LIP SEAL COUPLING END),P/N: 2796A088DIAA001 (G1510)	ITEM NAME : LIP SEAL (LIP SEAL COUPLING END)	1
5550	GASKET,316/316,GRAP/NIL,235*255*268*3.5, TAG : TV-2201	DESCRIPTION : GASKET	2
5551	BLIND FLANGE,SUS304,RF,600#,3/4"	DESCRIPTION : BLIND FLANGE,	1
5552	GASKET,NIL/TI GRAP/CS,300#,3/4"	DESCRIPTION : GASKET	6
5553	RING PISTON,P/N 057711005,SPEC 3.25 HECP	DESCRIPTION : RING PISTON,	2
5554	Gasket Repair Kit, FV-1201	Description : Gasket Repair Kit	2
5555	BEARING NO.6211/C3 "SKF" (G1301C/D)	ITEM NAME : BEARING NO.6211/C3	3
5556	IMPELLER NUT,SUS316,1.4408,P/N: 922 (G2701A/B)	ITEM NAME : IMPELLER NUT	1
5557	ELEMENT,FUEL #SE429B/4 (GENERATOR GEN#1)	ITEM NAME : ELEMENT,FUEL #SE429B/4	1
5558	GASKET,321/321 GRAPHITE/NIL,600#,1"	DESCRIPTION : GASKET	8
5559	OIL SLINGER,NM8-219 (P1504)	DESCRIPTION : OIL SLINGER	1
5560	Full coupling FTE CL3000# A105 Galve, 2"	Description : Full coupling FTE CL3000# A105 Galve	6
5561	Capacitor ; Model 4,500uF (Power Rectifier),BBC,DC Charger SS-2	Description : Capacitor: Model 4,500uF (Power Rectifier)	1
5562	SIMATIC S5 LITHIUM BACKUP BATTERY F.S5-90U PLC- ,1/2AA,3.4V ,SIEMENS	DESCRIPTION : SIMATIC S5 LITHIUM BACKUP BATTERY F.S5-90U PLC-,1/2AA,3.4V	1
5563	UPPER BEARING INTERM NO.22310CJW33C3 "TIMKEN",P/N: 604-1712	ITEM NAME : UPPER BEARING INTERM NO.22310CJW33C3	1
5564	Auxiliary current switch (Tunthai Excitation Panel), D30-F1-F2	Description : Auxiliary current switch (Tunthai Excitation Panel), D30-F1-F2	1
5565	Auxiliary current switch low power rating, 2 NO (Tunthai Excitation Panel), D32-F52-	Description : Auxiliary current switch low power rating, 2 NO (Tunthai Excitation Panel), D32-F52-	1
5566	Door Limit Switch(Tunthai Excitation Panel), D32- S20,-S21	Description : Door Limit Switch(Tunthai Excitation Panel), D32-S20,-S21	1
5567	GASKET CASING,NON ASBESTOS,SIZE: ID.336 MM.xOD.355 MM. (G3512CA,	ITEM NAME : GASKET CASING	3
5568	BOLT ROUND FLAT HEAD,SUS 304,M5*40 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	265
5569	LIP SEAL IN BOARD,DIA.22 * 36.6 * 6 MM "LOWARA"	DESCRIPTION : LIP SEAL IN BOARD	2
5570	O-RING NUT (BUNA-N STANDARD),P/N: 0391-00-461- T,POS.NO.4 (P1301B)	ITEM NAME : O-RING NUT (BUNA-N STANDARD)	1
5571	FULL COUPLING,SUS 304,SW,3000#,1/2"	FULL COUPLING SUS 304, SOCKET WELD,3000#,	6
5572	BEARING NO.6309/C3 "SKF" (G1803A,G3582)	ITEM NAME : BEARING NO.6309/C3	3
5573	O-RING FOR MECHANICAL SEAL,MAT'L: EPDM,SIZE: ID.146.5 * 3.3 MM.THK,POS.	ITEM NAME : O-RING FOR MECHANICAL SEAL	3
5574	GASKET,P/N 360-067-600	DESCRIPTION : GASKET	2
5575	TEE RED ,SUS 304,BW,S,SCH 40 4" * 2"	MATERIAL DESCRIPTION: TEE RED,	1
5576	Emergency switch stop ,40mm,HW18-V411-R,1NO,1NC	Description : Emergency switch stop ,40mm,HW18-V411-R,1NO,1NC	2
5577	O-RING,VITON,SIZE:ID 71 * 5.5 MM	DESCRIPTION : O-RING,	1
5578	O-RING FOR MECHANICAL SEAL SIZE: 4.75",POSNO.4 (G1503)	DESCRIPTION : O-RING FOR MECHANICAL SEAL	2
5579	GASKET,321/321 GRAP/NIL,900#,10"	DESCRIPTION : GASKET,	1
5580	TAPERED ROLLER BEARING 32213 J2/Q (T1402B)	ITEM NAME : TAPERED ROLLER BEARING 32213 J2/Q	1
5581	STUB END,SUS 304,BW,SL,SCH 40,3"	DESCRIPTION : STUB END	1
5582	PIPE COUPLING,SUS304/VITON,MJER 15A,1/2"	DESCRIPTION : PIPE COUPLING	1
5583	O-RING FOR COOLER,NBR,DIA.6.5 MM.xL.20 M. (P1101)	DESCRIPTION : O-RING	1
5584	SHIM SET 130 MM.x105 MM.,P/N: U215052000,POS.NO.2109/2129 (P2401,P2402,	ITEM NAME : SHIM SET 130 MM.x105 MM.	3
5585	O-RING,NBR,P18,POS.NO.28 (GZ2408)	DESCRIPTION : O-RING,	6
5586	O-RING,NBR,POS.NO.13 (GZ2408)	DESCRIPTION : O-RING,	6
5587	SERRATE GASKET,SS316, 32 * 43.5 * 3 MM	DESCRIPTION : SERRATE GASKET,	4
5588	BEARING LOCK NUT,CS IS1570:20C8 HOT RLD,P/N: 052,POS.NO.33600 (G2703X)	ITEM NAME : BEARING LOCK NUT	4
5589	BEARING LOCK WASHER,CS IS1570:20C8 HOT RLD,P/N: 050,POS.NO.23000	ITEM NAME : BEARING LOCK WASHER	4

5590	GASKET,NIL/317,GR/304,185*206.4*266*4.5	DESCRIPTION : GASKET,	1
5591	PULLEY WITH TAPER BUSH "OPTIMUM" TB-SPB-160-2 GROOVE,TAPER BUSH	#N/A	1
5592	STUD BOLT PLAIN END,SUS 304,M12*1.75*1 M	DESCRIPTION : STUD BOLT PLAIN END	5
5593	BOLT HEX HEAD,SUS 304,M10*1.50*40 MM	DESCRIPTION : BOLT HEX HEAD	66
5594	SPRING WASHER,1.4401/1.4571,POS.NO.7 (P2401A)	ITEM NAME : SPRING WASHER	6
5595	HEXAGON BOLT,M8x16,8.8 GELB CHROMATIERT,P/N: SW03_ISO4017-	ITEM NAME : HEXAGON BOLT M8x16	6
5596	DOUBLE LIP SEALS NO.TSN 518 L "SKF" (T1405)	ITEM NAME : BEARING SEAL NO.TSN 518L	2
5597	PACKING,L PACKING PAPER,POS.NO.28 (GZ1402)	DESCRIPTION : PACKING,	7
5598	O-RING MECHANICAL SEAL SIZE: 1.875",QB,EPDM,ID.53.57xTHK.3.53 MM.	DESCRIPTION : O-RING MECHANICAL SEAL	2
5599	GASKET,NIL/316,PTFE/316,125*147*177*4.8	DESCRIPTION : GASKET,	2
5600	BEARING LOCK NUT,STEEL/NYLON,POS.NO.923.51 (G2701A/B)	ITEM NAME : BEARING LOCK NUT	2
5601	HSH CAP SCREW,A4-70,P/N: SW01_ISO4762- M10x30_00205BA0,POS.NO.35	ITEM NAME : HSH CAP SCREW	4
5602	UNION,SUS 304,SW,3000#,3/8"	DESCRIPTION : UNION,	2
5603	GASKET(TYPE: B),NON-ASBESTOS FIBER,OD.257xID.203xW10xR5xOD.15 MM.,12	ITEM NAME : GASKET	2
5604	PULLEY MOTOR SIDE WITH TAPER BUSH,CAST IRON,SIZE: DIA.125 MM.x3V-5,	ITEM NAME : PULLEY MOTOR SIDE WITH TAPER BUSH	1
5605	COPPER TUBE,OD.1/2"*0.048" THK*15 MTR/RL	MATERIAL DESCRIPTION : COPPER TUBE,	1
5606	THERMOWELL, 1/2", NPT, INSERT LENGTH = 232 MM., TUNTHAI	DESCRIPTION : THERMOWELL, 1/2", NPT	1
5607	RUBBER COUPLING FOR TROCHOID PUMP (P1301C)	ITEM NAME : RUBBER COUPLING FOR TROCHOID PUMP	1
5608	BOBBIN HEATER, HBS-12.7 M.M. x 200 M.M.- 220V - 560W (NPT 1/2"), COD	DESCRIPTION : BOBBIN HEATER FOR COD ANALYZER	1
5609	Circuit breaker size S00 for motor protection, (Tunthai Excitation Panel), D30-Q1	Description : Circuit breaker size S00 for motor protection, (Tunthai Excitation Panel), D30-Q1	1
5610	PULLEY GEAR BOX SIDE WITH TAPER BUSH,V-BELT NO.3V-600 (P1202A/B)	ITEM NAME : PULLEY GEAR BOX SIDE WITH TAPER BUSH 2012 WITH STANDARD KEY 12	1
5611	PULLEY MOTOR SIDE BORE 42 MM.,V-BELT NO.3V-600 (P1202A/B)	ITEM NAME : PULLEY MOTOR SIDE BORE 80 MM.	1
5612	OIL SEAL,NBR,ID.160xOD.190xTHK.15 MM. (P2401A)	DESCRIPTION : OIL SEAL	3
5613	GLAND/V PACKING,TEF+ASB,22.5*9.5*6.5 MM	DESCRIPTION : GLAND/V PACKING, RING	3
5614	ELBOW 45,SS,ASTM A182 F304L,FORGED,SW,ANSI B16.11.3000#, 1-1/2"	DESCRIPTION : ELBOW 45	1
5615	GASKET,321/321 GRAP/NIL,900#,10"	DESCRIPTION : GASKET,	1
5616	O-RING BEARING HOUSING,EPDM,ID.82 * 3.3 MM THK	DESCRIPTION : O-RING BEARING HOUSING	18
5617	V-BELT NO.BX-108,POS.NO.16 (P3602)	ITEM NAME : V-BELT NO.BX-108	2
5618	BOLT,HEX HEAD,SUS316,M12x30 MM. (F1441)	ITEM NAME : BOLT,HEX HEAD	27
5619	STUB END,SUS 304,BW,SL,SCH 40,1-1/2"	DESCRIPTION : STUB END,	6
5620	ELBOW 90,SUS304,BW,SCH 10,1-1/2"	DESCRIPTION : ELBOW 90	4
5621	BLIND FLANGE,RF,SUS304,150#,3/4"	DESCRIPTION : BLIND FLANGE,	5
5622	(NOT USE) RING RATAINING,P/N: 13-047,POS.NO.P2-54 (G2202)	DESCRIPTION : RING RATAINING	2
5623	WASHER,P/N 92877,I/N 112	DESCRIPTION : WASHER	5
5624	BOSS,SUS 317L,SCREW,BW,3000#,1"	DESCRIPTION : BOSS,	1
5625	THERMAL FUSE ASSY(O2),2536-1012,SERVOMEX	DESCRIPTION : THERMAL FUSE,	1
5626	GASKET,S9901,ID.170xOD.211xTHK.0.5 MM. (G1504,G1507)	DESCRIPTION : GASKET	3
5627	FAN HUB PX9 365 D65,P/N: U493806513,POS.NO.4621 (G1445A/B/C)	ITEM NAME : FAN HUB PX9 365 D65	1
5628	SPECTACLE BLIND,SUS 304,150#,1"	SPECTACLE BLIND, CL 150#, RF 125-250 RA-FN SS ASTM A240, SS304, ANSI-B16.5,	2
5629	(NOT USE) DISC FOR ADJUSTMENT 80x100x0.3,P/N: 5177547 (RV2101A/B)	ITEM NAME : DISC FOR ADJSTMENT 80x100x0.3	1
5630	BEARING FLANG UNIT NO.FYC50TF (UC 210) "SKF" (F3544A/C)	ITEM NAME : BEARING FLANG UNIT NO.FYC50TF (UC 210)	1
5631	MECHINE SCREW,SUS316,POS.NO.13 (P1301C)	ITEM NAME : MECHINE SCREW	12

5632	MECHINE SCREW,SUS316,POS.NO.22 (P1301C)	ITEM NAME : MECHINE SCREW	12
5633	O-RING FOR DISTANCE PIECE,P/N 507001158	DESCRIPTION : O-RING,	4
5634	GASKET,316/316,GRAP/CS ,171*182*209*263	DESCRIPTION : GASKET	2
5635	COUPLING FOR AUX. PUMP COMPLETE SET,SIZE: 45 MM. (G2201,G3661B)	ITEM NAME : COUPLING FOR AUX. PUMP COMPLETE SET	2
5636	LOCK WASHER,SS400,W 16,P/N: 31 "SKF" (G1445A/B/C)	ITEM NAME : LOCK WASHER	5
5637	LOCK WASHER #AL64,SS400,POS.NO.39 (P1301C)	ITEM NAME : LOCK WASHER #AL64	1
5638	O-RING,O/N:0156540,P/N:40	DESCRIPTION : O-RING,O/N:0156540,	2
5639	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*130 MM.	DESCRIPTION : STUD BOLT & NUT	4
5640	PIPE BEND 45,SUS 304,BW,SCH 40,4"	DESCRIPTION : PIPE BEND 45,	1
5641	GASKET GLAND,P/N: 2584B (G1501)	ITEM NAME : GASKET GLAND	3
5642	OIL SEAL(1),NBR,ID.105xOD.135xTHK.14 MM.,POS.NO.20 (P2410)	ITEM NAME : OIL SEAL	6
5643	DOUBLE END THREADED STUD BOLT WITH 2 NUTS,SUS316,M12x1.75x85 MM.	ITEM NAME : DOUBLE END THREADED STUD BOLT WITH 2 NUTS	4
5644	BEARING NO.6212-2Z "SKF" ,POS.NO.32 (P1502)	ITEM NAME : BEARING NO.6212ZZ	2
5645	OIL SEAL,NBR,ID.130xOD.160xTHK.14 MM.,POS.NO.6502/6522 (P2401,P2402,	ITEM NAME : OIL SEAL	8
5646	RESISTOR,R 25 W-25 OHM,(FOR TSE)	RESISTOR,	3
5647	GASKET F.VICTAULIC COUPLING,EPDM, 4" (MF4601 RO PLANT)	ITEM NAME : GASKET F.VICTAULIC COUPLING	15
5648	SPRING,P/N 5.2006.00290.1.0	DESCRIPTION : SPRING,	12
5649	OIL SEAL FOR SHAFT,VITON,ID.90xOD.120xTHK.15 MM. (T2101 PRI)	ITEM NAME : OIL SEAL FOR SHAFT	4
5650	O-RING,DIA.15,CODE.3 (CEMS)	MATERIAL DESCRIPTION : O-RING,DIA.15,	4
5651	O-RING,DIA.22.5,CODE 2 (CEMS)	MATERIAL DESCRIPTION : O-RING,	4
5652	OIL SEAL,NITRILE BUTADIENE RUBBER,ID.20xOD.35xTHK.7 MM. (T3307)	ITEM NAME : OIL SEAL	2
5653	GASKET(TYPE: A),NON-ASBESTOS FIBER,OD.257xID.203xBCD.228xOD.15 MM.,	ITEM NAME : GASKET	2
5654	OVERLOAD,MITSUBISHI,TH-N20TAKP,3P,30-40A	DESCRIPTION : OVERLOAD,MITSUBISHI,TH-N20TAKP,3P,30-40A	2
5655	ORIFICE PLATE,A516-70,150#,10"	DESCRIPTION : ORIFICE PLATE,	1
5656	GASKET,NIL/TI,ASB/NIL,182 * 205 * 3.5 MM	DESCRIPTION : GASKET,	1
5657	BOLT WITH NUT,SUS304,M20(C/W TACK WIRE WELD),POS.NO.39 (P2402)	DESCRIPTION : BOLT WITH NUT	1
5658	FLEXIBLE HOSE,SUS304,1"xL.550 MM.(OL) (P1101)	DESCRIPTION : FLEXIBLE HOSE	1
5659	Miniature circuit breaker 400 V 6kA, 2-pole, C, 2A, D=70 mm (Tunthai Excitation	Description : Miniature circuit breaker 400 V 6kA, 2-pole, C, 2A, D=70 mm (Tunthai Excitation Par	1
5660	RADIAL BALL BEARING POS.1520 (T1441C)	ITEM NAME : RADIAL BALL BEARING POS.1520	1
5661	STUD BOLT & NUTS,UNC,B8 CLASS 2,5/8"*95 MM.	DESCRIPTION : STUD BOLT & NUTS	7
5662	MOUNTING SOCKET, K-MS, P+F (TURBOLOG)	DESCRIPTION : MOUNTING SOCKET	1
5663	BOLT HEX HEAD/NUT/WASHER,SUS304,M16x2.0x60 MM. (R2301)	ITEM NAME : BOLT HEX HEAD/NUT/WASHER	32
5664	BLIND FLANGE,FORGED,RF,125-250 RA-FN,SS,ASTM A182 GR.F316L,S-40S,150#,	DESCRIPTION : BLIND FLANGE,	1
5665	ROLLER CHAIN BS-STD.NO.16B-1-10FT "HKH" (RV2101A/B)	ITEM NAME : ROLLER CHAIN BS-STD.NO.16B-1R	1
5666	STEM VALVE,P/N:1U3888335162,BRAND:FISHER	DESCRIPTION : STEM VALVE,	1
5667	OIL SEAL,NBR,ID.125xOD.155xTHK.14 MM.,POS.NO.58 (P1202,P1403,P2102,	ITEM NAME : OIL SEAL	8
5668	Emergency Box 22 mm Plastic control box size 76 mm,1Hole Yellow	Description : Emergency Box 22 mm Plastic control box size 76 mm,1Hole Yellow	3
5669	BOLT HEX HEAD,M10 (4 PCS/SET),S25C,POS.NO.29 (P1403,P2102,P2406)	ITEM NAME : BOLT HEX HEAD M10 (4 PCS/SET)	2
5670	SEAT BALL,P/N 772-043-551	DESCRIPTION : SEAT BALL	4
5671	SERRATE GASKET,SS317, 22.3 * 31.5 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
5672	TAPERED ROLLER BEARING NO.30313,POS.NO.1.7A "TIMKEN" (E3515)	ITEM NAME : TAPERED ROLLER BEARING NO.30313	1
5673	BEARING NO.6308 Z "SKF" (G3548)	ITEM NAME : BEARING NO.6308 Z	3

5674	IMPELLER,P/N 96001929,I/N 49	DESCRIPTION : IMPELLER	1
5675	O-RING CARBON RING STAGE.3+4,ID.215.17xTHK.5.33 MM. (P1101)	DESCRIPTION : O-RING CARBON RING S	2
5676	SOLID STATE RELAY,1.5A,240V,AS0241,CRYDO	SOLID STATE RELAY, POWER : 240 V, RATEING : 1.5 A,	3
5677	O-RING,1001709,POS.NO.0026 (P1441)	DESCRIPTION : O-RING	2
5678	O-RING FOR MECHANICAL SEAL,PTFE,P/N R/0550/45/138 "JOHNCRANE"	DESCRIPTION : O-RING FOR MECH SEAL	1
5679	O-RING,P/N: 829 (MAS258V) (E3264 F/G/H PRI PROJECT)	ITEM NAME : O-RING	1
5680	CLOSING CAP W4300 1-140x15,P/N: 111686 (P1101B)	ITEM NAME : CLOSING CAP W4300 1-140x15	1
5681	O-RING,O/N:0156442,P/N:9	DESCRIPTION : O-RING,ORDER NUMBER:0156442,	3
5682	WELD NECK FLANGE, 3/4", 300#, FORGED, SS, ASTM A182 GR.F304L, RF, 125-	DESCRIPTION : WELD NECK FLANGE	2
5683	O-RING PACKING,NBR,P/N: 14-061UA,POS.NO.P2-20 (G1302,G2202)	ITEM NAME : O-RING PACKING	3
5684	FUSE QUAD,ELEC,CARTRIDGE,17-01-015,JOY	DESCRIPTION : FUSE QUAD,	6
5685	QUAD OPT/COUPLER,AC-OUT,R/N:17-01-07,JOY	DESCRIPTION : QUAD OPT/COUPLER,	1
5686	BEARING FLANGE UNIT NO.UCF209 (FYJ 45 TF),POS.NO.26 (P3546)	ITEM NAME : BEARING FLANGE UNIT NO.UCF 209 (FYJ 45 TF)	2
5687	SEAL RING,POSITION,P/N: 10002151,POS.NO.0081 (P2401A)	ITEM NAME : SEAL RING POSITION	23
5688	SPEED CONTROLLER, 0.5-9.9 KG/CM2, SMC	DESCRIPTION :	5
5689	SERRATE GASKET,SS316, 50 * 56.5 * 2 MM	DESCRIPTION : SERRATE GASKET,	2
5690	PLUG FUSE 6.3 * 32, 5A, GUTOR UPS	PLUG FUSE,	5
5691	O-RING,8307,ID.100.97xTHK.5.33 MM.,P/N: 10001360,POS.NO.0107 (P1441)	ITEM NAME : O-RING	2
5692	BEARING LOCK NUT,S30C,AN29R,P/N: 27 "NTN" (G1445A/B/C)	ITEM NAME : BEARING LOCK NUT	1
5693	O-RING,G90,NBR,POS.NO.11 (GZ2408)	DESCRIPTION : O-RING,	5
5694	WELD NECK FLANGE, 1-1/2", 300#, SS, A182 GR.F304L, FORGED, RF, 125-250,	DESCRIPTION : WELD NECK FLANGE	1
5695	SERRATE GASKET,SS316, 45.2 * 56.4 * 2 MM	DESCRIPTION : SERRATE GASKET,	2
5696	BOLT,HEX.SOCKET HEAD,M10,SUS304,POS.NO.14 (P2401)	ITEM NAME : BOLT,HEX SOCKET HEAD M10	6
5697	AUX RELAY WITH SOCKET,10A,COIL 24V,250V	AUX RELAY	2
5698	SLIP ON FLANGE,SUS304,RF,150#,1"	DESCRIPTION : SLIP ON FLANGE	4
5699	GASKET,NIL/316,GRAP/316,131*148*192 MM	DESCRIPTION : GASKET,	2
5700	Miniature circuit breaker 400 V 6kA, 2-pole, C, 25A, D=70 mm (Tunthai Excitation	Description : Miniature circuit breaker 400 V 6kA, 2-pole, C, 25A, D=70 mm (Tunthai Excitation Pa	1
5701	Miniature circuit breaker 400 V 6kA, 2-pole, C, 10A, D=70 mm (Tunthai Excitation	Description : Miniature circuit breaker 400 V 6kA, 2-pole, C, 10A, D=70 mm (Tunthai Excitation P	1
5702	WATER FILTER "MAZUMA M1F-3", PP WATER TREATMENT FOR HATCH BIO	DESCRIPTION : WATER FILTER "MAZUMA M1F-3", PP WATER TREATMENT FOR HATCH BIO	1
5703	LIP SEAL OUT BOARD,MODEL HTS 50-125/55 "LOWARA" (G3512)	DESCRIPTION : LIP SEALOUT BOARD	2
5704	AUX CONTACT FOR 5SXZ + 4 + 5,N-TYPE,SIE.	DESCRIPTION : AUX CONTACTOR, FRAME,	2
5705	O-RING PACKING,PTFE,P/N: 14-035TA,POS.NO.936V (G2201)	DESCRIPTION : O-RING PACKING	9
5706	BOLT WITH NUT,SUS304,SIZE: M20x95 MM.,POS.NO.55 (P2503)	DESCRIPTION : BOLT WITH NUT	10
5707	COIL SOLENOID VALVE,AB31-COIL-AC110V,CKD	DESCRIPTION : COIL SOLENOID VALVE,	2
5708	COUPLING GR-28 COMPLETE SET,MODEL: GR-28 PU- SUIDER (G31101AC,AD,	ITEM NAME : COUPLING GR-28 COMPLETE SET	1
5709	STUD BOLT & NUTS,B8 CLASS 2,UNC,1-1/8"*225 MM.	DESCRIPTION : STUD BOLT & NUTS	1
5710	OIL SEAL LOW SPEED SHAFT,ID.130x150xTHK.10 MM. (P2701)	DESCRIPTION : OIL SEAL LOW	2
5711	OIL SEAL,LOW SPEED SHAFT,VITON,ID.130xOD.150xTHK.12 MM. (P2701)	DESCRIPTION : OIL SEAL LOW SPEED SHAFT	2
5712	TIMER RELAY,110 VDC,5A,8 PINS,H3M,0.5-10 SEC. 1Mn-10 Mn,OMRON,(MP-1301	DESCRIPTION : TIMER RELAY	1
5713	1" gasket CL900 large male & female 4.4 MM THCK spiral wound SS 316 and filler	1" gasket CL900 large male & female 4.4 MM THCK spiral wound SS 316 and filler asbestos with i	10
5714	STUB END,SUS 316L,BW,SEAM,SCH 10,2"	DESCRIPTION : STUB END,	2
5715	CHOPPER BOX SCRUBBER(CO/CO2),0200511,SER	DESCRIPTION : CHOPPER BOX SCRUBBER,	2

5716	O-RING,VITON,ID.260xTHK.7 MM.,P/N: 77,POS.NO.11 (P1404)	DESCRIPTION : O RING	1
5717	ELBOW 90,SUS 304,BW,SCH 40,1-1/2"	DESCRIPTION : ELBOW 90,	3
5718	SERRATE GASKET,SS316, 78 * 85 * 2 MM	DESCRIPTION : SERRATE GASKET,	3
5719	NUT IMPELLER,SUS316,P/N: 3-NU01UT01DB,POS.NO.P2- 69 (G2202)	DESCRIPTION : NUT IMPLELLER	2
5720	OIL SEAL FOR SHAFT,VITON,ID.95xOD.120xTHK.12 MM. (T2901B PRI,E3515)	ITEM NAME : OIL SEAL FOR SHAFT	3
5721	INCANDESCENT LAMP,TYPE A 4587,24 V,25 W "STANLEY"	DESCRIPTION : INCANDESCENT LAMP	62
5722	O-RING,VITON,SIZE:ID 114 * 3 MM,POS.16	DESCRIPTION : O-RING,	10
5723	ON TIMER RELAY,220 VAC,R:0.05-3M(P-5203)	DESCRIPTION : ON TIMER RELAY	2
5724	SHOCK ABSORBER CPL O-RING,POS.23-2	DESCRIPTION : SHOCK ABSORBER	13
5725	O-RING,O/N:0156370,P/N:28	DESCRIPTION : O-RING,O/N:0156370,	2
5726	Tee, 1", 3000#, SS 304L, ASTM A182, SW, ANSI- B16.11	Description : Tee	1
5727	ELBOW 90,BW,SL,SUS304,SCH 40,2"	DESCRIPTION : ELBOW 90	2
5728	Sealing valve actuator lower part, XV-24005,XV- 24006,XV-25005,XV-25006,XV-	Description : O-Ring sealing actuator lower part	7
5729	GASKET,MAT'L: TI/TI PTFE/CS,SIZE: 300#,14" (R1301)	DESCRIPTION : GASKET	5
5730	COVER FOR CONDENSING FAN,PVC,18"	Description : COVER FOR CONDENSING FAN	3
5731	Spiral wound gasket, 316/316 GRAP/NIL, IR 67x85x104.8xTHK 4.5 m.m., Tag : XV-	Description : Spiral wound gasket, 316/316 GRAP/NIL	3
5732	ALUMINIUM FLANG,3",P/N:074-4057-301	NAME : ALUMINIUM FLANG,	1
5733	O-RING,NBR,G315 (314.30x05.70 MM.),P/N: 43 (P1301C)	ITEM NAME : O-RING,G315	1
5734	O-RING SEAL,VITON/FEP,45x5,P/N: 930543400,POS.NO.16 (F2408)	O-RING SEAL,DWG NO.950001388,PART LIST NO.16,P/N 930543400,MATERIAL VITON/FEP,S	2
5735	LAP JOINT FLANGE,A105N,CS,150#,1/2"	DESCRIPTIION : LAP JOINT FLANGE	6
5736	GASKET REPAIR KIT, P/N RGASKETX312,FISHER, PV- 3602-1	Description : GASKET REPAIR KIT	1
5737	STOP PIN FOR CHECK VALVE,MATERIAL SS 316,VALVE SIZE 8",300#	DESCRIPTION : STOP PIN FOR CHECK VALVE	2
5738	GLAND PACKING,TEF+ASB,48 * 32 * 8 MM	DESCRIPTION : GLAND PACKING, RING	4
5739	O-RING,FKM(VITON),ID.101.19xTHK.3.53 MM.,P/N: 10001679,POS.NO.0061E	ITEM NAME : O-RING	2
5740	GASKET CASING,NIL/316SS GRAPHITE/NIL,ID.385xOD.411xTHK.4.5 MM.	ITEM NAME : GASKET CASING	2
5741	O-RING SET,NBR, SIZE:ID 75 * 2 MM	DESCRIPTION : O-RING,	2
5742	O-RING,EPDM,DIA.31.42xTHK.2.62 MM. (G4011)	ITEM NAME : O-RING	4
5743	CONER LIGHT,MODEL: CHPT-3360 4-V/35 (BULK CAR)	Description : CONER LIGHT	4
5744	BEARING COVER O-RING GASKET,NBR,POS.NO.73M (G1301C/D)	DESCRIPTION : BEARING COVER O-RING GASKET,	1
5745	INCANDESCENT LAMP,TYPE A 4135 M,24 V,12 W "STANLEY"	DESCRIPTION : INCANDESCENT LAMP	47
5746	GASKET ORWIR.,SS321/GRAPHITE/SS321/SUS304,900#,1" (BOTTOM D2201)	ITEM NAME : GASKET ORWIR.	4
5747	O-RING,K60692,ID.110.72xTHK.3.53 MM.,P/N: 24,POS.NO.2181-045 (P1101B	ITEM NAME : O-RING	1
5748	O-RING FOR MECHANICAL SEAL,VITON,ID.50 * 3.5 MM THK,I/N A	DESCRIPTION : O-RING FOR MECHANICAL SEAL	4
5749	2" x 1-1/2" reducing Tee welded BW 4.0 MM THCK x S-40S SS ASTM A403 GR.	2" x 1-1/2" reducing Tee welded BW 4.0 MM THCK x S-40S SS ASTM A403 GR.WP304 ANSI-B16	1
5750	OIL SEAL,TYPE: TC,NBR,ID.140xOD.170xTHK.14 MM. (P1202,P1504,G1445A/B/C)	ITEM NAME : OIL SEAL	2
5751	SLEEVE BEARING NO.51107 P.SV (NO.51107 "SKF") (T2102)	ITEM NAME : SLEEVE BEARING NO.51107 P.SV (NO.51107 "SKF")	4
5752	O-RING,PTFE,ID.49.5xTHK.3 MM.,P/N: 520603- 71,POS.NO.31 (G1404)	ITEM NAME : O-RING	2
5753	RUBBER COUPLING VIKING,SIZE: 45 (G2201)	ITEM NAME : RUBBER COUPLING VIKING	4
5754	O-RING IMPELLER SLEEVE,TEFLON,ID.36.5xTHK.2 MM.,POS.NO.412.21 (G2701)	ITEM NAME : O-RING IMPELLER SLEEVE	2
5755	DEEP GROOVE BALL BEARING NO.6304-Z (T3307)	ITEM NAME : DEEP GROOVE BALL BEARING NO.6304-Z	2
5756	OIL FIINGER W4291 60-A2F,P/N: 00116688,POS.NO.224 (T1442B,T1443B,T1444B,	ITEM NAME : OIL FIINGER W4291 60-A2F	2
5757	SHIELD RING W458 7312-AVHB1-OV,P/N: 00138231,POS.NO.276 (T1442B,T1443B,	ITEM NAME : SHIELD RING W458 7312-AVHB1-OV	2

5758	PRINTER PAPER (SIO2 ANALYZER)	MATERIAL DESCRIPTION : PRINTER PAPER, ,	1
5759	AMMETER,R:0-2 ADC,1.5,90*170 MM (DC BAT)	MATERIAL DESCRIPTION : AMMETER,	1
5760	GLAND PACKING,GRAP,41.5*22.5* 9.5 MM	DESCRIPTION : GLAND PACKING, RING	6
5761	GASKET,NON ASBESTOS FIBRE,ID.405 MM.xOD.510 MM.xTHK.3 MM. (H1505,	DESCRIPTION : GASKET	4
5762	O-RING,EPDM,ID.89.5xTHK.3 MM.,P/N: 523933- 75,POS.NO.33 (G1202)	ITEM NAME : O-RING	2
5763	SET SCREW FOR MECHANICAL SEAL,SUS316,SIZE: 9.000",POS.NO.9	ITEM NAME : SET SCREW FOR MECHANICAL SEAL	4
5764	ELBOW 90,SW,SUS304,3000#,1"	DESCRIPTION : ELBOW 90	2
5765	O-RING FOR MECHANICAL SEAL,I/N P "DURA SEAL"	DESCRIPTION : O-RING	2
5766	SPRING,TYPE M7N/65-00 Q1QM2GG,MATERIAL 1.4571 "BURGMANN"	DESCRIPTION : SPRING,	2
5767	IMPELLER KEY,SUS316L (G1404A/B)	ITEM NAME : IMPELLER KEY	1
5768	BALLAST,BA5-20,13W,220V,0.165A "BOVO"	MATERIAL DESCRIPTION : BALLAST,	15
5769	GASKET,NIL/SS316 GRAP/NIL,101 * 123 MM.	GASKET SPIRAL WOUND,	4
5770	PACKING,FIBER,POS.NO.18,31 (GZ2409)	ITEM NAME : PACKING	3
5771	TUBE FOR HOTMARKER,PVC,2.5 MM.,HOTMARKER	Description : TUBE FOR HOTMARKER	194
5772	LAP JOINT FLANGE,A105N,CS,150#,1/2"	DESCRIPTIION : LAP JOINT FLANGE	9
5773	GLASS VAPOUR SEAL FOR STAINLESS STEEL (D1911)	DESCRIPTION : GLALSS VAPOUR SEAL FOR STAINLESS STEEL	6
5774	LAP JOINT FLANGE,A105,CS,FF,150#,1-1/2"	DESCRIPTION : LAP JOINT FLANGE,	4
5775	Socket of relay Mitsubishi, Model PF-08RM (Normal use for re starting relay)	Description : Socket of relay Mitsubushi	2
5776	GASKET,ID.332*OD.358*THK.1 MM.,I/N 16-9 (P1504,P2503)	DESCRIPTION : GASKET	3
5777	BOLT WITH NUT,SUS304,M16x50 MM.,POS.NO.47 (P2401,P2402,P2403,P2404,	ITEM NAME : BOLT HEX HEAD WITH NUT	18
5778	O-RING(ADAPTOR),2Z131-NBR,P/N: 20A11CM347,POS.NO.131 (G1802C/D)	ITEM NAME : O-RING(ADAPTOR)	1
5779	HEX HEAD BOLT,S25C,M12,P/N: 18 (P1202A/B)	ITEM NAME : HEX HEAD BOLT	4
5780	SPROCKET WHEEL,SINGLE,SIZE: 12 TEETH,ID.28 MM.,KEY: 8 MM. (F3544)	ITEM NAME : SPROCKET WHEEL	1
5781	PIPE NIPPLE SIZE 3/4",SMLS PBE S-160 SS ASTM A312 GR.TP304L L=100 MM.	DESCRIPTION: PIPE NIPPLE SIZE 3/4", SMLS PBE S-160 SS ASTM A312 GR.TP304L L=100 M	1
5782	MINIATURE CIRCUIT BREAKER CHARACTEVIST	DESCRIPTION : MINIATURE CIRCUIT BREAKER,	1
5783	GASKET,NIL/SUS316L PTFE/NIL,ID.65xOD.90xTHK.4.5 MM. (D2402,D2403,D2404)	ITEM NAME : GASKET	3
5784	SEAL,WS3820,SIZE: 160x110x3,P/N: 300106500,POS.NO.76 (F2408X NEW RPF)	ITEM NAME : SEAL	2
5785	IMPELLER O-RING,TEFLON,P/N: C02495A28 6359,POS.NO.412A (G1103C PRI)	ITEM NAME : IMPELLER O-RING	2
5786	OIL SEAL,NBR,ID.160xOD.190xTHK.16 MM.,POS.NO.12 (P1203,P1205)	ITEM NAME : OIL SEAL	5
5787	GASKET SUPPORT HEAD,P/N 2584C	DESCRIPTION : GASKET SUPPORT HEAD	7
5788	STUB END,SUS 304,BW,SCH 40,1"	DESCRIPTION : STUB END	3
5789	RESTRICTOR BUSHING,MATERIAL CARBON,I/N 155	DESCRIPTION : RESTRICTOR BUSHING	2
5790	AUX CONTACT 22E,& SCREW TERMINAL,SIEMENS	DESCRIPTION : AUX CONTRACTOR,	1
5791	O-RING(SHAFT SEAL),VITON,DIA.117.07xTHK.3.53 MM. (RV2402)	DESCRIPTION : O-RING (SHAFT SEAL)	8
5792	GASKET CASING,NIL/316 FILLER GRAPHITE/NIL,SIZE ID.390 * OD.410 * 4.5 MM	DESCRIPTION : GASKET CASING	2
5793	O-RING PACKING,NBR,P/N: 14-069UA,POS.NO.P2-28 (G1302,G2202)	ITEM NAME : O-RING PACKING	3
5794	BEARING NO.6307 "SKF" (G3601A/B)	ITEM NAME : BEARING NO.6307	4
5795	SPRING PUMP PRESSORE,I/N20,P/N 222300005	DESCRIPTION : SPRING PUMP,	6
5796	INSERT MOUNTING FOR MECHANICAL SEAL "DURA SEAL"	DESCRIPTION : INSERT MOUNTING FOR MECHANICAL SEAL	1
5797	ELBOW 90,BW,SUS316L,SCH 40,1"	DESCRIPTION : ELBOW 90	5
5798	GASKET,NIL/316,PTFE/NIL,450 * 470 * 4.5	DESCRIPTION : GASKET,	2
5799	SEAL RING,POSITION,P/N: 10002146,POS.NO.0083 (P2401A)	ITEM NAME : SEAL RING,POSITION	12

5800	ROD,P/N 98720-1,I/N 1	DESCRIPTION : ROD	1
5801	STUB END,SUS 316L,BW,SL,SCH 40,1-1/2"	DESCRIPTION : STUB END,	1
5802	BOLT WITH NUT,SUS304,M24x100 MM.,POS.NO.87 (P2406)	DESCRIPTION : BOLT WITH NUT	4
5803	SPACER COUPLING,P/N: SC4J33/4*1 "DODGE" (G1510)	DESCRIPTION : SPACER COUPLING	3
5804	GASKET,321/321 GRAP/NIL,900#,2-1/2"	DESCRIPTION : GASKET	3
5805	ROD SEAL,PTFE BRONZE,SIZE: 70x85x0.1x6.3 (F2408X)	ITEM NAME : ROD SEAL	3
5806	GLAND PACKING,PTFE+ASB,41.5* 22.5 * 10MM	DESCRIPTION : GLAND PACKING, RING	1
5807	Contactor relay, 2 NO + 2 NC, 24 V DC, Size S00 (Tunthai Excitation Panel), U30-	Description : Contactor relay, 2 NO + 2 NC, 24 V DC, Size S00 (Tunthai Excitation Panel), U30-K	1
5808	RESTRICTOR BUSHING,MATERIAL CARBON,I/N 155	Description : RESTRICTOR BUSHING	1
5809	SERRATE GASKET,SS304,37.3 * 46.7 * 3.2MM	DESCRIPTION : SERRATE GASKET,	3
5810	FLINGEER PUMP END,DWG.NO.2A-37911,P/N 0871A	DESCRIPTION : FLINGEER PUMP END	2
5811	BOLT ROUND FLAT HEAD,SUS 304,M4*30 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	274
5812	COVER BEARING END,MATERIAL BUNA-N,I/N 111	DESCRIPTION : COVER BEARING END	2
5813	GASKET,PER PRINT,P/N: 2-313-003-804-15,POS.NO.29 (G3546A/B)	MATERIAL DESCRIPTION : BRACKET GASKET, ,	3
5814	GASKET,GSK HEAD,P/N: 2-311-003-804-15,POS.NO.35 (G3546A/B)	MATERIAL DESCRIPTION : HEAD GASKET, ,	3
5815	GASKET CASING,NON ASBESTOS,SIZE: ID.340 MM.xOD.352 MM. (G2501C PRI)	ITEM NAME : GASKET CASING	3
5816	O-RING FOR SILO D-1404 ,HV-515A-1508-1	DESCRIPTION : O-RING,	4
5817	PAN HEADED SCREWS WITH SPRING WASHERS,SUS316,M8x25 MM.,P/N: 10	ITEM NAME : PAN HEADED SCREWS WITH SPRING WASHERS	35
5818	COLLAR PACKING FOR PUMP G-1507,P/N P3-P1	DESCRIPTION : COLLAR PACKING	2
5819	INCANDESCENT LAMP,TYPE A 4887,24 V,10 W "STANLEY"	DESCRIPTION : INCANDESCENT LAMP	48
5820	S.L.C,SUS316L,SIZE: T=2 MM. (C1601)	ITEM NAME : S.L.C	25
5821	GASKET,V7010,SIZE: ID.220xOD.235x1.5 MM.THK,POS.NO.33A (G1401)	ITEM NAME : GASKET	4
5822	Cap, CS, A234 WPB, BW, SCH 40, 6"	Description : Cap	1
5823	GASKET CASING,TEFLON,ID.250 MM.xOD.268 MM.xTHK.1 MM.,POS.NO.5 (G1606)	ITEM NAME : GASKET CASING	4
5824	BOLT SOCKET HEAD SUS 304,M10*1.50*40 MM	DESCRIPTION : BOLT SOCKET HEX HEAD	36
5825	SET SCREW M8,SUS316,POS.NO.31 (P2401)	ITEM NAME : SET SCREW M8	8
5826	INSERT MOUNTING FOR MECHANICAL SEAL DURA SEAL",I/N 6	DESCRIPTION : INSERT MOUNTING FOR MECHANICAL SEAL	1
5827	OIL SEAL,TC,VITON,ID.25xOD.52xTHK.8 MM. (GZ2408,GZ2409)	ITEM NAME : OIL SEAL	8
5828	PIPE NIPPLE,S-80,UNS S31803,1" * 200 MM.	PIPE NIPPLE,SMLS BE S-80S SS A790 UNS S31803 (SANDVIK),	1
5829	PULLER SET SCREW,P/N 10344-1,I/N 2	MATERIAL DESCRIPTION : PULLER SET SCREW, ,	4
5830	BOLTING,2 MM * G1/4",6.022.04.06,STIP	DESCRIPTION : BOLTING,	1
5831	GASKET SPW."W",SS321/GRAPHITE,ID.65xOD.90 MM.xTHK.4.5 MM.	ITEM NAME : GASKET SPW.	2
5832	BEARING,NO.6010 "SKF" (CM "NTN")	DESCRIPTION : BEARING,	4
5833	BELLOW MOTERITE BLACK,P/N941162-0000,E&H	DESCRIPTION : BELLOW MOTERITE,	1
5834	O-RING,P/N: 828 (MAS369) (E3264 F/G/H PRI PROJECT)	ITEM NAME : O-RING	1
5835	GASKET COOLING(CENTER BAR=5 MM.),NON ASBESTOS,OD.170xID.120xTHK.3	ITEM NAME : GASKET COOLING	6
5836	CONCENTRIC RED,SUS 304,S40,1"*1/2"	DESCRIPTION : CONCENTRIC REDUCE	4
5837	O-RING,TEFLON,DIA.65xTHK.3.1 MM.,POS.NO.33D (G1401)	ITEM NAME : O-RING	2
5838	RUBBER COUPLING ROTEX NO.GR.48,P/N: GR48/ROTEX (F2408)	ITEM NAME : RUBBER COUPLING ROTEX NO.GR.48	1
5839	O-RING,FKM,P/N: G310,POS.NO.43 (P1301C)	ITEM NAME : O-RING	1
5840	BEARING LOCK WASHER,SS41,SIZE: AW40,POS.NO.35 (P1401,P1402)	ITEM NAME : BEARING LOCK WASHER	1
5841	O-RING PACKING,NBR,P/N: 14-069UA,POS.NO.P2-201 (G1302,G2202)	ITEM NAME : O-RING PACKING	14

5842	FLEXIBLE HOSE,SEMPERIT 1 SN-K HYDRAULIC HOSE,1/2"xL.1570 MM. (G2201)	ITEM NAME : FLEXIBLE HOSE	1
5843	GASKET FOR END COVER,TOMBO #1100,P/N: BU (B2402)	ITEM NAME : GASKET FOR END COVER	5
5844	SAFETY PLATE,STAGE:5+6	DESCRIPTION : SAFETY PLATE,	2
5845	SAFETY PLATE,STAGE:3+4	DESCRIPTION : SAFETY PLATE,	2
5846	BOLT,TB35,POS.NO.20 (P1301)	ITEM NAME : BOLT	1
5847	DRIER FILLTER,EK-083S,I/O 3/8" "ALCO"	MATERIAL DESCRIPTION : DRIER FILLTER,	3
5848	INDICATOR, F.SEMIC FUSE LET, GUTOR UPS	INDICATOR ,F.SEMIC FUSE LET,	1
5849	V-BELT NO.3V-710 (P2503)	ITEM NAME : V-BELT NO.3V-710	3
5850	SERRATE GASKET,SS317, 42 * 51 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
5851	SPARE COIL,230 VAC,50 HZ,8 VA (ANK-3150)	MATERIAL DESCRIPTION : SPARE COIL OF SOLINOID VALVE,	1
5852	O-RING,VITON,ID.304.39xTHK.3.53 MM.,POS.NO.21,36 (P2401 MS MODIFICATION)	ITEM NAME : O-RING	1
5853	SCREW,HEX SOC.CAP,S45C,1/4"-20 UNCx6 MM.,P/N: 1DC52A,POS.NO.45 (P2409)	ITEM NAME : SCREW,HEX SOC.CAP	28
5854	GASKET CASING,NIL/316 PTFE/NIL,418.5x453xTHK.4.5 MM. (G2805A/B)	ITEM NAME : GASKET CASING	1
5855	WEDGE RING,PTFE FFW,POS.NO.13 (P2503)	ITEM NAME : WEDGE RING	1
5856	O-RING,FKM,KALREZ,POS.NO.1 (G1301C/D)	DESCRIPTION : O-RING,	1
5857	O-RING CORD,EPR,DIA.5 MM.xL.10 M. (T1442B,T1443B,T1444B,T1445)	ITEM NAME : O-RING CORD	5
5858	RECORDER FTD CARTRIDGE,425LA128969	DESCRIPTION : RECORDER FTD CARTRIDGE,	4
5859	PLOTTER PEN (RECORDER),B9902AR,YOKOGAWA	DESCRIPTION : PLOTTER PEN,	2
5860	TEE,SUS 304,SW,SCH 40,3/8"	DESCRIPTION : TEE,	2
5861	O-RING INDUCER,PTFE,ID.26xTHK.2 MM.,POS.NO.412.22 (G2701)	ITEM NAME : O-RING INDUCER	2
5862	FILTER DRIER (CORE),D48-I,ALCO	Description : FILTER DRIER (CORE)	2
5863	O-RING,P/N: 10001709,POS.NO.0061E (P2406B)	ITEM NAME : O-RING	1
5864	Actuator O-Ring, Motoyama, NBR, PV-2427	Description : Actuator O-Ring	1
5865	BOLT ROUND FLAT HEAD,SUS 304,M5*10 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	292
5866	SET SCREW,SCM435,P/N: ZZ00036266,POS.NO.44 (P1301C)	ITEM NAME : SET SCREW	12
5867	DRIER FILTER,EK-164S,INLET 1/2",ALCO	DESCRIPTION : DRIER FILTER	2
5868	O-RING,PTFE,ID.74.5 MM.xTHK.3 MM.,P/N: 520608- 71,POS.NO.31 (G1202,	ITEM NAME : O-RING	2
5869	TAPERED ROLLER BEARING NO.32215 J210,POS.NO.1.7B "TIMKEN" (E3515)	ITEM NAME : TAPERED ROLLER BEARING NO.32215 J210	1
5870	CASING GASKET,NON ASBESTOS,P/N: 70782 29 5127,POS.NO.351 (G1103C PRI)	ITEM NAME : CASING GASKET	1
5871	O-RING IMPELLER,TEFLON,DIA.18.5 MM.xTHK.1.8 MM. (G1501,G1510)	ITEM NAME : O-RING IMPELLER	3
5872	V-BELT NO.B-63 "BANDO" (P3591)	ITEM NAME : V-BELT NO.B-63	6
5873	OIL SEAL,VITON,ID.A75xOD.95xTHK.10 MM. (P1441 GEAR BOX)	DESCRIPTION : OIL SEAL	2
5874	O-RING,W4283 245x3-NBR70,P/N: 176567 (P1101B)	ITEM NAME : O-RING,W4283 245x3-NBR70	1
5875	WASHER WAVY,P/N: 07-047,POS.NO.P2-56 (G2202)	DESCRIPTION : WASHER WAVY	1
5876	(NOT USE) GASKET,NIL/316 PTFE/NIL,546*700*4.5 MM (E1701)	DESCRIPTION : GASKET SPWG, INNER,OUTER : 546 * 700 * 4.5 MM,	2
5877	(NOT USE) GASKET,NIL/316LPTFE/NIL,546*700*3 MM (E1701)	DESCRIPTION : GASKET SPWG, INNER,OUTER : 546 * 700 * 3 MM,	2
5878	GASKET CASING,P/N: 2584AGASKETY030 (G1510)	ITEM NAME : GASKET CASING	1
5879	ADJUSTING SCREW,SS400,POS.NO.5 (P2409A/B/C/D/E/F/G)	ITEM NAME : ADJUSTING SCREW	1
5880	LAP JOINT FLANGE,A105,CS,FF,300#,2"	DESCRIPTION : LAP JOINT FLANGE,	2
5881	ROUND BAR,SUS304,3/8"*6 M.	DESCRIPTION : ROUND BAR	2
5882	SLEEVE,P/N 94528,I/N 103	DESCRIPTION : SLEEVE	1
5883	O-RING FOR BEARING COVER DS,EPDM,ID.145xTHK.4 MM.,POS.NO.4610.1	ITEM NAME : O-RING FOR BEARING COVER DS	2

5884	BEARING NO.32216,POS.NO.36 "NTN" (P1403,P2102,P2406)	ITEM NAME : BEARING NO.32216	1
5885	SOCKET HEAD CAP SCREW,P/N: 10082515,POS.NO.143 (P1441)	ITEM NAME : SOCKET HEAD CAP SCREW	4
5886	BOLT ROUND TAPER HEAD,SUS 304,M8*40 MM	DESCRIPTION : BOLT ROUND TAPER	61
5887	O-RING,NBR,DIA.56xTHK.3 MM.,P/N: 80228,POS.NO.27 (G3601A/B)	ITEM NAME : O-RING	2
5888	RETRAINING RING,SUP,OCHIAI E-19,P/N: W-V03722#- 222#-AVA00,POS.NO.9	ITEM NAME : RETRAINING RING	4
5889	GASKET,NIL/316,PTFE/NIL,470.5*487.9*4.5	DESCRIPTION : GASKET,	1
5890	ELBOW 90,SUS 304,BW,SEAM,SCH 10,2-1/2"	DESCRIPTION : ELBOW 90,	1
5891	GASKET,NIL/316,PTFE/NIL,50.8 * 61 * 4.5	DESCRIPTION : GASKET,	3
5892	CAPACITOR,M:50 UF,370 VAC,50/60 HZ "GE"	MATERIAL DESCRIPTION : CAPACITOR,	1
5893	GASKET,TI/TI GRAP/304,300#,1"	DESCRIPTION : GASKET, SEALING ELEMENT W/INNER & OUTER RING	1
5894	O-RING PACKING,PTFE,P/N: 14-0345TA,POS.NO.936F (G2201)	Description : O-RING PACKING	8
5895	SPEEDI SLEEVE,CARBON STEEL,P/N: CR 99235/L=20 MM. FOR SIZE: 60 MM.	ITEM NAME : SPEEDI SLEEVE	1
5896	BLIND FLANGE,SS304,STD-FN,RF,150#,2"	BLIND FLANGE,SS304 ,STD-FN, ANSI-B16.5, 150#, RF,	1
5897	END COVER,GEAR BOX TYPE: FZZ128B-K(132),SIZE: 170 MM.x15 MM.,POS.NO.	ITEM NAME : END COVER	1
5898	DAY LIGHTING (BEWON),12*12*29 CM,E40,220VAC,65W (ISBL)	DESCRIPTION : DAY LIGHTING (BEWON),SIZE:12*12*29 CM,E40,220VAC,65W	1
5899	NIPPLE BARREL, FORGED, 1-1/2", S-80, LENGTH 100 MM,. CS, ASTM A53, TBE,	DESCRIPTION : NIPPLE BARREL	2
5900	O-RING FOR ACTUATOR TYPE 1061, SIZE 68, P/N 1D3483X0012, TAG : XV-1111	DESCRIPTION : O-RING	1
5901	BEARING POS.1028 (T1441C)	ITEM NAME : BEARING POS.1028	1
5902	BEARING POS.1030 (T1441C)	ITEM NAME : BEARING POS.1030	1
5903	RADIAL BALL BEARING POS.1140 (T1441C)	ITEM NAME : RADIAL BALL BEARING POS.1140	1
5904	ROLLER BEARING POS.1020 (T1441C)	ITEM NAME : ROLLER BEARING POS.1020	1
5905	U-BOLT & NUT,SUS 304,BSW,3/8"	DESCRIPTION : U-BOLT & NUT	12
5906	HOLD SAW, HIGHT SPEED STEEL,DIA 35 MM	DESCRIPTION : HOLD SAW	1
5907	BEARING NO.6206/C3 "SKF" (G1510)	ITEM NAME : BEARING NO.206 C3	2
5908	BLIND FLANGE,SUS316 RF,SIZE: 300#, 1/2"	Description : BLIND FLANGE,SUS316 RF,SIZE: 300#, 1/2"	2
5909	BOLT ROUND TAPER HEAD,SUS 304,M5*10 MM	DESCRIPTION : BOLT ROUND TAPER	298
5910	O-RING,EPDM,ID.20.63xTHK.2.62 MM.,P/N: 520614- 75,POS.NO.46 (G1202)	DESCRIPTION : O-RING	2
5911	SLIP ON FLANGE,SUS304,RF,150#,1/2"	DESCRIPTION : SLIP ON FLANGE	4
5912	OVERLOAD RELAY,TH-N20,9-13A,MITSUBISHI	DESCRIPTION : OVERLOAD RELAY	2
5913	CAPACITOR,M:45 UF,370 VAC,50/60 HZ "GE"	MATERIAL DESCRIPTION : CAPACITOR,	1
5914	HEX SOCKET BOLT,SCM435,M12x25 MM.,P/N: 28 (P1202A/B)	ITEM NAME : HEX SOCKET BOLT	4
5915	BEARING NO.6307 "SKF" (G1202,G1504,G1507,G3601A/B)	ITEM NAME : BEARING NO.6307	3
5916	SPACER,P/N 92006,I/N 116	DESCRIPTION : SPACER	1
5917	O-RING,NITRIL GUMMI,ID.99.5 MM.xTHK.3 MM.,P/N: 520616-70,POS.NO.54	DESCRIPTION : O-RING	3
5918	REFLECTOR LAMP,E40,220/380V,500W, MIZUNO	DESCRIPTION : REFLECTOR LAMP,	3
5919	LIMIT SWITCH LS-1 VCS MV (P-3861A,B-IAPA)	DESCRIPTION : LIMIT SWITCH LS-2 VCS MV (P-3861A,B-IAPA)	2
5920	GASKET,MATERIAL NON ASBESTOS,SIZE ID.52 * OD.56 * 1.5 MM THK	DESCRIPTION : GASKET	3
5921	GASKET,P/N: MT12-D115-0031-3.POS.NO.46 (E1507)	DESCRIPTION : GASKET	2
5922	LAP JOINT FLANGE,A105,CS,FF,150#,1-1/2"	DESCRIPTION : LAP JOINT FLANGE,	7
5923	WASHER FLAT,SS 41/CM,P/N: 4-06-048 (G2202)	DESCRIPTION : WASHER FLAT	1
5924	SPRING WASHERS,DUPLEX 2205,SIZE: M16 (F1441A/B/C)	ITEM NAME : SPRING WASHERS	2
5925	OIL SEAL-DE SUDE,NON ASBESTOS,P/N: 574,POS.NO.50001 (G2703X)	ITEM NAME : OIL SEAL-DE SUDE	2

5926	TAPER BUSHING FOR PULLEY NO.3020xSHAFT DIA.65 MM.,CAST IRON (P2406)	ITEM NAME : TAPER BUSHING FOR PULLEY NO.3020 * SHAFT DIA.65 MM.	1
5927	BOLT ROUND FLAT HEAD,SUS 304,M4*12 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	340
5928	MALE TUBE FITTING, 3/8" x 1/4", NPT, SS316, (SWAGELOK)	DESCRIPTION : MALE TUBE FITTING	2
5929	CAP PIPE SIZE : 1/2" ,3000# ,NPT, ASTM A182 GR. F316L	DESCRIPTION : CAP PIPE SIZE:1/2" ,3000# ,NPT,ASTM A182 GR. F316L	2
5930	OIL SEAL,NBR,ID.210xOD.250xTHK.16 MM.,POS.NO.11 (P1503)	ITEM NAME : OIL SEAL	2
5931	ROUND BAR,SUS304,9 MM.*6 M.	DESCRIPTION : ROUND BAR,	1
5932	GASKET,NIL/SS316 PTFE/NIL,180 * 205 MM.	GASKET SPIRAL WOUND,	1
5933	BOLT ROUND TAPER HEAD,SUS 304,M3*30 MM	DESCRIPTION : BOLT ROUND TAPER	254
5934	TAPER BUSH OF PULLEY NO.3020 BORE DIA. 55 MM.,CAST IRON (P3528A/B)	ITEM NAME : TAPER BUSH OF PULLEY NO.3020	1
5935	OIL SEAL,NBR,ID.130xOD.160xTHK.12 MM. (G1445)	ITEM NAME : OIL SEAL	4
5936	REDUCING COUPLING, 3/4 x 1/2, STAINLESS, ASTM A182 GR.F304L, 3000#, ANSI	DESCRIPTION : REDUCING COUPLING	1
5937	O-RING PACKING,PTFE,P/N 14-005TA,I/N 936 U	DESCRIPTION : O-RING PACKING	10
5938	SPIRAL WOUND GASKET, 316/316/GRAP/SUS304, SIZE 121x129x149x172 M.M.,	DESCRIPTION : SPIRAL WOUND GASKET	2
5939	BEARING NO.6207 C3 "SKF" (G1702)	ITEM NAME : BEARING NO.6207 C3	4
5940	O-RING,P/N L451KA006,I/N 6	DESCRIPTION : O-RING	2
5941	BEARING,NO.16008 "SKF"	DESCRIPTION : BEARING,	4
5942	HORIZONTAL SEAL SET NO.24370,P/N: 802-1712 "SKF" (E3264F/G/H PRI	ITEM NAME : HORIZONTAL SEAL SET NO.24370	2
5943	OIL SEAL,NBR ("NOK" AE4399F),S12515514,POS.NO.34 (P1202B)	ITEM NAME : OIL SEAL	1
5944	OIL SEAL,TYPE: TC,NBR,ID.85xOD.110xTHK.12 MM. (G2102)	ITEM NAME : SEAL RADIAL	3
5945	SPRING FOR MECHANICAL SEAL,TYPE HJ977GN Q1Q1M2GG "BURGMANN"	DESCRIPTION : SPRING FOR MECHANICAL SEAL	1
5946	TEE RED.,SUS 304,BW,SCH 80,1-1/2"*1"	DESCRIPTION : TEE REDUCING,	1
5947	TEE RED.,SUS 304,BW,SCH 80,1-1/2"*1"	DESCRIPTION : TEE REDUCING,	1
5948	OIL SEAL,NBR,ID.170xOD.210xTHK.15 MM.,POS.NO.40 (G1445A/B/C)	ITEM NAME : OIL SEAL	2
5949	LAP JOINT FLANGE,FF,A105 CS,150#,1"	DESCRIPTION : LAP JOINT FLANGE	4
5950	FLEXIBLE OIL HOSE,CONNECTOR UNION(SOCKET WELDED) DOUBLE BRAIDES,	ITEM NAME : FLEXIBLE OIL HOSE	1
5951	OIL SEAL,NBR,ID.150xOD.180xTHK.14 MM.,POS.NO.64 (P1403,P2406)	ITEM NAME : OIL SEAL	3
5952	O-RING IMPELLER,P/N 20A11A	DESCRIPTION : O-RING IMPELLER	2
5953	GASKET,P/N P-C14228-1,I/N 46	DESCRIPTION : GASKET	2
5954	GASKET,P/N 360-056-360,PB1-A-TN-3-PP	DESCRIPTION : GASKET, PUMP	4
5955	GASKET CASING,NON ASBESTOS,SIZE: ID.204xOD.220x1 MM.THK (G2501,	ITEM NAME : GASKET CASING	4
5956	HEX.SOCKET BOLT,M12 (4 PCS/SET),SCM435,POS.NO.28 (P1403,P2102,P2406)	ITEM NAME : HEX.SOCKET BOLT M12 (4 PCS/SET)	1
5957	O-RING 1AG125,P/N: U761AG1250 (P2401,P2402,P2405)	ITEM NAME : O-RING 1AG125	2
5958	BOLT ROUND TAPER HEAD,SUS 304,M4*30 MM	DESCRIPTION : BOLT ROUND TAPER	218
5959	ELBOW 90, 2 INCH, LR, SS, ASTM A403 WP304L, S- 40S, SMLS, BW, ANSI B16.9	DESCRIPTION : ELBOW 90	1
5960	GASKET,EPDM,SIZE: OD.330xID.10xTHK.1 MM. (PVSV1441)	ITEM NAME : GASKET	6
5961	BUSHING,P/N 135-013-162	DESCRIPTION : BUSHING	4
5962	O-RING,ID.12 * 1.5 FLUOROELASTOMER(CEMS)	MATERIAL DESCRIPTION : O-RING ID.12 * 1.5 FLUOROELASTOMER,	2
5963	Gasket Spiral wound, NIL/SS316, Filler GRAP/NIL, ID 66 x OD 76 x THK 3.5 m.m.,	Description : Gasket Spiral wound, NIL/SS316, Filler GRAP/NIL	2
5964	CAPACITOR,M:40 UF,370 VAC,50/60 HZ "GE"	MATERIAL DESCRIPTION : CAPACITOR,	1
5965	3" GASKET CL900 RF 4.4MM THCK SPIRAL WOUND SS 316L AND FILLER SYN-	DESCRIPTION : GASKET	1
5966	DISC,P/N: 550.01 (G3261XA,XB,XC)	ITEM NAME : DISC	1
5967	O-RING OF WINDOW ASSEMBLY, YOKOGAWA FOR PM, CEMS	DESCRIPTION : O-RING FOR WINDOW ASSEMBLY, YOKOGAWA FOR PM	1

5968	O-RING FOR ACTUATOR TYPE 1061, SIZE 68, P/N 10A3800X012, TAG : XV-1111	DESCRIPTION : O-RING	1
5969	O-RING FOR ACTUATOR TYPE 1061, SIZE 68, P/N 13A0824X012, TAG : XV-1111	DESCRIPTION : O-RING	1
5970	Auxiliary switch, 1 changeover contact Solid- state compatible, (Tunthai Excitation	Description : Auxiliary switch, 1 changeover contact Solid-state compatible, (Tunthai Excitation Pa	1
5971	CARTRIDGE FUSE,5SD420,E-27,16A,500V	DESCRIPTION : CARTRIDGE FUSE,	6
5972	DRIVE PIN,TITANIUM,P/N: 11 (P1301)	ITEM NAME : DRIVE PIN	1
5973	O-RING IMPELLER,PTFE,DIA.34.5xTHK.1.8 MM. (G1102,G1203,G1506,G1605,	ITEM NAME : O-RING IMPELLER	4
5974	TEE,SUS 304,SL,BW,SCH 40,1"	DESCRIPTION : TEE,	2
5975	O-RING CYLINDER,P/N: A00214-216-800,POS.NO.15 (P3602)	ITEM NAME : O-RING CYLINDER	2
5976	SLIP ON FLANGE,SUS304,RF,150#,3/4"	DESCRIPTION : SLIP ON FLANGE	3
5977	STUB END,SUS 304,BW,SCH 40,1"	DESCRIPTION : STUB END	2
5978	(NOT USE) SEAT RETAINER,TYPE: M7N/65,SUS316L (G1502)	DESCRIPTION : SEAT RETAINER	1
5979	ROCKER ARM PIN,P/N 411-700-757	DESCRIPTION : ROCKER ARM PIN,	5
5980	GASKET,CENTER BAR(BAR SIZE 10 MM.WIDTH),NON ASBESTOS,SIZE	ITEM NAME : GASKET	2
5981	O-RING BOWL BOTTOM HOUSING,EPDM,P/N: 7FC66BU,POS.NO.110-13 (P2408,	ITEM NAME : O-RING BOWL BOTTOM HOUSING	2
5982	FLEXIBLE HOSE,SEMPERIT 1 SN-K HYDRAULIC HOSE,1/2"xL.600 MM. (G2201)	ITEM NAME : FLEXIBLE HOSE	1
5983	OIL SEAL(SHAFT SEALING RING),ID.85xOD.150xTHK.12 MM. (RV2402C/D)	ITEM NAME : OIL SEAL (SHAFT SEALING RING)	3
5984	BALL BEARING NO.6006Z "SKF" (GZ1503,GZ2401,GZ2402,GZ2403)	ITEM NAME : BALL BEARING NO.6006Z	5
5985	GASKET,TI/TI GRAP/NIL,SIZE: 150x190x215x4.5 MM.THK (E2201)	ITEM NAME : GASKET	12
5986	BEARING BALL NO.6006 "SKF" (GZ-1301,GZ-2401,GZ- 2402,GZ-2403,GZ-1402,GZ-	ITEM NAME : BEARING BALL NO.6006	7
5987	KNOCK BOLT,SUS304,M10,POS.NO.35 (P2402,P2404,P2405)	DESCRIPTION : KNOCK BOLT	18
5988	BOLT ROUND TAPER HEAD,SUS 304,M4*20 MM	DESCRIPTION : BOLT ROUND TAPER	240
5989	OIL SEAL,NBR,ID.110xOD.200xTHK.13 MM. (P1101B)	ITEM NAME : OIL SEAL	3
5990	SOCKET FOR STARTER,PHILIPS	DESCRIPTION : SOCKET FOR STARTER	53
5991	O-RING,MAT'L: NBR,POS.NO.18 (GZ-1301,GZ-2402)	ITEM NAME : O-RING	3
5992	SET SCREW OF PUMP (G1606)	DESCRIPTION : SET SCREW	7
5993	ROUND BAR,SUS 304,1/4"*6 M	DESCRIPTION : ROUND BAR,	2
5994	SPRING WASHER,SUS316,POS.NO.15 (P1301C)	ITEM NAME : SPRING WASHER	12
5995	SPRING WASHER,SUS316,POS.NO.23 (P1301C)	ITEM NAME : SPRING WASHER	12
5996	PIPE NIPPLE,PBE,S316L,S-40,3/4" * 100 MM	PIPE NIPPLE, SMLS,PBE ,SCH 40,,	3
5997	OIL SEAL,NBR,ID.200xOD.230xTHK.16 MM.,POS.NO.16 (P1503)	ITEM NAME : OIL SEAL	2
5998	O-RING FOR ACTUATOR TYPE 1061, SIZE 68, P/N 1C853806992, TAG : XV-1111	DESCRIPTION : O-RING	1
5999	BOSS,SUS 304,SOCKET WELD,3000#,1"	DESCRIPTION : BOSS,	1
6000	OIL SEAL,NBR,ID.105xOD.135xTHK.14 MM.,POS.NO.30 (P2503)	ITEM NAME : OIL SEAL	6
6001	BOSS,SUS 304,SOCKET WELD,BW,3000#,1-1/2"	DESCRIPTION : BOSS,	1
6002	LOCATING RING,MODEL 2FRB 15/250 "SKF"	DESCRIPTION : LOCATING RING	4
6003	GASKET,26-HSHV-D/140-E1 MAT.AQ12KHGG- AQ12KGGE,T2,POS.NO.37 (P2401A)	ITEM NAME : GASKET	2
6004	SELF TAPPING SCREW,P/N 710-009-115	DESCRIPTION : SELF TAPPING SCREW	6
6005	Concentric 4" x 2" RED, BW S10 x S10, A403, SS 304	Description : Concentric RED	1
6006	BOLT,HEX HEAD,SUS316,M12x20 MM. (F1441)	ITEM NAME : BOLT,HEX HEAD	20
6007	SET SCREW M12,SCM435,POS.NO.14 (P1202,P1403,P2102,P2406)	ITEM NAME : SET SCREW M12	2
6008	GASKET CASING,NON-ASBESTOS,SIZE: ID.387xOD.411x1 MM.THK (G2407)	ITEM NAME : GASKET CASING	3
6009	DOWEL PIN,SK4,1/4"x1/2",P/N: 1PAK24B,POS.NO.3-6 (P2409)	Description : DOWEL PIN	6

6010	BEARING NO.6207-2Z/C3 "SKF" (MG1951)	DESCRIPTION : BEARING NO.6207-2Z/C3	3
6011	GASKET SUPPORT HEAD,P/N 2584C	DESCRIPTION : GASKET SUPPORT HEAD	4
6012	O-RING SHAFT PACKING,VITON,ID.28 MM.xTHK.3.2 MM. (G1501)	Description : O-RING SHAFT PACKING	4
6013	OIL SEAL,NBR,ID.50xOD.70xTHK.10 MM. (F3544)	ITEM NAME : OIL SEAL	8
6014	STA WEDGE (2),MAT'L FIBER (G-3180)	MATERIAL DESCRIPTION : STA WEDGE (2),	52
6015	LIMIT SWITCH,3SE4105, 6 A, 380 V,SIEMENS	LIMIT SWITCH,	2
6016	PACKING,I/N30,MODEL:TOP-320 HLVB15K	DESCRIPTION : PACKING,	5
6017	ELBOW 90, A182, SUS316, #3000,1/2" FNPT	DESCRIPTION : ELBOW 90,SUS316,1/2",FNPT	1
6018	OIL SEAL,NBR,ID.105xOD.140xTHK.12 MM.,POS.NO.7.16 (RV2402C/D)	ITEM NAME : OIL SEAL FOR SHAFT SEALING RING	4
6019	TOLERANCE RING,BN65-520,P/N: U501065202,POS.NO.4622 (G1445A/B/C)	ITEM NAME : TOLERANCE RING,BN65-520	1
6020	FLEXIBLE HOSE,SEMPERIT 1 SN-K HYDRAULIC HOSE,1/2"xL.330 MM. (G2201)	ITEM NAME : FLEXIBLE HOSE	1
6021	GASKET,NON ASBESTOS,SIZE: 272x375x3 MM.THK,PCB SIZE: 333 MM.,12 HOLD	ITEM NAME : GASKET	2
6022	GASKET CASING JOINT,NON ASBESTOS,ID.280xOD.300xTHK.1 MM.,POS.NO.	ITEM NAME : GASKET CASING JOINT	3
6023	PIECE OF SIMULATE GREEN,PLASTIC,25*25 MM	MATERIAL DESCRIPTION : PIECE OF SIMULATE SCREEN,	48
6024	Elbow 0.5", 90 deg, FTE JIS10K FCMB/GAL	Elbow 0.5", 90 deg, FTE JIS10K FCMB/GAL	5
6025	O-RING,EPDM,ID.75.79xTHK.3.53 MM. (G2805A/B)	ITEM NAME : O-RING	2
6026	FLINGER PUMP END,P/N 0871A	DESCRIPTION : FLINGER PUMP END	1
6027	SLEEVE COUPLING NO.4JE,EPDM "TB WOOD" (G1501)	ITEM NAME : SLEEVE COUPLING NO.4JE	1
6028	PERMEATE PORT LOCK NUT,ABS,P/N: 8014.1,POS.NO.7 (RO4601A/B)	ITEM NAME : PERMEATE PORT LOCK NUT	1
6029	Device connector for 3SK1 safety relay Width 22.5 mm (Tunthai Excitation Panel), N30-	Description : connector for 3SK1 safety relay Width 22.5 mm (Tunthai Excitation Panel), N30-K91	1
6030	Device termination connector for 3SK1 safety relay Width 22.5 mm (Tunthai Excitation	Description : Device termination connector for 3SK1 safety relay Width 22.5 mm (Tunthai Excitati	1
6031	Contact module with 2 contact elements, 2 NC, (Tunthai Excitation Panel), N30-S2	Description : Contact module with 2 contact elements, 2 NC, (Tunthai Excitation Panel), N30-S2	1
6032	Indicator lights, 22 mm, green, LED 24 VAC/DC (Tunthai Excitation Panel),U30-H1	Description : Indicator lights, 22 mm, green, LED 24 VAC/DC (Tunthai Excitation Panel),U30-H1	1
6033	Indicator lights, 22 mm, white, LED 24 VAC/DC (Tunthai Excitation Panel), U30-H2	Description : Indicator lights, 22 mm, white, LED 24 VAC/DC (Tunthai Excitation Panel), U30-H2	1
6034	Indicator lights, 22 mm, yellow, LED 24 VAC/DC (Tunthai Excitation Panel), U30-H3	Description : Indicator lights, 22 mm, yellow, LED 24 VAC/DC (Tunthai Excitation Panel), U30-H3	1
6035	SHAFT SEAL POS.1160 (T1441C)	ITEM NAME : SHAFT SEAL POS.1160	1
6036	BEARING NO.6306 "SKF" (G1401A/B)	DESCRIPTION : BEARING NO.6306	3
6037	O-RING,I/N 1,P/N 507001156	DESCRIPTION : O-RING,	4
6038	TAPER BUSHING FOR PULLEY NO.2012xSHAFT DIA.42 MM.,FC 200 (P2503)	DESCRIPTION : TAPER BUSHING FOR PULLEY	1
6039	FLINGER PUMP END,P/N: 0871 A (G1601)	DESCRIPTION : FLINGER PUMP END	1
6040	Actuator O-Ring, Motoyama, NBR, PV2-2401	Description : Actuator O-Ring	1
6041	GASKET,317/317 PTFE/CS,150#,2"	DESCRIPTION : GASKET,	1
6042	RING RETAINING,MATERIAL SK5,P/N 13-047,I/N P2-54	DESCRIPTION : RING RETAINING	1
6043	GASKET,NIL/321 GRAP/NIL,900#,8"	DESCRIPTION : GASKET	1
6044	RUBBER SEAL,MATERIAL NBR,BLACK COLOR,SIZE ID.22 * OD.40 * 5 MM THK	DESCRIPTION : RUBBER SEAL	31
6045	GASKET,ID.290*OD.365*THK.0.3 MM.,I/N 16-10 (P1504,P2503)	DESCRIPTION : GASKET	3
6046	U-BOLT & NUTS,BSW,CS, 20"	DESCRIPTION : U-BOLT & NUT,	2
6047	CAPACITOR,M:35 UF,370 VAC,50/60 HZ "GE"	MATERIAL DESCRIPTION : CAPACITOR,	1
6048	SOCKET SET SCREW,SUS 304,1/2*12*1"	DESCRIPTION : SOCKET SET SCREW	12
6049	GROUNDING RECEPTACLE,WN1101-7,3 WIRE,10A	MATERIAL DESCRIPTION : GROUNDING RECEPTACLE,	6
6050	BOLT WITH NUT,SUS304,M20x110 MM.,POS.NO.84 (P2406)	ITEM NAME : BOLT WITH NUT	4
6051	SOCKET HEAD CAP SCREW,8.8ZN/GALV.CS,M8x80 MM.,P/N: 10039216,POS.NO.	ITEM NAME : SOCKET HEAD CAP SCREW	4

6052	BUTTON HEAD LUBRICATING NIPPLE,P/N: 10002743,POS.NO.0150 (P2406B)	ITEM NAME : BUTTON HEAD LUBRICATING NIPPLE	1
6053	O-RING OUTBOARD SEAL,VITON,I/N 497 C	DESCRIPTION : O-RING OUTBOARD SEAL	5
6054	O-RING FLANG,POS.NO.4675,NBR,ID.180xTHK.4 MM. (P2701)	Description : O-RING FLANG POS.NO.4675	1
6055	O-RING,P/N: ISO-062/507001010,I/N 17	DESCRIPTION : O-RING,	2
6056	UNION ELBOW,PLASTIC,T 10 MM	MATERIAL DESCRIPTION : UNION ELBOW,	2
6057	PIPE NIPPLE,TI,SMLS,S80,1",L=50 MM,PBE	PIPE NIPPLE PBE S-80S TI ASTM B337 GR.2, L= 50 MM ASNI-B36.19M,	3
6058	SCREW PLUG,A4-50/A4-70,P/N: SW05_DIN908- G1/4A_00204BA0,POS.NO.36 (P2401A)	ITEM NAME : SCREW PLUG	1
6059	OIL SEAL,NBR,ID.80xOD.100xTHK.10 MM. (G1445A/B/C)	ITEM NAME : OIL SEAL	6
6060	OIL SEAL,TC,VITON,ID.32xOD.52xTHK.8 MM. (G1619A/B)	ITEM NAME : OIL SEAL	4
6061	GASKET FOR MECHANICAL SEAL,I/N G "DURA SEAL"	DESCRIPTION : GASKET FOR MECHANICAL SEAL	4
6062	RESTRICTOR BUSHING,MATERIAL CARBON,I/N 155	DESCRIPTION : RESTRICTOR BUSHING	1
6063	NFB,5SX2104-7,1P,4A,6KA,380V, SIEMENS	DESCRIPTION : NO FUSE BREAKER,TYPE MINITURE	2
6064	OIL SEAL,NBR,ID.170xOD.200xTHK.16 MM.,POS.NO.21-7 (P1503)	ITEM NAME : OIL SEAL	2
6065	O-RING,PTFE,ID.59.5xTHK.3 MM.,P/N: 520604,POS.NO.46 (G2102)	ITEM NAME : O-RING	2
6066	GASKET,PTFE, 51.2 * 64 * 1.7 MM	DESCRIPTION : GASKET,	11
6067	SEAL COVER JOINT,MATERIAL FIBRE,I/N 8	DESCRIPTION : SEAL COVER JOINT	1
6068	NIPPLE, BARREL, 3/4 INCH, S-80S, 3000-6000#, SS, ASTM A312 TP304L, BE,	DESCRIPTION : NIPPLE BARREL	1
6069	BOSS,SUS 304,SOCKET WELD,BW,3000#,1-1/2"	DESCRIPTION : BOSS,	1
6070	REFLEXTOR LAMP,220/380V,500W,B:MIZUNO	MATERIAL DESCRIPTION : REFLEXTOR LAMP,	2
6071	GASKET DISCHARGE SCREW,P/N P-X2963-1,I/N 169	DESCRIPTION : GASKET DISCHARGE SCREW	2
6072	SENSOR PROM MAG 1100 DANFOSS	DESCRIPTION : SENSOR PROM,	6
6073	O-RING,MATERIAL NBR,SIZE DIA.22 * 1.7 MM THK,P/N 560-058-360	DESCRIPTION : O-RING	5
6074	SIGHT GLASS,P-2000,P/N: GA01UT01,POS.NO.P2-10 (G1302C/D)	ITEM NAME : SIGHT GLASS	1
6075	BOLT ROUND FLAT HEAD,SUS 304,M4*25 MM	DESCRIPTION : BOLT ROUND FLAT HEAD	170
6076	HOSE NIPPLE,POS.24,P/N:93620063,NETTER	DESCRIPTION : HOSE NIPPLE,	1
6077	HEX HEAD BOLT,MAT'L: S25C,P/N: 34 (P1503)	ITEM NAME : HEX HEAD BOLT	4
6078	O-RING,NBR,SIZE:ID 164.1 * THK 8.4 MM	DESCRIPTION : O-RING,	2
6079	BEARING THRUST NO.51107,POS.NO.19 "NTN" (GZ1301)	ITEM NAME : BEARING THRUST NO.51107	2
6080	GASKET CASING,TEFLON,ID.500xOD.514xTHK.1 MM.,P/N: 148/036-70,POS.NO.5 (G2102)	ITEM NAME : GASKET CASING	1
6081	BEARING NO.51108 "NACHI" (P1301)	DESCRIPTION : BEARING,	2
6082	ADAPTER SLEEVE ASSEMBLY (T2101)	DESCRIPTION : ADAPTER SLEEVE ASSEMBLY	3
6083	HOLLOW SCREW RIPP,8.8ZN/GALV.CS,M8x16 MM.,P/N: 10022437,POS.NO.0126 (P2402B)	ITEM NAME : HOLLOW SCREW RIPP	2
6084	BOLT ROUND PHILLIP ,SUS 304,M4*0.7*12 MM	DESCRIPTION : BOLT ROUND PHILLIP HEAD	300
6085	BOLT WITH NUT,SUS304,M20x125 MM.,POS.NO.47 (P2403)	DESCRIPTION : BOLT WITH NUT	7
6086	O-RING INSERT,PTFE,DIA.49.8xTHK.3.3 MM.,POS.NO.52 (GZ1205,GZ2405)	ITEM NAME : O-RING INSERT	1
6087	SIGHT GLASS GASKET,P-2000,P/N: GK01UT02,POS.NO.P2-11 (G1302C/D)	ITEM NAME : SIGHT GLASS GASKET	2
6088	GLAND PACKING,PTFE WITH ASBESTOS,TOMBO #9075 F,3/16"x3 M.	DESCRIPTION : GLAND PACKING	1
6089	BALLAST,PLC 10W,10W,220V,0.135A"KOCHIDA"	MATERIAL DESCRIPTION : BALLAST,	9
6090	LOCATING RING NO.FRB 12.5/150 "SKF" (T2102)	DESCRIPTION : LOCATING RING	3
6091	OIL SEAL,TC,NBR,ID.44xOD.62xTHK.10 MM. (G2701B)	ITEM NAME : OIL SEAL	2
6092	FLINGER CAMPLING END,P/N 0871B	DESCRIPTION : FLINGER CAMPLING END	1
6093	WELD NECK FLANGE,SUS 304,RF,150#,1"	DESCRIPTION : WELD NECK FLANGE	1

6094	NYLON SCREW,M8, (STARTER AIR COM MP-1101)	DESCRIPTION : NYLON SCREW	40
6095	OIL SEAL,VITON,2"x1-1/8"x3/8" (G2401A/B)	ITEM NAME : OIL SEAL	4
6096	OIL SEAL,NITRILE BUTADIENE RUBBER,ID.70xOD.130xTHK.12 MM. (T1441)	ITEM NAME : OIL SEAL	4
6097	CIRCUIT BREAKER, 5SX41027RC,N-TYPE AC MINIATURE,SIEMENS,(MP-1101)	DESCRIPTION : CIRCUIT BREAKER	2
6098	BOLT AND NUT,SNB7/S45C,7/8"x175 MM. (C1604)	DESCRIPTION : BOLT AND NUT	2
6099	REFLEXTOR LAMP,220/380V,300W,B:MIZUNO	MATERIAL DESCRIPTION : REFLEXTOR LAMP,	2
6100	RUBBER COUPLING NO.GR19 "ROTEX" (F2408)	ITEM NAME : RUBBER COUPLING NO.GR19	2
6101	OIL FLINGER OF GEAR REDUCER,P/N: 20-ST- ZN,POS.NO.116610 (T3307)	ITEM NAME : OIL FLINGER OF GEAR REDUCER	2
6102	O-RING,EPDM,ID.81.92xTHK.5.33 MM.(AS339) (G2805A/B)	ITEM NAME : O-RING	2
6103	STEAM TRAP,FLANGE,UPVC/PTFE,6KG/CM2, 3/4"	DESCRIPTION : STEAM TRAP	1
6104	O-RING,MAT,L: VITON,SIZE: 280 * 4 MM	DESCRIPTION : O-RING,	1
6105	TAPER BUSHING FOR PULLEY NO.2012xSHAFT DIA.45 MM.,FC 200 (P2503)	DESCRIPTION : TAPER BUSHING FOR PULLEY	1
6106	O-RING,PTFE,DIA.84.5xTHK.3 MM.,P/N: 520612- 71,POS.NO.31 (G1103A/B)	ITEM NAME : O-RING	1
6107	BEARING BALL NO.6305 (P3564,GZ1404,GZ2408,GZ2409)	DESCRIPTION : BEARING BALL,	3
6108	GASKET SUPPORT HEAD,P/N: 2584 C (G-1605)	ITEM NAME : GASKET SUPPORT HEAD	3
6109	1" blind flange CL 150 RF 125-250 RA-FN SS ASTM A 182 GR.F304 ANSI-B16.5	1" blind flange CL 150 RF 125-250 RA-FN SS ASTM A 182 GR.F304 ANSI-B16.5	1
6110	OIL SEAL,BUNA-N,B90xOD.120xTHK.12 MM. (T1441A/B/C)	ITEM NAME : OIL SEAL	4
6111	END COVER,GEAR BOX TYPE: FZZ128B-K(132),SIZE: 110 MM.x12 MM.,POS.NO.70	ITEM NAME : END COVER	1
6112	OVERLOAD,MITSUBISHI,TH-N20TA,3P,30-40A	DESCRIPTION : OVERLOAD,MITSUBISHI,TH-N20TA,3P,30-40A	1
6113	O-RING,NBR,P10,POS.NO.35 (GZ2408)	DESCRIPTION : O-RING,	2
6114	O-RING,VITON,DIA.46xTHK.2.5 MM.,POS.NO.29 (G3601A/B)	ITEM NAME : O-RING	1
6115	O-RING,NBR,DIA.12.37xTHK.2.62 MM.,N70 (AS112) (P1301)	ITEM NAME : O-RING	38
6116	O-RING,EPDM,ID.75.87xTHK.2.62 MM.(AS151) (G2805A/B)	ITEM NAME : O-RING	2
6117	LEAKAGE THREADED NOZZEL,P/N: 10001947,POS.NO.0171 (P2406B)	ITEM NAME : LEAKAGE THREADED NOZZEL	2
6118	SLIP ON FLANGE,SUS304,RF,150#,3/4"	DESCRIPTION : SLIP ON FLANGE	1
6119	O-RING LABYRINTH SEAL,POS.NO.4685,NBR,ID.172xTHK.4 MM. (P2701)	Description : O-RING LABYRINTH SEAL POS.NO.4685	1
6120	HEX JAM NUT,S45C,1-8UNC LEFT-HAND,POS.NO.4 (P2409A/B/C/D/E/F/G)	ITEM NAME : HEX JAM NUT	1
6121	SET SCREW M8,SUS316L,P/N: ZZ00036274,POS.NO.18 (P2407)	ITEM NAME : SET SCREW M8	4
6122	O-RING,VITON FKM.CODE: ORNP-003F4,POS.NO.48 (P1401,P1402)	ITEM NAME : O-RING	1
6123	GASKET CASING,PTFE,ID.268xOD.278xTHK.1 MM. (G2701)	ITEM NAME : GASKET CASING	4
6124	CONCENTRIC REDUCER,6"X4"S-40 X S-40,CS	6 X 4 CONCENTRIC REDUCER SMLS BW S-40 X S-40 CS ASTM A234, GR.WPB ANSI-B16.9-C	1
6125	BOLT HEX HEAD,SUS 304,M5*0.8*20MM WITH NUT	Description : BOLT HEX HEAD,SUS 304,M5*0.8*20MM WITH NUT	92
6126	O-RING FOR PERMEATE PORT,TYPE: RO#1,POS.NO.5 (RO4601A/B)	ITEM NAME : O-RING FOR PERMEATE PORT	5
6127	BEARING,NO.6304 ZC3 "NSK",P/N W-V3718-175,I/N 1-2	DESCRIPTION : BEARING	1
6128	JOINT SEAL COVER,TEFLON,ID.81xOD.90xTHK.0.5 MM.,POS.NO.8 (G1602,G1606)	DESCRIPTION : JOINT SEAL COVER	2
6129	INCANDESCENT LAMP,SCREW,E27,220V,40W	MATERIAL DESCRIPTION : INCANDESCENT LAMP,	21
6130	O-RING SLEEVE,MATERIAL NBR,SIZE DIA.11.5 * 1.8 MM THK	DESCRIPTION : O-RING SLEEVE	4
6131	O-RING PACKING,NBR,P/N: 14-052UA,POS.NO.P2-58 (G1302,G2202)	ITEM NAME : O-RING PACKING	6
6132	O-RING,PTFE,DIA.11.3xTHK.2.4 MM.,P/N: 520579- 71,POS.NO.46 (G1103)	Description : O-RING	3
6133	GASKET,NIL/316,PTFE/NIL,238.2*253.3*4.5	DESCRIPTION : GASKET,	1
6134	RUBBER COUPLING NO.NM112,RUBBER "NORMAX" (G3521,GZ1102A/B)	ITEM NAME : RUBBER COUPLING NO.NM112	1
6135	JAW COUPLING,PHE L150NR (GZ2405A/B/C)	ITEM NAME : JAW COUPLING,PHE L150NR	1

6136	GASKET,NON ASBESTOS,SIZE: 289x309x1 MM.THK,P/N: 18/9 (P1202B)	ITEM NAME : GASKET	1
6137	SLIP ON FLANGE, 1", 150#, SS, ASTM A182 GR.F304L, SW, RF, ANSI B16.5	DESCRIPTION : SLIP ON FLANGE	1
6138	BEARING BALL NO.6205 "SKF" (GZ1205A/B,GZ2405A/B)	ITEM NAME : BEARING BALL NO.6205	4
6139	O-RING THRUST END COVER,BUNA N,ID.155xTHK.3.5 MM.,POS.NO.412 (G1205,	ITEM NAME : O-RING THRUST END COVER	2
6140	OIL SEAL,NBR,ID.110xOD.140xTHK.14 MM. (P1301,P1203)	ITEM NAME : OIL SEAL	3
6141	ROLL PIN 6x30,P/N: SU90412797,POS.NO.0007 (P2401,P2402,P2403,P2404,P2405,	ITEM NAME : ROLL PIN 6x30	4
6142	SET SCREW,SUS316,P/N: 18 (P1503)	ITEM NAME : SET SCREW	4
6143	Weld neck Flange 1", 150#, S-40S, SS304L, ASTM A182, RF	Description : Weld neck Flange	1
6144	SHIM,P/N 14573-2,I/N 6,DWG.38691	MATERIAL DESCRIPTION : SHIM, ,	1
6145	BOLT ROUND TAPER HEAD,SUS 304,M2.5*20 MM	DESCRIPTION : BOLT ROUND TAPER	288
6146	BEARING NO.AXK 2035 (10 PCS/PACK) "SKF" (G2402)	ITEM NAME : BEARING NO.AXK 2035	7
6147	RING GASKET,P/N:147882-70,DIA20*13 *1MM	DESCRIPTION : RING GASKET,	4
6148	SEAL RING,P/N:10002148,I/N:0161	DESCRIPTION : SEAL RING,	5
6149	O-RING,DWG: ISO-101D,I/N 4,P/N 507001126	DESCRIPTION : O-RING,	3
6150	O-RING,I/N 2,P/N 507001212	DESCRIPTION : O-RING,	3
6151	HEXAGON SOCKET COUNTERSUNK HEAD SCREW,SUS316,M6x1.0xL.15 MM.,	ITEM NAME : HEXAGON SOCKET COUNTERSUNK HEAD SCREW	35
6152	DEEP GROOVE BALL BEARING NO.6301 "SKF" (GP1401,GP1402)	ITEM NAME : DEEP GROOVE BALL BEARING NO.6301	5
6153	COUPLING,SUS 304,SCREW,3000#,3/4" NPT	DESCRIPTION : COUPLING,	1
6154	O-RING FOR OIL COOLER,NBR,DIA.85xTHK.5.5 MM. (P1301)	ITEM NAME : O-RING	1
6155	Reducing branch tee 1" x 1/2", FTE JIS10K FCMB/GAL	Reducing branch tee 1" x 1/2", FTE JIS10K FCMB/GAL	1
6156	OIL SEAL,NBR,ID.22xOD.42xTHK.5 MM. (GZ2405,GZ1205)	ITEM NAME : OIL SEAL	3
6157	BEARING NO.6207 "SKF" (G3532,G3535,P3542)	ITEM NAME : BEARING NO.6207	2
6158	O-RING,POSITION NO37A,P/N 001D7743	DESCRIPTION : O-RING	2
6159	OIL SEAL,NBR,ID.190xOD.225xTHK.16 MM.,POS.NO.11 (P2407)	ITEM NAME : OIL SEAL	1
6160	GASKET,P/N 360-057-360	DESCRIPTION : GASKET	2
6161	O-RING,K60694,ID.53.57xTHK.3.53 MM.,P/N: 22,POS.NO.2181-047 (P1101B	ITEM NAME : O-RING	1
6162	O-RING,K60693,ID.47.22xTHK.3.53 MM.,P/N: 23,POS.NO.2181-046 (P1101B	ITEM NAME : O-RING	1
6163	GLAND RING FOR MECHANICAL SEAL,TYPE ROTT- EU5EFTT,SIZE 1.375 "DURA	DESCRIPTION : GLAND RING FOR MECHANICAL SEAL	1
6164	GLOBE VALVE,BRONZE,150#FNPT,1/2"	GLOBE VALVE, 1/2,CL150 FNPT, BRONZE ASTM B62,, BODY BRONZE TRIM LOOSE DISC ISF	1
6165	O-RING,PTFE,ID.15.3xTHK.2.4 MM.,P/N: 520582- 71,POS.NO.46 (G1403,G1502)	ITEM NAME : O-RING	4
6166	LEAKAGE THREADED NOZZLE,P/N: 10001947,POS.NO.171 (P1441)	ITEM NAME : LEAKAGE THREADED NOZZLE	1
6167	O-RING PACKING,PTFE,P/N: 14-052TA,POS.NO.936Z (G2201)	Description : O-RING PACKING	4
6168	GASKET,NON ASBESTOS,SIZE 220x325x3 MM.THK,PCB 280 MM.,12 HOLD(HOLD	ITEM NAME : GASKET	1
6169	OIL SEAL,NBR,ID.85xOD.110xTHK.13 MM. (E3515)	ITEM NAME : OIL SEAL	4
6170	GASKET,NON ASBESTOS,SIZE: ID.321xOD.337x1 MM.THK (G2503A/B)	ITEM NAME : GASKET	3
6171	PIPE NIPPLE,TI,SL,S80,1",L=50 MM,POE/TOE	PIPE NIPPLE POE/TOE S-80S TI ASTM B337 GR.2, L= 50 MM ASNI-B36.19M	2
6172	OIL SEAL(2),NBR,ID.135xOD.165xTHK.14 MM.,POS.NO.21 (P2410)	ITEM NAME : OIL SEAL	1
6173	GASKET CASING,ASBESTOS,ID.276 MM.xOD.296 MM.xTHK.0.5 MM. (G1102,	ITEM NAME : GASKET CASING	3
6174	OIL SEAL,NBR,ID.55xOD.72xTHK.9 MM.,POS.NO.6509 (P2401,P2402,P2403,P2404,	ITEM NAME : OIL SEAL	5
6175	SPRING,P/N 458-200-010,SPEC 76 PLUNGER	DESCRIPTION : SPRING,	5
6176	GASKET,SS304/SS304 GRAPHITE/SS304,150#, 1-1/4" (G3601A/B)	ITEM NAME : GASKET	6
6177	OIL SEAL,NITRILG+STAL,ID.30xOD.42xTHK.7 MM. (G1202,G1504,G1507)	ITEM NAME : OIL SEAL	5

6178	O-RING FOR MECHANICAL SEAL,VITON,ID.66xTHK.4.5 MM. (G1602)	ITEM NAME : O-RING FOR MECHANICAL SEAL	4
6179	GASKET,TVS 8ST,DWG: RA-40125Z (RE-200) (P3551)	ITEM NAME : GASKET	3
6180	GASKET,NIL/316,PTFE/NIL,43 * 53 * 4.5 MM	DESCRIPTION : GASKET,	2
6181	ZF RING ZF-26,MAT'L: NBR,SIZE: ID.115 * OD.140 * 10.70/08.00,P/N: 15	ITEM NAME : ZF RING ZF-26	2
6182	GASKET,NIL/316,PTFE/NIL,67.3 * 77 * 4.5	DESCRIPTION : GASKET,	1
6183	O-RING,NBR,P/N: G260,POS.NO.42 (P1301C)	ITEM NAME : O-RING	1
6184	OIL SEAL,NBR,ID.220xOD.250xTHK.15 MM. (B2402)	ITEM NAME : OIL SEAL	1
6185	Nipple barrel, 3/4", SMLS, SCH S-40S, L= 50, 304L, ASTM A312, POE/TOE, ANSI	Description : Nipple Barrel	1
6186	OIL SEAL,NBR,ID.220xOD.250xTHK.16 MM. (B2402)	ITEM NAME : OIL SEAL	1
6187	Auxiliary switch can be mounted on the side 2 NO, for circuit breaker 3RV2 (Tunthai	Description : Auxiliary switch can be mounted on the side 2 NO, for circuit breaker 3RV2 (Tunthai	1
6188	Auxiliary switch 2 NO, for circuit breaker 3RV2 (Tunthai Excitation Panel), S30-Q61	Description : Auxiliary switch 2 NO, for circuit breaker 3RV2 (Tunthai Excitation Panel), S30-Q61	1
6189	Contact module with 2 contact elements, 1 NO+1 NC, (Tunthai Excitation Panel),U30-	Description : Contact module with 2 contact elements, 1 NO+1 NC, (Tunthai Excitation Panel),U30	1
6190	GASKET POS.1055 (T1441C)	ITEM NAME : GASKET POS.1055	1
6191	SHAFT SEAL POS.1525 (T1441C)	ITEM NAME : SHAFT SEAL POS.1525	1
6192	GASKET G3/4,P/N: TU86000034 (P2401,P2402,P2403,P2404,P2405,P2407)	ITEM NAME : GASKET G3/4	8
6193	BOLT ROUND TAPER HEAD,SUS 304,M2*10 MM	DESCRIPTION : BOLT ROUND TAPER	316
6194	GASKET,ID.190*OD.225*THK.0.3 MM.,I/N 16-8 (P1504,P2503)	DESCRIPTION : GASKET	3
6195	OIL SEAL,NITRILE BUTADIENE RUBBER,ID.70xOD.100xTHK.13 MM. (BC1,BC2)	ITEM NAME : OIL SEAL	4
6196	O-RING WATER SEAL,P/N: A00214-236-800,POS.NO.14 (P3602)	ITEM NAME : O-RING WATER SEAL	1
6197	O-RING,NBR,ID.32xTHK.3.5 MM. (R3531,R3534A/B/C)	ITEM NAME : O-RING	100
6198	O-RING PRESSURE COM.,P/N: 10001673,POS.NO.0024 (P2401A)	ITEM NAME : O-RING PRESSURE COM.	2
6199	O-RING,P/N: 10001679,POS.NO.0027 (P1441)	ITEM NAME : O-RING	2
6200	BEARING NO.51102 "FAG" (G2402)	ITEM NAME : BEARING NO.51102	2
6201	GASKET CASING,NON ASBESTOS,ID.420xOD.440xTHK.2 MM. (G1403C/D,	ITEM NAME : GASKET CASING	1
6202	SEAL RING,POSITION,P/N: 10002148,POS.NO.0063 (P2401A)	ITEM NAME : SEAL RING POSITION	14
6203	OIL SEAL,NBR,ID.50xOD.90xTHK.10 MM. (P1702A/B)	DESCRIPTION : OIL SEAL	4
6204	GASKET 3" FOR GROOVED COUPLING (MF4601 RO PLANT)	ITEM NAME : GASKET 3" FOR GROOVED COUPLING	4
6205	OIL SEAL,TC,NBR,ID.65xOD.88xTHK.12 MM.,P/N: 21 (P1202,P1203,P1205)	ITEM NAME : OIL SEAL	4
6206	GASKET,CENTER BAR (BAR SIZE 10 MM.),NON ASBESTOS,SIZE: 272x375x3 MM.	ITEM NAME : GASKET	1
6207	OIL SEAL,NBR,ID.80xOD.100xTHK.12 MM. (B2402,G1445)	ITEM NAME : OIL SEAL	4
6208	STUB END,TI,SL,BW,SCH 10,1/2"	DESCRIPTION : STUB END,	1
6209	OIL SEAL(LIP SEAL COUPLING END),TC,ID.2.156xOD.2.875xTHK.0.375"	ITEM NAME : OIL SEAL(LIP SEAL COUPLING END)	7
6210	SPRING OF MECHANICAL SEAL,TYPE SINGLE INSIDE PT E45E (F/V) TH "DURA	DESCRIPTION : SPRING	16
6211	GASKET,ASBESTOS, 36.1 * 49.2 * 0.8 MM	DESCRIPTION : GASKET,	1
6212	FUSE CARTRIDGE,500V,63A,gL/gG,27*50 MM.	DESCRIPTION : FUSE CARTRIDGE	6
6213	O-RING,VITON,SIZE: ID.72.62 MM.x3.53 MM. (F2408X)	ITEM NAME : O-RING	3
6214	SERRATE GASKET,SS316, 50.9 * 64 * 3.2 MM	DESCRIPTION : SERRATE GASKET	1
6215	OIL SEAL(LIP SEAL PUMP END),TC,ID.1.125xOD.1.875xTHK.0.375" (G1102A/B,	ITEM NAME : OIL SEAL(LIP SEAL PUMP END)	10
6216	O-RING PRESSURE COM.,P/N: 10001669,POS.NO.0025 (P2401A)	ITEM NAME : O-RING PRESSURE COM.	4
6217	GASKET,NIL/317 ASB/NIL,900#,61.6*71.6 MM	DESCRIPTION : GASKET,	3
6218	OIL SEAL,NBR,ID.40xOD.65xTHK.10 MM.,POS.NO.611 (G3524A/B)	ITEM NAME : OIL SEAL	4
6219	GASKET CASING,NON ASBESTOS,POS.NO.351 (G1921)	ITEM NAME : GASKET CASING	1

6220	O-RING,MATERIAL NBR,P/N N 048015037,I/N 6	DESCRIPTION : O-RING	1
6221	SERRATE GASKET,SS304, 22.3 * 31.5 * 3 MM	DESCRIPTION : SERRATE GASKET,	5
6222	O-RING,P/N: 10001360,POS.NO.3350 (P2701)	ITEM NAME : O-RING	1
6223	PIN,S45C,POS.NO.8 (P2409A/B/C/D/E/F/G)	ITEM NAME : PIN	1
6224	OIL SEAL,NBR,ID.42xOD.62xTHK.10 MM. (G2502A/B)	ITEM NAME : OIL SEAL	7
6225	GASKET,MATERIAL NON ASBESTOS,P/N W-D2324-150,I/N 13	DESCRIPTION : GASKET	1
6226	SET SCREW,SUS316L,POS.NO.8 (G1301C/D)	DESCRIPTION : SET SCREW,	3
6227	OIL SEAL,NBR,ID.60xOD.82xTHK.12 MM.,POS.NO.304 (G3522,G3534,MG2202A/B)	ITEM NAME : OIL SEAL	5
6228	SOCKET HEAD CAP SCREW(12 PCS/SET),CS GRADE 12.9,M10x1.50x45 MM.	ITEM NAME : SOCKET HEAD CAP SCREW	12
6229	BACK UP RING,MAT'L: PTFE,SIZE: 16 * 19 * 1 MM. (P1404)	ITEM NAME : BACK UP RING	8
6230	O-RING, DIA :70 * 3 MM,MAT'L VITON	DESCRIPTION : O-RING,	4
6231	GASKET,317/317 PTFE/CS,150#,3/4"	DESCRIPTION : GASKET,	1
6232	O-RING PACKING,NBR,P/N: 14-054UA,POS.NO.P2-18 (G1302,G2202)	ITEM NAME : O-RING PACKING	4
6233	WELD METAL POWDER FOR CABLE,KW90,KUMWELL	WELD METAL POWDER FOR CABLE,KW90,BRAND KUMWELL	31
6234	OIL SEAL,NBR,ID.75xOD.100xTHK.13 MM.,POS.NO.21 (P1403,P2406)	ITEM NAME : OIL SEAL	4
6235	LAP JOINT FLANGE,FF,A105 CS,150#,1"	DESCRIPTION : LAP JOINT FLANGE	2
6236	O-RING LOWER MATING RING,P/N 7FC63BU,I/N 148	DESCRIPTION : O-RING LOWER MATING RING	1
6237	O-RING PUMP CASING,NBR,ID.189.87xTHK.5.33 MM. (G3512)	ITEM NAME : O-RING PUMP CASING	3
6238	O-RING,I/N 18,P/N 507001012	DESCRIPTION : O-RING,	3
6239	OIL SEAL,NBR,ID.170xOD.210xTHK.15 MM. (P1504)	DESCRIPTION : OIL SEAL	2
6240	OIL SEAL,NBR,ID.50xOD.72xTHK.12 MM. (F3544)	ITEM NAM : OIL SEAL	5
6241	OIL SEAL,NBR,ID.28xOD.48xTHK.7 MM. (G4015A/B)	ITEM NAME : OIL SEAL	6
6242	GASKET STUFFING BOX,MATERIAL ASBESTOS,SIZE ID.71 * OD.80 * 1.5 MM THK	DESCRIPTION : GASKET STUFFING BOX	4
6243	SURGE SUPPESSOR VAIRISTOR, 3TX7402-3G	DESCRIPTION : SURGE SUPPESSOR,	1
6244	END COVER,GEAR BOX TYPE: FZZ128B-K(132),SIZE: 80 MM.x10 MM.,POS.NO.65	ITEM NAME : END COVER	1
6245	GASKET,NON ASBESTOS NO.V#1500,ID.326xOD.362xTHK.3 MM. (E2402)	ITEM NAME : GASKET	1
6246	BOLT HEX HEAD,SUS 304,7/8*14*3-1/2"	DESCRIPTION : BOLT HEX HEAD,	1
6247	SPRING RETAIN,P/N 418-700-369	DESCRIPTION : SPRING RETAIN,	5
6248	SPRING RETAIN,P/N 418-700-371,SIZE:3/8"	DESCRIPTION : SPRING RETAIN,	5
6249	U-BOLT & 2 NUTS,A,GALVANIZE CHROME ZINC,3-1/2"	MATERIAL DESCRIPTION: U-BOLT AND NUT,	20
6250	OIL SEAL,NBR,ID.60xOD.80xTHK.10 MM. (G2405,G2407)	ITEM NAME : OIL SEAL	7
6251	O-RING,VITION,SIZE: 101.32x1.78V75 (AS045) (F2408X)	ITEM NAME : O-RING	3
6252	FLANGE,304,W.N/R.F,SCH.40,1500#,1"	MATERIAL DESCRIPTION : FLANGE,	1
6253	BEARING NO.6000-2Z "SKF" (LEVEL SWITCH)	MATERIAL DESCRIPTION : BEARING, NUMBER : 6000-2Z,	3
6254	O-RING FOR MECHANICAL SEAL,EPDM,ID.47.22xTHK.3.53 MM. (G2805A/B/C)	DESCRIPTION : O-RING FOR MECHANICAL SEAL	4
6255	GASKET,NIL/316,GRAP/NIL,35*47*4.5 MM	DESCRIPTION : GASKET,	2
6256	GASKET,NIL/316,ASB/NIL,86.3 * 109 * 4.5	DESCRIPTION : GASKET,	1
6257	OIL SEAL GASKET,NBR,ID.120xOD.150xTHK.13 MM. (E1507)	ITEM NAME : OIL SEAL GASKET	1
6258	O-RING,VITON,DIA.142.24xTHK.5.33 MM. (E1507A)	ITEM NAME : O-RING	1
6259	Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, For motor contactors Size S0	Description : Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, For motor contactors Size S0	1
6260	Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, for contactor relays and motor	Description : Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, for contactor relays and motor	1
6261	Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, for contactor relays and motor	Description : Surge suppressor, varistor, 24...48 VAC, 24...70 VDC, for contactor relays and moto	1

6262	END CAP 62x8 (T1441C)	ITEM NAME : END CAP 62x8	1
6263	OIL SEAL,NBR,ID.17xOD.47xTHK.8 MM. (G3594)	DESCRIPTION : OIL SEAL	3
6264	NEEDLE ROLLER BEARING NO.HK 2516 "SKF" (G2402A/B/C)	ITEM NAME : NEEDLE ROLLER BEARING NO.HK 2516	2
6265	SCREW,HEX SOC.CAP,CS GRADE 12.9,1/2"-13UNCx51 MM.,P/N: 1BHA25A,POS.	ITEM NAME : SCREW,HEX SOC.CAP	12
6266	JOINT FOR BEARING COVER,MATERIAL ASBESTOS	DESCRIPTION : JOINT FOR BEARING	1
6267	REFRIGERATOR,M:TECI-12705,60* C,6 A	MATERIAL DESCRIPTION : REFRIGERATOR,	19
6268	OIL SEAL,NBR,ID.35xOD.62xTHK.7 MM. (G4011)	ITEM NAME : OIL SEAL	6
6269	OIL SEAL,NBR,ID.35xOD.48xTHK.8 MM. (G3535)	ITEM NAME : OIL SEAL	7
6270	OIL SEAL,NBR,ID.60xOD.80xTHK.8 MM. (G1403,G1502)	ITEM NAME : OIL SEAL	4
6271	V-BELT NO.A30 "SKF" (BLOWER#8 AT LABORATORY)	ITEM NAME : V-BELT NO.A30	3
6272	OIL SEAL,NBR,ID.60xOD.75xTHK.9 MM.,POS.NO.33 (P1502)	ITEM NAME : OIL SEAL	5
6273	OIL SEAL(1),NBR,ID.62xOD.85xTHK.12 MM.,POS.NO.22 (P2412)	DESCRIPTION : OIL SEAL	4
6274	OIL SEAL,NBR,ID.28xOD.47xTHK.10 MM. (BF1404A,LV2402)	Description : OIL SEAL	3
6275	GASKET F COUPLING(GEAR-GEAR)P/N 51001355	DESCRIPTION : GASKET F COUPLING,	3
6276	BOLT HEX HEAD,SUS 304,7/8*14*2-1/2"	DESCRIPTION : BOLT HEX HEAD,	1
6277	HEXAGON BOLT (UPGRADE MATERIAL),(12.9),M12x1.75xL.125 MM.,POS.NO.27	ITEM NAME : HEXAGON BOLT (UPGRADE MATERIAL)	1
6278	C-RETAINING RING 65 EATERNAL,P/N: U541065000,POS.NO.5410 (P2401,P2402,	ITEM NAME : C-RETAINING RING 65 EATERNAL	2
6279	LED LAMP,SIL/13,BA9S,RED,220 VAC (MCC)	MATERIAL DESCRIPTION : LED LAMP,	1
6280	V-BELT NO.A30 "BANDO" (BLOWER#11 AT LABORATORY)	ITEM NAME : V-BELT NO.A30	2
6281	BOLT ROUND TAPER HEAD,SUS 304,M2.5*8 MM	DESCRIPTION : BOLT ROUND TAPER	298
6282	Rubber plug for cabinet,30mm,CP953,SHINOHAWA,(MCC)	Description : Rubber plug for cabinet,30mm,CP953,SHINOHAWA	30
6283	TEE,SUS 304,BW,SL,SCH 40,3/4"	DESCRIPTION : TEE,	1
6284	GASKET F COUPLING.26-1066/2-75-100-010	DESCRIPTION : GASKET F COUPLING,	3
6285	SEEGER RING,O/N:0136450,P/N:17	DESCRIPTION : SEEGER RING,O/N:0136450,	1
6286	OIL SEAL,NITRILG+STAL,ID.65xOD.90xTHK.10 MM.,P/N: 522492-10,POS.NO.81	ITEM NAME : OIL SEAL	1
6287	(NOT USE) GASKET,316/316 GRAP/NIL,900#,1/2"	DESCRIPTION : GASKET,	5
6288	BOLT ROUND PHILLIP HEAD,SUS 304,M6*20 MM	DESCRIPTION : BOLT ROUND PHILLIP HEAD	64
6289	OIL SEAL(2),NBR,ID.85xOD.110xTHK.13 MM.,POS.NO.23 (P2412)	ITEM NAME : OIL SEAL	3
6290	BEARING NO.51106 "NACHI" (P1301)	DESCRIPTION : BEARING,	3
6291	GASKET,ASBESTOS, 89 * 109 * 1 MM	DESCRIPTION : GASKET,	4
6292	BEARING NO.AXK 1528 "SKF" (G2402)	ITEM NAME : BEARING NO.AXK M1528	4
6293	O-RING SHAFT SLEEVE,VITON,ID.33xTHK.2.62 MM. (G2805C)	ITEM NAME : O-RING SHAFT SLEEVE	3
6294	O-RING 1A D10.69XW3.53,P/N: SU76411856 (P2401,P2402,P2405)	ITEM NAME : O-RING 1A D10.69XW3.53	2
6295	GASKET,TEFLON,ID.100xOD110xTHK.6 MM. (P1301)	DESCRIPTION : GASKET,	2
6296	O-RING,MAT'L: NITRIL GUMMI,SIZE: ID.119.5 * 3 MM.THK (G-1103)	ITEM NAME : O-RING	3
6297	OIL SEAL,NBR,ID.25xOD.40xTHK.6 MM. (GZ2405,GZ1205)	ITEM NAME : OIL SEAL	6
6298	GASKET,NON ASBESTOS,ID.265xOD.274.5xTHK.1 MM. (G2301)	ITEM NAME : GASKET	2
6299	GASKET F LUBE OIL SYSTEM,P/N:3189444	DESCRIPTION : GASKET F LUBE OIL,	13
6300	OIL SEAL,NBR,ID.45xOD.62xTHK.10 MM. (G1803,G2701)	ITEM NAME : OIL SEAL	4
6301	OIL SEAL,TC,NBR,1-7/16"x2- 1/4"x3/8"(36.51x57.15xTHK.9.5 MM.) (G1951A/B)	ITEM NAME : OIL SEAL	3
6302	OIL SEAL,NBR,ID.90xOD.110xTHK.12 MM. (T1442)	DESCRIPTION : OIL SEAL,	2
6303	KEY FOR DOORS	MATERIAL DESCRIPTION : KEY	17

6304	BOLT HEX HEAD,SUS 304,M5*0.8*40 MM	DESCRIPTION : BOLT HEX HEAD	73
6305	O-RING,NBR,G390 (389.30x05.70 MM. N70),P/N: 41 (P1301C)	MATERIAL DESCRIPTION : O-RING FOR MECH-SEAL	1
6306	SEAL RING 6"x150# RF, TAG : FV-1802A, FV-1802B	DESCRIPTION : SEAL RING	1
6307	GASKET OIL COOLER,NON ASBESTOS,ID.75xOD.108xTHK.2 MM.(PCD.92 MM.,4	ITEM NAME : GASKET OIL COOLER	2
6308	CAP,A105,CS,3000#,1/4",FNPT	DESCRIPTION : CAP	4
6309	BALLAST,L-001,10 W, 220 VAC, KIWA	DESCRIPTION : BALLAST,	1
6310	BUMPER,P/N 132-019-360	DESCRIPTION : BUMPER	1
6311	OIL SEAL,TB,ID.30xOD.47xTHK.7 MM. (P3594A/B)	ITEM NAME : OIL SEAL	4
6312	GASKET,P/N: B00003B10 (G4015)	ITEM NAME : GASKET	1
6313	Rubber plug for cabinet,25mm,CP952,SHINOHAWA,(MCC)	Description : Rubber plug for cabinet,25mm,CP952,SHINOHAWA	30
6314	SOCKET SET SCREW,SUS 304,3/8*16*3/4"	DESCRIPTION : SOCKET SET SCREW	20
6315	O-RING,NITRIL GUMMI,ID.209.3xTHK.5.7 MM.,P/N 521062-70,POS.NO.165 (G1404,	Description : O-RING	4
6316	OIL SEAL,NBR,ID.42xOD.55xTHK.7 MM. (G2805C/D)	ITEM NAME : OIL SEAL	4
6317	BOLT HEX HEAD,SUS 304,M16*2.0*90 MM	BOLT, HEX HEAD, SUS 304, M16 * 2.0 * 90 MM, (METRIC) STANDARD THREAD, -BOLT HEX	2
6318	OIL SEAL,NBR,ID.40xOD.55xTHK.7 MM. (G3591,G3594)	Description : OIL SEAL	4
6319	GASKET,P/N 360-058-360	DESCRIPTION : GASKET	1
6320	BOLT HEX HEAD WITH SPRING WASHER,CS GRADE 12.9,M8x25 MM. (P1101B)	ITEM NAME : BOLT HEX HEAD WITH SPRING WASHER	24
6321	INCANDESCENT LAMP,E-25,12VDC,5*15 MM	MATERIAL DESCRIPTION : INCANDESCENT LAMP, BASE : E-25,	10
6322	OIL SEAL,NBR,ID.65xOD.85xTHK.13 MM.,POS.NO.47 (P1401,P1503)	ITEM NAME : OIL SEAL	3
6323	WASHER,MATERIAL SUS 316L,SIZE DIA.10.5 * 39 * 2 MM THK	DESCRIPTION : WASHER	13
6324	OIL SEAL,NBR,ID.30xOD.45xTHK.8 MM. (G1401,G3532,G3561)	ITEM NAME : OIL SEAL	6
6325	OIL SEAL,TC,NBR,ID.25xOD.45xTHK.11 MM. (GZ2408,GZ2409)	ITEM NAME : OIL SEAL	5
6326	ZF RING ZF-20,MAT'L: NBR,SIZE: ID.90 * OD.111 * 9.30/07.00,P/N: 14 (RV1402A/B)	ITEM NAME : ZF RING ZF-20	1
6327	OIL SEAL,NBR,ID.30xOD.62xTHK.10 MM. (G1951A/B)	ITEM NAME : OIL SEAL	3
6328	OIL SEAL,NBR,ID.45xOD.62xTHK.8 MM. (G1613 MAH PROJECT)	ITEM NAME : OIL SEAL	3
6329	OIL SEAL,NBR,ID.45xOD.60xTHK.10 MM. (G2502)	ITEM NAME : OIL SEAL	5
6330	OIL SEAL,NBR,ID.60xOD.82xTHK.12 MM.,POS.NO.305 (G3534)	ITEM NAME : OIL SEAL	2
6331	O-RING,SIZE: DIA.99.5x3 MM.THK,P/N: 21263703,POS.NO.326 (G1507,GM1011)	ITEM NAME : O-RING	1
6332	OIL SEAL,NBR,ID.30xOD.62xTHK.7 MM. (R1301C)	ITEM NAME : OIL SEAL	3
6333	HEXAGON NUT,A4-70,SIZE: M12,P/N: 10100086,POS.NO.6766 (P2702)	ITEM NAME : HEXAGON NUT	6
6334	GASKET,MATERIAL NON ASBESTOS,SIZE ID.131 * OD.175 * 3 MM THK	DESCRIPTION : GASKET	1
6335	CLAMP RING FOR SHAFT INSULATOR EP(D-3161	MATERIAL DESCRIPTION : CLAMP RING	10
6336	FLAT GASKET F.CARBON RING STAGE: 1,2,NON ASB,SIZE: ID.168xOD.200x1.00	ITEM NAME : FLAT GASKET F.CARBON RING SEAL STAGE: 1,2	2
6337	SERRATE GASKET,SS316, 54 * 61.5 * 2 MM	DESCRIPTION : SERRATE GASKET,	1
6338	GASKET,NON ASBESTOS,SIZE ID.258xOD.275 MM. (G2501 PRI PROJECT)	ITEM NAME : GASKET	1
6339	CIRCLIP,P/N: 932 (G3261XA,XB,XC)	ITEM NAME : CIRCLIP	1
6340	PIN SPRING,SUS304,P/N: N5-060025,POS.NO.918A (G2201)	ITEM NAME : PIN SPRING	1
6341	BEARING NO.AS 1528 (2 PCS/SET) "SKF" (G-2402)	ITEM NAME : BEARING NO.AS 1528 (2PCS/SET)	11
6342	MODERN PLATE,T:WNG 6801W,M: PVC,1 HOLE	MATERIAL DESCRIPTION : MODERN PLATE,	7
6343	OIL SEAL,NBR,ID.38xOD.56xTHK.10 MM. (G1803,G2701,G3591)	ITEM NAME : OIL SEAL	3
6344	SQUARE TUBE,CS,1/2"*1/2"*0.047"*6 M	DESCRIPTION : SQUARE TUBE,	1
6345	U-BOLT & 2 NUTS,A,SUS304,3/8"	MATERIAL DESCRIPTION: U-BOLT AND NUT	4

6346	O-RING PACKING,VITON,ID.62.5xTHK.2.5 MM.,P/N: 14- 053UA,POS.NO.936K	DESCRIPTION : O-RING PACKING,	2
6347	OIL SEAL,NITRILG+STAL,ID.40xOD.52xTHK.7 MM.,P/N: 520948,POS.NO.81	ITEM NAME : OIL SEAL	2
6348	OIL SEAL,NBR,ID.20xOD.42xTHK.7 MM. (G3594)	ITEM NAME : OIL SEAL	4
6349	SOCKET SET SCREW,SUS 304,5/16*18*5/8"	DESCRIPTION : SOCKET SET SCREW	20
6350	OIL SEAL,NBR,ID.70xOD.88xTHK.10 MM. (P2503)	DESCRIPTION : OIL SEAL,	2
6351	PLATES VALVE,I/N 2,P/N 065205006	DESCRIPTION : PLATES VALVE,	2
6352	OIL SEAL,TC,NBR,ID.28xOD.52xTHK.8 MM. (G1619A/B)	ITEM NAME : OIL SEAL	3
6353	BOLT HEX HEAD,SUS 304,5/8*18*1-1/2"	DESCRIPTION : BOLT HEX HEAD,	2
6354	O-RING,MATERIAL NBR,SIZE: ID 74 * 3 MM	DESCRIPTION : O-RING,	4
6355	OIL SEAL,SC,NBR,ID.12.70xOD.22.23xTHK.6.35 MM. (KLEENTEX MACHINE P1101 THAILAND)	ITEM NAME : OIL SEAL	4
6356	OIL SEAL,TC,NBR,ID.41.28xOD.69.85xTHK.9.53 MM. (G4011A/B)	ITEM NAME : OIL SEAL	2
6357	GASKET F.CARBON RING STAGE.5+6,NON ASBESTOS,ID.131xOD.144.5xTHK.1 MM. (P4404)	ITEM NAME : GASKET FOR CARBON RING STAGE: 5+6	2
6358	OIL SEAL,NBR,ID.38xOD.55xTHK.10 MM. (G1803,G2701,G4002)	ITEM NAME : OIL SEAL	3
6359	OIL SEAL,TC,NBR,ID.56xOD.70xTHK.9 MM. (G1404A/B)	ITEM NAME : OIL SEAL	2
6360	O-RING,NITRIL GUMMI,ID.144.5xTHK.3 MM.,P/N: 521556-70,POS.NO.54 (G1403, G1530)	ITEM NAME : O-RING	3
6361	GASKET F.CARBON RING STAGE.3+4,NON ASBESTOS,ID.141xOD.154.50xTHK.1 MM. (P4404)	ITEM NAME : GASKET F.CARBON RING STAGE: 3+4	2
6362	SPRING LOCK WASHER,P/N FNBA080000ZFGA,I/N 278	DESCRIPTION : SPRING LOCK WASHER	4
6363	OIL SEAL,NBR,ID.30xOD.42xTHK.8 MM. (GZ1402)	ITEM NAME : OIL SEAL	3
6364	OIL SEAL,NBR,ID.25xOD.36xTHK.6 MM. (G2402)	ITEM NAME : OIL SEAL	4
6365	SOCKET SET SCREW,SUS 304,3/8*16*1/2"	DESCRIPTION : SOCKET SET SCREW	11
6366	OIL SEAL,NBR,ID.45xOD.60xTHK.8 MM. (G1103A/B)	ITEM NAME : OIL SEAL	2
6367	O-RING FOR DIP STICK P14,P/N: U870021000 (P2401,P2402,P2405)	ITEM NAME : O-RING FOR DIP STICK P14	2
6368	SOCKET SET SCREW,SUS 304,M.3 x 0.5 x 6 MM.	DESCRIPTION : SOCKET SET SCREW,SUS 304,M.3 x 0.5 x 6 MM.	30
6369	TIME RELAY,T:JSS-12,110 VDC (11.4 KV)	MATERIAL DESCRIPTION : TIME RELAY,	6
6370	GASKET,TEFLON,ID.46xOD.60xTHK.2 MM. (G1510)	ITEM NAME : GASKET	2
6371	O-RING FOR MECHANICAL SEAL,VITON,ID.55.25xTHK.2.62 MM. (G1602)	ITEM NAME : O-RING FOR MECHANICAL SEAL	2
6372	O-RING,NITRIL GUMMI,ID.99.5xTHK.3 MM.,P/N: 520616-70,POS.NO.54 (G1202)	DESCRIPTION : O-RING	1
6373	OIL SEAL,TC,NBR,ID.35xOD.55xTHK.10 MM. (G2701B)	ITEM NAME : OIL SEAL	2
6374	PIPE NIPPLE,PBE,S-80,CS A53,1" * 150 MM.	PIPE NIPPLE, SMLS PBE, S-80,	1
6375	SOCKET SET SCREW,SUS 304,5/16*18*3/8"	DESCRIPTION : SOCKET SET SCREW	17
6376	OIL SEAL,NBR,ID.15xOD.24xTHK.5 MM. (MG1707)	DESCRIPTION : OIL SEAL,	4
6377	SOCKET SET SCREW,SUS 304,M5*0.8*20 MM	DESCRIPTION : SOCKET SET SCREW,	20
6378	OIL SEAL,NBR,ID.25xOD.47xTHK.7 MM. (G3203A/B,G3214A/B,R1301,MAH PROJECT)	ITEM NAME : OIL SEAL	2
6379	OIL SEAL,NBR,ID.35xOD.47xTHK.7 MM. (G1613 MAH PROJECT)	ITEM NAME : OIL SEAL	2
6380	SOCKET SET SCREW,SUS 304,1/4*20*5/8"	DESCRIPTION : SOCKET SET SCREW	13
6381	GASKET SHAFT SLEEVE,MATERIAL NON ASBESTOS,SIZE ID.31.5 * OD.40 * 1 MM THK I/N 20	DESCRIPTION : GASKET SHAFT SLEEVE	2
6382	CLAMP FOR SHAFT INSULATOR OF EP (D-3161)	MATERIAL DESCRIPTION : CLAMP OF SHAFT INSULATOR,	5
6383	SPRING WASHER,SWRH,P/N: ZZ0218682,POS.NO.50 (P1301C)	ITEM NAME : SPRING WASHER	1
6384	HEX HEAD BOLT,SS41,P/N: ZZ03857392,POS.NO.40 (P1301C)	ITEM NAME : HEX HEAD BOLT	1
6385	SPRING WASHER,SWRH,P/N: ZZ0218682,POS.NO.41 (P1301C)	ITEM NAME : SPRING WASHER	1
6386	BOLT,SUS304,M10x25 MM.,POS.NO.90 (P2406)	DESCRIPTION : BOLT	5
6387	GASKET F OIL PIPE,MAT'L: KLINGER SIL,SIZE: DN150,PN16,P/N: 3189446 (P-1101 THAITHAI)	ITEM NAME : GASKET F OIL PIPE	2

6388	GASKET SHAFT SLEEVE,MAT'L: PTFE,SIZE: ID.32 * OD.40 * 1 MM.THK,POS.NO.33	ITEM NAME : GASKET SHAFT SLEEVE	2
6389	GASKET,NON ASBESTOS,R.F,SIZE: 14*26*1.5 MM.THK (E3141A/B)	ITEM NAME : GASKET	2
6390	GASKET,NIL/316,ASB/NIL,39 * 49 * 4.5 MM	DESCRIPTION : GASKET,	1
6391	OIL SEAL,NBR,ID.32xOD.45xTHK.7 MM. (G2805C)	ITEM NAME : OIL SEAL	2
6392	BOLT HEX HEAD,SUS 304,3/4*10*1-1/2"	DESCRIPTION : BOLT HEX HEAD,	1
6393	SOCKET SET SCREW,SUS 304,M10*1.50*10 MM	DESCRIPTION : SOCKET SET SCREW	7
6394	MALE SOCKET FOR SWG CO-GEN	MATERIAL DESCRIPTION : MALE SOCKET,	3
6395	GASKET,NON ASBESTOS,R.F,SIZE: 8*18*1.5 MM.THK (E3141A/B)	ITEM NAME : GASKET	2
6396	RUBBER SEAL,EPDM,ID.60xOD.80xTHK.2 MM. (G1505)	ITEM NAME : RUBBER SEAL	1
6397	GASKET SLEEVE,NON ASBESTOS FIBER,ID.54xOD.65xTHK.1 MM. (G2805)	ITEM NAME : GASKET SLEEVE	2
6398	SPRING VALVE,I/N 4,P/N 067501009	DESCRIPTION : SPRING VALVE,	31
6399	HOLD,"TU",SUS316L,THK.2 MM. (C1601)	ITEM NAME : HOLD	2373
6400	CONDUCTING LIPOID, P/N:AD950K334	DESCRIPTION : CONDUCTING LIPOID,	2
6401	SOCKET MALE & FEMALE FOR HV.SWG	DESCRIPTION : SOCKET MALE,	2
6402	BOX FOR BREAKER, R 2.5" * 5" * 1-1/2"	MATERIAL DESCRIPTION : BOX	2
6403	CONDUCTIVITY ANALYZER C/SET (ANALYZER)	MATERIAL DESCRIPTION : CONDUCTIVITY ANALYZER -, COMPLETED SET,	2
6404	BEARING NO.AS 2035 (2 PCS/SET) "SKF" (G2402)	ITEM NAME : BEARING NO.AS 2035 (2PCS/SET)	2
6405	BOLT HEX HEAD,SUS 304,1/4*20*1"	DESCRIPTION : BOLT HEX HEAD,	8
6406	O-RING FOR MECHANICAL SEAL,MAT'L: TTE,SIZE: ID.57*4 MM.THK,POS.NO.3	ITEM NAME : O-RING FOR MECHANICAL SEAL	2
6407	PAPER CHART FOR RECORDER	DESCRIPTION : PAPER CHART	1
6408	GASKET,NIL/304 FILLER GRAPHITE/304,SIZE 4",CLASS150#	DESCRIPTION : GASKET	13
6409	CLAMP FOR GEAR BOX,3.3 VCB	MATERIAL DESCRIPTION : CLAMP	10
6410	O-RING,MATERIAL NBR,SIZE DIA.3.5 * 1.5 MM THK,P/N 560-001-360	DESCRIPTION : O-RING	2
6411	O-RING,NBR,ID.58xTHK.3 MM. (G2203A)	DESCRIPTION : O-RING	2
6412	POWER FACTOR METER,63C11-A,CL 1.5,4-20MA	DESCRIPTION : POWER FACTORE METER,	1
6413	SOCKET MALE FOR MV.SWG.	DESCRIPTION : SOCKET MALE,	1
6414	BOLT,HEX HEAD AND 2 NUTS,SUS316,M6x45 MM. (F1441A/B/C)	ITEM NAME : BOLT,HEX HEAD AND 2 NUT	1
6415	AEER ANALOG REGULATOR,P/N 0808 (G-3180)	MATERIAL DESCRIPTION : AEER ANALOG REGULATOR, ,	1
6416	EXCITATION MONITOR,P/N 0807 (G-3180)	MATERIAL DESCRIPTION : EXCITATIUN MONITOR,	1
6417	SIGNALIZATION,P/N 0091 (G-3180)	MATERIAL DESCRIPTION : SIGNALIZATION, ,	1
6418	OVER CURRENT RELAY GARD,M:GL-3 (G-3180)	MATERIAL DESCRIPTION : OVER CURRENT RELAY GARD,	1
6419	CURRENT RELAY,DJ131/60,R:15-30A(11.4 KV)	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6420	CURRENT RELAY,DJ131/200,R:50-100A(11.4KV	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6421	CURRENT RELAY,DJ132/160,R:40-80A(11.4 KV	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6422	CURRENT RELAY,DL-11,R:2.5-5 A (11.4 KV)	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6423	CURRENT RELAY,DL-11/20TH,R:5-10A(11.4 KV	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6424	CURRENT RELAY,DL-31H,110VDC,15A(11.4 KV)	MATERIAL DESCRIPTION : CURRENT RELAY,	1
6425	OVER CURRENT RELAY,R:8-16 A,10A(11.4 KV)	MATERIAL DESCRIPTION : OVER CURRENT RELAY,	1
6426	OVER CURRENT RELAY,R:8-16 A,IN:5A (MCC)	MATERIAL DESCRIPTION : OVER CURRENT RELAY,	1
6427	OVER CURRENT RELAY,S/T 0.5-4 A (11.4 KV)	MATERIAL DECRIPTION : OVER CURRENT RELAY,	1
6428	POWER DIRECTION RELAY,M:LG-11 (MAIN SUB)	MATERIAL DESCRIPTION : POWER DIRECTIONAL RELAY,	1
6429	SIGNAL RELAY,DX-31B,R/C 0.025 A(11.4 KV)	MATERIAL DESCRIPTION : SIGNAL RELAY,	1

6430	VOLTAGE RELAY,DJ-131,R:50-100V (11.4 KV)	MATERIAL DESCRIPTION : VOL	1
6431	VOLTAGE RELAY,DJ-131,R:15-30 V (11.4 KV)	MATERIAL DESCRIPTION : VOL	1
6432	INTERMEDIATE RELAY,DZY-202,R/V 380V(MCC)	MATERIAL DESCRIPTION : INTERMEDIATE RELAY,	1
6433	TIMER RELAY,M:DS-112G TH,0.25-3.5 H(MCC)	MATERIAL DESCRIPTION : TIMER RELAY,	1
6434	WATT HOUR METER,DS864-2KV,1.5,100V,5A	MATERIAL DESCRIPTION : WATT HOUR METER,	1
6435	KEYBOARD CONTROLLER,FSDC6400X1 (DCS)	MATERIAL DESCRIPTION : KEYBOARD CONTROLLER PWB,	1
6436	FIRST STAGE IMPELLER (G3170A/B)	DESCRIPTION : FIRST STAGE IMPELLER	1
6437	GUIDE IMPELLER OF CONDENSATE PUMP(G-3170	MATERIAL DESCRIPTION : GUIDE IMPELLER, ,	1
6438	GUIDE IMPELLER BUSHING OF LP HEAT(G-3170	MATERIAL DESCRIPTION : GUIDE IMPELLER BUSHING,	1
6439	SPACER SLEEVE (G-3170)	MATERIAL DESCRIPTION : SPACER SLEEVE, ,	1
6440	DOUBLE SUCTION SEAL RING,HT20-40(G-3170)	MATERIAL DESCRIPTION : DOUBLE SUCTION SEAL RING,	1
6441	GLAND PACK BUSH OF CONDENSATE/P (G-3170)	MATERIAL DESCRIPTION : GLAND PACK BUSH 55,	1
6442	SECOND STAGE IMPELLER (G3170A/B)	DESCRIPTION : SECOND STAGE IMPELLER	1
6443	SHAFT SLEEVE"B"FOR DRAIN WATER/P(G-3170)	MATERIAL DESCRIPTION : SHAFT SLEEVE B, ,	1
6444	STAGE SEALING SLEEVE (G-3170)	MATERIAL DESCRIPTION : S	1
6445	OUTLET PIPE	MATERIAL DESCRIPTION : OUTLET PIPE,	1
6446	DISCHARGE TUBE	MATERIAL DESCRIPTION : DISCHARGE TUBE,	1
6447	VOLT RECORDER,T:LD5-C,RANGE 0-12.5 KV	MATERIAL DESCRIPTION : VOLT RECORDER,	1
6448	OVER CURRENT RELAY,S/T 0.5-4A (11.4 KV)	MATERIAL DESCRIPTION : OVER CURRENT RELAY,	3
6449	OPERATING HONDE,T:SDCJ1/400/20	MATERIAL DESCRIPTION : OPERATING HONDE,	8
6450	GASKET DISCHARGE (G4015)	DESCRIPTION : GASKET DISCHARGE	1
6451	HOLD,"TH",904L/2D,THK.2 MM. (C1601)	ITEM NAME : HOLD	461
6452	GASKET,304/304 GRAPHITE/CS,150#,3" (C2401)	ITEM NAME : GASKET	4
6453	SPECIAL BOLT WITH NUTS,B7,SIZE M16 * 85 MM LONG	DESCRIPTION : SPECIAL BOLT WITH NUTS	4
6454	SPECIAL BOLT WITH NUT, B7,SIZE M16 * 145 MM LONG	DESCRIPTION : SPECIAL BOLT WITH NUTS	4
6455	STUD BOLT & NUTS,UNC,B8 CLASS 2,1-1/4"*175 MM.	DESCRIPTION : STUD BOLT WITH NUT	4
6456	STUD BOLT & NUTS,UNC,B8 CLASS 2,1-1/8"*160 MM.	DESCRIPTION : STUD BOLT WITH NUT	4
6457	GASKET,304/304 PTFE/NIL,SIZE 620x640x670x4.5 MM.THK (E1103)	ITEM NAME : GASKET	4
6458	HOLD,"TU",904L,THK.2 MM. (C1503)	DESCRIPTION : HOLD	343
6459	KEY,1650,P/N: 521963-24,POS.NO.67 (G1403,G1502)	ITEM NAME : KEY	3
6460	FUSE MODEL:DM05 (0.5A), HITACHI	DESCRIPTION : FUSE,	292
6461	GASKET,304/304 FILLER PTFE/CARBON STEEL,SIZE 1- 1/2",CLASS 150#	DESCRIPTION : GASKET	2
6462	SPECIAL BOLT WITH NUTS,B7,SIZE M30 * 160 MM LONG	DESCRIPTION : SPECIAL BOLT WITH NUTS	2
6463	STUD BOLT WITH NUT,MATERIAL B7,SIZE M16 * 55 MM LONG	DESCRIPTION : STUD BOLT WITH NUTS	2
6464	CAP,MATERIAL 904L,SIZE 1.5 MM THK,DWG.NO.TPIC1503-1	DESCRIPTION : CAP	192
6465	TAPER PLUG,TITANIUM,OD.15.5 MM.xOD.18 MM.xL.40 MM. (E1302C)	ITEM NAME : TAPER PLUG	190
6466	CAP,904L,THK.2 MM. (C1503)	DESCRIPTION : CAP,	153
6467	CAP,TYPE TZ,MATERIAL SUS 316L,SIZE 1.5 MM THK	DESCRIPTION : CAP	136
6468	TERMINAL BLOCK,PLASTIC,ENTRELEC	DESCRIPTION : TERMINAL BLOCK,	135
6469	STUD BOLT WITH NUTS,B7,SIZE M22 * 200 MM LONG	DESCRIPTION : STUD BOLT WITH NUTS	9
6470	SYSTEM MONITOR OF VIBRATION,BENTLY NEVA	DESCRIPTION : SYSTEM MONITOR,	1
6471	6-CH TEMP MONITOR,3300/35-12-02-01-00-01	DESCRIPTION : TEMP MONITOR,	1

6472	6-CH RTD ANALOG CIRCUIT,79492-01,BENTLY	DESCRIPTION : RTD ANALOG,	1
6473	3-WIRE RTD INPUT,82368-01, BENTLY NEVADA	DESCRIPTION : RTD INPUT,	1
6474	MOTOR,3 PH,520 HP,3300V,6P,990 RPM,112 A,SIEMENS MOTOR,(M-101,MP-	DESCRIPTION : MOTOR	1
6475	GASKET,NIL/304 FILLER GRAPHITE/304,SIZE 2",CLASS 150#	DESCRIPTION : GASKET	1
6476	STUB END,SUS 317L,SCH 40,24"	DESCRIPTION : STUB END,	1
6477	AMP RELAY,M:FSCL6773X1,240 V,5 A"FISHER"	MATERIAL DESCRIPTION : AMP RELAY,	1
6478	SEAL RING,SIZE:DIA 90 * 3 MM,TEFLON	DESCRIPTION : SEAL RING,	96
6479	O-RING,SIZE:ID 85 * 3 MM	DESCRIPTION : O-RING,	93
6480	HOLD,TYPE "CAP",MATERIAL SUS 316L,SIZE 2 MM THK	DESCRIPTION : HOLD	86
6481	CAP,TYPE TZ,MATERIAL SUS 316L,SIZE 2 MM THK	DESCRIPTION : CAP	76
6482	LAMP,MODLE:YS8-G,GREEN COLOR,YAMATAKE	DESCRIPTION : LAMP,	75
6483	STUD BOLT & NUT,B8 CLASS 2,UNC,M27*210 MM.	DESCRIPTION : STUD BOLT & NUT	64
6484	STUD BOLT & NUTS,B8 CLASS 2, UNC,M33*255 MM.	DESCRIPTION : STUD BOLT & NUTS	60
6485	BEARING WASHER FOR(P-1301)	DESCRIPTION : BEARING,	57
6486	TILING PAD-SET FOR P1101 , NO 1-8 F	DESCRIPTION : TILTING PAD-SET,	55
6487	U.L.C,NO.2,MATERIAL SUS 316L,SIZE 2 MM THK	DESCRIPTION : U.L.C	55
6488	O-RING,SIZE: DIA 11 * 8 * 3 MM	DESCRIPTION : O-RING,	52
6489	BUSH RING,NBR, ID 11 * OD 20 * L 20	BUSH RING,	52
6490	GASKET WASHER,MATERIAL GOKPA FIBER,SIZE 1.5 MM THK	DESCRIPTION : GASKET WASHER	50
6491	PRINTING PAPER SIZE:76 MM, WIDIH, NADA	DESCRIPTION : PRINTING PAPER,	41
6492	PRINTING PAPER SIZE: 76 MM. WIDTH	DESCRIPTION : PRINTING PAPER,	40
6493	SEALING RING COMPL.200181017	DESCRIPTION : SEALING RING COMPL., ARTICLE NO : 200181017, PS PELEMEN	37
6494	LED LAMP MODEL:YS8-R,RED COLOR,YAMATAKE	DESCRIPTION : LED LAMP,	35
6495	STUD BOLT & NUTS,B7,8UNC,1-3/4"x460 MM. (E2201A/B)	ITEM NAME : STUD BOLT & NUTS	33
6496	ANCHOR BOLT,SS41,P/N: B9M-160,POS.NO.P2-304 (G2202)	DESCRIPTION : ANCHOR BOLT	32
6497	SEAL RING,SIZE: DIA 14 * 7 * 1 MM	DESCRIPTION : SEAL RING,	32
6498	TRAY CLAMP,ULC,SUS 316L (C1301,C1501,C1502,C1603)	ITEM NAME : TRAY CLAMP	31
6499	MANWAY FOR VALVE TRAY,316SL (C1601)	ITEM NAME : MANWAY	28
6500	GASKET,TI/TI PTFE/TI,SIZE: 350x371.6x406.4x483x4.5 MM. (R1301A)	ITEM NAME : GASKET	26
6501	SEALING RING COMPL.,200180953	DESCRIPTION : SEALING RING COMPL.TURBINE, ARTICLE NO : 200180953, PS P	22
6502	SCREW HEX & WASHER,MATERILA SCM.435	DESCRIPTION : SCREW HEX & WASHER	20
6503	FLAT BAR,P/N: 7 (D2409)	ITEM NAME : FLAT BAR	20
6504	STUB END,SUS 304,BW,SL,SCH 10,6"	DESCRIPTION : STUB END,	20
6505	FUSE,MODLE:SMP32(3.2A), HITACHI	DESCRIPTION : FUSE,	19
6506	GASKET,NIL/TI PTFE/CS,236*259*276 MM	DESCRIPTION : GASKET,	18
6507	SCREW,HEX SOC.CAP,SUS316,SIZE: 3/8"x1-1/4" LONG,P/N: 1BGA72B,POS.NO.10	DESCRIPTION : SCREW,HEX SOC.CAP	18
6508	HORSE SHOE FOR STIFFENING RING,P/N: 2 (D2409)	ITEM NAME : HORSE SHOE FOR STIFFENING RING	18
6509	HEXAGON BOLT,A4-70,SIZE: M16x75,P/N: 20344593,POS.NO.7965 (P2702)	ITEM NAME : HEXAGON BOLT	18
6510	SEAL RING,SIZE: DIA 20 * 1 MM	DESCRIPTION : SEAL RING,	17
6511	SEAL RING,SIZE: DIA 29 * 24 * 1 MM	DESCRIPTION : SEAL RING,	17
6512	VALVE SPRING,I/N 4,P/N 067501009	DESCRIPTION : VALVE SPRING,	17
6513	TAPER PLUG,TITANIUM,OD.15.2 MM.xOD.17.5 MM.xL.50 MM. (E1301A/B)	ITEM NAME : TAPER PLUG	17

6514	GASKET,MATERIAL FIBER GLASS,SIZE DIA 40 * 2 MM THK	DESCRIPTION : GASKET	16
6515	HORSE SHOE FOR VERTICAL R/B,P/N: 5 (D2409)	ITEM NAME : HORSE SHOE FOR VERTICAL R/B	16
6516	HEXAGON BOLT,A4-70,SIZE: M16x65,P/N: 20344450,POS.NO.7940 (P2702)	ITEM NAME : HEXAGON BOLT	16
6517	GASKET WASHER,MATERIAL FIBER GLASS,SIZE 44 MM LONG * 1.5 MM THK	DESCRIPTION : GASKET WASHER	15
6518	LAP JOINT FLANGE,A105,CS,FF,1500#,1"	DESCRIPTION : LAP JOINT FLANGE,	14
6519	ELBOW 90,SUS 316L,SW,SEAM,3000#,1/4"	DESCRIPTION : ELBOW 90,	13
6520	THUST BEARING PAD,LP,HP,200384257	DESCRIPTION : THUST BEARING PAD LP,HP, ARTICLE NO : 200384257, PS PELE	13
6521	RETAINER RING,SUS304,SIZE: PL4x90 Wx260 MM. (B2402)	DESCRIPTION : RETAINER RING	12
6522	HOLDING CLIP SPECIAL TOOL,I/N 8	DESCRIPTION : HOLDING CLIP,	12
6523	GASKET FOR STRAINER	DESCRIPTION : GASKET,	12
6524	NUT FOR P1101,SIZE: M12	DESCRIPTION : NUT,	11
6525	FRAME PLATE	DESCRIPTION : FRAME PLATE,	11
6526	GASKET,TP 35/PTFE/SUS 304,SIZE 162 * 182.6 * 209.6 * 248 * 4.5 MM	DESCRIPTION : GASKET,	11
6527	CAPS BUBLE,MATERIAL SUS 316L	DESCRIPTION : CAPS BUBLE,	11
6528	WELDING TIG ROD,ALLOY,TITANIUM,3/32"*36"	WELDING TIG ROD,ALLOY,C.P.TITANIUM,AWS A5.16,	11
6529	WELDING TIG ROD,ALLOY,TITANIUM,1/8"*36"	WELDING TIG ROD,ALLOY,C.P.TITANIUM,AWS A5.16,	11
6530	PIPE 2"x40S(LENGTH 7000 MM.),ASTM A312 Gr TP304L (B2402 PTA DRYER)	ITEM NAME : PIPE 2"x40S	11
6531	PIPE BEND 90,SUS304,BW,SEAM,THK 4.5MM,4"	DESCRIPTION : PIPE BEND 90,	10
6532	SERRATE GASKET,SS316, 22.5 * 31.5 * 3 MM	DESCRIPTION : SERRATE GASKET,	10
6533	NIPPLE.NUT,SIZE:1/2"*3000#,MAT,L:SUS316	DESCRIPTION : NIPPLE NUT,	10
6534	TILTING PAD BEARING NO6 F GEAR,ST1+2	DESCRIPTION : TILTING PAD-SET,	10
6535	P.L.C,MATERIAL SUS 316L,SIZE T = 2 MM	DESCRIPTION : P.L.C	10
6536	STUD BOLT,TYPE PERIF,MATERIAL SUS 317L,SIZE M10 * 65 MM LONG	DESCRIPTION : STUD BOLT	10
6537	PROBE HOLDER, DIA 15 *90 MM.MAT,L SUS316	DESCRIPTION : PROBE HOLDER,	10
6538	GATE VALVE,SUS 304,BW,800#,3/8"	DESCRIPTION : GATE VALVE	10
6539	SPRING WASHER,SUS316,M10 (F1441A/B/C)	ITEM NAME : SPRING WASHER	10
6540	ELBOW 90,SUS 316,SW,3000#,1/4"	DESCRIPTION : ELBOW 90,	10
6541	MOTOR PROTECTION RELAY,GEC ALTHOM,TAT 334,110VDC,5A	Description : PROTECTION RELAY	10
6542	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*235 MM.	DESCRIPTION : STUD BOLT & NUT	9
6543	STUD BOLT & NUT,B8 CLASS 2,UNC,1-3/8"*290 MM.	DESCRIPTION : STUD BOLT & NUT	9
6544	RED.COUPLING,SUS 304,SW,3000#,3/4"*1/4"	DESCRIPTION : REDUCE COUPLING,	9
6545	VARISTOR ,ZNR-20K361, HITACHI	DESCRIPTION : VIRISTOR,	9
6546	GASKET,MATERIAL TOMBO #1101,SIZE D = 5,T = 3 MM	DESCRIPTION : GASKET	9
6547	GASKET,SIZE D = 5 * T = 3,ANSI 150#	DESCRIPTION : GASKET	9
6548	GASKET,SPWG,SIZE 108 * 127 * 149.4 * 178 * 4.5 MM	DESCRIPTION : GASKET	9
6549	SPECIAL BOLT AND NUT,M8x61 MM. (P1203,P1205)	DESCRIPTION : SPECIAL BOLT AND NUT,	9
6550	SCREEN FOR BUCKET STRAINER	DESCRIPTION : SCREEN	9
6551	CONTROL PLATE,P/N: 8 (D2409)	ITEM NAME : CONTROL PLATE	9
6552	GASKET,TI/TI GRAP/TI,562*643*4.5 MM	DESCRIPTION : GASKET,	9
6553	ELBOW 45,A105N,CS,3000#,2",NPT	DESCRIPTION : ELBOW 45,	9
6554	HEXAGON NUT,A4-70,SIZE: M16,POS.NO.6761,6770,7950 (P2702)	ITEM NAME : HEXAGON NUT	9
6555	HEXAGON NUT,A4-035,SIZE: M16,P/N: 20330768,POS.NO.6762,6772,7955 (P2702)	ITEM NAME : HEXAGON NUT	9

6556	PIPE BEND 45,SUS 304,BW,SEAM,SCH 10,4"	DESCRIPTION : PIPE BEND 45	8
6557	ANALOG I/P PACKAGE,P/N:PAI624A,HITACHI	DESCRIPTION : ANALOG INPUT PACKAGE,	8
6558	ANALOG I/P PACKAGE,P/N:PAI630A,HITACHI	DESCRIPTION : ANALOG INPUT PACKAGE,	8
6559	INPUT RELAY UNIT,PRI 160,HITACHI	DESCRIPTION : INPUT RELAY UNIT,	8
6560	CONVERTOR FTX/ACX 0-5A 4-20 MA,110VAC	DESCRIPTION : CONVERTOR,	8
6561	BOLT FOR P1101 ,SIZE:DIA 19.5 * 45.5 MM	DESCRIPTION : BOLT,	8
6562	O-RING INNER/OUTER FOR COOLING CAP(A),ELASTOMER,POS.NO.30,31	ITEM NAME : O-RING INNER/OUTER FOR COOLING CAP(A)	8
6563	GASKET,TI/TI PTFE/SUS304,ID.42x54.1x69.8x93xTHK.4.5 MM. (R1301,D1401)	ITEM NAME : GASKET	8
6564	GLAND PACKING,TYPE T#9075-F,MATERIAL TEFLON ASBESTOS,DWG.NO.RV8-	DESCRIPTION : GLAND PACKING	8
6565	GLAND PACKING,SIZE 6.9 MM,DWG.NO.RV8-0508-5173- 8633-2	DESCRIPTION : GLAND PACKING	8
6566	HORSE SHOE FOR STIFFENING RING,P/N: 1 (D2409)	ITEM NAME : HORSE SHOE FOR STIFFENING RING	8
6567	HORSE SHOE FOR VERTICAL R/B,P/N: 4 (D2409)	ITEM NAME : HORSE SHOE FOR VERTICAL R/B	8
6568	O-RING FOR CYLINDER,EPDM, 1445 * T 5 MM.	O-RING	8
6569	PLATE SHIM-SS,0.25 MM	DESCRIPTION : PLATE SHIM-SS,	8
6570	SERRATE GASKET,SS316, 85 * 95 * 3 MM	DESCRIPTION : SERRATE GASKET,	8
6571	GLAND PACKING,GRAP+WIRE,19 * 38 *9.5 MM	DESCRIPTION : GLAND PACKING, RING	8
6572	CONCENTRIC RED,SUS 304,S40,1"*1/2"	DESCRIPTION : CONCENTRIC REDUCE	8
6573	PIPE 2.5"x10S(LENGTH 7000 MM.),ASTM A312 Gr TP304L (B2402 PTA DRYER)	ITEM NAME : PIPE 2.5"x10S	8
6574	HELICAL WOUND SPRING,P/N: 10002774,POS.NO.0101 (P2702)	ITEM NAME : HELICAL WOUND SPRING	8
6575	HEXAGON BOLT,A4-70,SIZE: M24xL115,GEWINDE GEROLLT,P/N: 20200456,POS.	ITEM NAME : HEXAGON BOLT	8
6576	HEXAGON NUT,A4-70,SIZE: M24,P/N: 10001054,POS.NO.6120 (P2702)	ITEM NAME : HEXAGON NUT	8
6577	HEXAGON BOLT,A4-70,SIZE: M10x35,P/N: 10000235,POS.NO.6785 (P2702)	ITEM NAME : HEXAGON BOLT	8
6578	HEXAGON BOLT,A4-70,SIZE: M20x75,P/N: 20344588,POS.NO.7915 (P2702)	ITEM NAME : HEXAGON BOLT	8
6579	HEXAGON NUT,A4-70,SIZE: M20x75,P/N: 20344588,POS.NO.7915 (P2702)	ITEM NAME : HEXAGON NUT	8
6580	HEXAGON NUT,A4-70,SIZE: M20,P/N: 10001053,POS.NO.7935 (P2702)	ITEM NAME : HEXAGON NUT	8
6581	GASKET F CONDENSATE LINE,MAT'L: KLINGER-SIL,SIZE: DN25,PN40 (P-1101)	ITEM NAME : GASKET F CONDENSATE LINE	7
6582	BOLT WITH NUT FOR CHAIN COVER,M10x15 MM. (T2101)	DESCRIPTION : BOLT WITH NUT FOR CHAIN COVER	7
6583	SPECIAL BOLT WITH NUT,M7.5x65 MM. (P2403,P2404)	DESCRIPTION : SPECIAL BOLT WITH NUT	7
6584	TEE,SUS 304,BW,SCH 80,3/4"	DESCRIPTION : TEE,	7
6585	SLIP ON FLANGE,SUS 304,CS,RF,900#,3"	DESCRIPTION : SLIP ON FLANGE	7
6586	GLAND/V-PACKING,9.5*22.5 * 6.5 MM	DESCRIPTION : GLAND PACKING AND V-PACKING,	7
6587	GASKET,NIL/TI PTFE/CS,150#,125*147*177MM	DESCRIPTION : GASKET,	6
6588	TEE,SUS 304,BW,SL,SCH 40,1/2"	DESCRIPTION : TEE,	6
6589	PIPE BEND 90,SUS304,BW,SEAM,THK4.5 MM,6"	DESCRIPTION : PIPE BEND 90,	6
6590	HARD DISK 40 MBYTES,HIS5139,HITACHI	DESCRIPTION : HARDDISK,	6
6591	ANALOG O/P PACKAGE,P/N:PAO 610C,HITACHI	DESCRIPTION : ANALOG OUTPUT PACKAGE,	6
6592	CARBON SEAL RING GRAPHITE ALLOY,STAGE:1	DESCRIPTION : CARBON SEAL RING,	6
6593	GASKET,I/N 36,722-6609/00740795	DESCRIPTION : GASKET,	6
6594	GASKET,SPWG,SIZE:27 * 34 * 49 * 71 MM	DESCRIPTION : GASKET,	6
6595	GASKET,SPWG,TP35/ PTFE/SUS304,SIZE: 27x34x49x65x4.5 MM. (P1402)	DESCRIPTION : GASKET	6
6596	BEARING NO.6205 LB (GZ1404,GZ2408)	DESCRIPTION : BEARING,	6
6597	SCREEN FOR BUCKET STRAINER	DESCRIPTION : SCREEN	6

6598	GASKET,MATERIAL FIBER GLASS,SIZE DIA 60 * 2 MM THK	DESCRIPTION : GASKET	6
6599	GASKET,NIL/304 FILLER PTFE/CARBON STEEL,SIZE 20",CLASS 150#	DESCRIPTION : GASKET	6
6600	SEAL RING,SIZE: DIA 32 * 28 * 4 MM	DESCRIPTION : SEAL RING,	6
6601	PIPE BEND 90,SUS 317L,BW,THK 4 MM,3"	DESCRIPTION : PIPE BEND 90,	6
6602	SERRATE GASKET,SS317,37.5 * 46.5 * 3 MM	DESCRIPTION : SERRATE GASKET,	6
6603	GLAND PACKING,GRAP+WIRE,30* 43* 6.5 MM	DESCRIPTION : GLAND PACKING, RING	6
6604	TEE RED.,SUS 304,BW,SCH 80,6"*4"	TEE REDUCING,BW,S-80S X S80S, ASTM SS304, ANSI-B16.9,,	6
6605	Thermal fuse , ABB , LimasII , CO/CO2 analyzer , part no.745836	Description : Thermal fuse	6
6606	PIPE 3"x10S(LENGTH 6000 MM.),ASTM A312 Gr TP304L (B2402 PTA DRYER)	ITEM NAME : PIPE 3"x10S	6
6607	HEXAGON NUT,A4-70,SIZE: M12,P/N: 10001051,POS.NO.6765 (P2702)	ITEM NAME : HEXAGON NUT	6
6608	HEXAGON NUT,A4-70,SIZE: M12,P/N: 10100086,POS.NO.6766 (P2702)	ITEM NAME : HEXAGON NUT	6
6609	DISK,1.4571,SIZE: DA30DI14,5H18,P/N: 20199273,POS.NO.6781 (P2702)	ITEM NAME : DISK	6
6610	BENTLEY NEVADA 3500/61, TEMP INTERNAL BARRIER I/O MODULE, P-1101	DESCRIPTION : 136711-02 TEMP I/O WITH INTERNAL BARRIER	6
6611	BUSHING,PG29,GALVANIZE,SCREW,2"	DESCRIPTION : BUSHING,	5
6612	WELDOLET,SUS 317L,BW,SCH 40,3"*3/4"	DESCRIPTION : WELDOLET,	5
6613	PIPE BEND 90,SUS 304,BW,SEAM,THK 5 MM,4"	DESCRIPTION : PIPE BEND 90,	5
6614	STUD BOLT & NUTS,UNC,B8 CLASS 2,7/8"*155 MM.	DESCRIPTION : STUD BOLT & NUT	5
6615	MOMENTARY SWITCH,W+W COLOR,HITACHI	DESCRIPTION : MOMENTARY SWITCH,	5
6616	DC POWER SUPPLY UNIT,DM4U-5(5V),HITACHI	DESCRIPTION : DC POWER	5
6617	FUSE GLASS,250V, 2.5A,SIZE 6 * 6 * 30 MM	DESCRIPTION : FUSE GLASS,	5
6618	KEY BOARD SWITCH,HIS 5287,HITACHI	DESCRIPTION : KEYBOARD SWITCH,	5
6619	RIBBON MASK FOR PRINTER,F344212000,HITA	DESCRIPTION : RIBBON MASK,	5
6620	NUT FOR P1101,SIZE:DIA 19 * 23.5 MM	DESCRIPTION : NUT,	5
6621	NUT FOR P1101,SIZE:DIA 25.5 * 45.5 MM	DESCRIPTION : NUT,	5
6622	BALL ,SIZE:DIA 25 MM,MAT,L;ST.ST	DESCRIPTION : BALL, INNER,OUTER : 25 MM,	5
6623	GLAND PACKING FOR MB-1402	DESCRIPTION : GLAND PACKING	5
6624	GLAND PACKING FOR MB-2402	DESCRIPTION : GLAND PACKING,	5
6625	OIL SUPER HIGH LAND,NO.32	DESCRIPTION : OIL SUPER HIGH LAND	5
6626	BEARING FLANGE UNIT NO.UFC 208 (P3542)	ITEM NAME : BEARING FLANGE UNIT NO.UFC 208	5
6627	PACKING,MATERIAL NBR,DWG.NO.3122-713945,I/N 47	DESCRIPTION : PACKING	5
6628	O-RING INNER FOR COOLING CAP(A),ELASTOMER,SIZE: 45 MM.,POS.NO.31 (P3560)	DESCRIPTION : O-RING INNER FOR COOLING CAP(A)	5
6629	SCREEN FOR BUCKET STRAINER	DESCRIPTION : SCREEN	5
6630	GASKET,316/316 FILLER NON ASBESTOS/C.S,SIZE 1- 1/4" * 150#	DESCRIPTION : GASKET	5
6631	N.S.P,MATERIAL SUS 316L,SIZE L = 114 MM * T = 2 MM	DESCRIPTION : N.S.P	5
6632	WELDING TIG ROD,316L,1.5*1000 MM	WELDING TIG ROD,316L,	5
6633	SUCTION SCANNER NOZZLE(EBS),(X6),CAT NO.53-4074- 0132 "AMIAD"	DESCRIPTION : SUCTION SCANNER NOZZLE(EBS),(X6)	5
6634	PLC RACK CPU 8SLOTS,C200H-BC081-V2,OMRON	PLC RACK CPU 8 SLOTS,	5
6635	SERRATE GASKET,SS316, 138 * 148 * 2 MM	DESCRIPTION : SERRATE GASKET,	5
6636	GASKET,NIL/SS316 GRAP/NIL,257 * 281 MM.	GASKET SPIRAL WOUND,	5
6637	CONCENTRIC RED,SUS 304,S80,1"*1/2"	DESCRIPTION : CONCENTRIC REDUCE,	5
6638	Filer element-137G , ABB , LimasII,CO/CO2 analyzer , patr no.137G	Description : Filer element-137G	5
6639	PIPE 4"x10S(LENGTH 6000 MM.),ASTM A312 Gr TP304L (B2402 PTA DRYER)	ITEM NAME : PIPE 4"x10S	5

6640	BENTLEY NEVADA 3500/42, PROX / ACCL INTERNAL BARRIER I/O MODULE, P-1101	DESCRIPTION : 135489-01 PROX / ACCL I/O WITH INTERNAL BARRIER PROTECTION - NONE	5
6641	PIPE,SCH: S-XS,CARBON STEEL,API5L GR.B,SAW,BE,ANSI B36.10M,SIZE: 44"	ITEM NAME : PIPE	5
6642	FULL COUPLING,SUS 304,SW,3000#,1-1/2"	DESCRIPTION : FULL COUPLING,	4
6643	STUD BOLT & NUT,B8 CLASS 2,UNC,1-1/8"*235 MM.	DESCRIPTION : STUD BOLT & NUT	4
6644	PIPE BEND 90,SUS 304,SL,BW,SCH 40,1/2"	DESCRIPTION : PIPE BEND 90,	4
6645	RUPTURE DISC,SPECIAL (LL),TITANIUM,SIZE: 10" (PSE1308A)	ITEM NAME : RUPTURE DISC	4
6646	WELD NECK FLANGE,SUS 304,RF,1500#,3/4"	DESCRIPTION : WELD NECK FLANGE,	4
6647	PIPE BEND 45,SUS 304,BW,SEAM,SCH 40,4"	DESCRIPTION : PIPE BEND 45,	4
6648	GASKET,NIL/TI GRAP/CS,300#,6"	DESCRIPTION : GASKET,	4
6649	ANCHOR BOLT	DESCRIPTION : ANCHOR BOLT, -ANCHOR BOLT,	4
6650	GASKET,PTFE, 63.5 * 77 * 1.7 MM	DESCRIPTION : GASKET,	4
6651	DATA HIGHWAY PACKAGE,EDHW 200,HITACHI	DESCRIPTION : DATA HIGH WAY,	4
6652	DIGITAL INPUT PACKAGE,PDI 630 A,HITACHI	DESCRIPTION : DIGITAL INPUT PACKAGE,	4
6653	DIGITAL OUTPUT PACKAGE,PDO 630A,HITACHI	DESCRIPTION : DIGITAL OUTPUT PACKAGE,	4
6654	OUTPUT RELAY UNIT,PRO 160-D,HITACHI	DESCRIPTION : OUTPUT RELAY UNIT,	4
6655	DC POWER SUPPLY(RELAY),PRP 248,HITACHI	DESCRIPTION : DC POWER	4
6656	DETECTOR OF POWER FAILURE,IPC870,HITACHI	DESCRIPTION : DETECTOR,	4
6657	BOLT NUT P1101,SIZE: M16 * 60 MM	DESCRIPTION : BOLT AND NUT,	4
6658	CONNECTING FOR P-1101,SS-B058-M1	DESCRIPTION : CONNECTING,	4
6659	GASKET,DIA:210*230 MM	DESCRIPTION : GASKET, INNER,OUTER : 210 * 230 MM,	4
6660	GASKET F LUBE OIL SYSTEM,P/N:3138871	DESCRIPTION : GASKET F LUBE OIL,	4
6661	GASKET F LUBE OIL SYSTEM,P/N:3189443	DESCRIPTION : GASKET F LUBE OIL,	4
6662	GASKET,I/N 38,722-6609/0740797	DESCRIPTION : GASKET,	4
6663	NUT FOR P1101	DESCRIPTION : NUT,	4
6664	NUT FOR P1101, SIZE:DIA 19*17.5 *31.5 MM	DESCRIPTION : NUT,	4
6665	SEAL HALF RING,I/N 13,P/N 794.2885-19	DESCRIPTION : SEAL HALF RING, INNER,OUTER : 125 * 335 MM,	4
6666	SEAL HALF RING,I/N 14,P/N 791.2437-02	DESCRIPTION : SEAL HALF RING, INNER,OUTER : 128 * 205 MM,	4
6667	SPECIAL BOLT P1101,SIZE:DIA 15.5 * 65 MM	DESCRIPTION : SPECIAL BOLT,	4
6668	TILTING PAD SET,F.BEARING NO.1 (1 SET = 5 PCS),MAT'L: X60064084,P/N: 26-1000/1-00-100--001,771,POS.NO.77 (P-1101)	ITEM NAME : TILTING PAD SET,F.BEARING NO.1 (1 SET = 5 PCS)	4
6669	WASHER FOR P1101	DESCRIPTION : WASHER,	4
6670	ROUND PACATE,TYPE 4 HOLES	DESCRIPTION : ROUND PACATE	4
6671	SLEEVE,MATERIAL ST.ST,SIZE 5 * 50 MM	DESCRIPTION : SLEEVE	4
6672	GASKET,TEFLON (P1705)	DESCRIPTION : GASKET	4
6673	OIL PLUG,P/N:P-X4243-1,I/N 53	DESCRIPTION : OIL PLUG	4
6674	GASKET,P/N: MT12-D115-0031-3.POS.NO.15 (E1507)	DESCRIPTION : GASKET	4
6675	GASKET,TP35/TP35 PTFE/SUS304,322*340*372*388*THK.4.5 MM. (P1504)	DESCRIPTION : GASKET	4
6676	PACKING,MAT,L:NBR,DWG:3121-714255,I/N 49	DESCRIPTION : PACKING,	4
6677	SET PACKING,MATERIAL GRAPHITE,P/N POS.110	DESCRIPTION : PACKING	4
6678	NAME PLATE FOR SUNDYNE PUMP (G2201)	DESCRIPTION : NAME PLATE	4
6679	SEAT,E3201 L-33.1E	DESCRIPTION : SEAT,	4
6680	COUPLING NO.NM 112,SIZE: DIA.40x75 MM. (P1501)	ITEM NAME : COUPLING NO.NM 112	4
6681	PACKING SEAT,MATERIAL THREE SHEET,SIZE 340 * 547 * 0.4 MM THK,I/N 27	DESCRIPTION : PACKING SEAT	4

6682	GASKET,NIL/316L PTFE/NIL,SIZE: 675x700x3 MM.THK (E1702)	ITEM NAME : GASKET	4
6683	GLAND PACKING,SIZE 9.5 MM,DWG.NO.TP-1226-02-04- 2,I/N 18	DESCRIPTION : GLAND PACKING	4
6684	O-RING,SIZE: DIA 41 * 8 MM	DESCRIPTION : O-RING,	4
6685	PIN LOCK,P/N: 4584-0083 (P3861)	DESCRIPTION : PIN LOCK,	4
6686	SEAL RING,SIZE: DIA 18 * 12 * 1 MM	DESCRIPTION : SEAL RING,	4
6687	ACCESSORIES,P/N 12813R001	DESCRIPTION : ACCESSORIES	4
6688	NUT SEAL,MATERIAL SUS 316,P/N CL1000-4D22,I/N 9	DESCRIPTION : NUT SEAL	4
6689	RUBBER SEAL FOR F-2301	DESCRIPTION : RUBBER SEAL	4
6690	SEAL RING,TYPE HJ977GN/Q12Q12M2GG,SIZE 65 MM "BURGMANN"	DESCRIPTION : SEAL RING,	4
6691	MANWAY FOR VALVE TRAY,904L (C1601)	ITEM NAME : MANWAY	4
6692	OIL SEAL,NBR,ID.560xOD.610xTHK.20 MM. (F1441A/B/C)	DESCRIPTION : OIL SEAL	4
6693	O-RING FOR CYLINDER,EPDM,ID.1875xTHK.5 MM. (F1441A/B/C)	DESCRIPTION : O-RING FOR CYLINDER	4
6694	STUB END,SMLS,SUS304,SCH5,THK.5 MM.,10"	STUB END, SMLS BE,THK 5 MM.,ASTM A403 GR.WP304	4
6695	SAFETY RING DIN 472 150x4,P/N: 5177527,POS.NO.7.12 (RV2402C/D)	ITEM NAME : SAFETY RING DIN 472 150x4	4
6696	SAFETY RING DIN 472 140x4,P/N: 5177531,POS NO.5.3 (RV2402C/D)	ITEM NAME : SAFETY RING DIN 472 140x4	4
6697	SHAFT SEALING RING PS-SEAL/STAND 60*80*10,P/N 5177573,I/N 13	DESCRIPTION : SHAFT SEALING RING PS-SEAL/STAND 60*80*10	4
6698	GASKET,304/PTFE*304,215*233*263*306*4.5	DESCRIPTION : GASKET-SS304,	4
6699	STUD BOLT & NUT,B8 CLASS 2,UNC,M33*465 MM.	DESCRIPTION : STUD BOLT & NUT	4
6700	RUPTURE DISC,P2181-4C14,ST.ST.316,SIZE: 4" (PSE2424)	ITEM NAME : RUPTURE DISC, 4" P2181-4C14	4
6701	PIPE,CS,SEAM,SCH 20,36"*6M.	DESCRIPTION : PIPE,	4
6702	AUX.RELAY,155-93,R/V 110 VDC (G-3180)	MATERIAL DESCRIPTION : AUX RELAY,	4
6703	Lute tube seais , ABB , LimasII,CO/CO2 analyzer , patr no.TR100	Description : Lute tube seals	4
6704	HEX SHOULDER SCREW,A4-70,SIZE: M16x85,P/N: 20344741,POS.NO.6763	ITEM NAME : HEX SHOULDER SCREW	4
6705	HEX SHOULDER SCREW,A4-70,SIZE: M16x125,P/N: 20344178,POS.NO.6768	ITEM NAME : HEX SHOULDER SCREW	4
6706	DEHYDRTNG BREATHER SILICA GEL (TR-CAP) P-1101	DESCRIPTION : DEHYDRTNG BREATHER SILICA GEL (TR-CAP) P-1101	4
6707	BUSHING,PG36,GALVANIZE,SCREW,1-1/2"	DESCRIPTION : BUSHING,	3
6708	TEE,SUS 317L,BW,SCH 40,1/2"	DESCRIPTION : TEE,	3
6709	RUPTURE DISC,316-TI-317L,SIZE: 1-1/2" (PSE1531)	ITEM NAME : RUPTURE DISC, 1-1/2" P1328-5C	3
6710	WELD NECK FLANGE,SUS 304,RF,900#,3"	DESCRIPTION : WELD NECK FLANGE,	3
6711	BUSHING RED.,GALV,SCREW,3/8"*1/2"	DESCRIPTION : BUSHING REDUCER,	3
6712	WELD NECK FLANGE,SUS 304,RF,600#,8"	DESCRIPTION : WELD NECK FLANGE,	3
6713	VOLTAGE TRANSFORMER ,4MQ12XC,11000/V3,100/V3,100/3V,SIEMENS,	DESCRIPTION : VOLTAGE TRANSFORMER,	3
6714	SERRATE GASKET,SS316, 20.5 * 31.5 * 2 MM	DESCRIPTION : SERRATE GASKET,	3
6715	SERRATE GASKET,SS316,31.8 * 43.7 * 3.2MM	DESCRIPTION : SERRATE GASKET,	3
6716	MEMORY PACKAGE,SRAM,ESME100,HITACHI	DESCRIPTION : MEMORY PACKAGE,	3
6717	TEMP CONVERTER,800TR-PT(0-200 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	3
6718	DISTRIBUTOR,MODLE 200 DR,HITACHI	DESCRIPTION : DISTRIBUTOR,	3
6719	LAMP ANNUNCIATOR,WHITE COLOR,HITACHI	DESCRIPTION : LAMP ANNUNCIATOR,	3
6720	LOCK PC CARD NO.5	DESCRIPTION : LOCK PC CARD,	3
6721	PNEUMATIC RELAY,3-WAY,1/2",5CME648U,AR-2031(H), MOTOYAMA	DESCRIPTION : PNEUMATIC RELAY,	3
6722	CURRENT TRANSFORMER,12KV,40KA,1000/1/1A 50CS,30VA CL.10 P10,15VA CL.1	DESCRIPTION : CURRENT TRANSFORMER	3
6723	KEGEL,2 TIFT 10 * 100,SIZE: DIN 258 (P-1101)	ITEM NAME : KEGEL	3

6724	BOWL BUMPER,P/N P-X2980-2,I/N 124	DESCRIPTION : BOWL BUMPER	3
6725	(NOT USE) BEARING FLANGE UNIT NO.UCF 208 (P3542)	ITEM NAME : BEARING FLANGE UNIT NO.UFC 208	3
6726	BOLT,SIZE:M10,MAT,L:SANDVIK,I/N:90	DESCRIPTION : BOLT,	3
6727	BOLT,SUS304,M16,POS.NO.43 (P2403,P2404)	DESCRIPTION : BOLT	3
6728	GASKET,TP35/TP35 PTFE/SUS304,108*127*149.4* 74.6*THK.4.5 MM. (P1504)	DESCRIPTION : GASKET	3
6729	GASKET,SPWG,TP35/ PTFE/SUS304,SIZE: 176x186x209.6x220x4.5 MM. (P1402)	DESCRIPTION : GASKET	3
6730	GASKET,SPWG,TP35/ PTFE/SUS304,SIZE: 83x105.1x120.6x135x4.5 MM. (P1402)	DESCRIPTION : GASKET	3
6731	O-RING,VITON,I/N 52B+52D+52C (P1504)	DESCRIPTION : O-RING	3
6732	SPECIAL BOLT WITH NUT,M8x71.5 MM. (P2401)	ITEM NAME : SPECIAL BOLT WITH NUT	3
6733	SPECIAL BOLT&NUT,SIZE: M8 * 72 MM.	Description : SPECIAL BOLT AND NUT	3
6734	SPECIAL BOLT WITH NUT,M8x70 MM. (P2406)	DESCRIPTION : SPECIAL BOLT WITH NUT	3
6735	VC RING,PTFE,I/N 2C (P1504)	DESCRIPTION : VC RING	3
6736	VC RING,PTFE,I/N 4A (P1504)	DESCRIPTION : VC RING	3
6737	GLAND PACKING,ASBESTOS+TEFLON,SIZE: ID.70xOD.100x12 MM THK (G1404, G2402)	DESCRIPTION : GLAND PACKING	3
6738	MECHANICAL SEAL,TYPE E1 VITON,MATERIAL CARBON & BUNA-N "BURGMANN"	DESCRIPTION : MECHANICAL SEAL	3
6739	GASKET,TI/TI PTFE/SUS304,SIZE 1206x1246x1290x1339x4.5 MM.THK (D1504)	ITEM NAME : GASKET	3
6740	GASKET,TEFLON,ID.408xOD.470xTHK.3 MM. (C1601)	ITEM NAME : GASKET	3
6741	GASKET,304/304 FILLER PTFE/CS,SIZE: 1105x1130x1160x1195x3 MM.THK (G1502)	ITEM NAME : GASKET	3
6742	GASKET FOR GLAND BO*,MATERIAL SILICONE RUBBER,DWG.NO.P150259	DESCRIPTION : GASKET FOR GLAND BO*	3
6743	GASKET,MATERIAL SILICONE,DWG.NO.P150258,I/N 16	DESCRIPTION : GASKET	3
6744	PISTON RING,SIZE: 62 * 53 * 5 MM	DESCRIPTION : POSTON RING,	3
6745	GLAND PACKING,FV-2505,P/N 011488-495-999	GLAND PACKING (6 PCS/SET),	3
6746	RUPTURE DISC,P1330A-15C14(TL)200,TITANIUM,SIZE: 4" (PSE1536A)	ITEM NAME : RUPTURE DISC, 4" P1330A-15C14(TL)200	3
6747	FLAME ARRESTER,MODEL KSFI,MATERIAL A240-316L ELEMENT,SIZE INLET 2 * 150#,OUTLET 2 * 150#	DESCRIPTION : FLAME ARRESTER	3
6748	PIPE,UPVC,1120,SCH 80,ASTM D1785,2"*2 M.	DESCRIPTION : PIPE,	3
6749	SAFETY RING DIN 472 140x4,P/N: 5177519,POS.NO.7.18 (RV2402C/D)	ITEM NAME : SAFETY RING DIN 472 140x4	3
6750	SUPPORTING DISC D 50/60*3 110167,P/N 5177560	DESCRIPTION : SUPPORTING DISC D 50/60*3 110167	3
6751	GROOVED BALL BEARING DIN 625,NO.6210-2R,I/N 14	DESCRIPTION : GROOVED BALL BEARING DIN 625	3
6752	O-RING,VITON,DIA.2760xTHK.7 MM.T,POS.NO.34,36,97,99 (P1101B,E1107)	DESCRIPTION : O-RING,	3
6753	O-RING SIZE ID35 * 3 MM, NBR	O-RING,	3
6754	O-RING SIZE ID 25 * 3 MM, NBR	O-RING,	3
6755	O-RING,NBR,ID 14 * 2 MM.	O-RING,	3
6756	GASKET,TI/TI PTFE/CS,SIZE: 2987x3027x3067x3100x4.5 MM.THK (E1301C)	ITEM NAME : GASKET	3
6757	WELDOLET,SUS 317L,BW,SCH 40,3"*1"	DESCRIPTION : WELDOLET,	3
6758	LAP JOINT FLANGE,SUS 316L,FF,150#,36"	DESCRIPTION : LAP JOINT FLANGE,	3
6759	STUB END,WP 31803-S,BW,SCH 40,8"	DESCRIPTION : STUB END	3
6760	SWITCH GEAR,KYN8-10F-07,3.3 KV	MATERIAL DESCRIPTION : SWITCH GEAR	3
6761	Plate, SUS 316L, 4 FT x 8 FT, 5 MM	Plate, SUS 316L, 4 FT x 8 FT, 5 MM	3
6762	HEXAGON NUT,A4-70,SIZE: M30,P/N: 10100086,POS.NO.6773 (P2702)	ITEM NAME : HEXAGON NUT	3
6763	HEXAGON NUT,A4-035,SIZE: M30,P/N: 20103583,POS.NO.6774 (P2702)	ITEM NAME : HEXAGON NUT	3
6764	DISK,1.4571,SIZE: DA60DI32H38,P/N: 20199271,POS.NO.6779 (P2702)	ITEM NAME : DISK	3
6765	O-Ring for Actuator (IR 118 x DIA 6 m.m.), NBR, Tag : FV-2423A-E, FV-2414A-E	Description : O-Ring for Actuator (IR 118 x DIA 6 m.m.), NBR	3

6766	NUT HEX HEAD,SUS 304,1"	DESCRIPTION : NUT HEX HEAD,	2
6767	STUD BOLT & NUT,B8 CLASS 2,UNC,1"*180 MM.	DESCRIPTION : STUD BOLT & NUT	2
6768	BOSS CUT 45,SUS 304,SCREW,3000#,1/2"	DESCRIPTION : BOSS CUT 45,	2
6769	GLOBE VALVE,SUS316,RF,150#,10"	DESCRIPTION : GATE VALVE,	2
6770	ECCENTRIC RED.,SUS 304,BW,10"*6"	DESCRIPTION : ECCENTRIC REDUCER,	2
6771	MACHINE FLANGE,SUS 304,RF,FF,300#,40"	DESCRIPTION : MACHINE FLANGE,	2
6772	ELBOW 45 316L,BW,SCH 40,3"	DESCRIPTION : ELBOW 45,	2
6773	ELBOW 90,HOT DIP GALV,SCREW,3000#,3"	DESCRIPTION : ELBOW 90,	2
6774	(NOT USE) U-BOLT & NUT,GALVANIZE,BSW,5"	DESCRIPTION : U-BOLT & NUT,	2
6775	STUB END,SUS 304,BW,SL,SCH 10,8"	DESCRIPTION : STUB END,	2
6776	BASIC PROCESSING UNIT,NCPU200,HITACHI	DESCRIPTION : BASIC PROCESSING UNIT,	2
6777	EXPANSION CRT PACKAGE,ECRT200,HITACHI	DESCRIPTION : EXPANSION CRT PACKAGE,	2
6778	EXPANSION CRT PACKAGE,ECRT210,HITACHI	DESCRIPTION : EXPANSION CRT PACKAGE,	2
6779	EXPANSION CRT PACKAGE,ECRT230,HITACHI	DESCRIPTION : EXPANSION CRT PACKAGE,	2
6780	MEMORY PACKAGE,DRAM,EDME 210,HITACHI	DESCRIPTION : MEMORY PACKAGE,	2
6781	PRINTER CONNECTING ,EPRT100B, HITACHI	DESCRIPTION : PRINT CONNECTING,	2
6782	LIGHT PEN FOR OPERATOR,HIS 5210,HITACHI	DESCRIPTION : LIGHT PEN,	2
6783	PI/O BUS INTERFACE,PCE 870,HITACHI	DESCRIPTION : BUS INTERFACE,	2
6784	PI/O DRIVE PACKAGE,UDC 650,HITACHI	DESCRIPTION : DRIVE PACKAGE,	2
6785	PROCESSING PACKAGE,CPU 812 B,HITACHI	DESCRIPTION : PROCESSING PACKAGE,	2
6786	REDUNDANT EQUALIZE PACKAGE,EQL850,HITA	DESCRIPTION : REDUNDANT EQUALIZE PACKAGE,	2
6787	POWER UNIT, 800 PW-W, HITACHI	DESCRIPTION : POWER UNIT,	2
6788	TEMP CONVERTER,800TC-PT(0-150 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	2
6789	TEMP CONVERTER,800TC-PT(0-300 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	2
6790	LAMP ANNUNCIATOR,W+W COLOR,HITACHI	DESCRIPTION : LAMP ANNUNCIATOR,	2
6791	MOMENTARY SWITCH,RED COLOR,HITACHI	DESCRIPTION : MOMENTARY SWITCH,	2
6792	DC POWER SUPPLY,DM4U-12M(12V),HITACHI	DESCRIPTION : DC POWER	2
6793	PRINTER HEAD,MODEL:LQ-2550, BRAND:EPSON	DESCRIPTION : PRINTER HEAD,	2
6794	DC I/P MODULE 16 CH(24/48V),PPX505 4316A	DESCRIPTION : DC INPUT MODULE,	2
6795	ELECTRONIC ALARM SIGNAL UNIT,TES20, H&B	DESCRIPTION : ELECTRONIC ALARM SIGNAL UNIT,	2
6796	DISC B00571-103-000	DESCRIPTION : DISC,	2
6797	CURRENT TRANSFORMER,12KV,40KA,1000/1/1A 50CS,30VA CL.10 P10,15VA CL.1 M5 SIEMENS (MB4104)	DESCRIPTION : CURRENT TRANSFORMER	2
6798	COUPLING FOR P1101,SIZE:DIA 22 * 50 MM	DESCRIPTION : COUPLING COMPLETE SET,	2
6799	GASKET F LUBE OIL SYSTEM,P/N 3179660	DESCRIPTION : GASKET F LUBE OIL SYSTEM	2
6800	GASKET FOR P1101,SIZE: 1 INC.	DESCRIPTION : GASKET,	2
6801	GASKET,7027061,DIA:415*435 MM	DESCRIPTION : GASKET, INNER,OUTER : 415 * 435 MM,	2
6802	SEAL HALF RING,I/N 16,P/N 1616.19	DESCRIPTION : SEAL HALF RING, INNER,OUTER : 300 * 345 MM,	2
6803	STUD BOLT/NUT,SIZE:DIA 28.5 * 140 MM	DESCRIPTION : STUD BOLT/NUT,	2
6804	STUD BOLT,SIZE:DIA 32.5 * 150 MM	DESCRIPTION : STUD BOLT,	2
6805	COVER,ST.ST,SIZE: ID.36 MM.xOD.45 MM. (MB2402)	DESCRIPTION : COVER	2
6806	PRINT LOCK,SIZE DIA.12 * 120 MM	DESCRIPTION : PRINT LOCK	2
6807	SEEVE,MATERIAL ST.ST.	DESCRIPTION : SEEVE	2

6808	SHAFT SLEEVE,MATERIAL ST.ST,SIZE 50 * 195 MM	DESCRIPTION : SHAFT SLEEVE	2
6809	TEFLON SEAL,TEFLON,SIZE ID.26xOD.36x1 MM.THK (MB2402)	DESCRIPTION : TEFLON SEAL	2
6810	BEARING LOCK NUT,P/N: P-D7725A-1,POS.NO.6 (P2409)	DESCRIPTION : BEARING LOCK NUT	2
6811	OIL SEAL,VITON,P/N: W-V5247A-31,POS.NO.52 (P1705)	DESCRIPTION : OIL SEAL	2
6812	PLUG,SS400,P/N: W-W11073-1,POS.NO.66 (P1705)	DESCRIPTION : PLUG	2
6813	SEAL HOLDER,MAT'L: SS400,P/N: P-X7304P-1- DA,POS.NO.46 (P2409)	ITEM NAME : SEAL HOLDER	2
6814	BOLT,SIZE:M 20 * 110 MM.,MAT,L: SUS 304	DESCRIPTION : BOLT,	2
6815	GASKET,SPWG,TP35/ PTFE/SUS304,SIZE: 162x182.6x209.6x220x4.5 MM. (P1402)	DESCRIPTION : GASKET	2
6816	GASKET,TP35/PTFE/SUS304,SIZE:176x186x209.6x248xTH K.4.5 MM. (P1401)	ITEM NAME : GASKET	2
6817	UPPER MATING RING ASSEMBLY,MATERIAL NT-23/TB- 35,I/N 25	DESCRIPTION : UPPER MATING RING AASEMBLY	2
6818	MATING RING,P/N: MT12-D115-0031-3 (E1507)	ITEM NAME : MATING RING	2
6819	O-RING,VITON,I/N 32A+32B (P1504)	DESCRIPTION : O-RING	2
6820	O-RING,VITON,I/N 97 (P1504)	DESCRIPTION : O-RING	2
6821	OIL SEAL,NBR,ID.170xOD.200xTHK.15 MM.,P/N: MT12- D115-0031-3 (E1507)	DESCRIPTION : OIL SEAL,	2
6822	PACKING,MAT,L:NBR,DWG:3121-714255,I/N 50	DESCRIPTION : PACKING,	2
6823	PACKING,MAT,L:NBR,DWG:3122-713936,I/N 47	DESCRIPTION : PACKING,	2
6824	PRIMARY RING,P/N MT12-D115-0031-3,I/N 1	DESCRIPTION : PRIMARY RING,	2
6825	SEAL RING,CARBON & 316 SS,I/N 3 (P1504)	DESCRIPTION : SEAL RING	2
6826	SPECIAL BOLT WITH NUT,M8x66.5 MM. (P2402,P2405)	DESCRIPTION : SPECIAL BOLT WITH NUT	2
6827	STATIONARY SEAT,TUNGSTEN CARBINE&TITANIUM,POS.NO.1B (P1504)	ITEM NAME : STATIONARY SEAT	2
6828	WEDGE,DWG:3122-803451,I/N 21	DESCRIPTION : WEDGE RING,	2
6829	COVER COUPLING GUARD OF PUMP G-1203	DESCRIPTION : COVER COUPLING GUARD	2
6830	COVER PLATE,P/N 30200534-3	DESCRIPTION : COVER PLATE	2
6831	GASKET DISCHARGE,MATERIAL NITRILE ACRYLIC FOR TAG NO.G-4012	DESCRIPTION : GASKET DISCHARGE	2
6832	GASKET,SIZE: ID.177 * OD.295 * 1 MM.THK,MAT'L: TEFLON (G-1404,G-2102)	Description : GASKET	2
6833	GASKET,ASBESTOS,ID.361 * OD.440 * 1 MM THK	DESCRIPTION : GASKET	2
6834	GASKET,MATERIAL S9901,ID.141 * 192 * 1.5 MM,P/N 523946-73,I/N 152	DESCRIPTION : GASKET,	2
6835	KIT SEAL SET,P/N: R196-MKM 8 (G1705,G1901)	ITEM NAME : KIT SEAL SET	2
6836	O-RING,TEFLON,ID.29xTHK.3 MM. (G1404,G2102)	DESCRIPTION : O-RING	2
6837	O-RING,MATERIAL SYNTHETIC RUBBER,I/N R1-18	DESCRIPTION : O-RING	2
6838	O-RING,MATERIAL SYNTHETIC RUBBER,I/N R1-26	DESCRIPTION : O-RING	2
6839	RADIAL OIL SEAL,POS.NO.15 (G2901)	DESCRIPTION : RADIAL OIL SEAL	2
6840	STEEL COUPLING,P/N 688534-72	DESCRIPTION : STEEL COUPLING	2
6841	EYE BOLT FOR MANHOLE TAG NO641	DESCRIPTION : EYE BOLT,	2
6842	GASKET,317L/317L FILLER PTFE/NIL,SIZE: 210x227x259x4.5 MM.THK (D1502)	ITEM NAME : GASKET	2
6843	SEAL PASTE OF C-1603	DESCRIPTION : SEAL PASTE	2
6844	NUT AND WASHER,SS400,DIA.160x210x25 MM. (T1401A/B)	DESCRIPTION : NUT AND WASHER	2
6845	GASKET,P/N: S:13.13.10 (P3861)	DESCRIPTION : GASKET,	2
6846	O-RING,SIZE: DIA 23 * 15 * 8 MM	DESCRIPTION : O-RING,	2
6847	O-RING,SIZE: ID 68 * 3 MM	DESCRIPTION : O-RING,	2
6848	SEAL RING,P/N: 12482-7	DESCRIPTION : SEAL RING,	2
6849	SEAL RING,P/N: 12482-8	DESCRIPTION : SEAL RING,	2

6850	SEAL RING,P/N:12482-10	DESCRIPTION : SEAL RING,	2
6851	SQUARE STEEL,SIZE: 30 HOLES	DESCRIPTION : SQUARE STEEL,	2
6852	VALVE RELIEF,I/N 41,P/N 222700003	DESCRIPTION : VALVE RELIEF	2
6853	GALVANIZE FRAME,P/N 181581-22	DESCRIPTION : GALVANIZE FRAME	2
6854	GASKET,321/321 ASB/CS,1500#,1/2"	DESCRIPTION : GASKET,	2
6855	TEE REDUCING,SUS 304,BW,SCH 10, 4"*2"	TEE REDUCING,BW,S-10S, ASTM SS304, ANSI-B16.9,	2
6856	GASKET,NIL/321 ASB/CS,300#,20"	DESCRIPTION : GASKET,	2
6857	WELD NECK FLANGE,304,PN16-20A	WELD NECK FLANGE,SUS 304,PN16-20A-WELD NECK FLANGE,	2
6858	STUB END,SUS 304,BW,SCH 10,1-1/2"	DESCRIPTION : STUB END,	2
6859	PIPE NIPPLE,PBE,SUS 304,SCH 160,3/4"	DESCRIPTION : PIPE NIPPLE,	2
6860	SPINDLE SEAL FOR IGV STAGE:3,I/N:17#42	DESCRIPTION : SPINDLE SEAL	2
6861	(NOT USE) THRUST COLLAR FOR IGV ST:3	DESCRIPTION : THRUST COLLAR	2
6862	TEE RED.,SUS 304,BW,SCH 80,1-1/2"*3/4"	TEE REDUCING,BW,S-80S X S80S, ASTM SS304, ANSI-B16.9,,	2
6863	GASKET,FV-2505,P/N 009291-550-779	BODY GASKET,	2
6864	GASKET,FV-2505,P/N 009291-549-779	SEAT RING GASKET,	2
6865	GLAND PACKING,FV-2506,P/N 011488-500-999	GLAND PACKING (7 PCS/SET),	2
6866	BACK SEAT,PTFE,XV-2405, XV-2406	BACK SEAT,	2
6867	STEM SEAT,PTFE,XV-2405, XV-2406	STEM SEAT,	2
6868	STEM WEARING,PTFE,XV-2405, XV-2406	STEM WEARING,	2
6869	GLAND WEARING,PTFE,XV-2405, XV-2406	GLAND WEARING,	2
6870	CAP GASKET,PTFE,XV-2405, XV-2406	CAP GASKET,	2
6871	SEAT RING,PTFE,XV-2405, XV-2406	SEAT RING (2 PCS/SET),	2
6872	PIPE,SUS 304,SEAM,SCH 10,24"*6 M.	DESCRIPTION : PIPE,	2
6873	PIPE,SUS 316,SL,SCH 40,14"*6 M.	DESCRIPTION : PIPE,	2
6874	PIPE,EFW,SUS 316L,SEAM,SCH 40,14"*5 M.	DESCRIPTION : PIPE,	2
6875	ROLLER & ROLLER SHAFT,MAT'L: FCD700 & S45C (B- 1402)	Description : ROLLER & ROLLER SHAFT	2
6876	ELBOW 90,SUS 316,SCH 20,14"	DESCRIPTION : ELBOW 90,	2
6877	MOTOR GEAR,5.5KW,380V,50HZ,4P,SUMITOMO (MP1504)	MOTOR GEAR, CAPACITY : 5.5 KW, POWER	2
6878	TILTING STONE.F.PAD BEARING.200358088	DESCRIPTION : TILTTING STONE.F.TILTING PAD BEARING, ARTICLE NO : 200358	2
6879	CUP SPRING 78 * 51 * 2.7,P/N 5177564	DESCRIPTION : CUP SPRING 78 * 51 * 2.7	2
6880	LABYRINTH RING D 60 * 80.14404 05.1.554.11	DESCRIPTION : LABYRINTH RING D 60*80,1.4404 05.1.554.11.4	2
6881	SAFETY RING DIN 472 80x2.5,P/N: 5177574 (RV2905B)	ITEM NAME : SAFETY RING DIN 472 80x2.5	2
6882	SHAFT SLEEVE D 55/60*63,8,P/N 5177575	DESCRIPTION : SHAFT SLEEVE D 55/60*63,8	2
6883	ORIFIC PLATE-SS	DESCRIPTION : ORIFIC PLATE-SS,	2
6884	O-RING,SIZE:3475*7 MM,I/N:87,24,VITON	DESCRIPTION : O-RING,	2
6885	O-RING SIZE,4265*7MMT,ITEM 45,47,48,1	DESCRIPTION : O-RING,	2
6886	O-RING SIZE,3490*7MMT,I/N 14,74,76,12	DESCRIPTION : O-RING,	2
6887	O-RING SIZE, 3040*7MMT, I/N 100,37	DESCRIPTION : O-RING,	2
6888	O-RING SIZE,2955*7MMT,I/N 86,23,88,25	DESCRIPTION : O-RING,	2
6889	O-RING,VITON,4010xTHK.7 MM.POS.NO.75,13 (P1101B)	DESCRIPTION : O-RING	2
6890	O-RING,VITON,4865xTHK.7 MM.,POS.NO.46,2 (P1101B)	DESCRIPTION : O-RING	2
6891	SEAL-RUBBER,SIZE 1088 * 30.5 MM T,I/N 5,49	DESCRIPTION : SEAL-RUBBER	2

6892	SEAL-RUBBER,SIZE 666 * 30.5 MMT,I/N 38,101,90	DESCRIPTION : SEAL-RUBBER	2
6893	SEAL-RUBBER,SIZE 861 * 30.5 MM T,I/N 78,16	DESCRIPTION : SEAL-RUBBER	2
6894	GASKET,304/PTFE/304,603*628*685*772*4.5	DESCRIPTION : GASKET-SS304,	2
6895	GASKET,304/PTFE*304,268*287*317*360*4.5	DESCRIPTION : GASKET-SS304,	2
6896	O-RING,MATERIAL VITON,SIZE ID.290 * 3 MM THICK,POS.84	DESCRIPTION : O-RING	2
6897	ANCHOR BOLT AND NUT,CHROME ZI,M20*60 MM	DESCRIPTION : ANCHOR BOLT AND NUT,	2
6898	COLLAR FOR FLAP ZAP 300,EPDM	COLLAR	2
6899	STUB END,B363 WPT2-W,BW,SCH 10,2"	DESCRIPTION : STUB END,	2
6900	TEE,SUS 304,SL,BW,SCH 80,1"	DESCRIPTION : TEE,	2
6901	TEE,SUS 317,SL,BW,SCH 40,3/4"	DESCRIPTION : TEE,	2
6902	TEE,SUS 304,SL,BW,SCH 80,1/2"	DESCRIPTION : TEE,	2
6903	TEE RED.,SUS 317,BW,SCH 40,1"*3/4"	TEE REDUCING,BW,S-40S X S40S, ASTM SS317, ANSI-B16.9,,	2
6904	ELBOW 90,A 105N,CS,2000#,2",NPT	DESCRIPTION : ELBOW 90,	2
6905	WELDOLET,SUS 317,BW,SCH 40,18"*1/2"	DESCRIPTION : WELDOLET,	2
6906	PIPE BEND 79.3,SUS 304,BW,SCH 80,2"	DESCRIPTION : PIPE BEND 79.3,	2
6907	ORIFIC FLANGE,SUS 317,RF,300#,2"	DESCRIPTION : ORIFIC FLANGE,	2
6908	WELD NECK FLANGE,SUS 304,RF,900#,2-1/2"	DESCRIPTION : WELD NECK FLANGE,	2
6909	ECCENTRIC RED.,SUS 304,SCH 10,8"*5"	DESCRIPTION : ECCENTRIC REDUCER,	2
6910	ELBOW 90,SUS 316L,SEAM,BW,THK 7.5 MM,24"	DESCRIPTION : ELBOW 90,	2
6911	PIPE,CS,SEAM,THK 10MM,32"*6 M.	DESCRIPTION : PIPE,	2
6912	PIPE,CS,SEAM,THK 9 MM,30"*6 M.	DESCRIPTION : PIPE,	2
6913	TEE RED.,SUS 304,BW,SCH 40,1"*3/4"	DESCRIPTION :TEE REDUCE,	2
6914	CONCENTRIC RED.,A105N,CS,SCH 40,12"*8"	DESCRIPTION : CONCENTRIC REDUCER,	2
6915	PM I/O LINK MODULE,TK-IOLI01,HONEYWELL	PM I/O LINK MODULE,,	2
6916	LAP JOINT FLANGE,A105N,CS,FF,900#,6"	DESCRIPTION : LAP JOINT FLANGE,	2
6917	LAP JOINT FLANGE,A105N,CS,FF,1500#,6"	DESCRIPTION : LAP JOINT FLANGE,	2
6918	STUB END,B363 WPT2-W,BW,THK 8 MM,16"	DESCRIPTION : STUB END,	2
6919	STUB END,SUS 304,BW,SCH 80,6"	DESCRIPTION : STUB END,	2
6920	STUD BOLT & NUTS,B7,UNC,3"*520 MM	DESCRIPTION : STUD BOLT & NUTS	2
6921	GLAND PACKING,PURE PTFE,18 * 31 * 6 MM.	GLAND PACKING (5 PCS/SET),	2
6922	BUTTERFLY VALVE,SUS 304,NBR,DN 50,2"	DESCRIPTION : BATTERFLY VALVE,	2
6923	PAD FLANGE A182CRF304,54"	DESCRIPTION : PAD FLANGE,	2
6924	GLAND PACKING,PURE PTFE,50 * 69 * 10 MM.	GLAND PACKING (5 PCS/SET),	2
6925	MOTOR GEAR,2.2KW,4P, 4.8A, 380V, FUJI EL (YP2601)	MOTOR GEAR, CAPACITY : 2.2 KW, 4POLE, 3 PHASE, POWER	2
6926	RUBBER HOSE WITH WIRE STEEL REIN FORCE,RUBBER,DIA.75 MM.x220 MM.	DESCRIPTION : RUBBER HOSE WITH WIRE STEEL REIN FORCE	2
6927	MOTOR, 20HP, 2P,380V,50HZ,GE MOTOR (MG1901A)	MOTOR, POWER	2
6928	LUMP CRUSHER MOTOR,30KW,CL2,DIV2,GRPD&G (MM2101BA,BB)	DESCRIPTION : LUMP CRUSHER MOTOR,	2
6929	DESICCANT (SO2 ANALYZER)	MATERIAL DESCRIPTION : DESICCANT, ,	2
6930	AIR LUBRICATOR,2 PORT,9.9 KG/CM2,1/2"NPT	MATERIAL DESCRIPTION : AIR LUBRICATOR,	2
6931	SHAFT PROTECTING SLEEVE (G-3143)	MATERIAL DESCRIPTION : SHAFT PROTECTING SLEEVE,	2
6932	PACKING RING OF CONDENSATE PUMP(G-3170)	MATERIAL DESCRIPTION : PACKING RING, ,	2
6933	MECHANICAL SEAL,T:FP25 "EAGLE" (G-3208)	MATERIAL DESCRIPTION : MACHANICAL SEAL,	2

6934	BOOSTER PUMP,380 V,0.37 KW,3 PH (P-5202)	MATERIAL DESCRIPTION : BOOSTER PUMP,	2
6935	DISCONNECTING SWITCH,630A,15KV,SDS-3HE6N,H6	Description : DISCONNECTING SWITCH	2
6936	Bottom Ring Pos 154 ARCA, FV-1309C	Description : Bottom Ring	2
6937	AVR, REMOTE IO ANALOG OUTPUT, MCR-SL-RPS-II, 2864422, PHONIX, (A3.131)	DESCRIPTION : REMOTE IO ANALOG OUTPUT	2
6938	C200 CONTROL PROCESSOR, TC-PRS021, HONEYWELL DCS	DESCRIPTION : C200 CONTROL PROCESSOR, TC-PRS021, HONEYWELL DCS	2
6939	BENTLEY NEVADA 3500/62, PROCESS VARIABLE MONITOR, P-1101A	DESCRIPTION : 163179-03 3500/62 PROCESS VARIABLE MONITOR	2
6940	DIGITAL DISPLAY 5 DIGIT, MCR-SL-D-U-I, PHOENIX CONTACT, CCR	DESCRIPTION : DIGITAL DISPLAY 5 DIGIT	2
6941	HEXAGON BOLT,A4-70,SIZE: M12x30,P/N: 10000205,POS.NO.5784 (P2702)	ITEM NAME : HEXAGON BOLT	2
6942	HEXAGON BOLT,A4-70,SIZE: M10x80,P/N: 20343272,POS.NO.6805 (P2702)	ITEM NAME : HEXAGON BOLT	2
6943	HEXAGON NUT,A4-70,SIZE: M10,P/N: 10001050,POS.NO.6810 (P2702)	ITEM NAME : HEXAGON NUT	2
6944	HEXAGON BOLT,A4-70,SIZE: M16x40,P/N: 20240547,POS.NO.7820 (P2702)	ITEM NAME : HEXAGON BOLT	2
6945	MITER90, A105, 36", SCH40	Description : MITER90, A105, 36", SCH40	2
6946	BENTLEY NEVADA 3500/25, KEYPHASER INTERNAL BARRIER I/O MODULE, P-1101	DESCRIPTION : 135473-01 KEY PHASER I/O WITH INTERNAL BARRIER	2
6947	BENTLEY NEVADA 3500/62, PROCESS VARIABLE INTERNAL BARRIER I/O MODULE, P-1101	DESCRIPTION : 137110-01 4 TO 20 mA I/O WITH INTERNAL BARRIER	2
6948	RUPTURE DISC,BT-KUB4,SS316/SS316,SIZE: 4" (PSE2702X)	ITEM NAME : RUPTURE DISC	2
6949	O-RING,EPDM(FDA BLACK-259),ID.158 MM.xOD.165 MM.xTHK.3.53 MM.,P/N: 7,8 (T1441C)	ITEM NAME : O-RING	2
6950	O-RING,EPDM(FDA BLACK-257),ID.149 MM.xOD.156 MM.xTHK.3.53 MM.,P/N: 9,10 (T1441C)	ITEM NAME : O-RING	2
6951	Diaphragm actuator, NBR, insert fabric, Tag : XV- 1390-1-5	Description : Diaphragm actuator, NBR, insert fabric	2
6952	O-Ring Kit NBR, for cylinder Actuator valve, XV- 2409A-G	Description : O-Ring Kit NBR, for cylinder Actuator valve	2
6953	MOTOR,7.5HP,380V,2P,11.6A,2840 RPM,FOOT,TATUNG(MGM-3515A/B)	Description : MOTOR 3 PHASE INDUCTION-MOTORS	2
6954	PIPE BEND 60,SUS 317,SL,BW,SCH 40,1-1/2"	DESCRIPTION : PIPE BEND 60,	1
6955	WELD NECK FLANGE,SUS 316L,RF,600#,1-1/2"	DESCRIPTION : WELD NECK FLANGE,	1
6956	ECCENTRIC RED.,BW,317L,SCH 40,1-1/2"*1"	DESCRIPTION : ECCENTRIC REDUCER,	1
6957	STUD BOLT & NUT,B8 CLASS 2,UNC,1"*155 MM.	DESCRIPTION : STUD BOLT & NUT	1
6958	STUD BOLT & NUTS,B8 CLASS 2,UNC,1"x205 MM.	DESCRIPTION : STUD BOLT & NUT	1
6959	WELD NECK FLANGE,A105N,FEMALE,900#,1/2"	DESCRIPTION : WELD NECK FLANGE,	1
6960	ELBOW 90,SUS 317L,BW,SL,SCH 40,1/2"	DESCRIPTION : ELBOW 90,	1
6961	HALF COUPLING,SUS 304,SW,BW,3000#,1/2"	DESCRIPTION : HALF COUPLING,	1
6962	GATE VALVE,SUS 304,SCS13/K,RF,10K,1/2"	DESCRIPTION : GATE VALVE	1
6963	GLOBE VALVE,321,LARGE FEMALE,900#,1/2"	DESCRIPTION : GLOBE VALVE,	1
6964	NIPPLE ECCEN.SUS 317,BW,SCH 40,1/2"*1/4"	DESCRIPTION : NIPPLE ECCENTRIC,	1
6965	CAP,SUS 316L,BUTT-WELDING,3000#,1/4"	DESCRIPTION : CAP,	1
6966	LAP JOINT FLANGE,ASTM A105N CS,300#,12"	DESCRIPTION : LAP JOINT FLANGE,	1
6967	CONCENTRIC RED.,SUS 316L,BW,12*10"	DESCRIPTION : CONCENTRIC REDUCER,	1
6968	ECCENTRIC RED.,SUS 304,BW,14"*8"	DESCRIPTION : ECCENTRIC REDUCER,	1
6969	PIPE BEND 45,SUS 304,BW,SL,SCH 40,2"	DESCRIPTION : PIPE BEND 45,	1
6970	MACHINE FLANGE,SUS 304,RF,300#,20"	DESCRIPTION : MACHINE FLANGE,	1
6971	ELBOW 45,HOT DIP GALV.,SCREW,3000#,3"	DESCRIPTION : ELBOW 45,	1
6972	PIPE BEND 60,SUS 304,SEAM,BW,3"*THK 4 MM	DESCRIPTION : PIPE BEND 60,	1
6973	WELDOLET,SUS 304,BW,SCH 40,3"*1"	DESCRIPTION : WELDOLET	1
6974	BOSS CUT 45,SUS 304,SCREW,3000#,3/4"	DESCRIPTION : BOSS CUT 45,	1
6975	TEE RED.,SUS 304,BW,SL,SCH 40,3/4"*1/2"	DESCRIPTION : TEE REDUCE	1

6976	PIPE BEND 45,SUS 304,BW,SL,THK 4 MM,6"	DESCRIPTION : PIPE BEND 45,	1
6977	STUB END,BW,SEAM,SUS 304,SCH10,7*19-1/2"	DESCRIPTION : STUB END,	1
6978	GASKET,321/321 GRAP/321,300#,8"	DESCRIPTION : GASKET	1
6979	WELD NECK FLANGE,SUS317L,RF,S-40S,600#,8"	DESCRIPTION : WELD NECK FLANGE,	1
6980	WELDOLET,SUS 304,BW,SCH 40,8"*4"	DESCRIPTION : WELDOLET,	1
6981	MOTOR,2.2 KW,380V,6P,HITACHI (MGP- 1301A)	DESCRIPTION : MOTOR,	1
6982	MOTOR,15 KW,380,4P,28A,1450 RPM,HITACHI (MP2503)	DESCRIPTION : MOTOR	1
6983	MOTOR GEAR RING CONE,0.75KW,380V,SHIMPO (SMALL SCREW)	MOTOR GEAR RING CONE TRACTION DRIVE	1
6984	MOTOR,90 KW,380V,4P,BRAND HITACHI (MP1401)	DESCRIPTION : MOTOR,	1
6985	MOTOR GEAR,2.2KW,380V,4P,4.9 A,SUMITOMO (MRV2101A/B (OLD)	DESCRIPTION : MOTOR,	1
6986	MOTOR,150KW,3300V,4P,3168,KZ,TATUNG (MB1402,MB2402 OIL SPEC.)	DESCRIPTION : MOTOR	1
6987	SERRATE GASKET,SS316, 42 * 51 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
6988	GASKET,PTFE, 44 * 51 * 3 MM	DESCRIPTION : GASKET,	1
6989	GASKET,PTFE, 80 * 86 * 3 MM	DESCRIPTION : GASKET,	1
6990	GASKET,PTFE+GRAP,81.5 * 94.5 * 2 MM	DESCRIPTION : GASKET,	1
6991	GASKET,PTFE, 107.5 * 129 * 1.5 MM	DESCRIPTION : GASKET,	1
6992	GASKET,PTFE, 193 * 224 * 1.5 MM	DESCRIPTION : GASKET,	1
6993	GASKET,ASBESTOS, 80 * 99 * 1.6 MM	DESCRIPTION : GASKET,	1
6994	INDICATOR BEZEL METER 680 C/W BRACKET	DESCRIPTION : INDICATOR BEZEL METER,	1
6995	DISPLAY BOARD(MOISTURE),MDY051-00001,E&H	DESCRIPTION : DISPLAY BOARD,	1
6996	DATA HIGHWAY PACKAGE,DHW-900,HITACHI	DESCRIPTION : DATA HIGH WAY,	1
6997	FLOPPLY DISK DRIVE,HIS5170,HITACHI	DESCRIPTION : FLOPPY DISK DRIVE,	1
6998	HARD DISK CONTROL PACKAGE,DKC-530F,HITA	DESCRIPTION : HARDDISK,	1
6999	KEYBOARD PACKING,EKCE 200, HITACHI	DESCRIPTION : KEYBOARD PACKING,	1
7000	OPERATION KEYBOARD,OKB 100, HITACHI	DESCRIPTION : KEYBOARD,	1
7001	E/O CONVERTER OF PRINTER,OPRT301,HITACHI	DESCRIPTION : CONVERTER OF PRINTER,	1
7002	MEMORY PACKAGE,RAM 812, HITACHI	DESCRIPTION : MEMORY PACKAGE,	1
7003	TEMP CONVERTER,800TC-PT(0-100 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7004	TEMP CONVERTER,800TC-PT(0-200 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7005	TEMP CONVERTER,800TC-PT(0-250 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7006	TEMP CONVERTER,800TC-PT(0-350 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7007	TEMP CONVERTER,800TR-PT(0-150 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7008	TEMP CONVERTER,800TR-PT(0-300 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7009	TEMP CONVERTER,800TR-PT(0-350 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7010	DISTRIBUTOR,MODLE 200 DL,HITACHI	DESCRIPTION : DISTRIBUTOR,	1
7011	TEMP. CONVERTER,200TC-K(0-250 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7012	TEMP CONVERTER,200TC-K(0-350 C),HITACHI	DESCRIPTION : TEMP CONVERTER,	1
7013	ALARM BUZZER,P/N:BZ-17,HITACHI	DESCRIPTION : ALARM BUZZER,	1
7014	LAMP ANNUNCIATOR,R+W COLOR,HITACHI	DESCRIPTION : LAMP ANNUNCIATOR,	1
7015	LAMP ANNUNCIATOR,GREEN COLOR,HITACHI	DESCRIPTION : LAMP ANNUNCIATOR,	1
7016	LAMP ANNUNCIATOR,RED COLOR,HITACHI	DESCRIPTION : LAMP ANNUNCIATOR,	1
7017	MOTHER BOARD ,ANLC-MB10S,HITACHI	DESCRIPTION : M	1

7018	DC POWER SUPPLY(PI/O CAGE),DM620,HITACHI	DESCRIPTION : DC POWER SUPPLY	1
7019	DETECTOR OF POWER FAILURE,IPC840,HITACHI	DESCRIPTION : DETECTOR, BRAND : HITACHI	1
7020	BACKUP COMMUNICATION,1785-BCM,ALLEN-BRAD	DESCRIPTION : BACKUP COMMUNICATION, BRAND : ALLEN BRADLEY	1
7021	PLC-5/40 PROCESSOR MODULE,1785-L40B	DESCRIPTION : PLC-5/40 PROCESSOR MODULE, BRAND : ALLEN BRADLEY, CAT NO : 1785-L40B	1
7022	ANALOG I/P MODULE 8 CH,PPX505-6108A,SIE	DESCRIPTION : ANALOG INPUT MODULE, BRAND : SIEMENS	1
7023	ISOLATED AMPLIFIER,TET 7,I/P:4-20 MA,H&B	DESCRIPTION : ISOLATED AMPLIFIER, SUPPLY POWER : 4-20 MA	1
7024	BUTTERFLY VALVE,SS304,12", OKAMURA	DESCRIPTION : BUTTERFLY VALVE, BRAND : OKAMURA	1
7025	SEAT BUTTERFLY VALVE EPDM,3" (80 MM)	DESCRIPTION : SEAT BUTTERFLY VALVE, SIZE : 3 (80 MM)	1
7026	PLC ACCESSORY	DESCRIPTION : PLC ACCESSORY, TAG WHERE USE : XP-2001-A, XP-2001-B	1
7027	SIMOREG K.CONVERTER,6RAZZ11-8DDZ1-1	DESCRIPTION : SIMOREG K.CONVERTER, SUPPLY POWER : AC 230-260V 1 PH	1
7028	POWER SUPPLY,110/5VDC	DESCRIPTION : POWER SUPPLY	1
7029	CONVERTOR FTX/ACX 0-1A,4-20 MA,110VAC	DESCRIPTION : CONVERTOR, SUPPLY POWER : 4-20 MA, 110 VAC	1
7030	PATRIOT MONITOR MODEL:8939	DESCRIPTION : PATRIOT MONITOR, MODEL : 8939	1
7031	BOLT FOR P1101 ,SIZE:DIA 10.5 * 54.5 MM	DESCRIPTION : BOLT, SIZE DIMENSION : 10.5 MM * 54.5 MM	1
7032	CONNECTING,DIA:1/2 INCH	DESCRIPTION : CONNECTING, SIZE DIMENSION : 1/2	1
7033	GASKET F OIL PIPE,P/N 3189445,DN125,PN16	DESCRIPTION : GASKET F OIL PIPE, SIZE DIMENSION : DN125 PN16	1
7034	GASKET SPWG ,DWG:27 809-0,SIZE:8"*150#	DESCRIPTION : GASKET, SIZE DIMENSION : 8	1
7035	GASKET SPWG,DWG:27 809-0,SIZE:10" * 150#	DESCRIPTION : GASKET, SIZE DIMENSION : 10	1
7036	GASKET,SIZE: DN65 PN40,P/N: 051-301-008 (P-1101)	Description : GASKET Size : DN65 PN40	1
7037	IMPELLER SEAL ,LH, P/N:722-6613-01/52987	DESCRIPTION : IMPELLER SEAL, PART NO : 722-6613-01/52987	1
7038	SHAFT CUP,AND CAP SCREW,PLATE,ST:3+4	DESCRIPTION : SHAFT CUP, CLASS NUMBER : ST 3+4	1
7039	SPECIAL BOLT/NUT,SIZE:DIA19.5* 65 MM	DESCRIPTION : SPECIAL BOLT, SIZE DIMENSION : 65 MM, INNER OUTER : 19.5 MM	1
7040	TILTING PAD SET STAGE 5+6 (5 PCS/SET),POS.NO.80 (P1101)	ITEM NAME : TILTING PAD SET STAGE 5+6 TYPE : CX-125/DX-5	1
7041	FLEXIBLE HOSE C/W FLANGE,SUS304,8"xL.1200 MM. (B2402)	DESCRIPTION : FLEXIBLE HOSE C/W FLANGE MATERIAL : SUS304	1
7042	GASKET,TOMBO #9630,P/N: BL (B2402)	ITEM NAME : GASKET MATERIAL : TOMBO #9630	1
7043	GASKET,MATERIAL TOMBO #9010A,SIZE D = 6,T = 3 MM,ANSI 150 #,I/N CB	DESCRIPTION : GASKET SIZE : D = 6 T = 3 MM	1
7044	GASKET,MATERIAL TOMBO #9020,SIZE ID.120 * OD.210 * 3 MM THK	DESCRIPTION : GASKET MATERIAL : TOMBO #9020	1
7045	RUBBER DIAPHRAGM,SIZE ID.21 * 135 MM	DESCRIPTION : RUBBER DIAPHRAGM SIZE : ID 21 * 135 MM	1
7046	BEARING NO.7216 BTDFCOP5 "NSK",POS.NO.17 (P1705)	DESCRIPTION : BEARING, NUMBER : 7216 BTDFCOP5	1
7047	BEARING NO.6017 P6 "NSK",POS.NO.28 (P1705)	DESCRIPTION : BEARING NUMBER : 6017 P6	1
7048	FEED TUBE,SUS316L,P/N: P-W8219A-6-FKD,POS.NO.69 (P2409)	ITEM NAME : FEED TUBE MATERIAL : SUS316	1
7049	GREASE FITTING,C3604,SIZE: 1/4"x28 MM.,P/N: 9CE8,POS.NO.5 (P1705)	DESCRIPTION : GREASE FITTING MATERIAL : C3604	1
7050	LOWER GEAR BOX COVER SLEEVE,P/N P-D7830-1A,I/N 25	DESCRIPTION : LOWER GEAR BOX COVER SLEEVE MATERIAL : SUS304	1
7051	OIL SEAL,VITON,P/N: W-V5247A-29 (P1705)	ITEM NAME : OIL SEAL TYPE : K60T950P	1
7052	OIL SEAL,VITON,P/N: W-V5247A-27,POS.NO.25 (P1705)	DESCRIPTION : OIL SEAL TYPE : K60T940P	1
7053	O-RING,VITON,P/N: 7FE32BA,POS.NO.112 (P1705)	DESCRIPTION : O-RING MATERIAL : VITON	1
7054	O-RING,VITON,P/N: 7FC40BA,POS.NO.29 (P1705)	DESCRIPTION : O-RING MATERIAL : VITON	1
7055	RETAINING RING,P/N: W-V3722-218,POS.NO.54 (P1705)	DESCRIPTION : RETAINING RING MATERIAL : SWRH72B	1
7056	BEARING,NO.7224 BECM "SKF",I/N 44 (P1504)	DESCRIPTION : BEARING NUMBER : 7224 BECM	1
7057	BOLT,SUS304,M20,POS.NO.43 (P2407)	DESCRIPTION : BOLT MATERIAL : SUS304	1
7058	BOLT WITH NUT,SUS304,M27x90 MM.,POS.NO.45 (P2403,P2404)	DESCRIPTION : BOLT WITH NUT MATERIAL : SUS 304	1
7059	BUSH,PTFE,I/N 45 (P1504)	DESCRIPTION : BUSH MATERIAL : PTFE	1

7060	CAP BOLT,SUS304,M10x25 MM. (P2401)	DESCRIPTION : CAP BOLT	1
7061	CAP BOLT,SUS304,3/8"x3/4" (P2403)	DESCRIPTION : CAP BOLT	1
7062	CAP BOLT,SANDVIK 2RK65,M10,POS.NO.90 (P1203)	DESCRIPTION : CAP BOLT,	1
7063	CARBON BEARING.P/N MT12-D115-0031-3	DESCRIPTION : CARBON BEARING,	1
7064	GASKET,NON ASBESTOS,SIZE 250x315.5x0.3 MM.THK (P1202B)	DESCRIPTION : GASKET	1
7065	GLAND PACKING P/N MT12-D115-0031-3	DESCRIPTION : GLAND PACKING,	1
7066	GUIDE RING,RUBBER,SIZE: 9x4x990 MM. (P2101)	DESCRIPTION : GUIDE RING	1
7067	JACK BOLT SPECIAL TOOL,3122-713469,I/N48	DESCRIPTION : JACK BOLT,	1
7068	LOWER MATING RING ASSEMBLY,MATERIAL NT-23/TB- 35,I/N 31	DESCRIPTION : LOWER MATING RING ASSEMBLY	1
7069	O-RING,VITON,I/N 52A (P1504)	DESCRIPTION : O-RING	1
7070	O-RING,VITON,I/N 2A (P1504)	DESCRIPTION : O-RING	1
7071	O-RING,MATERIAL VITON,SIZE DIA.120 * 3 MM THK	DESCRIPTION : O-RING	1
7072	O-RING,P/N 3-37845	DESCRIPTION : O-RING	1
7073	O-RING,P/N: MT12-D115-0031-3,POS.NO.32 (E1507)	DESCRIPTION : O-RING,	1
7074	SLEEVE,SUS316L,POS.NO.11 (P1203)	ITEM NAME : SLEEVE	1
7075	SLEEVE,SUS317L,POS.NO.11 (P1202B)	ITEM NAME : SLEEVE	1
7076	SPECAL TOOL,DWG:3122-713946	DESCRIPTION : SPECIAL TOOL,	1
7077	(NOT USE) SPECIAL BOLT WITH NUT,S45C,M8x65 MM. (P2401)	DESCRIPTION : SPECIAL BOLT WITH NUT	1
7078	COUPLING,MATERIAL STEEL,SIZE ID.43 * 125 MM	DESCRIPTION : COUPLING	1
7079	COUPLING,MATERIAL STEEL,SIZE ID.57 * 125 MM	DESCRIPTION : COUPLING	1
7080	COUPLING,MATERIAL STEEL,SIZE ID.60 * 125 MM	DESCRIPTION : COUPLING,	1
7081	FLEXIBLE C/W BOLT,NUT & WASHER (G1404)	DESCRIPTION : FLELXIBLE C/W BOLT,NUT & WASHER	1
7082	GASKET MECHANICAL SEAL,SINGLE INSIDE PT E45E (F/V) TH,SIZE: 3.125	DESCRIPTION : GASKET MECHANICAL SEAL	1
7083	GASKET FOR STRAINER,PTFE (GZ2405)	DESCRIPTION : GASKET,	1
7084	GASKET,ASBESTOS,DWG.NO.SA37000DV-A8,I/N 297 (G1301)	DESCRIPTION : GASKET	1
7085	GLAND FLUSH VENT & DRAIN ,P/N 211946#B1	DESCRIPTION : GLAND FLUSH VENT & DRAIN	1
7086	KEY (COUPLING),P/N 9080000-014,I/N 46	DESCRIPTION : KEY (COUPLING)	1
7087	MECH-SEAL,P/N:HSO H4A04011	DESCRIPTION : MECHANICAL SEAL,	1
7088	MOTOR,EX,22 KW,FELK-8FO,2 P,380V,MG-2202	DESCRIPTION : MOTOR, PUMP	1
7089	O-RING INNER FOR COOLING CAP (A),ELASTOMER,SIZE: 55 MM. (G1602,G2503)	ITEM NAME : O-RING INNER FOR COOLING CAP (A)	1
7090	O-RING FOR ID PUMP,SIZE: 55 MM.,MODEL: CPG 125- 100-315 (G2503)	DESCRIPTION : O-RING FOR ID PUMP	1
7091	O-RING,P/N: 01074 (G2805)	DESCRIPTION : O-RING	1
7092	RING ROTATION,I/N11,MAT'L SUS304 CERAMIC	DESCRIPTION : RING ROTATION,	1
7093	RING SEAL,DWG:50372,I/N 10,MAT'L CARBON	DESCRIPTION : RING SEAL,	1
7094	SEAL RELETING FACE,P/N 09M-R03-AA11B02	DESCRIPTION : SEAL RELETING FACE	1
7095	GASKET,304/304 FILLER NON ASBESTOS/C.S,8" * 300#	DESCRIPTION : GASKET	1
7096	RUBBER FLANGE GASKET,SIZE 25 A	DESCRIPTION : RUBBER FLANGE GASKET	1
7097	GASKET FOR GLAND BO*,MATERIAL SILICONE RUBBER,DWG.NO.P150259	DESCRIPTION : GASKET FOR GLAND BO*	1
7098	NUT AND WASHER,SS400+AW32,160x210x25 MM. (T2401)	DESCRIPTION : NUT AND WASHER	1
7099	NUT AND WASHER (AW32),SS400+AM32,160x217x25 MM. (T2401)	DESCRIPTION : NUT AND WASHER	1
7100	O-RING(B),G145,VITON,POS.NO.11 (RV1402)	DESCRIPTION : O-RING (B)	1
7101	WASHER,SS400,DIA.160x217x25 MM. (T1401A/B)	DESCRIPTION : WASHER	1

7102	ZF RING (B),TYPE ZF 26,MATERIAL NBR,DWG.NO.TP- 1226-02-03-02,I/N 15	DESCRIPTION : ZF RING (B)	1
7103	DIAPHRAGM MIDDLE,P/N: B00211-330-112,POS.NO.4 (P3602)	ITEM NAME : DIAPHRAGM	1
7104	OIL SEAL,P/N: 10426-1 (P3602)	DESCRIPTION : OIL SEAL,	1
7105	SECTION SEATS,P/N 064209001	DESCRIPTION : SECTION SEAT	1
7106	SHIM,P/N: 14334-1 (P3602)	DESCRIPTION : SHIM,	1
7107	STEEL RING,SIZE: 80 * 105 MM	DESCRIPTION : STEEL,	1
7108	CLEANABLE FILTER,MODEL C-23-30-L-S100	DESCRIPTION : CLEANABLE FILTER	1
7109	NUT SEAL,MATERIAL SST,P/N 47052C012,I/N 7	DESCRIPTION : NUT SEAL	1
7110	TIE ROD,MATERIAL SUS 316,DWG.NO.D100630C,P/N MBL1003-32D08,I/N 5	DESCRIPTION : TIE ROD	1
7111	TIE ROD,MATERIAL SUS 316,DWG.NO.D100648C,P/N 1009-32D08,I/N 6	DESCRIPTION : TIE ROD	1
7112	TIE ROD,MATERIAL SUS 316,DWG.NO.D400157C,P/N MBL1006-32D08,I/N 9	DESCRIPTION : TIE ROD	1
7113	TIE ROD,SUS316L,P/N: 4886-2188D1,POS.NO.8 (F1205)	Description : TIE ROD	1
7114	TIE ROD,MATERIAL SUS 316,DWG.NO.D400339C,P/N L10033-32D08,I/N 8	DESCRIPTION : TIE ROD	1
7115	SEAT BUTTERFLY VALVE EPDM,10"	DESCRIPTION : SEAT BUTTERFLY VALVE,	1
7116	INSERT FOR MECHANICAL SEAL,DWG.NO.1A-42646,I/N 2	DESCRIPTION : INSERT FOR MECHANICAL SEAL	1
7117	SEAL FACE FOR MECHANICAL SEAL,TYPE M7N/65-00,SIZE 65 MM "BURGMANN"	DESCRIPTION : SEAL FACE FOR MECHANICAL SEAL	1
7118	SLIP ON FLANGE,RF,SUS304,10K,3/4"	SLIP ON FLANGE,RAISE FACE,SUS 304,10K,	1
7119	BALL VALVE,DN20,PNB16,R14,316,1500#,3/4"	BALL VALVE,DN20,PNB16,R14,316L,1500#,	1
7120	CHECK VALVE,PISTON,SUS 316,800#,1"	DESCRIPTION : CHECK VALVE,	1
7121	BUTTERFLY VALVE,SUS 304,150#,12"	DESCRIPTION : BUTTERFLY VALVE,	1
7122	ELBOW 90,304,BW,SL,SCH 10,6"	DESCRIPTION : ELBOW,	1
7123	ELBOW 45,TITANIUM,BW,SCH 40,6"	DESCRIPTION : ELBOW 45,	1
7124	ELBOW 90,BW,S-80,UNS S31803,SANVIK, 8"	DESCRIPTION : ELBOW 90,	1
7125	ELBOW 90,BW,SUS 316,SCH 80,6"	DESCRIPTION : ELBOW 90,	1
7126	AERATOR(HAVE NOT PUMP)BUT DARNAGED (WWTU-TTC)	AERATOR(HAVE NOT PUMP) BUT DARNAGED, MANUFACTURE : TSUMI	1
7127	SHIM,I/N:56,DWG:3121-714255,MAT,L:S/S	NAME : SHIM, MAT,L : SUS304,	1
7128	POWER SUPPLY 24 VDC,TC-FPDXX2,HONEYWELL	POWER SUPPLY 24 VDC,,	1
7129	POWER SUPPLY 24 VDC,TC-FPDXX2,HONEYWELL	POWER SUPPLY 24 VDC,,	1
7130	DIGITAL OUTPUT IOP(32),MC-PDOY22,HONEYWE	DIGITAL OUTPUT IOP (32),	1
7131	LLAI MULTIPLEXOR PROC,MC-PLAM02,HONEYWEL	LLAI MULTIPLEXOR PROCESSOR,	1
7132	AO FTA RED (16),MC-TAOY22,HONEYWELL	AO FTA RED (16) COMPR W/STBYMAN,	1
7133	DO RELAY FTA RED(16),MC-TDOY23,HONEYWELL	DO RELAY FTA RED (16) COMPR,	1
7134	ROLLER CHAIN NO.140-2,CS,POS.NO.617 (F1441A/B/C)	ITEM NAME : ROLLER NO.140-2	1
7135	DISTANCE BUSING FOR IGV ST:3,I/N:9	DESCRIPTION : DISTANCE BUSHING	1
7136	OUTER CHUTE (PART B),MATERIAL SUS 304,P/N 64	DESCRIPTION : OUTER CHUTE (PARTS B)	1
7137	PIPE NIPPLE,POE/TOE,S304,S-160,3/4"*L100	PIPE NIPPLE,SMLS, POE/TOE, S-160, SUS 304, ASTM A312,	1
7138	REPAIR KIT FOR TRUTORQ TSR 20	REPAIR KIT	1
7139	SEAL KIT FOR ROTORK MODEL 3251SR80	SEAL KIT	1
7140	BLIND FLANGE,TITANIUM,150#,2"	DESCRIPTION : BLIND FLANGE,	1
7141	BEARING FOR MOTOR NO.6312 Z (E1507)	Description : BEARING FOR MOTOR NO.6312 Z	1
7142	CONTROL VALVE COMPLETED SET,PV-2211C	CONTROL VALVE COMPLETED SET,	1
7143	ON/OFF BALL VALVE,SS316,ANSI 150#RF,3"	ON/OFF BALL VALVE,	1

7144	CONTROL VALVE COMPLETED SET,12",TV-2505	CONTROL VALVE COMPLETED SET,	1
7145	CONTROL VALVE,SS316,150# RF,3",PV-1421	CONTROL VALVE COMPLETED SET,	1
7146	PIPE,SUS 304,SL,SCH 10,10"*6 M.	DESCRIPTION : PIPE,	1
7147	ELBOW 90,UPVC,SW,JIS, 10"	DESCRIPTION : ELBOW 90	1
7148	GASKET SET OF SEAT(PTFE)EV-1502B	DESCRIPTION : GASKET SET OF SEAT, MAT,L : PTFE,	1
7149	PLATE,SUS317L,6 FTx8 FTxTHK.9 MM.	DESCRIPTION : PLATE	1
7150	ELBOW 90,MITER 3 PIEC,SUS 316,SCH 20,20"	DESCRIPTION : ELBOW 90 MITER 3 PIECE,	1
7151	CONCENTRIC RED.,CS,SCH 40,14"*12"	DESCRIPTION : CONCENTRIC REDUCER,	1
7152	POWER SUPPLY FOR HONEYWELL DCS	POWER	1
7153	MOTOR,45KW,4P,380V,50HZ,TFOXA,HITACHI (MP1403)	MOTOR, CAPACITY : 45 KW, POWER	1
7154	MOTOR,11KW,4P,380V,50HZ,TFOXA,HITACHI ,(MP-1502)	MOTOR, CAPACITY : 11 KW, POWER	1
7155	MOTOR,75KW,4P,380V,50HZ,TFOA,HITACHI (MP2405)	MOTOR, CAPACITY : 75 KW, POWER	1
7156	MOTOR,55KW,4P,380V,50HZ,TFOXA,HITACHI (MP1402)	MOTOR, CAPACITY : 55 KW, POWER	1
7157	MOTOR,37KW,6P,380V,50HZ,TFOXA,HITACHI (MP1503)	MOTOR, CAPACITY : 37 KW, POWER	1
7158	MOTOR,50HP,37KW,4P,380V,50HZ,AEEF,TECO (WWTU TTC (IPI)	MOTOR, CAPACITY : 37 KW, 50 HP, POWER	1
7159	MOTOR,30KW,4P,380V,50HZ,TFOXA,HITACHI (MP1203,MP1205)	MOTOR, CAPACITY : 30 KW, POWER	1
7160	PIPE,UPVC,1120,SCH 80,D1785,1/2"*2 M.	DESCRIPTION : PIPE,	1
7161	MATTING RING,TUNGSTEN CARBIDE+TITANIUM,307x360x20 MM.,POS.NO.4	ITEM NAME : MATTING RING	1
7162	KEYPHASER,ART.NO.200358096,I/N 100	DESCRIPTION : KEYPHASER	1
7163	MEASURING FEELER FOR JOURNAL VIBRATION,ART NO.200358094,I/N 80	DESCRIPTION : MEASURING FEELER FOR JOURNAL VIBRATION	1
7164	GASKET 3,MATERIAL LABYRINTH #88 EXPENDER BULL GEAR,SIZE DIA.200 MM	DESCRIPTION : GASKET 3	1
7165	GASKET,ARTICLE NO.200384246,I/N 170	DESCRIPTION : GASKET	1
7166	GASKET,ARTICLE NO.200384245,I/N 160	DESCRIPTION : GASKET	1
7167	O-RING,DIA.1380xTHK.5.33 MM.,P/N: Z60314 (P1101B)	DESCRIPTION : O-RING,	1
7168	GASKET,ARTICLE NO.200358074,I/N 100	DESCRIPTION : GASKET	1
7169	GASKET,ARTICLE NO.200358073,I/N 90 (P1101B)	DESCRIPTION : GASKET	1
7170	GASKET,ARTICLE NO.200358072,I/N 80 (P1101B)	DESCRIPTION : GASKET	1
7171	GASKET,ARTICLE NO.200358071,I/N 70 (P1101B)	DESCRIPTION : GASKET	1
7172	TILTING STONE.F.PAD BEARING NO.32312U "NTN",P/N: 200358087,POS.NO.10	ITEM NAME : TILTTING STONE.F.TILTING PAD BEARING NO.32312U	1
7173	MATTING RING,TUNGSTEN CARBIDE+TITANIUM,322x360x20 MM.,POS.NO.18	ITEM NAME : MATTING RING	1
7174	PLC CPU UNIT, CS1G-CPU42H, OMRON	PLC CPU UNIT,	1
7175	CPU RACK 8 SLOTS,CS1W-BC083, OMRON	CPU RACK 8 SLOTS,	1
7176	VCS,3.3/6.6KV,VZ2-DE-D,200A,40KA,MITSUBISHI,(VCS FOR PRI)	DESCRIPTION : VCS,3.3/6.6KV,VZ2-DE-D,200A,40KA,MITSUBISHI,(VCS FOR PRI)	1
7177	GROOVED NUT M 85*2 DIN 1804-W,P/N 5177523,I/N 7.10	DESCRIPTION : GROOVED NUT M 85*2 DIN 1804-W	1
7178	GROOVED NUT KM10,SIZE M50 * 1.5 S,P/N 5177559	DESCRIPTION : GROOVED NUT KM10	1
7179	SAFETY RING DIN 472 90x3,P/N: 5177563 (RV2905B)	ITEM NAME : SAFETY RING DIN 472 90x3	1
7180	DISC FOR ADJUSTMENT 50 * 62 * 0.2,P/N 5177565	DESCRIPTION : DISC FOR ADJUSTMENT 50 * 62 * 0.2	1
7181	ROLLER CHAIN,DIN 8187 3/4 12 B-1,P/N 5177569	DESCRIPTION : ROLLER CHAIN DIN 8187 3/4 12 B-1	1
7182	CHAIN LOCK STRAIGHT 3/4" E 12B-1	DESCRIPTION : CHAIN LOCK STAIGHT 3/4 E 12B-1	1
7183	SEALING SET FOR DRIVING SHAFT ZAH 12",P/N 5178398	DESCRIPTION : SEALING SET FOR DRIVING SHAFT ZAH 12	1
7184	RUBBER GASKET,MATERIAL NBR,SIZE DIN 28091-2FA-A1- 0	DESCRIPTION : RUBBER GASKET	1
7185	O-RING,SIZE:1661*7MMT,I/N 5	DESCRIPTION : O-RING,	1

7186	SEAL-RUBBER,SIZE 463 * 30.5 MM T,I/N 8	DESCRIPTION : SEAL-RUBBER	1
7187	SEAL-RUBBER,SIZE 763.5 * 30.5 MM T,I/N 27	DESCRIPTION : SEAL-RUBBER	1
7188	GASKET,304/PTFE/304,SIZE: 562x578x618x643x4.5 MM. (P1301C)	DESCRIPTION : GASKET	1
7189	GASKET,304/PTFE*304,93*69*54*44*4.5 MM	DESCRIPTION : GASKET-SS304,	1
7190	GASKET,304/PTFE*304,157*182*205*251*4.5	DESCRIPTION : GASKET-SS304,	1
7191	SHAFT SLEEVE,MATERIAL NO.20098941,POS.00210	DESCRIPTION : SHAFT SLEEVE	1
7192	PLUG-SS,SIZE:1/2"	DESCRIPTION : PLUG-SS,	1
7193	MANIFOLD VALVE DN5 PN420 N354.17.401.25	MANIFOLD VALVE DN5 PN420 N354.17.401.25,	1
7194	SEALING SET FOR ACTUATOR EB 12	SEALING SET	1
7195	COLLAR FOR FLAP ZAP 350,EPDM	COLLAR	1
7196	SEALING SET FOR ACFUATOR EB 08	SEALING SET	1
7197	COLLAR FOR FLAP ZAP 200,EPDM	COLLAR	1
7198	SEALING SET FOR ACTUATOR EB 10	SEALING SET	1
7199	COLLAR FOR FLAP ZAP 600,EPDM	COLLAR	1
7200	RUPTURE DISC,TANTALUM/SUS 316,SIZE: 6" (PSE1414)	ITEM NAME : RUPTURE DISC, 6" P1244-16C24(IC)200	1
7201	PIPE,SUS 316,SMLS,SCH 20,2" * 6 M	DESCRIPTION : PIPE,	1
7202	CONTROL VALVE,TI,300# RF,6" * 5",LV-1401	CONTROL VALVE,	1
7203	SEAT VALVE,TI, SCHUF, LV-1301A/B	SEAT VALVE,	1
7204	STUB END,B363 WPT2-W,BW,SCH 10,3/4"	DESCRIPTION : STUB END,	1
7205	ELBOW 90,S31803S,BW,SCH 80,1/2"	DESCRIPTION : ELBOW 90,	1
7206	WELDOLET,SUS 317,BW,SCH 40,14"*1-1/2"	DESCRIPTION : WELDOLET,	1
7207	BOSS LONG,SUS 317L,BW,SCH 40,20"*3/4"	DESCRIPTION : BOSS LONG,	1
7208	BALL VALVE,SUS 304,RF,PPL,600#,1/2",KTZ	BALL VALVE,SUS 304,PPL,FLANGE RAISE FACED,600#,1/2,	1
7209	CHECK VALVE,SUS 304,BW,1500#,1/2"	DESCRIPTION : CHECK VALVE,	1
7210	BALL VALVE,SUS 304,LF,900#,1"	DESCRIPTION : BALL VALVE,	1
7211	CHECK VALVE,SUS 304,LF,900#,1"	DESCRIPTION : CHECK VALVE,	1
7212	GATE VALVE,SUS 317,RF,150#,1/2"	DESCRIPTION : GATE VALVE	1
7213	BUTTERFLY VALVE,SUS 316,150#,4",SPECIAL	DESCRIPTION : BUTTERFLY VALVE,	1
7214	PIPE BEND 45,SUS 304,BW,SCH 80,2"	DESCRIPTION : PIPE BEND 45,	1
7215	GASKET,TI/TI GRAP/CS,300#,20"	DESCRIPTION : GASKET,	1
7216	TEE RED.,SUS 304,SCH 80,3"*1-1/2"	DESCRIPTION :TEE REDUCE,	1
7217	TEE RED.,SUS 304,SCH 40,2-1/2"*3/4"	DESCRIPTION :TEE REDUCE,	1
7218	TEE RED.,SUS 304,SCH 10,2-1/2"*1-1/2"	DESCRIPTION :TEE REDUCE,	1
7219	TEE RED.,SUS 304,SCH 10,6"*3"	DESCRIPTION :TEE REDUCE,	1
7220	ELBOW 45,TI,BW,SCH 40,4"	DESCRIPTION : ELBOW 45,	1
7221	CONCENTRIC RED.,SUS 317L,SCH 40,10"*8"	DESCRIPTION : CONCENTRIC REDUCE,	1
7222	ECCENTRIC RED.,SUS 304,SCH 10,10"*4"	DESCRIPTION : ECCENTRIC REDUCER,	1
7223	ECCENTRIC RED.,SUS 317L,SCH 120,10"*8"	DESCRIPTION : ECCENTRIC REDUCER,	1
7224	CONCENTRIC RED.,SUS 304,SCH 10 ,14"*10"	CONCENTRIC REDUCER,BW,S-10S,ASTM A403 GR.WP304,, ANSI-B16.9,	1
7225	CONCENTRIC RED.,SUS 304,SCH 80,8"*6"	CONCENTRIC REDUCER,BW,S-80S,ASTM A403 GR.WP304,, ANSI-B16.9,	1
7226	PIPE,CS,SEAM,THK 9 MM,26"*6 M.	DESCRIPTION : PIPE,	1
7227	BALL VALVE GEAR OPER,SUS 304,RF,SEAT:RPTFE,600#,6"	DESCRIPTION : BALL VALVE GEAR OPERATE	1

7228	BALL VALVE GEAR OPER,304,FEMALE,SEAT:RPTFE,900#,6"	DESCRIPTION : BALL VALVE GEAR OPERATE	1
7229	GLOBE VALVE,SUS 304,RF,600#,3"	DESCRIPTION : GLOBE VALVE,	1
7230	GLOBE VALVE,SUS 316,RF,300#,14",KTZ	DESCRIPTION : GLOBE VALVE	1
7231	SERRATE GASKET,SS317, 55 * 64 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
7232	SERRATE GASKET,SS316, 55 * 64 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
7233	SERRATE GASKET,SS316, 69 * 77 * 3 MM	DESCRIPTION : SERRATE GASKET,	1
7234	ELBOW 60,SUS 317L,BW,SEAM,6",THK 5 MM	DESCRIPTION : ELBOW 60,	1
7235	GASKET,NIL/SS316 GRAP/NIL,124 * 137 MM.	GASKET SPIRAL WOUND,	1
7236	GASKET,NIL/SS316 GRAP/NIL,43 * 53 MM.	GASKET SPIRAL WOUND,	1
7237	GASKET,NIL/SS316 PTFE/NIL,51 * 67 MM.	GASKET SPIRAL WOUND,	1
7238	FEED PUMP,MODEL: Z65-3158 "SULZER" (G4602 RO PLANT)	DESCRIPTION : FEED PUMP,	1
7239	BLIND FLANGE,SUS304,RF,150#,8"	DESCRIPTION : BLIND FLANGE,	1
7240	WELD NECK FLANGE,SUS 316L,RF,600#,12"	DESCRIPTION : WELD NECK FLANGE,	1
7241	STUB END,SUS 317L,BW,SL,THK 6 MM,14"	DESCRIPTION : STUB END,	1
7242	STUB END,BW,SUS316L,SCH40,10"	DESCRIPTION : STUB END,	1
7243	LAP JOINT FLANGE,SUS 316L,RF,150#,24"	DESCRIPTION : LAP JOINT FLANGE,	1
7244	TEE WAY,SUS 317L,05XRS34,SCH 10,6"	DESCRIPTION : TEE WAY,	1
7245	GLAND/V-PACKING,19 * 38 * 10 MM	DESCRIPTION : GLAND PACKING AND V-PACKING,	1
7246	ELBOW 45,SUS 316L,BW,THK 7.5 MM,24"	DESCRIPTION : ELBOW 45,	1
7247	STRAINER,MALEABLE FLANGE,SUS 304,150#,3"	DESCRIPTION : STRAINER,	1
7248	ELBOW 90,SUS 304,BW,SEAM,SCH 10,24"	DESCRIPTION : ELBOW 90,	1
7249	CONCENTRIC RED,SUS 316L,SCH 40,18*16"	DESCRIPTION : CONCENTRIC REDUCER,	1
7250	CONCENTRIC RED,SUS 304,S40,1-1/2"*3/4"	DESCRIPTION : CONCENTRIC REDUCE,	1
7251	ECCENTRIC RED.,SUS 304,S40, 1-1/2"*3/4"	DESCRIPTION : ECCENTRIC REDUCER,	1
7252	GLAND PACKING,PURE PTFE,40 * 59 * 10 MM.	GLAND PACKING (4 PCS/SET),	1
7253	SLIP ON FLANGE,A105,RF,150#,1-1/2",NPT	DESCRIPTION : SLIP ON FLANGE,	1
7254	CONCENTRIC RED,SUS 304,BW,SCH 10,12"*10"	DESCRIPTION : CONCENTRIC REDUCER,	1
7255	MOTOR, 25HP, 2P,380V,50HZ,GE MOTOR (MG1505A/B)	MOTOR, POWER	1
7256	TURBOLOG MCAD TRIPLE TIELD ASS,Y MODULE	DESCRIPTION : TURBOLOG MCAD TRIPLE FIELD ASSEMBLY MODULE	1
7257	TURBOLOG DIGIO TRIPLE TIELD ASS,Y MODULE	DESCRIPTION : TURBOLOG DIGIO TRIPLE FIELD ASSEMBLY MODULE,	1
7258	WIPER RING-ABOVE OF-POS164,2243048, FV-1309C WITH ACTUATOR 10", 150#,	DESCRIPTION : WIPER RING-ABOVE OF-POS 164,	1
7259	ANGLE VALVE,TI,RF,300#,4"*4"	DESCRIPTION : ANGLE VALVE	1
7260	ANGLE VALVE,SUS 304,RF,150#,6" * 2"	DESCRIPTION : ANGLE VALVE,,	1
7261	FULL COUPLING,A-105 W/HOT,SCREW,3000#,3"	MATERIAL DESCRIPTION : FULL COUPLING,	1
7262	COARSE DILTER FOR S/PROBE (SO2 ANALYZER)	MATERIAL DESCRIPTION : COARSE DILTER	1
7263	GRAPHITE SEAL FOR S/PROBE (SO2 ANALYZER)	MATERIAL DESCRIPTION : GRAPHITE SEAL	1
7264	SIGNAL RELAY,T:DX-31BH,R/C 0.025 A (MCC)	MATERIAL DESCRIPTION : SIGNAL RELAY,	1
7265	20 SERIES MPU P 5.4,FSCL7661X1 (DCS)	MATERIAL DESCRIPTION : 20 SERIES MPU P 5.4 CARD,	1
7266	MOTHER BOARD (CEMS)	MATERIAL DESCRIPTION : M	1
7267	OPTICAL FORK WIRED UNIT (CEMS)	MATERIAL DESCRIPTION : OPTICAL	1
7268	WIRED REGULATOR (CEMS)	MATERIAL DESCRIPTION : WIRED REGULATOR,	1
7269	TEMPERATURE SENSOR,40-100* C (CEMS)	MATERIAL DESCRIPTION : TEMPERATURE SENSOR,	1

7270	FLOW METER,0-300 KG/HR,1" (BPE PROJECT)	MATERIAL DESCRIPTION : FLOW MWTER,	1
7271	SIMATIC S5 PLC ANALOG INPUT/M (FGD PLC)	MATERIAL DESCRIPTION : SIMATIC S5 PLC ANALOG INPUT MODULE,	1
7272	SIMATIC S5 PLC DIGITAL OUTPUT/M(FGD PLC)	MATERIAL DESCRIPTION : SIMATIC S5 PLC DIGITAL OUTPUT -, MOD	1
7273	DEC SEVER 90L+,T:SEVER"DIGITAL"(FGD PLC)	MATERIAL DESCRIPTION : DEC SEVER 90L+,	1
7274	DELTA "V" DCS POWER SUPPLY SWITCH (DCS)	MATERIAL DESCRIPTION : DELTA V DCS	1
7275	PLATE PACK WITH GASKET EPDM CLIP-ON (E1205A/B)	ITEM NAME : PLATE PACK WITH GASKET EPDM CLIP-ON	1
7276	Motor, 7.5 kW, 400V delta, 50Hz, 4 poles, 16.1 Amp,Ex, Frank mounting, MRV-1402E	Material Name: Motor, 7.5 kW, 400V delta, 50Hz, 4 poles, 16.1 Amp,Ex, Frank mounting, MRV-140	1
7277	OILER ASSEMBLY WITH MOUNTING FASTENERS,POS.NO.1.7 (RV1402E)	ITEM NAME : OILER ASSEMBLY WITH MOUNTING FASTENERS	1
7278	EX MOTOR,eG3,15 HP,2910 RPM,21.6A,380V/D,160M,TECO, (MG1504)	Description : EX MOTOR,eG3	1
7279	EX MOTOR,5HP,2875 RPM,7.36A,380V,eG3,112M,TECO, (MG-1507 A/B)	Description : EX MOTOR ,eG3	1
7280	EX MOTOR,eG3,3.7KW,2930 RPM,8.1A,380V/D,112M,TATUNG, (MG-1802 A/B)	Description : EX MOTOR ,eG3	1
7281	MOTOR GEAR,2.2 KW,1420 RPM,4.9A,380VF-100L,GEAR Y35,SUMITOMO, (MRV-	Description : MOTOR GEAR 1/35 HM3-211	1
7282	EX MOTOR,0.75KW/1HP,1656 RPM,3.6/2.1A,220/380V,eG3,HICO, (CHUTE)	Description : EX MOTOR, eG3	1
7283	MOTOR GEAR COMPLETE SET,3.7 KW,1420 RPM,7.64A,380-420V/Y,F112M/4,	DESCRIPTION : MOTOR GEAR COMPLETE SET	1
7284	MOTOR,11KW,1460 RPM,22.6A,380V,Y160M- 4TH,FLANK,CHINA, (MG-3121)	Description : MOTOR	1
7285	COUPLING HUB GEAR SIDE,FENNAFLEX-F220FB BORE 150 MM. (T1442,T1443,	Description : COUPLING HUB GEAR SIDE	1
7286	COUPLING HUB SCREW SIDE,SIZE: FENNAFLEX-F220FB BORE 120 MM. (T-1442,	Description : COUPLING HUB SCREW SIDE	1
7287	Diaphragm valve with Pneumatic Actuator, Double Acting, Size 3", Brand GF, Model	Description : Diaphragm valve with Double acting Pneumatic Actuator	1
7288	Sample cell heater PCB , ABB , LimasII,CO/CO2 analyzer , patr no.746724	Description : Sample cell heater PCB	1
7289	Display and control unit complete , ABB , LimasII,CO/CO2 analyzer , patr no.768963	Description : Display and control unit complete	1
7290	Pressure sensor PCB , ABB , LimasII,CO/CO2 analyzer , patr no.745722	Description : Pressure sensor PCB	1
7291	Pressure indicator 0-1 barg , ABB , LimasII,CO/CO2 analyzer , patr no.432.50.100	Description : Pressure indicator 0 - 1 barg	1
7292	Pressure indicator 0-100mbarg , ABB , LimasII,CO/CO2 analyzer , patr no.632.50.100	Description : Pressure indicator 0 - 100 mbarg	1
7293	Lute tube , ABB , LimasII,CO/CO2 analyzer , patr no.PS100/1000	Description : Lute tube	1
7294	Centrifugal seperator , ABB , LimasII,CO/CO2 analyzer , patr no.AF101	Description : Centrifugal seperator	1
7295	Flowmeter (10-75L-Hr) c/w alarm coil , ABB , LimasII , CO/CO2 analyzer , part no.	Description : Flow meter (10-75L-Hr) c/w alarm coil	1
7296	Flowmeter (20-220L-Hr), ABB , LimasII , CO/CO2 analyzer , part no.	Decription : flow meter (20-220L-Hr)	1
7297	BEARING STRIP-45/50X118, METSO, MODEL LW7LBA400PAJAT,TAG NO. FV-	DESCRIPTION : BEARING STRIP-45/50X118	1
7298	Packing Set 6226/6232, Pos 156 ARCA, FV-1309C	Description : Packing Set 6226/6232	1
7299	SLEEVE,SUS316,POS.NO.11 (P2102,P2406)	ITEM NAME : SLEEVE	1
7300	COLLAR,MAT'L: SS41,P/N: ZZ01803929,POS.NO.19 (P1203,P1205)	ITEM NAME : COLLAR	1
7301	SLEEVE COLLAR,MAT'L: SS41,P/N: ZZ01803910,POS.NO.15 (P1203,P1205)	ITEM NAME : SLEEVE COLLAR	1
7302	MOTOR,350 HP,3300V,4P,58.5A,985RPM,FOOT,TECO (MG- 1503 A/B)	Description : MOTOR 3 PHASE INDUCTION-MOTORS	1
7303	MOTOR,37KW,380V,2P,68.3A,2950 RPM,IP55,MODEL FBFC,INS.F,(MG-3217A/B	Description : MOTOR 3 PHASE INDUCTION-MOTORS	1
7304	MOTOR,60HP,380V,4P,87.5A,1500 RPM,MODEL: 5KS365SS208D20,FRAME: 365T,	Description : MOTOR 3 PHASE INDUCTION-MOTORS	1
7305	MOTOR,150HP,380V,2P,192A,2970 RPM,TYPE: AEEF- XBOOI,INS.F,FRAME:	Description : MOTOR 3 PHASE INDUCTION-MOTORS	1
7306	BATTERY EXTENSION MODULE, P/N 51309241-175, C200 CONTROLLER	DESCRIPTION : BATTERY EXTENSION MODULE OF C200 CONTROLLER	1
7307	SLINGER DISC FOR P2401A	ITEM NAME : SLINGER DISC FOR P2401A	1
7308	SLINGER DISC FOR P2401	ITEM NAME : SLINGER DISC FOR P2401	1
7309	SLINGER DISC FOR P2402	ITEM NAME : SLINGER DISC FOR P2402	1
7310	SLINGER DISC FOR P2403	ITEM NAME : SLINGER DISC FOR P2403	1
7311	SLINGER DISC FOR P2405	ITEM NAME : SLINGER DISC FOR P2405	1

7312	C200 REDUNDANCY MODULE, TC-PRR021, HONEYWELL DCS	DESCRIPTION : C200 REDUNDANCY MODULE, TC-PRR021, HONEYWELL DCS	1
7313	SLINGER DISE FOR P2404	ITEM NAME : SLINGER DISE FOR P2404	1
7314	PRESSURE SAFETY VALVE FOR PSV2401A	ITEM NAME : PRESSURE SAFETY VALVE	1
7315	Cell inverter CTA Dryer,Power module,Rating 100A- 1P	Description : Cell Inverter	1
7316	BENTLEY NEVADA 3500/61, TEMP MONITOR, P-1101A	DESCRIPTION : 163179-02 3500/61 TEMP MONITOR (w rec)	1
7317	SERIES-C TO PM ADPTR IOL1 PR GRY , 51202341-102, Honeywell DCS.	Description : SERIES-C TO PM ADPTR IOL1 PR GRY , Honeywell DCS.	1
7318	COLLAR,SUS316,POS.NO.11 (P1301C)	ITEM NAME : COLLAR	1
7319	RETAINER,SUS316,POS.NO.13 (P1301C)	ITEM NAME : RETAINER	1
7320	RETAINER,SUS316,POS.NO.21 (P1301C)	ITEM NAME : RETAINER	1
7321	COLLAR,SUS316,POS.NO.24 (P1301C)	ITEM NAME : COLLAR	1
7322	MOTOR,240KW,3300V,55A1988RPM,(MB-1402B-1 DOL)	Description : MOTOR,240KW,3300V,55A1988RPM	1
7323	SHIM,P/N: 6 (P1301C)	ITEM NAME : SHIM	1
7324	BLIND FLANGE FOR TEST (TEST RING),SIZE: OD.180x35t (E2201B)	ITEM NAME : BLIND FLANGE FOR TEST (TEST RING)	1
7325	BLIND FLANGE FOR TEST (TEST RING),A387-Gr11 CL2,SIZE: OD.381x35t (E2201A)	ITEM NAME : BLIND FLANGE FOR TEST (TEST RING)	1
7326	MOTOR,11KW,380V,22A,1450RPM,(MP-1202A/B)	Description : MOTOR,22KW,380V,22A,1450RPM	1
7327	TACHOMETER MODULE (BENTLY NEVADA) 33500/50M, P- 1101, P-1101B	DESCRIPTION : 288062-02 3500/50M TACHOMETER MODULE	1
7328	SEAT CONTROL VALVE (SCHUF), LV-2702X	DESCRIPTION : SEAT CONTROL VALVE	1
7329	SPIRAL WOUND GASKET (SCHUF), LV-2702X	DESCRIPTION : SPIRAL WOUND GASKET	1
7330	METAL O-RING (SCHUF), LV-2702X	DESCRIPTION : METAL O-RING	1
7331	PACKING RING, PTFE (SCHUF), LV-2702X	DESCRIPTION : PACKING RING	1
7332	PACKING RING, GRAPHITE (SCHUF), LV-2702X	DESCRIPTION : PACKING RING	1
7333	CONTROL DISC WITH SPINDLE (SCHUF), LV-2702X	DESCRIPTION : CONTROL DISC WITH SPINDLE	1
7334	SHAFT SLEEVE,P/N: 10088841,POS.NO.0005 (P2702)	ITEM NAME : SHAFT SLEEVE	1
7335	STATIONARY SEAL RING,P/N: 10081886,POS.NO.0052 (P2702)	ITEM NAME : STATIONARY SEAL RING	1
7336	ROTARY SEAL RING,P/N: 10070371,POS.NO.0053 (P2702)	ITEM NAME : ROTARY SEAL RING	1
7337	STATIONARY SEAL RING,P/N: 10081886,POS.NO.0054 (P2702)	ITEM NAME : STATIONARY SEAL RING	1
7338	ROTARY SEAL RING,P/N: 10070371,POS.NO.0055 (P2702)	ITEM NAME : ROTARY SEAL RING	1
7339	FDA-APPROVED O-RING,P/N: 10002099,POS.NO.0060 (P2702)	ITEM NAME : FDA-APPROVED O-RING	1
7340	O-RING,P/N: 10001679,POS.NO.0061 (P2702)	ITEM NAME : O-RING	1
7341	FDA-APPROVED O-RING,P/N: 20014595,POS.NO.0063,0064 (P2702)	ITEM NAME : FDA-APPROVED O-RING	1
7342	O-RING,P/N: 10002017,POS.NO.0065,0066 (P2702)	ITEM NAME : O-RING	1
7343	FDA-APPROVED O-RING,P/N: 10017743,POS.NO.0071 (P2702)	ITEM NAME : FDA-APPROVED O-RING	1
7344	O-RING,P/N: 10002030,POS.NO.0077 (P2702)	ITEM NAME : O-RING	1
7345	DEEP GROOVE BALL BEARING,P/N: 10082517,POS.NO.0104 (P2702)	ITEM NAME : DEEP GROOVE BALL BEARING	1
7346	O-RING,P/N: 10001360,POS.NO.0107 (P2702)	ITEM NAME : O-RING	1
7347	O-RING,000.000.306.602,P/N: 5880809/C,POS.NO.0123 (P2702)	ITEM NAME : O-RING	1
7348	SHAFT SEAL,000.000.306.037,POS.NO.0132 (P2702)	ITEM NAME : SHAFT SEAL	1
7349	ROLLING CONTACT BEARING,000.000.380.728,POS.NO.0150,0151 (P2702)	ITEM NAME : ROLLING CONTACT BEARING	1
7350	SHAFT SEAL,000.000.306.483,P/N: A5E35457431A/AA,POS.NO.0232 (P2702)	ITEM NAME : SHAFT SEAL	1
7351	SHAFT SEAL,002.900.082.901,POS.NO.0233 (P2702)	ITEM NAME : SHAFT SEAL	1
7352	CONTACT BEARING,000.000.380.820,POS.NO.0250 (P2702)	ITEM NAME : CONTACT BEARING	1
7353	CONTACT BEARING,000.000.380.818,POS.NO.0251 (P2702)	ITEM NAME : CONTACT BEARING	1

7354	ROLLING CONTACT BEARING,000.000.380.564,P/N: 5875727/B,POS.NO.0350,0351 (P2702)	IITEM NAME : ROLLING CONTACT BEARING	1
7355	ROLLING CONTACT BEARING,000.000.380.768,POS.NO.0450,0451 (P2702)	ITEM NAME : ROLLING CONTACT BEARING	1
7356	REPAIR KIT BALL VALVE (PERRIN KIT), XV-1303A/B	DESCRIPTION : REPAIR KIT BALL VALVE (PERRIN KIT)	1
7357	REPAIR KIT CYLINDER (ROTORK), XV-1303-06A/B	DESCRIPTION : REPAIR KIT CYLINDER, (ROTORK)	1
7358	2ND PINION INCLUDE KEY,POS.NO.5,30 (P1301C)	ITEM NAME : 2ND PINION INCLUDE KEY	1
7359	2ND GEAR,POS.NO.6 (P1301C)	ITEM NAME : 2ND GEAR	1
7360	HOLLOW SHAFT,POS.NO.7 (P1301C)	ITEM NAME : HOLLOW SHAFT	1
7361	OUTPUT SHAFT INCLUDE ACCESSORIES,POS.NO.8,31,32,33 (P1301C)	ITEM NAME : HOLLOW SHAFT	1
7362	BENTLY NEVADA 3500/42M, PROX/SEISMIC MONITOR WITH INTERNAL BARRIER	DESCRIPTION : 176449-02 PROX/SEISMIC MONITOR MODULE	1
7363	REDUNDANT POWER FEED, MODULE : KFD2-EB2.R4A.B, P+F, TAG : TURBOLOG	DESCRIPTION : INTERFACE FOR POWER RAIL	1
7364	SPACER FOR TORSION SHAFT OF COUPLING (J1101 NEW EXPANDER)	ITEM NAME : SPACER FOR TORSION SHAFT OF COUPLING	1
7365	COUPLING BOLTS WITH NUT,SIZE: M20(LONG BOLT) FOR J1101 NEW	ITEM NAME : COUPLING BOLTS WITH NUT,SIZE: M20(LONG BOLT)	1
7366	FAN MODULE TURBOLOG VARIO,MODEL: SK 3352500 (FOR RACK CONTROLER	DESCRIPTION : FAN MODULE TURBOLOG VARIO	1
7367	TURBOLOG TMR GA MPU-M1A SAFETY PROCESSOR CARD	DESCRIPTION : TURBOLOG TMR GA MPU-M1A SAFETY PROCESSOR CARD	1
7368	TURBOLOG SIMPLEX FIELD ASSEMBLY BOARD,FLKMS-D50 SUB/B	DESCRIPTION : TURBOLOG SIMPLEX FIELD ASSEMBLY BOARD	1
7369	TURBOLOG GA TFAB PIO MOD.1 MCDIN-S TRIPLEX	DESCRIPTION : TURBOLOG GA TFAB PIO MOD.1 MCDIN-S TRIPLEX	1
7370	TURBOLOG TMR POWER SUPPLY,S/N: PS-C-450F- 454,TYPE: GA.ACE 450F,	DESCRIPTION : TURBOLOG TMR POWER SUPPLY,S/N: PS-C-450F-454	1
7371	TURBOLOG TMR GA MCAD-S mod.1,TPYE: 4 UH EX ANALOG INPUT CARD,P/N:	DESCRIPTION : TURBOLOG TMR GA MCAD-S mod.1	1
7372	TURBOLOG TMR GA MCDOT-S-1007.00-0247 DO/OUTPUT CARD,P/N: 11290415	DESCRIPTION : TURBOLOG TMR GA MCDOT-S-1007.00-0247	1
7373	TURBOLOG SIMPLEX FIELD ASSEMBLY BOARD FLKMS-D50 SUB/B (1 PORT	DESCRIPTION : TURBOLOG SIMPLEX FIELD ASSEMBLY	1
7374	TURBOLOG SPARE WORKSTATION,P/N: 11353549	DESCRIPTION : TURBOLOG SPARE WORKSTATION	1
7375	ROSEMOUNT 114C FLANGED THERMOWELLS,114CM0300PAJ2SC060A	DESCRIPTION : ROSEMOUNT 114C FLANGED THERMOWELLS	1
7376	ROOF-MOUNTED FAN 500m3/h 115VAC FOR TURBOLOG TUNTHAI CABINETS	DESCRIPTION : ROOF-MOUNTED FAN 500m3/h	1
7377	IMPELLER (BLADE),P/N: 65893-10/20097078 (P2701)	ITEM NAME : IMPELLER (BLADE)	1
7378	MAGNETIC FLOWMETER COMPLETED SET, SIZE DN25, 1" ANSI 150RF, REMOTE	DESCRIPTION : COMPLETED SET MAGNETIC FLOWMETER SENSOR WITH	1
7379	PARALLEL KEY,B 18x11x45,P/N: 306 (P1441)	ITEM NAME : PARALLEL KEY	1
7380	INPUT SHAFT SHANKED,P/N: 515 (P1441)	ITEM NAME : INPUT SHAFT SHANKED	1
7381	Motor 0.18kw,0.72A,4Pole,3Phase,220/380V,220/380V	Description : Motor 0.18kw,0.72A,4Pole,3Phase,220/380V,220/380V	1
7382	MIXING SHAFT(AGITATOR SHAFT),SUS317L,POS.NO.55 (P1202A/B)	ITEM NAME : MIXING SHAFT(AGITATOR SHAFT)	1
7383	AGITATOR BLADE,SUS317L,POS.NO.61 (P1202A/B)	ITEM NAME : AGITATOR BLADE	1
7384	LANTERN WITH BEARING BLOCK OF AGITATOR,C.S.(CARBON STEEL) (E1507A)	ITEM NAME : LANTERN WITH BEARING BLOCK OF AGITATOR	1
7385	MOTOR, 30KW, 380V, 57.2A, 1475RPM, (MT-1442B, MT- 1443B, MT-1444, MT-1445)	Description : MOTOR, 30KW, 380V, 57.2A, 1475RPM, (MT-1442B, MT-1443B, MT-1444, MT-1445	1
7386	BOTTOM BEARING HOUSING (MODIFICATION),STAINLESS 1.4571,ID.196.18-	ITEM NAME : BOTTOM BEARING HOUSING (MODIFICATION)	1
7387	INLET SEGMENT SUCTION LINE 2ND STAGE (P1101B)	ITEM NAME : INLET SEGMENT SUCTION LINE 2ND STAGE	1
7388	Stem Rod for actuator cylinder valve, Material SS304, Tag : XV-2911	Description : Stem Rod for actuator cylinder valve	1
7389	RAPPING DISPLAY PCB,AP14 DZK-2 AP14	Description : Rapping display PCB,AP14 DZK-2 AP14	1
		Total value	